

Lecture 000

Why are we here?

Edward Rubin

Admin

Admin

In-class today

- Course website: <https://github.com/edrabin/EC524W23/>
- Syllabus (on website)

TODO list

- Today: Sign up for Kaggle
- Upcoming readings:
 - ISL Ch1–Ch2
 - [Prediction Policy Problems](#) by Kleinberg *et al.* (2015)
- Assignment: This week? (Getting to know prediction and Kaggle)

What's the goal?

What's the goal?

What's different?

We've got a whole class on **prediction**. Why?

What's the goal?

What's different?

We've got a whole class on **prediction**. Why?

Up to this point, we've focused on causal **identification/inference** of β , i.e.,

$$\mathbf{Y}_i = \mathbf{X}_i\beta + u_i$$

meaning we want an unbiased (consistent) and precise estimate $\hat{\beta}$.

What's the goal?

What's different?

We've got a whole class on **prediction**. Why?

Up to this point, we've focused on causal **identification/inference** of β , i.e.,

$$\mathbf{Y}_i = \mathbf{X}_i\boldsymbol{\beta} + u_i$$

meaning we want an unbiased (consistent) and precise estimate $\hat{\boldsymbol{\beta}}$.

With **prediction**, we shift our focus to accurately estimating outcomes.

In other words, how can we best construct $\hat{\mathbf{Y}}_i$?

What's the goal?

... so?

So we want "nice"-performing estimates \hat{y} instead of $\hat{\beta}$.

Q Can't we just use the same methods (*i.e.*, OLS)?

What's the goal?

... so?

So we want "nice"-performing estimates \hat{y} instead of $\hat{\beta}$.

Q Can't we just use the same methods (*i.e.*, OLS)?

A It depends.

What's the goal?

... so?

So we want "nice"-performing estimates \hat{y} instead of $\hat{\beta}$.

Q Can't we just use the same methods (*i.e.*, OLS)?

A It depends. How well does your **linear**-regression model approximate the underlying data? (And how do you plan to select your model?)

What's the goal?

... so?

So we want "nice"-performing estimates \hat{y} instead of $\hat{\beta}$.


Q Can't we just use the same methods (*i.e.*, OLS)?

A It depends. How well does your **linear**-regression model approximate the underlying data? (And how do you plan to select your model?)


Recall Least-squares regression is a great **linear** estimator.

Data can be tricky[†]—as can understanding many relationships.


[†] A typo previously had this slide saying "Data data be tricky", which I really like. "Tricky" might mean nonlinear... or many other things...




Linear regression




Linear regression, linear regression (x^4)




Linear regression, linear regression (x^4), KNN (100)



Linear regression, linear regression (x^4), KNN (100), KNN (10)



Linear regression, linear regression (x^4), KNN (100), KNN (10), random forest



Note That example only had one predictor...

What's the goal?

Tradeoffs

In prediction, we constantly face many tradeoffs, *e.g.*,

- **flexibility** and **parametric structure** (and interpretability)
- performance in **training** and **test** samples
- **variance** and **bias**

What's the goal?

Tradeoffs

In prediction, we constantly face many tradeoffs, e.g.,

- **flexibility** and **parametric structure** (and interpretability)
- performance in **training** and **test** samples
- **variance** and **bias**

As your economic training should have predicted, in each setting, we need to **balance the additional benefits and costs** of adjusting these tradeoffs.

What's the goal?

Tradeoffs

In prediction, we constantly face many tradeoffs, e.g.,

- **flexibility** and **parametric structure** (and interpretability)
- performance in **training** and **test** samples
- **variance** and **bias**

As your economic training should have predicted, in each setting, we need to **balance the additional benefits and costs** of adjusting these tradeoffs.

Many machine-learning (ML) techniques/algorithms are crafted to optimize with these tradeoffs, but the practitioner (you) still needs to be careful.

What's the goal?

There are many reasons to step outside the world of linear regression...

What's the goal?

There are many reasons to step outside the world of linear regression...

Multi-class classification problems

- Rather than {0,1}, we need to classify y_i into 1 of K classes
- *E.g.*, ER patients: {heart attack, drug overdose, stroke, nothing}

What's the goal?

There are many reasons to step outside the world of linear regression...

Multi-class classification problems

- Rather than {0,1}, we need to classify y_i into 1 of K classes
- *E.g.*, ER patients: {heart attack, drug overdose, stroke, nothing}

Text analysis and **image recognition**

- Comb through sentences (pixels) to glean insights from relationships
- *E.g.*, detect sentiments in tweets or roof-top solar in satellite imagery

What's the goal?

There are many reasons to step outside the world of linear regression...

Multi-class classification problems

- Rather than {0,1}, we need to classify y_i into 1 of K classes
- *E.g.*, ER patients: {heart attack, drug overdose, stroke, nothing}

Text analysis and **image recognition**

- Comb through sentences (pixels) to glean insights from relationships
- *E.g.*, detect sentiments in tweets or roof-top solar in satellite imagery

Unsupervised learning

- You don't know groupings, but you think there are relevant groups
- *E.g.*, classify spatial data into groups



Stanford University (Stanford, CA) researchers have developed a deep-learning algorithm that can evaluate chest X-ray images for signs of disease at a level exceeding practicing radiologists.




Parking Lot Vehicle Detection Using Deep Learning

How AI Can Calculate Our Oil Surplus...From Space



ORBITAL INSIGHT/DIGITALGLOBE



Monitoring methane emissions from gas pipelines

THE
NEW YORKER

A REPORTER AT LARGE OCTOBER 14, 2019 ISSUE

The Next Word |

Where will predictive text take us?

Text by John Seabrook



Gender Classifier	Darker Male	Darker Female	Lighter Male	Lighter Female	Largest Gap
Microsoft	94.0%	79.2%	100%	98.3%	20.8%
FACE++	99.3%	65.5%	99.2%	94.0%	33.8%
IBM	88.0%	65.3%	99.7%	92.9%	34.4%



And of course...

OpenAI and **ChatGPT**

Takeaways?

Any main takeaways/thoughts from these examples?

Takeaways?

Any main takeaways/thoughts from these examples?

Mine

- Interactions and nonlinearities likely matter
- *Engineering* features/variables can be important
- *Related*: We might not even know the features that matter
- Flexibility is huge—but we still want to avoid overfitting

Next time Start formal building blocks of prediction.

Sources

Sources (articles) of images

- Deep learning and radiology
- Parking lot detection
- *New Yorker* writing
- Oil surplus
- Methane leaks
- Gender Shades

Table of contents

Admin

- Today and upcoming

What's the goal?

- What's different?
- Graphical example
- Tradeoffs
- More goals
- Examples

Other

- Image sources