



Pontifícia Universidade Católica de Minas Gerais
Instituto de Ciências Exatas e Informática
Departamento de Ciência da Computação

Tutorial Learn Lab AWS VPC, Security Group, EC2 Windows e IIS

Antes de iniciar o tutorial, acesse o outlook.com do office 365 usando o seu e-mail acadêmico (@sga.pucminas.br) e mesma senha do teams ou do Canvas. Você encontrará os e-mails de convite para a plataforma da AWS. Clique no link do e-mail para habilitar um novo usuário no Canvas da AWS com o seu e-mail @sga. **Escolha criar uma nova conta no Canvas.**

Será aberta a página <https://awsacademy.instructure.com/> que lhe dará acesso ao AWS Academy.

Na página do Canvas do AWS clique no Card AWS Academy Learn Lab e logo em seguida clique em Módulos.

Página inicial

Avisos

Módulos

Fóruns

Notas

Páginas

Tarefas

Pessoas

Rubricas

Testes

Programa

Arquivos

Objetivos

BigBlueButton

Colaborações

Add Learners

Configurações

AWS Academy Learner Lab [77016]



O *Laboratório de aprendizagem da AWS Academy* oferece um ambiente de sandbox de longa duração para a exploração específica de serviços da AWS. Neste curso, os alunos terão acesso a *um conjunto restrito de serviços da AWS*. Nem todas as demonstrações da documentação da AWS e laboratórios de exemplo que funcionam em uma conta de produção da AWS funcionarão no ambiente de laboratório de aprendizagem. Você manterá o acesso aos recursos da AWS configurados nesse ambiente durante este curso. Limitamos seu orçamento (USD 100), portanto, você deve ter cautela para evitar cobranças que o esgotem muito rapidamente. Se você ultrapassar o orçamento, perderá acesso a seu ambiente e todos os trabalhos.

Cada sessão dura quatro horas, por padrão, embora você possa estendê-la por mais tempo pressionando o botão Start (Iniciar) para reiniciar o cronômetro da sessão. Ao final de cada sessão, todos os recursos que você criou serão mantidos. No entanto, terminamos automaticamente as instâncias do EC2. Outros recursos, como instâncias do RDS, continuam em

Na página dos Módulos, clique em Iniciar os laboratórios de aprendizagem da AWS Academy.

Página inicial

Avisos

Módulos

Fóruns

Notas

Páginas

Tarefas

Pessoas

Rubricas

Testes

Programa

Arquivos

Objetivos

BigBlueButton

Colaborações

Add Learners

Configurações

Boas-vindas e visão geral do curso

Pesquisa pré-curso [Pre-Course Survey PT]

Guia do laboratório de aprendizagem da AWS Academy para educadores (não se destina a alunos)

Guia do laboratório de aprendizagem da AWS Academy para alunos

Conformidade e segurança do laboratório de aprendizagem da AWS Academy

Completar Todos os Itens


Aprenda a utilizar os laboratórios de aprendizagem da Academy com eficácia

Teste de conhecimento do módulo
100 pts Pontuar pelo menos 70.0


Laboratório de aprendizagem da AWS Academy

Iniciar os laboratórios de aprendizagem da AWS Academy


Quando a página com a plataforma Vocareum abrir, clique em Star Lab. (A Plataforma Vocareum não funciona em abas Anônimas)



O marcador do link AWS no canto superior esquerdo que antes era vermelho fica amarelo e depois verde. Na primeira execução esse processo demora em torno de 10 minutos.




Quando o marcador ficar na cor verde, clique no link AWS.




The screenshot shows the Vocareum interface. At the top, there is a dark blue header with the Vocareum logo and navigation links: Home, Classes, Manage, Help, Inbox, and a user profile for Alexandre Teixeira. Below the header, a status bar displays 'Used \$0 of \$100', '03:59', and buttons for 'Start Lab', 'End Lab', 'AWS Details', 'Readme', and 'Reset'. A large yellow arrow points to the 'AWS' link in the top left corner, which is accompanied by a green status indicator. The main content area is divided into two sections: a large terminal window on the left and a 'Learner Lab' sidebar on the right. The sidebar contains a list of links for environment navigation and a section for 'Environment Overview'.

A Plataforma redirecionará para o painel da AWS.




The screenshot shows the AWS Management Console Home page. The top navigation bar includes the AWS logo, 'Services', a search bar, and a user profile for 'voclabs/user3326011=Student_View_Alexandre_Teixeira @ 0285...'. The main content area is titled 'Console Home' and features several widgets. On the left, the 'Recently visited' widget shows 'EC2'. In the center, the 'Applications (0)' widget displays a table with columns for Name, Description, Region, and Originating account, and a 'Create application' button. At the bottom, there are three widgets: 'Welcome to AWS', 'AWS Health', and 'Cost and usage'. The 'Cost and usage' widget shows 'Current month costs' and 'Cost (\$)'. The interface is clean and modern, with a light gray background and blue accents.

Em search digite VPC e escolha VPC – Isolated Cloud Resources.



No VPC Dashboard clique em Create VPC




Em VPC settings escolha VPC and More, coloque o seu nome na caixa do nome da VPC e marque 1 Zona de disponibilidade, 1 subrede pública e 0 subrede privada.

The screenshot shows the 'VPC settings' page in the AWS Management Console. A yellow arrow points to the 'VPC and more' button. Another yellow arrow points to the 'Name tag auto-generation' section, where 'Alex' is entered in the 'Name tag' field. A third yellow arrow points to the 'Number of Availability Zones (AZs)' section, where '1' is selected. A fourth yellow arrow points to the 'Number of public subnets' section, where '1' is selected. A fifth yellow arrow points to the 'Number of private subnets' section, where '0' is selected. The 'Preview' section on the right shows a diagram of the VPC configuration: 'Alex-vpc' (VPC) connected to 'us-east-1a' (Subnets), which is connected to 'Alex-rtb-public' (Route tables), which is connected to 'Alex-igw' (Network connections).


Marque também None em Gateways e None em VPC Endpoint. Após isso clique em Create VPC.

The screenshot shows the 'VPC settings' page in the AWS Management Console. A yellow arrow points to the 'NAT gateways (\$)' section, where 'None' is selected. Another yellow arrow points to the 'VPC endpoints' section, where 'None' is selected. A third yellow arrow points to the 'Create VPC' button at the bottom right. The 'Number of Availability Zones (AZs)' section shows '1' selected. The 'Number of public subnets' section shows '1' selected. The 'Number of private subnets' section shows '0' selected. The 'DNS options' section shows 'Enable DNS hostnames' and 'Enable DNS resolution' both checked.

Uma vez criada a VPC, é necessário criar um grupo de Segurança para essa VPC. Clique em Security Groups na parte de segurança do VPC Dashboard.



Clique em Create Security group na tela de Security Groups.




Entre com seu nome no grupo de segurança (1). Insira a descrição (2) e associe o grupo de Segurança a VPC criada (3). **Em Inbound Rules ou Regras de Entrada**, adicione as regras de (4) HTTP para qualquer IPv4 e (5) RDP para qualquer IPv4. Insira também uma descrição para as regras criadas (6) e (7)


Clique em Create Security Group no final da página.

O grupo de segurança foi criado com sucesso.

O passo seguinte é criarmos o servidor dentro dessa VPC que criamos. Va em Search e digite EC2 e escolha EC2.



Clique em Launch Instance.



Insira o Nome da instância e escolha Windows e a imagem Microsoft Windows 2016 Base.

Name and tags [Info](#)

Name
Alexserver [Add additional tags](#)

▼ Application and OS Images (Amazon Machine Image) [Info](#)

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

Q Search our full catalog including 1000s of application and OS images

Quick Start

Amazon Linux macOS Ubuntu Windows Red Hat SUSE L [Browse more AMIs](#)

aws Mac ubuntu Microsoft SUS Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Microsoft Windows Server 2016 Base [Free tier eligible](#)

ami-014834ac9897be3eb (64-bit (x86))
Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Microsoft Windows Server 2016 with Desktop Experience Locale English AMI provided by Amazon

Architecture **AMI ID**

64-bit (x86) ami-014834ac9897be3eb [Verified provider](#)

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Microsoft Windows Server 2016 ...[read more](#)
ami-014834ac9897be3eb

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 30 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 750 hours of public IPv4 address usage per month, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

[Cancel](#) [Launch instance](#) [Review commands](#)

Escolha o tipo de instância t2 Large.

Amazon Linux macOS Ubuntu Windows Red Hat SUSE L [Browse more AMIs](#)

aws Mac ubuntu Microsoft SUS Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Microsoft Windows Server 2016 Base [Free tier eligible](#)

ami-014834ac9897be3eb (64-bit (x86))
Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Microsoft Windows Server 2016 with Desktop Experience Locale English AMI provided by Amazon

Architecture **AMI ID**

64-bit (x86) ami-014834ac9897be3eb [Verified provider](#)

▼ Instance type [Info](#) [Get advice](#)

Instance type

t2.large

Family: t2 2 vCPU 8 GiB Memory Current generation: true
On-Demand Windows base pricing: 0.1208 USD per Hour
On-Demand RHEL base pricing: 0.1528 USD per Hour
On-Demand SUSE base pricing: 0.1928 USD per Hour
On-Demand Linux base pricing: 0.0928 USD per Hour

[Additional costs apply for AMIs with pre-installed software](#)

▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Microsoft Windows Server 2016 ...[read more](#)
ami-014834ac9897be3eb

Virtual server type (instance type)

t2.large

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 30 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 750 hours of public IPv4 address usage per month, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

[Cancel](#) [Launch instance](#) [Review commands](#)

Em Key Pair (login) escolha Create a new key pair.

Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

Select [Create new key pair](#)

For Windows instances, you use a key pair to decrypt the administrator password. You then use the decrypted password to connect to your instance.

Network settings [Info](#) [Edit](#)

Network [Info](#)
vpc-09e982f9739f24271

Subnet [Info](#)
No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)
Enable

Additional charges apply when outside of free tier allowance

Firewall (security groups) [Info](#)
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

[Create security group](#) [Select existing security group](#)

We'll create a new security group called 'launch-wizard-1' with the following rules:

☒ Allow RDP traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0

☐ Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server

☐ Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server

Summary

Number of instances [Info](#)
1

Virtual server type (instance type)
t2.large

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 30 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 750 hours of public IPv4 address usage per month, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

[Cancel](#) [Launch instance](#) [Review commands](#)

Entre com um nome para a chave e clique em create key pair. Será feito o download da chave para sua máquina local. **Guarde o arquivo da chave em um local seguro. (De preferência em um Pendrive)**

Create key pair [X](#)

Key pair name
Key pairs allow you to connect to your instance securely.
chave

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ RSA
RSA encrypted private and public key pair

☐ ED25519
ED25519 encrypted private and public key pair (Not supported for Windows instances)

Private key file format

☒ .pem
For use with OpenSSH

☐ .ppk
For use with PuTTY

When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. [Learn more](#)

[Create key pair](#)

Em Network settings clique em Edit.

▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

Select [Create new key pair](#)

For Windows instances, you use a key pair to decrypt the administrator password. You then use the decrypted password to connect to your instance.

▼ Network settings [Info](#)

Network [Info](#)

vpc-09e982f9739f24271

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Additional charges apply when outside of free tier allowance

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group ☐ Select existing security group

We'll create a new security group called 'launch-wizard-1' with the following rules:

☒ Allow RDP traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0

☐ Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server

☐ Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server

▼ Summary

Number of instances [Info](#)

1

Software Image (AMI)

Microsoft Windows Server 2016 ...read more
ami-014834ac9897be3eb

Virtual server type (instance type)

t2.large

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 30 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 750 hours of public IPv4 address usage per month, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

Cancel **Launch instance** [Review commands](#)

Altere a VPC para a que você criou. Escolha Enable em Auto-assign public IP. Altere também o grupo de segurança para o que você criou escolhendo Select existing security Group. Em seguida clique em Launch Instance.

▼ Network settings [Info](#)

VPC - *required* [Info](#)

vpc-0cb62550e6a790ef3 (Alex-vpc)
10.0.0.0/16

Subnet [Info](#)

subnet-0b04162618071b88c Alex-subnet-public1-us-east-1a
VPC: vpc-0cb62550e6a790ef3 Owner: 028521223525 Availability Zone: us-east-1a
IP addresses available: 4091 CIDR: 10.0.0.0/20

Auto-assign public IP [Info](#)

Enable

Additional charges apply when outside of free tier allowance

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☐ Create security group ☒ Select existing security group

Common security groups [Info](#)

Select security groups

Alex sg-0e3c933ad47c5474e
VPC: vpc-0cb62550e6a790ef3

Security groups that you add or remove here will be added to or removed from all your network interfaces.

► Advanced network configuration

▼ Configure storage [Info](#) [Advanced](#)

Software Image (AMI)

Microsoft Windows Server 2016 ...read more
ami-014834ac9897be3eb

Virtual server type (instance type)

t2.large

Firewall (security group)

Alex

Storage (volumes)

1 volume(s) - 30 GiB

Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the Regions in which t2.micro is unavailable) instance usage on free tier AMIs per month, 750 hours of public IPv4 address usage per month, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet.

Launch instance [Review commands](#)

A instância (servidor Windows 2016) é criada com sucesso. Clique em View All instances.

Success
Successfully initiated launch of instance [i-0240396a2db4e3400]

► Launch log

Next Steps
Q What would you like to do next with this instance, for example "create alarm" or "create backup"

1 2 3 4 >

Create billing and free tier usage alerts

To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.

Create billing alerts

Connect to your instance

Once your instance is running, log into it from your local computer.

Connect to instance

Learn more

Connect an RDS database

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

Connect an RDS database

Create a new RDS database

Learn more

Create EBS snapshot policy

Create a policy that automates the creation, retention, and deletion of EBS snapshots

Create EBS snapshot policy

Manage detailed monitoring

Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.

Manage detailed monitoring

Create Load Balancer

Create an application, network gateway or classic Elastic Load Balancer

Create Load Balancer

Create AWS budget

AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.

Create AWS budget

Manage CloudWatch alarms

Create or update Amazon CloudWatch alarms for the instance.

Manage CloudWatch alarms

Disaster recovery for your instances

Recover the instances you just launched into a different Availability Zone or a different Region using AWS Elastic Disaster Recovery (DRS).

Disaster recovery for your instances

Get instance screenshot

Capture a screenshot from the instance and view it as an image. This is useful for troubleshooting an unreachable instance.

Get instance screenshot

Get system log

View the instance's system log to troubleshoot issues.

Get system log

Change shutdown behavior

Change the behavior of the instance for when you initiate a shutdown from the operating system of the instance itself.

Change shutdown behavior

View all instances

Clique no **Link do ID** da instância para ver mais detalhes.

BWS Services Search [Alt+S]

EC2 Dashboard EC2 Global View Events Console-to-Code Preview

Instances

Instance Types Launch Templates Spot Requests Savings Plans Reserved Instances Dedicated Hosts Capacity Reservations

Images

AMIs AMI Catalog

Elastic Block Store

Volumes Snapshots Lifecycle Manager

Network & Security

Security Groups Elastic IPs Placement Groups Key Pairs Network Interfaces

Load Balancing

Load Balancers Target Groups Trusted Kinesis New

Instances (1) Info

Find instance by attribute or tag (case-sensitive)

Instance ID = i-0240396a2db4e3400

Clear filters

Name	Instance ID	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP	IPv6 IPs	Monitoring	Security g
Alexserver	i-0240396a2db4e3400	t2.large	-	View alarms	us-east-1a	ec2-44-206-243-132.co...	44.206.243.132	-	-	disabled	Alex

Select an instance

Anote o IP público associado para a instância. (obs. Esse IP muda toda vez o Learn Lab ou a instância são iniciados)

The screenshot shows the AWS Management Console interface for an EC2 instance. The left sidebar contains navigation links for EC2 Dashboard, EC2 Global View, Events, Console-to-Code, and various instance management options. The main content area displays the 'Instance summary' for 'i-0240396a2db4e3400 (Alexserver)'. A yellow arrow points to the 'Public IPv4 address' field, which shows '44.206.243.132 | open address'. Other fields include 'Instance state' (Running), 'Private IP DNS name' (ip-10-0-1-162.ec2.internal), 'Instance type' (t2.large), 'VPC ID' (vpc-0cb62550e6a790ef3), 'Subnet ID' (subnet-0b04162618071b88c), and 'Instance ARN' (arn:aws:ec2:us-east-1:028521223525:instance/i-0240396a2db4e3400). The 'Details' tab is selected, showing 'Instance details' and 'Platform' information.

Precisamos pegar a senha do administrador para efetuar login no servidor na AWS. No canto superior direito vá em Actions, Security e Get Windows Password.

This screenshot shows the same AWS Management Console interface, but with a yellow arrow pointing to the 'Actions' button in the top right corner. The 'Actions' dropdown menu is open, showing options like 'Connect', 'Manage instance state', 'Instance settings', 'Networking', 'Security', 'Image and templates', and 'Monitor and troubleshoot'. The 'Security' option is highlighted. The 'Instance summary' for 'i-0240396a2db4e3400 (Alexserver)' is still visible in the background.

Em Get Windows password. Faça o upload do arquivo da chave que você guardou em um local seguro.

The screenshot shows the AWS Management Console interface for the 'Get Windows password' page. The breadcrumb navigation at the top reads: EC2 > Instances > i-0240396a2db4e3400 > Get Windows password. The page title is 'Get Windows password' with an 'Info' link. The main content area contains the following information:

- Use your private key to retrieve and decrypt the initial Windows administrator password for this instance.
- Instance ID: i-0240396a2db4e3400 (Alexserver)
- Key pair associated with this instance: chave
- Private key: Either upload your private key file or copy and paste its contents into the field below.
- A button labeled 'Upload private key file' is highlighted with a yellow arrow.
- A text area labeled 'Private key contents - optional' is empty.
- At the bottom, there are 'Cancel' and 'Decrypt password' buttons.


Clique em Decrypt password.

This screenshot shows the same 'Get Windows password' page, but with the private key file uploaded. The 'Upload private key file' button now shows a green checkmark and the filename 'chave.pem' with a size of 1.674KB. The 'Private key contents - optional' text area is populated with the following text:


```
-----BEGIN RSA PRIVATE KEY-----
MIIEogIBAAKCAQEAIVYD0dv0+ATIOnlUPvjFYzGjxVKuZLICrfeX1aOrouAntx
xOtp90//UZKQ24vhY0fsFGYftMLRYHKeW0GrEI7ZdZjDJnAsk1It6YY0529YRU8
fsydkbLZdr41RtlpFWix4HsAbvthmq0ZA9Lr7juuZTjkj5eCkVyGD/RXeyXUff8M
+eSX3gQkJNrc6b859sbdqiYubzGP9KcJmxVjklD0bUd/LDintuVdAAycG90ajY
QFEWjk3lET2lJfQMMG/zaw523zx6/NoKf1zWjZUCtpe8mRGMvpFmZy+VnmRTHv
ym5xQYdF3l17Pvdw1yJ1sg83xP7mv4dYeyQexQIDAQABAAIBAF+GB7PWTtjpL3W3
nRP4W4SXP5vzbzIPKvcele6zeUDxkLazwc1lji3O1RGXwCM/cbew6MKFhtUSwDYA
-----
```

A yellow arrow points to the 'Decrypt password' button at the bottom right of the page.

Guarde a senha do administrador para acessar o servidor. Clique em Ok para continuar.




Para acessar o servidor execute o remote desktop ou conexão de área de trabalho remota no seu computador do laboratório ou de casa. É preciso entrar com o IP público do servidor na AWS e depois com o usuário **administrador** e a senha obtida no passo anterior.



Autorize o acesso ao servidor, clicando em sim quando solicitado.

Instalação do Servidor WEB IIS.


Para instalar o Servidor Web IIS no Windows Server vá em menu iniciar e clique no botão de Gerenciador de Servidores.




Clique em Adicionar funções e recursos.




Clique em Proximo.




Clique em próximo.




Escolha o servidor e clique em próximo.




Selecione a opção Web Server (IIS) e clique em próximo.




Clique em próximo.




Na tela de explicação que trata de uma breve introdução aos Servidores Web, clique em próximo.




Clique em próximo e instalar.



Do navegador do servidor acesse o IIS, digitando localhost, ou o IP interno do Servidor. Aparecerá a tela de boas-vindas do IIS.




O IIS armazena os arquivos do site padrão em **c:\inetpub\wwwroot**. Nesse diretório no Servidor Windows você deve alterar o conteúdo do arquivo **iisstart** com o bloco de notas (botão direito no arquivo e abrir com) e colocar as suas informações, ou da sua dupla ou do seu grupo. (Componentes da dupla ou grupo)




Acesse novamente o site através do seu navegador da sua máquina local do laboratório digitando o IP público da instância criada.


Para **desligar a instância sem excluí-la**, volte nos detalhes da instância e clique em **Instance State** e escolha **Stop Instance**. Deixar a instância ligada pode consumir recursos.



Clique em Stop.



Volte ao Canvas da AWS e clique em End Lab para encerrar o Learn Lab.



The screenshot shows the Vocareum AWS Learner Lab interface. The top navigation bar includes links for Home, Classes, Manage, Help, Inbox, and the user profile Alexandre Teixeira. Below the navigation bar, the AWS logo is visible, along with the text "Used \$0 of \$100" and a timer showing "03". A yellow arrow points to the "End Lab" button in the top right corner. The main content area is divided into two sections: a large terminal window on the left and a sidebar on the right. The terminal window displays the command prompt "eee_M_3293062@runweb126635:~\$". The sidebar contains the "Learner Lab" section with a list of links: [Environment Overview](#), [Environment Navigation](#), [Access the AWS Management Console](#), [Region restriction](#), [Service usage and other restrictions](#), [Using the terminal in the browser](#), [Running AWS CLI commands](#), [Using the AWS SDK for Python](#), [Preserving your budget](#), [Accessing EC2 Instances](#), [SSH Access to EC2 Instances](#), [SSH Access from Windows](#), and [SSH Access from a Mac](#). Below the links, it states "Instructions last updated: 2024-06-06". The sidebar also includes an "Environment Overview" section with the text "This Learner Lab provides a sandbox environment".