

# "Why is BGP to AS 65010 down on edge-rtr-01?"

A live fault uses all three paths. The agent gathers state, the graph supplies context, the docs supply the procedure, and the grader drops what does not match the device.

|   |                     |                                                                                                                                                                                               |                       |
|---|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| 1 | Route               | Intent: live fault. Entities: device <code>edge-rtr-01</code> , peer AS 65010. Sent to path C, with A and B available as tools.                                                               | Adaptive              |
| 2 | Resolve context     | Graph lookup (synced from NetBox): vendor, platform and OS version of the device; the peer's interface, circuit ID and provider; services and customers riding that circuit.                  | Graph + Self-Query    |
| 3 | Collect live state  | Read-only calls: BGP neighbor detail, interface counters and errors, BFD session state, syslog for the peer over the last hour.                                                               | Agentic               |
| 4 | Rewrite the symptom | Evidence says "hold timer expired" with the interface up. Rewritten into vendor terms: BGP hold timer expiry, BFD down, MTU mismatch on the peer link.                                        | Multi-Query           |
| 5 | Retrieve procedure  | Hybrid search filtered to the device's vendor and OS train. Child chunk matches one check; the full troubleshooting section is returned. Past tickets on the same circuit come with it.       | Hybrid + Parent-Child |
| 6 | Grade               | The guide for the device's OS train is kept. A ticket from an older train with different BFD defaults is dropped. If nothing passes, the answer says so instead of guessing.                  | CRAG                  |
| 7 | Answer              | Likely cause, each claim tied to a command output or doc section, the next command to run, and the customers affected from the graph. A fix, if any, arrives as a proposed diff for approval. | Guardrails            |