De Bruijn sequences (2) P55027_en

Vuitè Concurs de Programació de la UPC - Final (2010-09-22)

As you may remember, a binary de Bruijn sequence of order n is a cyclic sequence of zeros and ones such that every possible subsequence of n consecutive digits appears exactly once.

Regarding the problem about de Bruijn sequences of the last UPC semifinal, Masao did not like that some precomputed solutions were accepted. In the good old days, when men were real men, and Masao was a UPC world-finalist of the ACM contest (and a real man, like now), things were not so easy! Therefore, let us make that problem a little tougher.

Input

Input consists of several cases. Every case begins with an integer number n, followed by a number r, followed by r restrictions, each consisting of a pair of integer numbers i and v, which state that the i-th leftmost position of the sequence must be v. Assume $2 \leq n \leq 20$, $0 \leq i < 2^n$ and $v \in \{0, 1\}$. The positions are all different.

Output

For every case, print the lexicographically smallest de Bruijn sequence of order n that fulfills all the restrictions. If such a sequence does not exists, state so as shown in the sample output.

Observation

The private test cases are chosen so that a "reasonable" brute-force algorithm should be accepted, if written non-recursively.

Sample input

```
3 0
3 1    0 1
2 2    0 1  2 1
4 5    3 1  11 0  9 1  15 0  6 0
```

Sample output

```
00010111
10001011
no solution
0011010111100100
```

Problem information

Author : Xavier Martínez
Generation : 2013-09-02 15:43:06