

Server with MySQL2 TS

Consulta general y consulta por ID de un producto activo

GET `http://localhost:3000/api/v1/products/getAll` Send

Query Headers² Auth Body¹ Tests Pre Run

Query Parameters

parameter	value
-----------	-------

Status: 200 OK Size: 182 Bytes Time: 13 ms

Response Headers⁶ Cookies Results Docs </> ≡

```
1 {
2   "status": "success",
3   "data": [
4     {
5       "id": 1,
6       "name": "Teclado",
7       "price": "89.99",
8       "stock": 15,
9       "description": "Teclado mecanico",
10      "brand": "teclado",
11      "img": "http://imagen.com/teclado.png",
12      "active": 1
13    }
14  ]
15 }
```

GET `http://localhost:3000/api/v1/products/getById/1` Send

Query Headers² Auth Body¹ Tests Pre Run

Query Parameters

parameter	value
-----------	-------

Status: 200 OK Size: 208 Bytes Time: 9 ms

Response Headers⁶ Cookies Results Docs </> ≡

```
1 {
2   "status": "success",
3   "data": {
4     "id": 1,
5     "name": "Teclado update",
6     "price": "89.99",
7     "stock": 10,
8     "description": "Teclado mecanico update",
9     "brand": "teclado update",
10    "img": "http://imagen.com/teclado-update.png",
11    "active": 1
12  }
13 }
```

Creación de un producto

POST `http://localhost:3000/api/v1/products/create` Send

Query Headers² Auth Body¹ Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "name": "Teclado",
3   "price": 89.99,
4   "stock": 15,
5   "description": "Teclado mecanico",
6   "brand": "teclado",
7   "img": "http://imagen.com/teclado.png"
8 }
```

Status: 201 Created Size: 222 Bytes Time: 201 ms

Response Headers⁶ Cookies Results Docs </> ≡

```
1 {
2   "status": "success",
3   "message": "Producto creado exitosamente",
4   "data": {
5     "id": 1,
6     "name": "Teclado",
7     "price": 89.99,
8     "stock": 15,
9     "description": "Teclado mecanico",
10    "brand": "teclado",
11    "img": "http://imagen.com/teclado.png",
12    "active": true
13  }
14 }
```

Actualización completa y cambio de precio de un producto creado

PUT `http://localhost:3000/api/v1/products/update/1` **Send**

Query Headers² Auth **Body¹** Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "name": "Teclado update",
3   "price": 89.99,
4   "stock": 10,
5   "description": "Teclado mecanico update",
6   "brand": "teclado update",
7   "img": "http://imagen.com/teclado-update.png"
8 }
```

Status: **200 OK** Size: **67 Bytes** Time: **12 ms**

Response Headers⁶ Cookies Results Docs </> ≡

```
1 {
2   "status": "success",
3   "message": "Producto actualizado correctamente"
4 }
```

PATCH `http://localhost:3000/api/v1/products/change-price/1` **Send**

Query Headers² Auth **Body¹** Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "price": 79.99
3 }
```

Status: **200 OK** Size: **64 Bytes** Time: **13 ms**

Response Headers⁶ Cookies Results Docs </> ≡

```
1 {
2   "status": "success",
3   "message": "Precio modificado correctamente"
4 }
```

baja lógica del producto

DELETE `http://localhost:3000/api/v1/products/delete/1` **Send**

Query Headers² Auth **Body¹** Tests Pre Run

Query Parameters

☐ parameter value

Status: **200 OK** Size: **67 Bytes** Time: **12 ms**

Response Headers⁶ Cookies Results Docs </> ≡ Copy

```
1 {
2   "status": "success",
3   "message": "Producto dado de baja lógicamente"
4 }
```

Comprobación de que el producto dado de baja ya no aparece en getAll ni en getById/:id

GET http://localhost:3000/api/v1/products/getById/1 Send

Status: **404 Not Found** Size: **63 Bytes** Time: **9 ms**

Query Headers ² Auth Body ¹ Tests Pre Run

Response Headers ⁶ Cookies Results Docs </> ≡

Query Parameters

☐ parameter value

```
1 {
2   "status": "fail",
3   "message": "Producto no encontrado o inactivo"
4 }
```

Un caso de ID inexistente y un caso de datos inválidos

GET http://localhost:3000/api/v1/products/getById/2 Send

Status: **500 Internal Server Error** Size: **66 Bytes** Time: **11 ms**

Query Headers ² Auth Body ¹ Tests Pre Run

Response Headers ⁶ Cookies Results Docs </>

Query Parameters

☐ parameter value

```
1 {
2   "status": "error",
3   "message": "Error al consultar la base de datos"
4 }
```

POST http://localhost:3000/api/v1/products/create Send

Status: **400 Bad Request** Size: **72 Bytes** Time: **9 ms**

Query Headers ² Auth **Body** ¹ Tests Pre Run

Response Headers ⁶ Cookies Results Docs </> ≡

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "name": "Teclado",
3   "price": -89.99,
4   "stock": 5,
5   "description": "Teclado",
6   "brand": "Logitech",
7   "img": "http://imagen.com/teclado-logitech.png"
8 }
```

```
1 {
2   "status": "fail",
3   "message": "El precio debe ser un número mayor a cero"
4 }
```