

Sprint #3 – Expected deliverables

This document outlines the requirements for the third sprint of the Software Engineering project.

To optimize time, we'll start with individual questions, where each team member will have 1 minute to describe what they did this sprint.

The following deliverables are expected:

1. Different type of tests implemented in the project. It's likely not possible to show them all at the time of delivery, so you should demonstrate at least one of each type (unit, integration, etc.). *All Pull Requests related with tests should be labelled as "category:tests".*
2. The result of the CI pipeline, including test execution. The pipeline should be run before the presentation, and you only present results. It is also expected that you can show Allure Report with test aggregated results, if possible. *All Pull Requests related with integration tests should be labelled as "category:ci-tests".*
3. Feature toggling with Flagsmith of all new features added from the MVP to the day of the sprint. *All Pull Requests related with feature toggling should be labelled as "category:toggling".*

FAQ:

- What if the VM does not work?
 - o We have already asked sTIC to reset VMs 04, 11, and 15. Since the machines have limited disk capacity, they should assume that the VMs are the production environment.
 - o Unit Tests should be able to run directly in the VM, and it is ok to integrate in the CI-CD process, but any heavy tests that require making replica of other containers be up or have harder requirements should be run locally (on your own machines).
 - o You are also responsible for the VM and for any actions related to that.
- How do you run the tests or runners locally?
 - o You should assign labels for self-hosted runners (e.g. *es2526-101*, *es2526-101-local*). So, label *es2526-101* can be assigned on the node of VM and *es2526-101-local*, if you have a local runners (in your own environment).
 - o <https://docs.github.com/en/actions/how-tos/manage-runners/self-hosted-runners/apply-labels>
 - o <https://docs.github.com/en/actions/how-tos/manage-runners/self-hosted-runners/use-in-a-workflow#using-custom-labels-to-route-jobs>