

CONSTRUYENDO UN CUESTIONARIO DE ACCESIBILIDAD 07

Vista | Aprende accesibilidad construyendo un cuestionario: Paso 68 | freeCodeCamp.org - Google Chrome

about:blank

freeCodeCamp (🔥) HTML/CSS Quiz INFO HTML CSS

Student Info

Name:

Email:

D.O.B:

HTML

Question #1

The legend element represents a caption for the content of its parent fieldset element

☐ True
☐ False

Question #2

A label element nesting an input element is required to have a for attribute with the same value as the input's id

☐ True
☐ False

CSS

Are you a frontend developer?

Do you have any questions:

Send

freeCodeCamp
San Francisco
California

INDEX.HTML (cuestionario de accesibilidad 07)

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="freeCodeCamp Accessibility Quiz practice project" />
    <title>Accessibility Quiz</title>
    <link rel="stylesheet" href="styles.css" />
  </head>
  <body>
    <header>
      
      <h1>HTML/CSS Quiz</h1>
      <nav>
        <ul>
          <li><a href="#student-info" accesskey="s">INFO</a></li>
          <li><a href="#html-questions" accesskey="s">HTML</a></li>
          <li><a href="#css-questions" accesskey="s">CSS</a></li>
        </ul>
      </nav>
    </header>
    <main>
      <form method="post" action="https://freecodecamp.org/practice-project/accessibility-quiz">
        <section role="region" aria-labelledby="student-info">
          <h2 id="student-info">Student Info</h2>
          <div class="info">
            <label for="student-name">Name:</label>
            <input type="text" name="student-name" id="student-name" />
          </div>
          <div class="info">
            <label for="student-email">Email:</label>
            <input type="email" name="student-email" id="student-email" />
          </div>
          <div class="info">
```

```

    <label for="birth-date">D.O.B.<span class="sr-only">(Date of Birth)</span></label>
    <input type="date" name="birth-date" id="birth-date" />
</div>
</section>
<section role="region" aria-labelledby="html-questions">
  <h2 id="html-questions">HTML</h2>
  <div class="question-block">
    <p>1</p>
    <fieldset class="question" name="html-question-one">
      <legend>
        The legend element represents a caption for the content of its
        parent fieldset element
      </legend>
      <ul class="answers-list">
        <li>
          <label for="q1-a1">
            <input type="radio" id="q1-a1" name="q1" value="true" />
            True
          </label>
        </li>
        <li>
          <label for="q1-a2">
            <input type="radio" id="q1-a2" name="q1" value="false" />
            False
          </label>
        </li>
      </ul>
    </fieldset>
  </div>
  <div class="question-block">
    <p>2</p>
    <fieldset class="question" name="html-question-two">
      <legend>
        A label element nesting an input element is required to have a
        for attribute with the same value as the input's id
      </legend>

```

```

    <ul class="answers-list">
      <li>
        <label for="q2-a1">
          <input type="radio" id="q2-a1" name="q2" value="true" />
          True
        </label>
      </li>
      <li>
        <label for="q2-a2">
          <input type="radio" id="q2-a2" name="q2" value="false" />
          False
        </label>
      </li>
    </ul>
  </fieldset>
</div>
</section>
<section role="region" aria-labelledby="css-questions">
  <h2 id="css-questions">CSS</h2>
  <div class="formrow">
    <div class="question-block">
      <label for="customer">Are you a frontend developer?</label>
    </div>
    <div class="answer">
      <select name="customer" id="customer" required>
        <option value="">Select an option</option>
        <option value="yes">Yes</option>
        <option value="no">No</option>
      </select>
    </div>
    <div class="question-block">
      <label for="css-questions">Do you have any questions:</label>
    </div>
    <div class="answer">
      <textarea id="css-questions" name="css-
        questions" rows="5" cols="24" placeholder="Who is flexbox..."></textarea>

```

```
        </div>
    </div>
</section>
<button type="submit">Send</button>
</form>
</main>
<footer>
    <address>
        <a href="https://freecodecamp.org">freeCodeCamp</a><br />
        San Francisco<br />
        California<br />
        USA
    </address>
</footer>
</body>
</html>
```

STYLES.CSS (cuestionario de accesibilidad 07)

```
@media (prefers-reduced-motion: no-preference) {  
  * {  
    scroll-behavior: smooth;  
  }  
}
```

```
body {  
  background: #f5f6f7;  
  color: #1b1b32;  
  font-family: Helvetica;  
  margin: 0;  
}
```

```
header {  
  width: 100%;  
  height: 50px;  
  background-color: #1b1b32;  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  position: fixed;  
  top: 0;  
}
```

```
#logo {  
  width: max(100px, 18vw);  
  background-color: #0a0a23;  
  aspect-ratio: 35 / 4;  
  padding: 0.4rem;  
}
```

```
h1 {  
  color: #f1be32;
```

```
    font-size: min(5vw, 1.2em);
    text-align: center;
}
```

```
nav {
    width: 50%;
    max-width: 300px;
    height: 50px;
}
```

```
nav > ul {
    display: flex;
    justify-content: space-evenly;
    flex-wrap: wrap;
    align-items: center;
    padding-inline-start: 0;
    margin-block: 0;
    height: 100%;
}
```

```
nav > ul > li {
    color: #dfdfe2;
    margin: 0 0.2rem;
    padding: 0.2rem;
    display: block;
}
```

```
nav > ul > li:hover {
    background-color: #dfdfe2;
    color: #1b1b32;
    cursor: pointer;
}
```

```
li > a {
    color: inherit;
}
```

```
    text-decoration: none;
}
```

```
main {
    padding-top: 50px;
}
```

```
section {
    width: 80%;
    margin: 0 auto 10px auto;
    max-width: 600px;
}
```

```
h1,
h2 {
    font-family: Verdana, Tahoma;
}
```

```
h2 {
    border-bottom: 4px solid #dfdfe2;
    margin-top: 0px;
    padding-top: 60px;
}
```

```
.info {
    padding: 10px 0 0 5px;
}
```

```
.formrow {
    margin-top: 30px;
    padding: 0px 15px;
}
```

```
input {
```



```
    font-size: 16px;
}

.info label, .info input {
    display: inline-block;
}

.info input {
    width: 50%;
    text-align: left;
}

.info label {
    width: 10%;
    min-width: 55px;
    text-align: right;
}

.question-block {
    text-align: left;
    display: block;
    width: 100%;
    margin-top: 20px;
    padding-top: 5px;
}

p {
    margin-top: 5px;
    padding-left: 15px;
    font-size: 20px;
}

p::before {
    content: "Question #";
}
```

```
}
```

```
.question {  
  border: none;  
  padding-bottom: 0;  
}
```

```
.answers-list {  
  list-style: none;  
  padding: 0;  
}
```

```
button {  
  display: block;  
  margin: 40px auto;  
  width: 40%;  
  padding: 15px;  
  font-size: 23px;  
  background: #d0d0d5;  
  border: 3px solid #3b3b4f;  
}
```

```
footer {  
  background-color: #2a2a40;  
  display: flex;  
  justify-content: center;  
}
```

```
footer,  
footer a {  
  color: #dfdfe2;  
}
```

```
address {
```

```
text-align: center;
padding: 0.3em;
}
```

```
.sr-only {
  position: absolute;
  width: 1px;
  height: 1px;
  padding: 0;
  margin: -1px;
  overflow: hidden;
  clip: rect(0, 0, 0, 0);
  white-space: nowrap;
  border: 0;
}
```