Ipkiss Tester

URL

https://8920-191-254-78-116.ngrok-free.app

Test script

```
--
# Reset state before starting tests

POST /reset
```

RUN TESTS!

```
✅ Reset state before starting tests
POST /reset
Expected: 200 OK
Got:      200 OK


✅ Get balance for non-existing account
GET /balance?account_id=1234
Expected: 404 0
Got:      404 0


✅ Create account with initial balance
POST /event {"type":"deposit", "destination":"100", "amount":10}
Expected: 201 {"destination": {"id":"100", "balance":10}}
Got:      201 {"destination": {"id": "100", "balance": 10}}


✅ Deposit into existing account
POST /event {"type":"deposit", "destination":"100", "amount":10}
Expected: 201 {"destination": {"id":"100", "balance":20}}
Got:      201 {"destination": {"id": "100", "balance": 20}}


✅ Get balance for existing account
GET /balance?account_id=100
Expected: 200 20
Got:      200 20


✅ Withdraw from non-existing account
POST /event {"type":"withdraw", "origin":"200", "amount":10}
Expected: 404 0
Got:      404 0


✅ Withdraw from existing account
POST /event {"type":"withdraw", "origin":"100", "amount":5}
Expected: 201 {"origin": {"id":"100", "balance":15}}
Got:      201 {"origin": {"id": "100", "balance": 15}}


✅ Transfer from existing account
POST /event {"type":"transfer", "origin":"100", "amount":15, "destination":"300"}
Expected: 201 {"origin": {"id":"100", "balance":0}, "destination": {"id":"300", "balance":15}}
Got:      201 {"origin": {"id":"100", "balance":0}, "destination": {"id":"300", "balance":15}}


✅ Transfer from non-existing account
POST /event {"type":"transfer", "origin":"200", "amount":15, "destination":"300"}
Expected: 404 0
Got:      404 0
```