

Qingdao JindaPeng Powder Technology Co.,Ltd



Material Safety Data Sheet

1. Identification of the substance/preparation and of the company/undertaking

Product Name: Flame Red Epoxy Powder Coating

Supplier: Qingdao Jindapeng Powder Technology co.,Ltd

Street Address: Zhaojialing IndustriaPark,Jimo ,Qingdao City,Shandong China

Telephone Number: +86-0532-82513968

Facsimile: +86-0532-82513968

Emergency Telephone: +86-015865329690

Issue Date: 11/5/2011

2. Composition/information on ingredients

Product Description: Powder coating. Applied by electrostatic spray. Coloured solid with a slight odour.

Raw Material/ Component Name	Percentage (w/w) %	CAS Number.
Epoxy resin	74.706	25036-25-3
Superfine barium sulfate	18.3	7727-43-7
Rutile Titanium Dioxide	5	13463-67-7
Fast Violet	0.315	6358-30-1
DPP Red	1.023	84632-65-5
Benzoin	0.656	693-98-1

3. Hazards identification

Poisons Schedule: None allocated.

4. First-aid measures

Inhalation: Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact: If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.

Eye Contact: If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion: Rinse mouth with water. If swallowed, give a glass of water to drink. Seek medical advice.

Notes to physician: Treat symptomatically.

5. Fire-fighting measures

Specific Hazards: Combustible solid. In common with many organic chemicals, may form flammable dust clouds in air. For precautions necessary refer to Safety Data Sheet "Dust Explosion Hazards".

Fire-fighting advice: On burning will emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Suitable Extinguishing Media: Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, drychemical powder).

6. Accidental release measures

Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation.

Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labeled containers or drums for disposal.

7. Handling and storage

Handling advice: Avoid skin and eye contact and breathing in dust.

Storage advice: Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use -check regularly for spills.

8. Exposure controls/personal protection

Occupational Exposure Limits:

No value assigned for this specific material by the National Occupational Health and Safety Commission. However, Exposure Standard(s) for constituent(s):

Nuisance dust: 8hr TWA = 10 mg/m³

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Engineering Control Measures:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure

Standards. For electrostatic spraying, ensure continuity of earthing. Avoid generating and breathing in dusts. Use

with local exhaust ventilation or while wearing dust mask. Ensure baking ovens are suitably vented to the

atmosphere and that

emissions meet environmental standards. Keep containers closed when not in use.

Wear overalls, safety glasses and impervious gloves. Avoid generating and inhaling dusts.

If dust exists,

wear dust mask/respirator Always wash hands before smoking, eating, drinking or using the toilet. Wash

contaminated clothing and other protective equipment before storage or re-use.

9. Physical and chemical properties

Physical state: Powder

Colour: Flame red Colour(RAL3000)

Odour: Slight

Solubility: Insoluble in water.

Specific Gravity: 1.1-1.6@20°C

Relative Vapour Density (air=1): N App

Vapour Pressure (20 ° C): N

App Flash Point (° C): N

App Flammability Limits (%): N Av

Autoignition Temperature (° C): N Av

% Volatile by Weight: <1

Solubility in water (g/L): Insolubl

e Melting Point/Range (° C): N Av

Boiling Point/Range (° C): N App

10. Stability and reactivity

Stability: Incompatible with oxidizing agents .

11. Toxicological information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion: No adverse effects expected, however large amounts may cause nausea and

vomiting.

Eye contact: May be an eye irritant.

Skin contact: Contact with skin may result in irritation.

Inhalation: Breathing in dust may result in respiratory irritation.

Long Term Effects: No information available for the product.

12. Disposal considerations

Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site.

13. Transport information

Road and Rail Transport

Not classified as Dangerous Goods

Marine Transport

Not classified as Dangerous Goods

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

14. Regulatory information

Classification: Based on available information, not classified as hazardous according to criteria of NOHSC.

Poisons Schedule: None allocated.

15. Other information

This material safety data sheet has been prepared by SH&E Shared Services, OCPC.

Reason(s) for Issue: Revised Primary MSDS

This MSDS summarizes to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since OCPC Limited cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their OCPC representative or OCPC Limited at the contact details on page 1-2.

OCPC Limited's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

