#### COMANDO 1

curl -X POST \

- -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" \
- -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh" \
- -H "Content-Type: application/json" \
- -d '{"name":"A . Wed","yearOfBirth":1997, "emailContact":"a.wed@email.io", "attributes":["fast", "good conditioning"]}' \

https://parseapi.back4app.com/classes/SoccerPlayer

```
Archivo Editar Ver Terminal Pestañas Ayuda

alumno@A30514:~$ curl -X POST -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" -H "X-P
Wed","yearOfBirth":1997, "emailContact":"a.wed@email.io", "attributes":["fast", "good conditioning"]}' https
{"objectId":"TylGsOMw6C","createdAt":"2024-03-08T10:01:42.219Z"}alumno@A30514:~$ [
```


#### COMANDO 2

curl -X GET -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh" https://parseapi.back4app.com/classes/SoccerPlayer




## COMANDO 3

curl -X PUT -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh" -H "Content-Type: application/json" -d '{"name":"A . Wed","yearOfBirth":1997, "emailContact":"a.wed@email.io", "attributes":["fast", "good conditioning"]}' <a href="https://parseapi.back4app.com/classes/SoccerPlayer/fUT3hRVVpf">https://parseapi.back4app.com/classes/SoccerPlayer/fUT3hRVVpf</a>



#### **COMANDO 4**

curl -X DELETE -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh" https://parseapi.back4app.com/classes/SoccerPlayer/fUT3hRVVpf




## **COMANDO 5**

for year in {1990..2000}; dodo

curl -X POST \

- -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" \
- -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh" \
- -H "Content-Type: application/json" \
- -d'{"name":"A. Wed","yearOfBirth":'\$year', "emailContact":"a.wed@email.io", "attributes": ["fast", "good conditioning"]}' \

https://parseapi.back4app.com/classes/SoccerPlayer done



## **QUERYS**


curl -X GET -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh" -G --



data-urlencode 'count=1' --data-urlencode 'limit=0' <a href="https://parseapi.back4app.com/parse/classes/SoccerPlayer">https://parseapi.back4app.com/parse/classes/SoccerPlayer</a>


## curl -X GET \

- -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" \
- -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh"  $\backslash$  -G  $\backslash$
- --data-urlencode 'where={"yearOfBirth":{"\$gte":1990,"\$lte":2000}}'\https://parseapi.back4app.com/parse/classes/SoccerPlayer



# curl -X GET \

- -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" \
- -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh" \ -G \
- --data-urlencode 'order=-yearOfBirth' \
  https://parseapi.back4app.com/parse/classes/SoccerPlayer



curl -X POST -H "X-Parse-Application-Id: 2t9akwWd4ENGP3XFlieTyePLqVUs9fqz4M4ygTga" -H "X-Parse-REST-API-Key: StW0rGHvflTOawynwWWovHRCW9f14pYPDik6IqBh" -H

"Content-Type: image/png" --data-binary @image.png https://parseapi.back4app.com/parse/files/image.png