

GigWork

API Response Format Reference — Worker & Employer Flows

Version 1.0 | April 2026

This document defines every API request body, response schema, and JSON example for the complete GigWork worker and employer flows. Each endpoint is documented with field names, types, required flags, error codes, and real JSON examples. All responses follow a consistent envelope format.

Universal Response Envelope

```
{
  "status": "success" | "error",
  "message": "Human-readable summary",
  "data": { ... },           // present on success
  "errors": [                // present on validation error
    { "field": "email", "message": "Invalid email format" }
  ],
  "meta": {                  // present on paginated lists
    "page": 1,
    "limit": 20,
    "total": 154,
    "total_pages": 8
  }
}
```

HTTP status codes used: 200 OK, 201 Created, 400 Bad Request, 401 Unauthorized, 403 Forbidden, 404 Not Found, 409 Conflict, 422 Unprocessable Entity, 500 Internal Server Error.

1. Authentication

Both workers and employers use the same auth endpoints. Role is determined at profile creation.

1.1 POST /api/v1/auth/request-otp

POST	/api/v1/auth/request-otp	Request a one-time password. Provide phone OR email.
-------------	--------------------------	--

Request body

Field	Type	Req.	Description
phone	string	Cond.	E.164 format. Required if email not provided. e.g. +919876543210
email	string	Cond.	Valid email. Required if phone not provided.
device_id	string	Yes	Unique device identifier for rate limiting

Request example

```
{
  "phone": "+919876543210",
  "device_id": "device-uuid-abc123"
}
```

Response — data object

Field	Type	Description
otp_sent	boolean	Always true on success
expires_in	number	Seconds until OTP expires (300 = 5 min)
masked_target	string	Partially masked phone/email shown to user. e.g. +91****3210

Response example

```
{
  "status": "success",
  "message": "OTP sent successfully",
  "data": {
    "otp_sent": true,
    "expires_in": 300,
    "masked_target": "+91****3210"
  }
}
```

Error codes

AUTH_RATE_LIMITED	429	Too many OTP requests from this device or number
AUTH_INVALID_PHONE	400	Phone number format is invalid
AUTH_INVALID_EMAIL	400	Email format is invalid
AUTH_TARGET_BANNED	403	This phone/email is banned from the platform

1.2 POST /api/v1/auth/verify-otp

POST	/api/v1/auth/verify-otp	Verify OTP and receive access + refresh token pair. Creates user account on first call.
-------------	-------------------------	--

Request body

Field	Type	Req.	Description
phone	string	Cond.	Must match the number OTP was sent to
email	string	Cond.	Must match the email OTP was sent to
otp	string	Yes	6-digit OTP code

device_id	string	Yes	Same device_id used in request-otp
-----------	--------	-----	------------------------------------

Request example

```
{
  "phone": "+919876543210",
  "otp": "482910",
  "device_id": "device-uuid-abc123"
}
```

Response — data object

Field	Type	Description
access_token	string	JWT access token. Valid for 15 minutes.
refresh_token	string	Opaque refresh token. Valid for 30 days.
token_type	string	Always "Bearer"
expires_in	number	Access token TTL in seconds (900)
user.id	string	User UUID
user.role	string	"worker" "employer" "admin"
user.status	string	"pending" "active" "suspended"
user.is_new	boolean	True if this is a brand-new account (first OTP verify)
user.onboarding_step	number	Last completed onboarding step (0 if new)

Response example

```
{
  "status": "success",
  "message": "Login successful",
  "data": {
    "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "refresh_token": "dGhpcyBpcyBhIHJlZnJlc2ggdG9rZW4...",
    "token_type": "Bearer",
    "expires_in": 900,
    "user": {
      "id": "usr_01j2k3m4n5p6q7r8s9t0",
      "role": "worker",
      "status": "pending",
      "is_new": true,
      "onboarding_step": 0
    }
  }
}
```

Error codes

Error Code	Status	Description
AUTH_OTP_INVALID	400	OTP code is incorrect
AUTH_OTP_EXPIRED	400	OTP has expired — request a new one
AUTH_OTP_MAX_ATTEMPTS	429	Too many failed attempts — account locked for 15 min
AUTH_ACCOUNT_BANNED	403	Account is banned

1.3 POST /api/v1/auth/refresh-token

POST	/api/v1/auth/refresh-token	Exchange a valid refresh token for a new access token.
-------------	----------------------------	--

Request body

Field	Type	Req.	Description
refresh_token	string	Yes	The refresh token received from verify-otp or previous refresh

Request example

```
{ "refresh_token": "dGhpcyBpcyBhIHJlZnJlc2ggdG9rZW4..." }
```

Response — data object

Field	Type	Description
access_token	string	New JWT access token. Valid 15 minutes.
expires_in	number	TTL in seconds

Response example

```
{
  "status": "success",
  "data": {
    "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
    "expires_in": 900
  }
}
```

Error codes

AUTH_REFRESH_INVALID	401	Refresh token is invalid or does not exist
AUTH_REFRESH_EXPIRED	401	Refresh token has expired — user must log in again

2. Worker — Profile & Onboarding

All worker endpoints require Authorization: Bearer {access_token}. Worker role enforced.

2.1 POST /api/v1/workers/profile — Create profile (onboarding step 2–3)

POST	/api/v1/workers/profile	Create a worker profile. Called after OTP verification. Covers steps 2 and 3 of onboarding.
-------------	-------------------------	---

Request body

Field	Type	Req.	Description
full_name	string	Yes	Legal full name. 2–100 characters.
dob	string	Yes	Date of birth in ISO format YYYY-MM-DD. Must be 18+ years.
avatar_url	string	No	URL of uploaded profile photo (upload via /upload/avatar first)
bio	string	No	Short professional bio. Max 500 characters.
location_lat	number	Yes	Latitude of worker home location. e.g. 26.9124
location_lng	number	Yes	Longitude of worker home location. e.g. 75.7873
city	string	Yes	City name. e.g. Jaipur
radius_km	number	Yes	Max travel radius in km. Min 1, Max 100. Default 10.

Request example

```
{
  "full_name": "Arjun Sharma",
  "dob": "2001-04-15",
  "avatar_url": "https://cdn.gigwork.in/avatars/usr_01.jpg",
  "bio": "Final year BBA student, experienced in retail and events.",
  "location_lat": 26.9124,
  "location_lng": 75.7873,
  "city": "Jaipur",
  "radius_km": 15
}
```

Response — data object

Field	Type	Description
id	string	Worker profile UUID
user_id	string	Linked user UUID
full_name	string	
dob	string	ISO date
avatar_url	string null	
bio	string null	
location_lat	number	
location_lng	number	
city	string	
radius_km	number	
kyc_status	string	"unverified" — default on creation
rating_avg	number	0.00 on creation
total_shifts	number	0 on creation
onboarding_step	number	3 — profile + location complete
created_at	string	ISO datetime UTC

Response example

```
{
  "status": "success",
  "message": "Profile created",
  "data": {
    "id": "wp_01j2k3m4n5p6q7r8",
    "user_id": "usr_01j2k3m4n5p6q7r8s9t0",
    "full_name": "Arjun Sharma",
    "dob": "2001-04-15",
    "avatar_url": "https://cdn.gigwork.in/avatars/usr_01.jpg",
    "bio": "Final year BBA student...",
    "location_lat": 26.9124,
    "location_lng": 75.7873,
    "city": "Jaipur",
    "radius_km": 15,
    "kyc_status": "unverified",
    "rating_avg": 0.00,
    "total_shifts": 0,
    "onboarding_step": 3,
    "created_at": "2026-04-11T08:30:00Z"
  }
}
```

Error codes

PROFILE_ALREADY_EXISTS	409	Worker profile already created for this user
PROFILE_UNDERAGE	400	Worker must be at least 18 years old
PROFILE_NAME_INVALID	400	Name contains invalid characters or is too short

2.2 PUT /api/v1/workers/profile — Update profile

PUT	/api/v1/workers/profile	Partial update of worker profile. All fields optional — only provided fields are updated.
-----	-------------------------	---

Request body

Field	Type	Req.	Description
full_name	string	No	Updated legal name
avatar_url	string	No	New avatar URL
bio	string	No	Updated bio. Max 500 chars.
location_lat	number	No	Updated latitude
location_lng	number	No	Updated longitude
city	string	No	Updated city
radius_km	number	No	Updated radius

Request example

```
{ "bio": "Updated bio text.", "radius_km": 20 }
```

Response — data object

Field	Type	Description
id	string	Worker profile UUID
full_name	string	
avatar_url	string null	
bio	string null	
city	string	
radius_km	number	

updated_at	string	ISO datetime UTC
------------	--------	------------------

Response example

```
{
  "status": "success",
  "message": "Profile updated",
  "data": {
    "id": "wp_01j2k3m4n5p6q7r8",
    "bio": "Updated bio text.",
    "radius_km": 20,
    "updated_at": "2026-04-11T09:00:00Z"
  }
}
```

Error codes

PROFILE_NOT_FOUND	404	Worker profile does not exist yet
-------------------	-----	-----------------------------------

2.3 GET /api/v1/workers/me — Get own profile

GET	/api/v1/workers/me	Returns the full profile of the authenticated worker including categories, KYC status, and document statuses.
-----	--------------------	---

Response — data object

Field	Type	Description
id	string	Worker profile UUID
user_id	string	
full_name	string	
dob	string	
avatar_url	string null	
bio	string null	
city	string	
radius_km	number	
kyc_status	string	"unverified" "pending" "approved" "rejected"
rating_avg	number	Cumulative rating average
total_shifts	number	Total completed shifts
onboarding_step	number	Last completed step (0–7)
categories	array	Array of category objects: { id, name, slug }
qualifications	array	Array of qualification objects (see 2.4)
documents	array	Array of document objects: { type, status, reviewed_at }
payout_account	object null	{ account_holder, masked_account, upi_id, verified }
created_at	string	
updated_at	string	

Response example

```
{
  "status": "success",
  "data": {
    "id": "wp_01j2k3m4n5p6q7r8",
    "full_name": "Arjun Sharma",
    "kyc_status": "approved",
    "rating_avg": 4.6,
    "total_shifts": 12,
    "onboarding_step": 7,
  }
}
```

```

    "categories": [
      { "id": "cat_01", "name": "Hospitality", "slug": "hospitality" }
    ],
    "documents": [
      { "type": "govt_id", "status": "approved", "reviewed_at": "2026-04-10T12:00:00Z" }
    ],
    "payout_account": {
      "account_holder": "Arjun Sharma",
      "masked_account": "****6789",
      "upi_id": "arjun@upi",
      "verified": true
    }
  }
}

```

2.4 PUT /api/v1/workers/categories — Set categories of interest

PUT	/api/v1/workers/categories	Replace worker category preferences. Sends the complete desired list each time.
------------	----------------------------	---

Request body

Field	Type	Req.	Description
category_ids	string[]	Yes	Array of category UUIDs. Min 1, Max 10.

Request example

```
{ "category_ids": ["cat_01", "cat_03", "cat_07"] }
```

Response — data object

Field	Type	Description
categories	array	Full category objects for each selected: { id, name, slug, icon_url }
onboarding_step	number	4 — categories complete

Response example

```

{
  "status": "success",
  "message": "Categories updated",
  "data": {
    "categories": [
      { "id": "cat_01", "name": "Hospitality", "slug": "hospitality", "icon_url": "..."},
      { "id": "cat_03", "name": "Retail", "slug": "retail", "icon_url": "..."}
    ],
    "onboarding_step": 4
  }
}

```

Error codes

CATEGORIES_EMPTY	400	At least one category must be selected
CATEGORIES_INVALID	400	One or more category IDs do not exist

2.5 POST /api/v1/workers/qualifications — Add qualification

POST	/api/v1/workers/qualifications	Add one qualification record (education, work experience, or certification).
-------------	--------------------------------	--

Request body

Field	Type	Req.	Description
-------	------	------	-------------

type	string	Yes	"education" "work_experience" "certification"
title	string	Yes	Degree name / job title / certification name. Max 200 chars.
institution	string	Yes	School / company / issuing body. Max 200 chars.
from_date	string	Yes	Start date YYYY-MM-DD
to_date	string	No	End date YYYY-MM-DD. Null if currently ongoing.
description	string	No	Additional detail. Max 500 chars.

Request example

```
{
  "type": "education",
  "title": "Bachelor of Business Administration",
  "institution": "University of Rajasthan",
  "from_date": "2021-08-01",
  "to_date": null,
  "description": "Currently in final year, specialising in Marketing."
}
```

Response — data object

Field	Type	Description
id	string	Qualification UUID
worker_id	string	
type	string	
title	string	
institution	string	
from_date	string	
to_date	string null	
description	string null	
verified	boolean	Always false on creation. Admin verifies.
created_at	string	

Response example

```
{
  "status": "success",
  "data": {
    "id": "qual_01j2k3",
    "type": "education",
    "title": "Bachelor of Business Administration",
    "institution": "University of Rajasthan",
    "from_date": "2021-08-01",
    "to_date": null,
    "verified": false,
    "created_at": "2026-04-11T08:45:00Z"
  }
}
```

2.6 POST /api/v1/workers/documents — Upload KYC document

POST	/api/v1/workers/documents	Submit a document for KYC review. Upload the file via /upload/document first to get file_url.
-------------	---------------------------	---

Request body

Field	Type	Req.	Description
type	string	Yes	"govt_id" "right_to_work" "background_check"
file_url	string	Yes	Secure URL from file upload response

Request example

```
{
  "type": "govt_id",
  "file_url": "https://cdn.gigwork.in/docs/usr_01/aadhaar.jpg"
}
```

Response — data object

Field	Type	Description
id	string	Document record UUID
type	string	
file_url	string	
status	string	"pending" — always on creation
created_at	string	

Response example

```
{
  "status": "success",
  "message": "Document submitted for review",
  "data": {
    "id": "doc_01j2k3",
    "type": "govt_id",
    "status": "pending",
    "created_at": "2026-04-11T08:50:00Z"
  }
}
```

Error codes

DOCUMENT_DUPLICATE	409	A document of this type is already pending or approved
DOCUMENT_URL_INVALID	400	file_url is not a valid or accessible URL

3. Worker — Shift Discovery & Applications

3.1 GET /api/v1/shifts — List available shifts

GET	/api/v1/shifts	Returns a paginated list of open shifts filtered by the worker query parameters.
-----	----------------	--

Request body

Field	Type	Req.	Description
lat	number	Yes	Worker current latitude
lng	number	Yes	Worker current longitude
radius_km	number	No	Search radius. Default: worker profile radius
category_ids	string	No	Comma-separated category UUIDs
date	string	No	Filter by date YYYY-MM-DD
date_from	string	No	Date range start YYYY-MM-DD
date_to	string	No	Date range end YYYY-MM-DD
min_rate	number	No	Minimum hourly rate filter
max_rate	number	No	Maximum hourly rate filter
sort	string	No	"distance" "rate_high" "date_soon". Default: distance
page	number	No	Page number. Default 1
limit	number	No	Results per page. Default 20, max 50

Response — data object

Field	Type	Description
shifts[].id	string	Shift UUID
shifts[].title	string	
shifts[].category	object	{ id, name, slug, icon_url }
shifts[].employer	object	{ id, company_name, logo_url, rating_avg, verified }
shifts[].date	string	YYYY-MM-DD
shifts[].start_time	string	HH:mm 24h
shifts[].end_time	string	HH:mm 24h
shifts[].duration_hrs	number	Calculated shift duration in hours
shifts[].hourly_rate	number	
shifts[].currency	string	e.g. INR
shifts[].estimated_pay	number	hourly_rate * duration_hrs
shifts[].slots_left	number	Remaining open slots
shifts[].distance_km	number	Distance from queried lat/lng
shifts[].address	string	Venue address
shifts[].applied	boolean	True if authenticated worker has already applied

Response example

```
{
  "status": "success",
  "data": {
    "shifts": [
```

```

{
  "id": "shft_01j2k3",
  "title": "Event Staff – Wedding Reception",
  "category": { "id": "cat_01", "name": "Hospitality", "slug": "hospitality" },
  "employer": {
    "id": "emp_01",
    "company_name": "Regal Events Pvt Ltd",
    "logo_url": "...",
    "rating_avg": 4.3,
    "verified": true
  },
  "date": "2026-04-18",
  "start_time": "18:00",
  "end_time": "23:00",
  "duration_hrs": 5,
  "hourly_rate": 180.00,
  "currency": "INR",
  "estimated_pay": 900.00,
  "slots_left": 3,
  "distance_km": 4.2,
  "address": "Hotel Clarks Amer, Jaipur",
  "applied": false
}
],
"meta": { "page": 1, "limit": 20, "total": 48, "total_pages": 3 }
}

```

3.2 GET /api/v1/shifts/:id — Get shift detail

GET	/api/v1/shifts/:id	Returns full details of a single shift including description and location coordinates.
-----	--------------------	--

Response — data object

Field	Type	Description
id	string	
title	string	
description	string	Full shift description
category	object	{ id, name, slug }
employer	object	{ id, company_name, logo_url, rating_avg, verified, total_shifts_posted }
date	string	
start_time	string	
end_time	string	
duration_hrs	number	
hourly_rate	number	
currency	string	
estimated_pay	number	
slots_total	number	
slots_filled	number	
slots_left	number	
address	string	
location_lat	number	
location_lng	number	

geofence_radius_m	number	Metres — worker must be within this to clock in
status	string	"open" "filled" "cancelled"
applied	boolean	
application	object null	If applied: { id, status, applied_at }

3.3 POST /api/v1/shifts/:id/apply — Apply for a shift

POST	/api/v1/shifts/:id/apply	Worker applies for an open shift. Worker must have KYC approved and payout account set up.
-------------	--------------------------	--

Response — data object

Field	Type	Description
id	string	Application UUID
shift_id	string	
worker_id	string	
status	string	"applied"
applied_at	string	ISO datetime UTC

Response example

```
{
  "status": "success",
  "message": "Application submitted",
  "data": {
    "id": "app_01j2k3m4",
    "shift_id": "shft_01j2k3",
    "worker_id": "wp_01j2k3m4n5p6q7r8",
    "status": "applied",
    "applied_at": "2026-04-11T09:15:00Z"
  }
}
```

Error codes

SHIFT_NOT_FOUND	404	Shift does not exist
SHIFT_NOT_OPEN	400	Shift is filled or cancelled
SHIFT_ALREADY_APPLIED	409	Worker has already applied to this shift
WORKER_KYC_REQUIRED	403	KYC must be approved before applying
WORKER_PAYOUT_REQUIRED	403	Payout account must be set up before applying

3.4 GET /api/v1/workers/applications — My applications

GET	/api/v1/workers/applications	List all applications made by the authenticated worker, with pagination.
------------	------------------------------	--

Request body

Field	Type	Req.	Description
status	string	No	Filter: "applied" "confirmed" "rejected" "completed"
page	number	No	Default 1
limit	number	No	Default 20

Response — data object

Field	Type	Description
applications[].id	string	Application UUID
applications[].status	string	Current application status
applications[].applied_at	string	
applications[].shift.id	string	
applications[].shift.title	string	
applications[].shift.date	string	
applications[].shift.start_time	string	
applications[].shift.hourly_rate	number	
applications[].shift.estimated_pay	number	
applications[].shift.address	string	
applications[].shift.status	string	
applications[].shift.employer	object	{ company_name, logo_url, rating_avg }
applications[].timesheet	object null	{ id, status, total_hours } if shift is complete

4. Timesheets — Worker Side

4.1 POST /api/v1/timesheets/:applicationId/clock-in

POST	/api/v1/timesheets/:applicationId/clock-in	Worker clocks in. Must be within the shift geofence radius. Application must be "confirmed".
-------------	--	--

Request body

Field	Type	Req.	Description
lat	number	Yes	Worker current latitude at time of clock-in
lng	number	Yes	Worker current longitude at time of clock-in
accuracy_m	number	No	GPS accuracy in metres. Logged for audit.

Request example

```
{
  "lat": 26.9124,
  "lng": 75.7873,
  "accuracy_m": 12
}
```

Response — data object

Field	Type	Description
id	string	Timesheet UUID
application_id	string	
clock_in	string	ISO datetime UTC — server timestamp
clock_in_lat	number	
clock_in_lng	number	
distance_from_venue_m	number	Calculated distance from shift venue at clock-in
status	string	"open"

Response example

```
{
  "status": "success",
  "message": "Clocked in at 18:02",
  "data": {
    "id": "ts_01j2k3",
    "clock_in": "2026-04-18T12:32:00Z",
    "distance_from_venue_m": 87,
    "status": "open"
  }
}
```

Error codes

CLOCK_IN_OUTSIDE_GEOFENCE	400	Worker is too far from shift venue
CLOCK_IN_TOO_EARLY	400	Cannot clock in more than 30 min before shift start
CLOCK_IN_ALREADY_DONE	409	Already clocked in for this application
APPLICATION_NOT_CONFIRMED	400	Application is not in confirmed status

4.2 POST /api/v1/timesheets/:applicationId/clock-out

POST	/api/v1/timesheets/:applicationId/clock-out	Worker clocks out. Calculates total hours. Timesheet moves to pending employer approval.
-------------	---	--

Request body

Field	Type	Req.	Description
lat	number	No	Worker current latitude at clock-out
lng	number	No	Worker current longitude at clock-out

Response — data object

Field	Type	Description
id	string	
clock_in	string	
clock_out	string	ISO datetime UTC
total_hours	number	Decimal hours. e.g. 4.75 = 4 hrs 45 min
gross_amount	number	total_hours * hourly_rate — indicative
status	string	"pending"

Response example

```
{
  "status": "success",
  "data": {
    "id": "ts_01j2k3",
    "clock_in": "2026-04-18T12:32:00Z",
    "clock_out": "2026-04-18T17:15:00Z",
    "total_hours": 4.72,
    "gross_amount": 849.60,
    "status": "pending"
  }
}
```


5. Employer — Profile & Onboarding

All employer endpoints require Authorization: Bearer {access_token}. Employer role enforced.

5.1 POST /api/v1/employers/profile — Create employer profile

POST	/api/v1/employers/profile	Create employer profile. Covers onboarding steps 2–4.
------	---------------------------	---

Request body

Field	Type	Req.	Description
company_name	string	Yes	Legal business name. 2–200 chars.
reg_number	string	No	Company registration / GST number
industry_type	string	Yes	e.g. "hospitality", "retail", "logistics", "healthcare"
logo_url	string	No	URL of uploaded company logo
address	string	Yes	Full registered address
city	string	Yes	City
location_lat	number	Yes	Latitude of primary business location
location_lng	number	Yes	Longitude of primary business location
service_radius_km	number	No	Area from which workers will be sourced. Default 25.
contact_name	string	Yes	Primary contact person full name
contact_phone	string	Yes	Primary contact phone. E.164 format.
contact_email	string	Yes	Primary contact email

Request example

```
{
  "company_name": "Regal Events Pvt Ltd",
  "reg_number": "U74999RJ2020PTC070123",
  "industry_type": "hospitality",
  "logo_url": "https://cdn.gigwork.in/logos/emp_01.png",
  "address": "12, Tonk Road, Jaipur, Rajasthan 302015",
  "city": "Jaipur",
  "location_lat": 26.8842,
  "location_lng": 75.8013,
  "service_radius_km": 30,
  "contact_name": "Priya Mehta",
  "contact_phone": "+919812345678",
  "contact_email": "priya@regalevents.in"
}
```

Response — data object

Field	Type	Description
id	string	Employer profile UUID
user_id	string	
company_name	string	
reg_number	string null	
industry_type	string	
logo_url	string null	
address	string	
city	string	
service_radius_km	number	

contact_name	string	
contact_phone	string	
contact_email	string	
verified	boolean	Always false until admin verifies
rating_avg	number	0.00 on creation
onboarding_step	number	4
created_at	string	

Response example

```
{
  "status": "success",
  "message": "Employer profile created",
  "data": {
    "id": "emp_01j2k3m4",
    "company_name": "Regal Events Pvt Ltd",
    "industry_type": "hospitality",
    "city": "Jaipur",
    "verified": false,
    "rating_avg": 0.00,
    "onboarding_step": 4,
    "created_at": "2026-04-11T10:00:00Z"
  }
}
```

Error codes

EMPLOYER_PROFILE_EXISTS	409	Employer profile already created
-------------------------	-----	----------------------------------

5.2 GET /api/v1/employers/me — Get own employer profile

GET	/api/v1/employers/me	Returns the full employer profile including contact details, verification status, and billing info.
-----	----------------------	---

Response — data object

Field	Type	Description
id	string	
company_name	string	
reg_number	string null	
industry_type	string	
logo_url	string null	
address	string	
city	string	
service_radius_km	number	
verified	boolean	
rating_avg	number	
contact_name	string	
contact_phone	string	
contact_email	string	
billing_method	object null	{ type, masked_card, billing_email, verified }
onboarding_step	number	

stats	object	{ total_shifts_posted, total_shifts_completed, avg_fill_rate, total_spend_inr }
--------------	--------	---

6. Employer — Shift Management

6.1 POST /api/v1/employers/shifts — Create shift

POST	/api/v1/employers/shifts	Post a new shift. Employer profile must be verified.
-------------	--------------------------	--

Request body

Field	Type	Req.	Description
title	string	Yes	Shift title. Max 200 chars.
description	string	Yes	Detailed description. Max 2000 chars.
category_id	string	Yes	Category UUID
address	string	Yes	Venue full address
location_lat	number	Yes	Venue latitude
location_lng	number	Yes	Venue longitude
date	string	Yes	Shift date YYYY-MM-DD. Must be at least tomorrow.
start_time	string	Yes	HH:mm 24h
end_time	string	Yes	HH:mm 24h. Must be after start_time.
hourly_rate	number	Yes	Hourly pay rate. Min 50 INR.
currency	string	No	Default "INR"
slots_total	number	Yes	Number of workers needed. Min 1.
geofence_radius_m	number	No	Clock-in geofence in metres. Default 200.
publish	boolean	No	True = publish immediately. False = save as draft. Default true.

Request example

```
{
  "title": "Event Staff – Wedding Reception",
  "description": "We need 5 well-presented staff for a wedding reception...",
  "category_id": "cat_01",
  "address": "Hotel Clarks Amer, Jaipur",
  "location_lat": 26.9492,
  "location_lng": 75.7990,
  "date": "2026-04-18",
  "start_time": "18:00",
  "end_time": "23:00",
  "hourly_rate": 180.00,
  "currency": "INR",
  "slots_total": 5,
  "geofence_radius_m": 250,
  "publish": true
}
```

Response — data object

Field	Type	Description
id	string	Shift UUID
title	string	
category	object	{ id, name, slug }
date	string	
start_time	string	
end_time	string	
duration_hrs	number	

hourly_rate	number	
currency	string	
estimated_cost	number	hourly_rate * duration_hrs * slots_total
slots_total	number	
slots_filled	number	0 on creation
geofence_radius_m	number	
status	string	"open" "draft"
created_at	string	

Response example

```
{
  "status": "success",
  "message": "Shift published",
  "data": {
    "id": "shft_01j2k3",
    "title": "Event Staff – Wedding Reception",
    "duration_hrs": 5,
    "hourly_rate": 180.00,
    "estimated_cost": 4500.00,
    "slots_total": 5,
    "slots_filled": 0,
    "status": "open",
    "created_at": "2026-04-11T10:30:00Z"
  }
}
```

Error codes

SHIFT_DATE_PAST	400	Shift date must be in the future
SHIFT_TIME_INVALID	400	end_time must be after start_time
EMPLOYER_NOT_VERIFIED	403	Employer must be verified to post shifts
EMPLOYER_BILLING_REQUI RED	403	Payment method must be set up first

6.2 GET /api/v1/employers/shifts/:id/applicants — List applicants

GET	/api/v1/employers/shifts/:id/applicant s	Returns all applicants for a specific shift with worker profile summaries.
------------	---	--

Request body

Field	Type	Req.	Description
status	string	No	Filter: "applied" "shortlisted" "confirmed" "rejected"
sort	string	No	"rating_high" "applied_first". Default: applied_first

Response — data object

Field	Type	Description
applicants[].id	string	Application UUID
applicants[].status	string	
applicants[].applied _at	string	
applicants[].worker. id	string	

applicants[].worker.full_name	string	
applicants[].worker.avatar_url	string null	
applicants[].worker.rating_avg	number	
applicants[].worker.total_shifts	number	
applicants[].worker.kyc_status	string	
applicants[].worker.categories	array	Array of { id, name }
applicants[].worker.distance_km	number	Distance from shift venue
slots_total	number	Total slots in this shift
slots_filled	number	Confirmed workers count
slots_left	number	

6.3 PUT /api/v1/employers/shifts/:id/applicants/:appId — Update applicant status

PUT	/api/v1/employers/shifts/:id/applicant s/:appId	Change the status of a worker application. Used to shortlist, confirm, or reject.
------------	--	---

Request body

Field	Type	Req.	Description
status	string	Yes	"shortlisted" "confirmed" "rejected"
note	string	No	Optional note to worker. Max 300 chars.

Request example

```
{
  "status": "confirmed",
  "note": "Please arrive 15 minutes early for briefing."
}
```

Response — data object

Field	Type	Description
id	string	Application UUID
status	string	New status
updated_at	string	
worker_notified	boolean	True if push notification was sent to worker
shift.slots_filled	number	Updated filled count
shift.slots_left	number	Updated remaining slots
shift.status	string	If all slots filled, shift status becomes "filled"

Response example

```
{
  "status": "success",
  "data": {
    "id": "app_01j2k3m4",
    "status": "confirmed",
    "updated_at": "2026-04-11T11:00:00Z",
    "worker_notified": true,
    "shift": {
      "slots_filled": 3,
```

```
    "slots_left": 2,  
    "status": "open"  
  }  
}
```

Error codes

APPLICATION_NOT_FOUND	404	Application does not exist for this shift
SHIFT_SLOTS_FULL	400	No remaining slots — cannot confirm more workers
INVALID_STATUS_TRANSITION	400	e.g. cannot confirm a rejected application

7. Timesheets — Employer Side

7.1 GET /api/v1/timesheets/:id — Get timesheet

GET	/api/v1/timesheets/:id	View timesheet details. Accessible by both the worker on the timesheet and the employer who posted the shift.
-----	------------------------	---

Response — data object

Field	Type	Description
id	string	
application_id	string	
worker	object	{ id, full_name, avatar_url, rating_avg }
shift	object	{ id, title, date, start_time, end_time, hourly_rate }
clock_in	string	ISO datetime UTC
clock_out	string null	Null if still clocked in
total_hours	number	Decimal hours
gross_amount	number	total_hours * hourly_rate
platform_fee	number	Platform commission amount
net_to_worker	number	gross_amount - platform_fee
status	string	"open" "pending" "approved" "disputed" "paid"
approved_at	string null	
dispute	object null	{ reason, raised_by, raised_at, resolved_at, resolution }

7.2 PUT /api/v1/timesheets/:id/approve — Approve timesheet

PUT	/api/v1/timesheets/:id/approve	Employer approves a pending timesheet. Triggers automatic payment.
-----	--------------------------------	--

Request body

Field	Type	Req.	Description
adjusted_hours	number	No	If provided, overrides system-calculated hours. Requires note.
note	string	No	Required if adjusted_hours is provided. Max 300 chars.

Request example

```
{ "adjusted_hours": 4.5, "note": "Worker left 30 min early by mutual agreement." }
```

Response — data object

Field	Type	Description
id	string	
status	string	"approved"
total_hours	number	Final approved hours
gross_amount	number	
net_to_worker	number	
approved_at	string	
payment	object	{ id, status: "processing", estimated_payout_at }

Response example


```
{
  "status": "success",
  "message": "Timesheet approved and payment triggered",
  "data": {
    "id": "ts_01j2k3",
    "status": "approved",
    "total_hours": 4.50,
    "gross_amount": 810.00,
    "net_to_worker": 688.50,
    "approved_at": "2026-04-19T08:00:00Z",
    "payment": {
      "id": "pay_01j2k3",
      "status": "processing",
      "estimated_payout_at": "2026-04-21T12:00:00Z"
    }
  }
}
```

Error codes

TIMESHEET_NOT_PENDING	400	Timesheet is not in pending status
TIMESHEET_NOT_FOUND	404	
BILLING_CHARGE_FAILED	402	Payment could not be charged to employer billing method

7.3 POST /api/v1/timesheets/:id/dispute — Raise dispute

POST	/api/v1/timesheets/:id/dispute	Employer or worker raises a dispute on a pending timesheet. Pauses payment until resolved by admin.
-------------	--------------------------------	---

Request body

Field	Type	Req.	Description
reason	string	Yes	Reason for dispute. Min 20 chars.
evidence_urls	string[]	No	Array of image/file URLs as evidence

Response — data object

Field	Type	Description
id	string	Timesheet UUID
status	string	"disputed"
dispute	object	{ id, reason, raised_by_role, raised_at }

8. Payments

8.1 GET /api/v1/payments/worker/history

GET	/api/v1/payments/worker/history	Worker earnings history with pagination and date filters.
-----	---------------------------------	---

Request body

Field	Type	Req.	Description
from_date	string	No	YYYY-MM-DD
to_date	string	No	YYYY-MM-DD
status	string	No	"pending" "completed" "failed"
page	number	No	Default 1
limit	number	No	Default 20

Response — data object

Field	Type	Description
payments[].id	string	
payments[].shift.title	string	
payments[].shift.date	string	
payments[].employer.company_name	string	
payments[].gross_amount	number	
payments[].platform_fee	number	
payments[].net_amount	number	Amount received by worker
payments[].currency	string	
payments[].status	string	
payments[].paid_at	string null	
summary.total_earned	number	Sum of net_amount for completed payments in filter range
summary.total_shifts	number	
summary.avg_per_shift	number	

8.2 GET /api/v1/payments/employer/history

GET	/api/v1/payments/employer/history	Employer billing history. Same query parameters as worker history.
-----	-----------------------------------	--

Request body

Field	Type	Req.	Description
from_date	string	No	YYYY-MM-DD
to_date	string	No	YYYY-MM-DD
status	string	No	Filter by payment status

page	number	No	Default 1
------	--------	----	-----------

Response — data object

Field	Type	Description
payments[].id	string	
payments[].shift.title	string	
payments[].shift.date	string	
payments[].worker.full_name	string	
payments[].gross_amount	number	Total charged to employer
payments[].platform_fee	number	Platform commission component
payments[].net_to_worker	number	Amount paid to worker
payments[].currency	string	
payments[].status	string	
payments[].gateway_ref	string	Payment gateway transaction reference
payments[].paid_at	string null	
summary.total_spent	number	
summary.total_shifts	number	
summary.platform_fees_paid	number	

9. Ratings

9.1 POST /api/v1/ratings — Submit rating

POST	/api/v1/ratings	Submit a mutual rating after shift completion. Each party can rate once per shift.
-------------	-----------------	--

Request body

Field	Type	Req.	Description
shift_id	string	Yes	The shift UUID being rated
reviewee_id	string	Yes	UUID of the user being rated
score	number	Yes	Integer 1 to 5
comment	string	No	Optional comment. Max 500 chars.

Request example

```
{
  "shift_id": "shft_01j2k3",
  "reviewee_id": "emp_01j2k3m4",
  "score": 5,
  "comment": "Very well organised event, clear instructions and timely payment."
}
```

Response — data object

Field	Type	Description
id	string	Rating UUID
shift_id	string	
reviewer_role	string	"worker" "employer"
score	number	
comment	string null	
reviewee_new_avg	number	Updated rating average for the person being rated
created_at	string	

Response example

```
{
  "status": "success",
  "message": "Rating submitted",
  "data": {
    "id": "rat_01j2k3",
    "reviewer_role": "worker",
    "score": 5,
    "reviewee_new_avg": 4.4,
    "created_at": "2026-04-19T09:00:00Z"
  }
}
```

Error codes

RATING_ALREADY_SUBMITTED	409	Already rated this party for this shift
RATING_SHIFT_NOT_COMPLETED	400	Shift must be completed before rating
RATING_INVALID_REVIEWEE	400	reviewee_id is not a participant of this shift
SCORE_OUT_OF_RANGE	400	Score must be between 1 and 5

10. Notifications

10.1 GET /api/v1/notifications

GET	/api/v1/notifications	Returns the authenticated user's notification list, newest first.
-----	-----------------------	---

Request body

Field	Type	Req.	Description
read	boolean	No	Filter: true = read only, false = unread only
page	number	No	Default 1
limit	number	No	Default 30

Response — data object

Field	Type	Description
notifications[].id	string	
notifications[].type	string	e.g. "shift_confirmed", "payment_sent", "rating_received"
notifications[].title	string	Short heading
notifications[].body	string	Full notification message
notifications[].read	boolean	
notifications[].created_at	string	
notifications[].meta	object	Context payload e.g. { shift_id, application_id }
unread_count	number	Total unread notifications for badge display

Response example

```
{
  "status": "success",
  "data": {
    "notifications": [
      {
        "id": "notif_01j2k3",
        "type": "shift_confirmed",
        "title": "Shift Confirmed!",
        "body": "You have been confirmed for Event Staff on Apr 18.",
        "read": false,
        "created_at": "2026-04-11T11:00:00Z",
        "meta": {
          "shift_id": "shft_01j2k3",
          "application_id": "app_01j2k3m4"
        }
      }
    ],
    "unread_count": 3
  },
  "meta": { "page": 1, "limit": 30, "total": 14 }
}
```

10.2 Notification Types Reference

type value	Recipient	Trigger
otp_sent	Both	OTP requested
shift_new_match	Worker	New shift matches worker categories & location

application_received	Employer	Worker applies for their shift
application_shortlisted	Worker	Employer shortlists their application
shift_confirmed	Worker	Employer confirms their application
application_rejected	Worker	Employer rejects their application
shift_reminder	Worker	2 hours before shift start
clock_in_confirmed	Employer	Worker clocks in for their shift
clock_out_done	Employer	Worker clocks out — timesheet pending review
timesheet_pending	Employer	Reminder to approve timesheet after 24 hrs
timesheet_approved	Worker	Employer approves their timesheet
dispute_raised	Both	Dispute submitted on a timesheet
dispute_resolved	Both	Admin resolves timesheet dispute
payment_processing	Worker	Payment is processing
payment_sent	Worker	Payout successfully transferred
payment_failed	Both	Payment could not be processed
rating_received	Both	Post-shift rating received from other party
kyc_approved	Worker	Admin approves KYC documents
kyc_rejected	Worker	Admin rejects KYC — re-upload required

End of Document — GigWork API Response Format Reference v1.0