24/6/2021 Rules

Bulk Change





Filters

∨ Language

Q Search for languages	
Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

Ñ	Bug	535
6	Vulnerability	141
A	Code Smell	1.6k

"!important" should not be used on "keyframes"	CSS 👬 Bug 🔻
"\$this" should not be used in a static context	PHP 🥀 Bug 🔻
"&&" and " " should be used	PHP 各 Code Smell 🖜 suspicious 🝸
".equals()" should not be used to test the values of "Atomic" classes	Java 🛊 Bug 🦠 multi-threading 🔻
" " declarations should appear before " <html>" tags</html>	HTML ∰ Bug ♥ user-experience ▼
"<>" should not be used to test inequality	Python & Code Smell obsolete
" php" and "<?=" tags should be used</td <td>PHP 🕃 Code Smell 🖜 convention, psr1</td>	PHP 🕃 Code Smell 🖜 convention, psr1
" <fieldset>" tags should contain a "<legend>"</legend></fieldset>	HTML 🛊 Bug 🔊 accessibility 🝸
" <frames>" should have a "title" attribute</frames>	HTML 🛊 Bug 🔊 accessibility 🝸
" <html>" element should have a language attribute</html>	HTML 🛊 Bug 🌑 accessibility, wc ▼
" " and "<dt>" item tags should be in "", "" or "<dl>" container to</dl></dt>	ags HTML 🦍 Bug 🔻
" <object>" tags should provide an alternative content</object>	HTML ♠ Code Smell ♠ accessibility, wc ▼
" " and "" tags should be used	HTML 👬 Bug 🔊 accessibility 🝸
"" tags should have a description	HTML 🛊 Bug 🌑 accessibility, wc ▼
"" tags should have "id" or "scope" attributes	HTML 🛊 Bug 🌑 accessibility, wc ▼
" <title>" should be present in all pages</td><td>HTML ∰ Bug ❤ user-experience ▼</td></tr><tr><td>"=+" should not be used instead of "+="</td><td>Java 🐧 Bug 🍸</td></tr></tbody></table></title>	

Rules

24/6/2021

Bulk Change





Filters

Q Search for rules...

∨ Language

Q Search for languages...

Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

Ñ	Bug	535
6	Vulnerability	141
(3)	Code Smell	1.6k

"=+" should not be used instead of "+="	Kotlin ਜ਼ Bug T ▼
"=+" should not be used instead of "+="	C# ∱ Bug ▼▼
"=+" should not be used instead of "+="	Go ∱ Bug ▼▼
"=+" should not be used instead of "+="	Ruby ਜ਼ Bug ▼▼
"=+" should not be used instead of "+="	VB.NET 👚 Bug ▼▼
"==" and "!=" should not be used when "equals" is overridden	Java ❖ Code Smell ❖ cert, cwe, suspi ▼▼
"==" should not be used when "Equals" is overridden	C#
"===" and "!==" should be used instead of "==" and "!="	JavaScript
"===" and "!==" should be used instead of "==" and "!="	Flex ♠ Code Smell ♠ suspicious ▼▼
"===" and "!==" should be used instead of "==" and "!="	TypeScript ♠ Code Smell ♠ suspicious ▼▼
"@CheckForNull" or "@Nullable" should not be used on primitive types	Java ♠ Code Smell ▼▼
"@Controller" classes that use "@SessionAttributes" must call "setComple" "SessionStatus" objects	ete" on their Java 💃 Bug 🦠 spring ▼▼
"@Deprecated" code marked for removal should never be used	Java ❖ Code Smell ❖ cert, cwe, obsol ▼▼
"@Deprecated" code should not be used	Java ♠ Code Smell ♠ cert, cwe, obsol ▼▼
"@EnableAutoConfiguration" should be fine-tuned	Java ❖ Code Smell ❖ performance, sp ▼▼
"@NonNull" values should not be set to null	Java 👚 Bug 🐿 cert, cwe 🔻▼
"@Override" should be used on overriding and implementing methods	Java ♠ Code Smell ♠ bad-practice ▼▼

24/6/2021

Rules

Bulk Change

1 / 2,492 rules

IIILEIS

Q Search for rules...

∨ Language

Q Search for languages	
Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

Ñ	Bug	535
6	Vulnerability	141
(4)	Code Smell	1.6k

	-1 - 172,432 Tules
package	
"[DefaultValue]" should not be used when "[DefaultParameterValue]" is	s meant C# & Code Smell \$\infty\$ suspicious \$\textstyre{\textstyre
"[ExpectedException]" should not be used	C# ♠ Code Smell ♠ tests ▼▼
"[Optional]" should not be used on "ref" or "out" parameters	C#
"\" should only be used as an escape character outside of raw strings	DEPRECATED Python Â Bug ▼ ▼
"construct" functions should not make PHP 4-style calls to parent constructors	PHP 各 Code Smell 🖜 convention 🔻
"exit" should accept type, value, and traceback arguments	DEPRECATED Python ↑ Bug ▼
"init" should not return a value	Python ਜ Bug ▼ ▼
"abstract" classes should not have "public" constructors	C# Code Smell
"action" mappings should not have too many "forward" entries	Java ❖ Code Smell ❖ brain-overload, ▼▼
"ActiveMQConnectionFactory" should not be vulnerable to malicious code deserialization	Java Vulnerability
"alert()" should not be used	DEPRECATED JavaScript 6 Vulnerability ▼▼
"Alert.show()" should not be used	DEPRECATED Flex
"allow_url_fopen" and "allow_url_include" should be disabled	PHP 6 Vulnerability ♦ cwe, owasp-a1, ▼
"Any()" should be used to test for emptiness	C#
"arguments" should not be accessed directly	TypeScript ♠ Code Smell ♠ api-design, es2 ▼▼
"arguments" should not be accessed directly	JavaScript ❖ Code Smell ❖ api-design, es2 ▼▼

24/6/2021 Rules

Bulk Change





Filters

Q Search for rules...

∨ Language


Q Search for languages	
Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

Ñ	Bug	535
6	Vulnerability	141
A	Code Smell	1.6k

"aria-label" or "aria-labelledby" attributes should be used to differentiate similar elements	HTML ♠ Code Smell ♠ accessibility, wc ▼▼
"Arrays.stream" should be used for primitive arrays	Java ♠ Code Smell ♠ performance ▼▼
"Assembly.GetExecutingAssembly" should not be called	C#
"Assembly.Load" should be used	C# Code Smell ■ unpredictable ▼ ■
"async" and "await" should not be used as identifiers	C#
"async" methods should not return "void"	C# 🙀 Bug 🦠 async-await, mu ▼▼
"at-rules" should be valid	CSS ਜ Bug ▼▼
"await" should not be used redundantly	TypeScript
"await" should not be used redundantly	JavaScript
"await" should only be used with promises	JavaScript
"await" should only be used with promises	TypeScript
"base.Equals" should not be used to check for reference equality in "E	Equals" if "base" is not "object" C# 🧌 Bug 🔻
"Bean Validation" (JSR 380) should be properly configured	Java ♦ Code Smell ▼
"BigDecimal(double)" should not be used	Java 👚 Bug 🦫 cert 🔻▼
"break" and "continue" should not be used outside a loop	Python 🛊 Bug ▼▼
"ByVal" should not be used	VB.NET ♦ Code Smell ♦ clumsy ▼
"calc" operands should be correctly spaced	CSS ਜ Bug ▼▼

24/6/2021 Rules



Filters

Q Search for rules...

∨ Language

Q Search for languages	
Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

亷	Bug	535
6	Vulnerability	141
(3)	Code Smell	1.6

Bulk Change		1 -1-) 1/2,49	2 rules
CASE STATETHE SHOULD HAVE EISE CIAUSES	Γ	ruby 😈 Code Silieli	→ CAAG	*
"case" statements should not be nested	Ru	uby 各 Code Smell	>> pitfall	T -
"case" statements should not have too many "when" clauses	Ruby 😩 (Code Smell 🦠 brain-	overload	T -
"catch" clauses should do more than rethrow	C# 各 Code	e Smell 🦠 clumsy, er	ror-ha	T -
"catch" clauses should do more than rethrow	Java 😩 Code	e Smell 🦠 clumsy, er	ror-ha	T -
"catch" clauses should do more than rethrow	ГуреScript 😩 Code	e Smell 🦫 clumsy, er	ror-ha	7-
"catch" clauses should do more than rethrow	VB.NET 😩 Code	e Smell 🦠 clumsy, er	ror-ha	T -
"catch" clauses should do more than rethrow	JavaScript 😩 Code	e Smell 🦠 clumsy, er	ror-ha	T -
"catch" clauses should do more than rethrow	PHP 😩 Code	e Smell 🌑 clumsy, er	ror-ha	7-
"cgi.force_redirect" should be enabled	PHP 6 Vulne	erability 🌑 cwe, owas	sp-a6,	T -
"Class.forName()" should not load JDBC 4.0+ drivers	Java	Code Smell	obsolete	₹-
"clone" should not be overridden	Java (😩 Code Smell 🔪 st	uspicious	T -
"Cloneables" should implement "clone"	Java 🏖 Code	e Smell 🦠 api-desigr	ı, conv	T -
"close()" calls should not be redundant	Java	Code Smell 🔷 re	edundant	T -
"collect" should be used with "Streams" instead of "list::add"	Ja	ava 😮 Code Smell 「	ၴ java8	₹-
"Collections.EMPTY_LIST", "EMPTY_MAP", and "EMPTY_SET" should not be used	Java 各 C	Code Smell 🦫 obsole	ete, pitfall	T-
"compareTo" results should not be checked for specific values	Ja	ava 💃 Bug 🦠 unpr	edictable	T -
"compareTo" should not be overloaded		Java 🧘 Bug	>> pitfall	₹-

24/6/2021 Rules

Filters

Q Search for rules...

O Search for languages

∨ Language

Search for languages	
Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

535

141

1.6k

Bulk Change 7) 1 / 2,492 rules ConfigureAwait(raise) snould be used C# ₩ Code Smell > async-await, mu... "ConstructorArgument" parameters should exist in constructors C# ₩ Bug > wpf. xaml ▼ "ConstructorArgument" parameters should exist in constructors VB.NET **#** Bug **\$\sqrt{\text{wpf}}** wpf, xaml **₹**▼ "continue" should not be used JavaScript ♠ Code Smell ♦ bad-practice ▼▼ TypeScript A Code Smell bad-practice "continue" should not be used "CoSetProxyBlanket" and "CoInitializeSecurity" should not be used "CoSetProxyBlanket" and "CoInitializeSecurity" should not be used C# 6 Vulnerability > owasp-a6 ▼ 100 of 2,492 shown **Show More**

Code Smell

6 Vulnerability

▼ Type

🙀 Bug