

Security+ 4.4 · Security Tools

Mestre CyberSec · Lesson 4.4 — Security Tools (14:06) · [Assistir Vídeo no YouTube](#) · Treino Interativo: edusouzamarques.github.io/cybersec

Executive Lesson Summary: SCAP (Security Content Automation Protocol): padrão pra automatizar compliance (NIST 800-53/CIS). SIEM, SOAR, vulnerability scanner, FIM, EDR — cada uma cobre uma etapa.

💡 Key Exam Highlights & Critical Concepts

- SIEM detecta; SOAR AGE; EDR isola; FIM checa arquivo
- SCAP: automatiza o compliance check

🎯 Exam Tips & Typical CompTIA Scenarios

- 'automates security compliance checks'=SCAP/OpenSCAP

Why is this advanced coverage required for SY0-701? Video lectures provide foundational concepts, but CompTIA tests practical engineering judgment and requires deep familiarity with the following protocols, acronyms, and operational nuances in this domain:

- **Security Content Automation Protocol (SCAP)**

Security Content Automation Protocol is a set of specifications for automating vulnerability management, measurement, and policy compliance evaluation against standards such as NIST 800-53 and CIS Benchmarks.

⚠ **Exam Trap:** *Se a questão pedir 'automatiza checagens de conformidade de segurança' ou 'compliance automatizado', marque SCAP/OpenSCAP. Não confunda com SIEM, que apenas correlaciona logs.*

- **OpenSCAP**

OpenSCAP is an open-source implementation of SCAP used to scan systems for compliance with security baselines and generate remediation guidance.

⚠ **Exam Trap:** *OpenSCAP = ferramenta que aplica SCAP. Gatilho: 'SCAP compliance scan' ou 'baseline automatizada'.*

- **Security Information and Event Management (SIEM)**

Security Information and Event Management collects and correlates log and event data from multiple sources to detect threats and support compliance reporting.

⚠ **Exam Trap:** *SIEM detecta e correlaciona; não age automaticamente. Se a questão falar em orquestrar resposta, pense SOAR.*

- **Security Orchestration, Automation, and Response (SOAR)**

Security Orchestration, Automation, and Response integrates tools and automates incident response workflows, such as enrichment, containment, and remediation.

⚠ **Exam Trap:** *SOAR AGE. Se o cenário pede automatizar playbooks ou resposta a incidentes, marque SOAR, não SIEM.*

- **Vulnerability Scanner (N/A)**

A vulnerability scanner identifies known weaknesses, missing patches, and misconfigurations in hosts, applications, and networks.

⚠ **Exam Trap:** *Scanner identifica vulnerabilidades, mas não necessariamente explora ou corrige. Ele alimenta SIEM/SOAR e gestão de vulnerabilidades.*

- **File Integrity Monitoring (FIM)**

File Integrity Monitoring detects unauthorized changes to critical files by comparing hashes or baselines over time.

⚠ **Exam Trap:** *FIM checa arquivo/hash. Gatilho: 'alteração não autorizada em arquivo de sistema' ou 'baseline de integridade'.*

- **Endpoint Detection and Response (EDR)**

Endpoint Detection and Response continuously monitors endpoints, detects malicious behavior, and can isolate or remediate compromised hosts.

⚠ **Exam Trap:** *EDR isola endpoint. Se a questão pede contenção em host/endpoint, marque EDR; se é log central, SIEM; se é automação de playbook, SOAR.*

- **CIS Benchmarks (CIS)**

CIS Benchmarks are consensus-based security configuration guidelines used to harden systems and verify compliance.

⚠ **Exam Trap:** *SCAP/OpenSCAP pode avaliar conformidade com CIS Benchmarks. Não confunda benchmark de configuração com scanner de vulnerabilidades.*

✓ **Authentic Practice Questions (10 Real Exam Scenarios)**

Scenario-based exam questions. Complete explanations and distractor analysis are provided in the answer key below.

QUESTION 1 · EXAM SCENARIO

A healthcare organization subject to HIPAA must demonstrate continuous technical compliance with NIST SP 800-53 controls across more than 800 Linux and Windows servers. The CISO wants a standardized, machine-readable framework that supports automated configuration baselines, vulnerability enumeration, and reporting to feed directly into the GRC dashboard. Which technology should the architect recommend?

- A)** Security Orchestration, Automation, and Response (SOAR)
- B)** Security Content Automation Protocol (SCAP)
- C)** Endpoint Detection and Response (EDR)
- D)** File Integrity Monitoring (FIM)

QUESTION 2 · EXAM SCENARIO

After a merger, the newly formed enterprise receives over 12 billion events per day from firewalls, EDR switches, domain controllers, web proxies, and cloud SaaS logs. The SOC manager needs a solution that ingests these heterogeneous streams, normalizes them into a common schema, correlates them to detect multi-stage attacks, and retains them for one year of forensic analysis. Which tool class is required?

- A)** Vulnerability Scanner
- B)** File Integrity Monitoring (FIM)
- C)** Security Information and Event Management (SIEM)
- D)** Endpoint Detection and Response (EDR)

QUESTION 3 · EXAM SCENARIO

Tier-1 SOC analysts spend 70% of their shift manually triaging the same five recurring alerts: phishing submissions, brute-force SSH attempts, malware detections, and suspicious PowerShell executions. The SOC director wants to deploy automated playbooks that can query threat intel, enrich indicators, isolate affected endpoints via EDR, block malicious IPs at the firewall, and close confirmed false positives — all without human approval. Which technology fulfills this requirement?

- A)** Security Orchestration, Automation, and Response (SOAR)
- B)** Security Content Automation Protocol (SCAP)
- C)** File Integrity Monitoring (FIM)
- D)** Vulnerability Scanner

QUESTION 4 · EXAM SCENARIO

Six weeks before the annual external audit, the vulnerability manager must produce a report listing every missing patch, unsupported software version, and exposed CVE across 4,500 endpoints and 1,200 servers. The audit requires authenticated scanning with proof of credentialed assessment and a prioritized remediation list ranked by CVSS. Which tool should the team deploy?

- A)** Endpoint Detection and Response (EDR)
- B)** File Integrity Monitoring (FIM)
- C)** Security Information and Event Management (SIEM)
- D)** Vulnerability Scanner

QUESTION 5 · EXAM SCENARIO

Following an incident in which attackers silently replaced the binary of a legitimate system service with a backdoored version on a payment-processing server, the compliance team requires an automated control that calculates cryptographic baselines of operating system and application files at rest and raises an immediate integrity violation when any monitored file is altered, added, or removed. Which technology should be deployed?

- A)** Security Information and Event Management (SIEM)
- B)** Vulnerability Scanner
- C)** File Integrity Monitoring (FIM)
- D)** Security Orchestration, Automation, and Response (SOAR)

QUESTION 6 · EXAM SCENARIO

Threat hunters discover that a financially motivated threat actor is using fileless malware, living-off-the-land binaries (LOLBins), and credential theft tools that successfully bypass the legacy signature-based antivirus on the executive laptops. The security team needs a solution that records process trees, network connections, and memory behavior at the kernel level, can isolate a compromised laptop over the network, and supports custom YARA rules. Which tool class is required?

- A)** File Integrity Monitoring (FIM)
- B)** Vulnerability Scanner
- C)** Endpoint Detection and Response (EDR)
- D)** Security Content Automation Protocol (SCAP)

QUESTION 7 · EXAM SCENARIO

The new CISO mandates that every operating system, database, and network device in the organization must be hardened according to a vendor-neutral, community-validated, consensus-based set of prescriptive recommendations — covering password policies, audit settings, service configurations, and registry values — before being connected to production. Which resource should the engineering team reference?

- A)** CIS Benchmarks
- B)** Security Content Automation Protocol (SCAP)
- C)** Security Information and Event Management (SIEM)
- D)** Security Orchestration, Automation, and Response (SOAR)

QUESTION 8 · EXAM SCENARIO

A budget-constrained university IT team must automate compliance scanning of Red Hat Enterprise Linux servers against DISA STIGs and CIS profiles using SCAP-formatted content (XCCDF/OVAL). They cannot afford commercial tools and need a free, open-source scanner that supports SCAP datastreams. Which technology should they adopt?

- A)** Endpoint Detection and Response (EDR)
- B)** Security Information and Event Management (SIEM)
- C)** Vulnerability Scanner
- D)** OpenSCAP

QUESTION 9 · EXAM SCENARIO

The SOC is flooded with alerts from multiple sources — phishing emails reported by users, malware hits from EDR, and authentication anomalies from the SIEM. The operations manager wants a platform that not only centralizes cases but also automatically extracts IOCs from incoming emails, queries VirusTotal and internal threat intel, blocks senders at the email gateway, opens a ServiceNow ticket, and notifies the analyst — all within seconds. Which capability is being described?

- A)** Security Information and Event Management (SIEM)
- B)** Endpoint Detection and Response (EDR)
- C)** Security Orchestration, Automation, and Response (SOAR)
- D)** File Integrity Monitoring (FIM)

QUESTION 10 · EXAM SCENARIO

An internal investigation reveals that attackers exfiltrated data after tampering with a privileged service account's configuration files on multiple domain controllers. The post-incident CISO wants a dedicated, lightweight solution that runs continuously on each server, snapshots cryptographic hashes of protected files and registry keys, and forwards tamper events to the SIEM — without performing behavioral analysis or endpoint response. Which tool class best fits?

- A)** Vulnerability Scanner
- B)** File Integrity Monitoring (FIM)
- C)** Security Information and Event Management (SIEM)
- D)** Security Content Automation Protocol (SCAP)

ANSWER KEY & COMPREHENSIVE DISTRACTOR EXPLANATIONS

Question 1: Option B — Security Content Automation Protocol (SCAP)

SCAP is the standardized protocol suite (XCCDF, OVAL, CPE, CVE, CVSS, CCSS) that allows organizations to automate vulnerability management, policy compliance evaluation, and scoring against NIST 800-53 baselines. SOAR orchestrates response actions, EDR focuses on endpoint behavior, and FIM detects file changes — none of these provide the standardized machine-readable compliance content that SCAP delivers.

Question 2: Option C — Security Information and Event Management (SIEM)

A SIEM is designed exactly for this purpose: central log aggregation, normalization across disparate sources, real-time correlation rules to detect attack chains, and long-term retention for forensic and compliance use cases. Vulnerability scanners look for weaknesses, scanners do not aggregate logs, FIM detects file changes, and EDR focuses on endpoint telemetry rather than enterprise-wide correlation.

Question 3: Option A — Security Orchestration, Automation, and Response (SOAR)

SOAR platforms provide case management, threat intel integration, and visual runbook automation that orchestrate actions across multiple security tools (EDR, firewall, ticketing, TIP). They are purpose-built to remove repetitive manual toil. SCAP is for compliance content, FIM watches files, and a vulnerability scanner finds weaknesses — none of these automate multi-tool response workflows.

Question 4: Option D — Vulnerability Scanner

An authenticated vulnerability scanner (e.g., Nessus, Qualys, Rapid7) performs credentialed checks, identifies missing patches, outdated software, and known CVEs, and produces CVSS-prioritized reports — exactly what the audit demands. EDR focuses on runtime threats, FIM watches file changes, and SIEM correlates events; none generate patch-level vulnerability inventories.

Question 5: Option C — File Integrity Monitoring (FIM)

FIM tools (e.g., OSSEC, Tripwire, AIDE) compute cryptographic baselines (MD5/SHA hashes) of files, then continuously compare current state to that baseline to detect unauthorized modifications, additions, or deletions — directly addressing the file-replacement scenario described. SIEM correlates events but does not maintain file baselines, vulnerability scanners look for missing patches, and SOAR automates response rather than integrity detection.

Question 6: Option C — Endpoint Detection and Response (EDR)

EDR solutions (e.g., CrowdStrike, SentinelOne, Microsoft Defender for Endpoint) record rich endpoint telemetry, detect behavioral indicators of attack (LOLBins, credential dumping, process injection), allow remote host isolation, and support custom detection rules like YARA. FIM only watches file integrity, vulnerability scanners look for weaknesses, and SCAP is a compliance framework — none of them provide behavioral endpoint detection and remote containment.

Question 7: Option A — CIS Benchmarks

CIS Benchmarks are consensus-developed, vendor-neutral hardening guides that provide prescriptive step-by-step recommendations (specific registry keys, password lengths, audit policies) for operating systems, applications, and network devices. They are the de facto hardening baseline referenced by auditors and compliance frameworks. SCAP is the protocol for machine-readable content, SIEM aggregates events, and SOAR orchestrates response — none are hardening guides.

Question 8: Option D — OpenSCAP

OpenSCAP is the open-source implementation of SCAP that supports XCCDF/OVAL data streams, evaluates systems against DISA STIGs, CIS profiles, and NIST baselines, and is included with Red Hat Enterprise Linux. EDR, SIEM, and commercial vulnerability scanners are not free open-source SCAP scanners; OpenSCAP is the canonical answer for this requirement.

Question 9: Option C — Security Orchestration, Automation, and Response (SOAR)

SOAR is the platform that integrates with email gateways, threat intel feeds, ticketing systems, and EDR to run automated playbooks across multiple tools. It combines case management, orchestration, and automated response actions. SIEM focuses on log aggregation and correlation, EDR detects endpoint threats, and FIM watches files — none of these orchestrate multi-tool automated workflows.

Question 10: Option B — File Integrity Monitoring (FIM)

FIM is purpose-built for exactly this: it creates cryptographic baselines of selected files/registry keys, runs as a lightweight host-based agent, detects modifications/additions/deletions, and forwards integrity violations to the SIEM. It does not perform vulnerability scanning, behavioral analysis, or response actions, but rather focuses solely on detecting unauthorized change to monitored artifacts.