

Security+ 1.2 · Physical Security

Mestre CyberSec · Lesson 1.2 — Physical Security (8:17) · [Assistir Vídeo no YouTube](#) ↗ · Treino Interativo: edusouzamarques.github.io/cybersec

Executive Lesson Summary: Barreira física ao datacenter/escritório: guard shack, bollards, muros (preventivo); badge/RFID/NFC reader + mantrap/vestibular (impede piggybacking); HVAC e fire suppression (proteção à infra); câmeras/alarmes (detectivo).

💡 Key Exam Highlights & Critical Concepts

- Mantrap/vestibular: 2 portas, só se abre uma quando a outra fecha — impede tailgating
- Fire suppression: agente limpo (FM-200) > água em datacenter
- Hot/cold aisle + HVAC = temperatura controlada

🎯 Exam Tips & Typical CompTIA Scenarios

- 'prevents tailgating/piggybacking' = mantrap / vestibular control
- 'fire suppression agent that doesn't damage equipment' = FM-200/clean agent

Beyond the Video: Official Exam Concepts, Protocols & Traps (Section 1.2 — Physical Security)

Why is this advanced coverage required for SY0-701? Video lectures provide foundational concepts, but CompTIA tests practical engineering judgment and requires deep familiarity with the following protocols, acronyms, and operational nuances in this domain:

• Bollard (N/A)

Short, sturdy vertical posts installed to prevent vehicles from entering a protected area or ramming a building.

 **Exam Trap:** *Bollard é barreira física contra veículo; se a questão fala de 'vehicle ramming' ou 'prevent vehicle access', a resposta é bollard.*

• Mantrap (Access Control Vestibule) (N/A)

A physical security control with two interlocking doors that allows only one person or one door at a time, preventing tailgating and piggybacking into restricted areas.

 **Exam Trap:** *Se a questão menciona 'prevents tailgating/piggybacking' ou 'double-door access', a resposta é mantrap/access control vestibule.*

• RFID/NFC Badge Reader

Contactless credential reader using radio frequency identification (RFID) or near-field communication (NFC) to authenticate badges or fobs for physical access.

 **Exam Trap:** *RFID/NFC é autenticação de acesso físico; não confunda com autenticação lógica/senha. Badge clonado? RFID/NFC.*

• Heating, Ventilation, and Air Conditioning (HVAC)

Environmental control system that regulates temperature, humidity, and airflow in server rooms and datacenters to prevent overheating and hardware failure.

 **Exam Trap:** *Em datacenter, HVAC + hot/cold aisle mantêm temperatura controlada; se falha, risco de superaquecimento.*

• FM-200 (Clean Agent Fire Suppression)

A clean-agent fire suppression chemical that extinguishes fires without leaving residue or damaging electronic equipment, ideal for datacenters.

 **Exam Trap:** *Se a pergunta pede agente de supressão que não danifica equipamentos, escolha FM-200/clean agent; água ou sprinkler tradicional é errado para datacenter.*

• Closed-Circuit Television (CCTV)

Video surveillance system used as a detective physical control to monitor, record, and deter security events.

 **Exam Trap:** *Câmeras são detectivas/dissuasivas, não impedem fisicamente; não substituem mantrap ou barreira.*

• Hot/Cold Aisle Containment (N/A)

Datacenter layout arranging server racks so cold air intakes face one aisle and hot exhaust faces another, improving HVAC efficiency and temperature control.

 **Exam Trap:** *Hot/cold aisle é sobre eficiência térmica; se a questão fala de corredores separando ar quente e frio, é isso.*

• Alarm System (N/A)

Detective physical control that detects unauthorized access, motion, smoke, or environmental changes and alerts security personnel.

 **Exam Trap:** *Alarmes detectam e alertam; não previnem fisicamente. Diferencie de barreiras preventivas e câmeras detectivas.*

Authentic Practice Questions (10 Real Exam Scenarios)

Scenario-based exam questions. Complete explanations and distractor analysis are provided in the answer key below.

QUESTION 1 · EXAM SCENARIO

To optimize cooling efficiency and prevent server hardware thermal throttling in a multi-row enterprise datacenter, facilities engineers arrange equipment racks with server air intakes facing one corridor and exhaust fans facing the opposing corridor. What datacenter design principle is being applied?

- A) Hot and cold aisle containment
- B) Raised flooring cable plenum
- C) Uninterruptible Power Supply (UPS) conditioning
- D) Screened subnet perimeter

QUESTION 2 · EXAM SCENARIO

A government contractor facility is situated adjacent to a high-speed public boulevard. Security planners want to prevent vehicle-ramming attacks against the building glass facade while still permitting pedestrian access. Which physical barrier best meets this objective?

- A) Impact-rated reinforced bollards
- B) 8-foot chain-link fence with barbed wire
- C) Biometric optical turnstiles
- D) Motion-activated halogen floodlights

QUESTION 3 · EXAM SCENARIO

A defense research laboratory requires a testing facility where wireless transmissions, radio frequencies (RF), and electromagnetic signals cannot escape the room or be intercepted by external eavesdropping equipment. What architectural safeguard should be constructed?

- A) Faraday cage (RF shielding enclosure)
- B) Screened subnet (Demilitarized Zone)
- C) Air-gapped software-defined VLAN
- D) Access control vestibule with biometric scanning

QUESTION 4 · EXAM SCENARIO

A critical infrastructure SCADA network controlling electrical turbines must be 100% immune from Internet malware propagation. Engineers eliminate all physical cables, wireless transceivers, and optical connections between the SCADA system and any corporate network. Which architectural control is in effect?

- A) Air gap isolation
- B) Dual-homed perimeter firewall
- C) Site-to-site IPsec VPN tunnel
- D) Software-Defined WAN (SD-WAN)

QUESTION 5 · EXAM SCENARIO

A research cleanroom requires employees to present an encrypted contactless smartcard and simultaneously verify their iris scan on a sensor before the magnetic lock disengages. Which control classification does this door mechanism represent?

- A) Physical Preventive control implementing Multi-Factor Authentication (MFA)
- B) Physical Detective control performing single-factor identification
- C) Technical Corrective control enforcing administrative oversight
- D) Operational Deterrent control promoting behavioral compliance

QUESTION 6 · EXAM SCENARIO

Security cameras record continuous high-definition video of an exterior loading dock, but no warning signs are posted, and staff only review recorded footage after an inventory discrepancy or burglary is reported. How does this camera system function in this scenario?

- A) Physical Detective control
- B) Physical Deterrent control
- C) Technical Preventive control
- D) Managerial Directive control

QUESTION 7 · EXAM SCENARIO

An enterprise posts armed security officers at vehicle gate barriers to inspect photo credentials, verify visitor manifests, and inspect trunk cargo before raising the vehicle barrier. Which control classification best describes the security guards?

- A) Operational and Physical Preventive control
- B) Technical Corrective control
- C) Managerial Directive control
- D) Compensating Logical control

QUESTION 8 · EXAM SCENARIO

To mitigate opportunistic theft of laptops in open-plan customer service branches, IT anchors galvanized steel cables with keyed tumbler locks from each laptop Kensington slot to immovable structural desks. What physical control is this?

- A) Cable lock (Physical Preventive)
- B) Geofencing beacon (Technical Detective)
- C) Cryptographic remote wipe (Technical Corrective)
- D) Barcoded asset tag (Managerial Directive)

QUESTION 9 · EXAM SCENARIO

An organization needs to secure the primary entrance to its high-density server room to prevent tailgating and unauthorized physical entry. The design requires a two-door enclosure where the second door cannot unlock until the first door is completely closed and authenticated. Which physical security control is being implemented?

- A)** Access control vestibule (Mantrap)
- B)** Faraday cage enclosure
- C)** Bollard perimeter barrier
- D)** Optical turnstile barrier

QUESTION 10 · EXAM SCENARIO

A datacenter administrator is selecting a fire suppression system for a facility housing mission-critical blade servers and SAN storage. The system must quickly extinguish electrical fires without causing corrosive or liquid residue damage to active electronics and must be safe for human evacuation. Which system should be deployed?

- A)** Clean agent gaseous suppression (e.g., FM-200 / Inergen)
- B)** Wet-pipe water sprinkler system
- C)** Class K wet chemical foam extinguisher
- D)** Deluge dry chemical powder system

ANSWER KEY & COMPREHENSIVE DISTRACTOR EXPLANATIONS

Question 1: Option A — Hot and cold aisle containment

Hot and cold aisle design separates ambient intake air from heated server exhaust air, dramatically improving HVAC cooling efficiency and preventing thermal throttling.

Question 2: Option A — Impact-rated reinforced bollards

Bollards are heavy-duty, impact-rated vertical posts specifically engineered to stop vehicle-ramming attacks while maintaining unimpeded pedestrian entry.

Question 3: Option A — Faraday cage (RF shielding enclosure)

A Faraday cage utilizes a metallic mesh or enclosure to absorb and block electromagnetic fields and RF transmissions, preventing electronic eavesdropping (TEMPEST).

Question 4: Option A — Air gap isolation

An air gap is a physical isolation architecture where a protected computer or network has zero physical or wireless connections to outside networks.

Question 5: Option A — Physical Preventive control implementing Multi-Factor Authentication (MFA)

The smartcard (something you have) paired with the iris scan (something you are) constitutes physical Multi-Factor Authentication (MFA) acting preventively to stop unauthorized entry.

Question 6: Option A — Physical Detective control

Because there are no visible warning signs to deter attackers and footage is only reviewed post-incident to reconstruct events, the cameras operate purely as a physical detective control.

Question 7: Option A — Operational and Physical Preventive control

Security guards physically verify identity and have the authority to deny entry at the gate, functioning as an operational (people) and physical preventive control.

Question 8: Option A — Cable lock (Physical Preventive)

Cable locks physically anchor portable computers to fixed architectural furniture, serving as a mechanical preventive control against casual grab-and-run theft.

Question 9: Option A — Access control vestibule (Mantrap)

An access control vestibule (mantrap) enforces single-person entry via interlocked double doors, directly preventing tailgating and piggybacking into high-security zones.

Question 10: Option A — Clean agent gaseous suppression (e.g., FM-200 / Inergen)

Clean agent gaseous fire suppression (such as FM-200 or Inergen) displaces heat or oxygen without leaving liquid or corrosive residues on sensitive electronic circuit boards.