

Security+ 1.4 · Obfuscation

Mestre CyberSec · Lesson 1.4 — Obfuscation (8:00) · [Assistir Vídeo no YouTube](#) · Treino Interativo: edusouzamarques.github.io/cybersec

Executive Lesson Summary: Esconder SEM criptografia: STEGANOGRAFIA (dado escondido DENTRO de outra mídia — mensagem na foto), TOKENIZAÇÃO (substitui dado sensível por token sem valor real — cartão de crédito), DATA MASKING (esconde parte — CPF 123.***.***-**).

💡 Key Exam Highlights & Critical Concepts

- Steganography: mensagem escondida em IMAGEM/ÁUDIO (não é cripto)
- Tokenization: token sem valor no lugar do cartão — vault reversível
- Data masking: mascara pra teste (nome→John Doe, CPF→***)

🎯 Exam Tips & Typical CompTIA Scenarios

- 'replace sensitive data with a non-sensitive substitute' = tokenization
- 'hide data inside another medium' = steganography

Why is this advanced coverage required for SY0-701? Video lectures provide foundational concepts, but CompTIA tests practical engineering judgment and requires deep familiarity with the following protocols, acronyms, and operational nuances in this domain:

• Obfuscation (N/A)

The practice of making data difficult to understand or discover without using encryption, often by hiding, substituting, or masking it.

⚠ **Exam Trap:** *Se a questão pede esconder/alterar dados sem criptografia, pense em obfuscação; não confunda com encryption/hashing.*

• Steganography (N/A)

Hiding a secret message or data inside another medium, such as an image, audio, or video file, so its existence is concealed.

⚠ **Exam Trap:** *Palavra-chave: "hide data inside another medium/file" = steganography. Não é criptografia e não substitui dados sensíveis.*

• Tokenization (N/A)

Replacing sensitive data, such as a credit card number, with a non-sensitive substitute called a token that has no exploitable value.

⚠ **Exam Trap:** *Gatilho: "replace sensitive data with a non-sensitive substitute" = tokenization. O token pode ser revertido apenas via vault/mapeamento seguro.*

• Token (N/A)

A non-sensitive surrogate value used in place of real data; it typically maps back to the original data only through a secure token vault.

⚠ **Exam Trap:** *Token não é o dado real nem um hash; se a questão diz que pode ser revertido com vault, é tokenização.*

• Token Vault (N/A)

A secured repository that stores the mapping between tokens and their original sensitive values, enabling authorized detokenization/reversal.

⚠ **Exam Trap:** *Lembrou "vault reversível"? Tokenization usa vault; data masking geralmente não é reversível.*

• Data Masking (N/A)

Hiding or replacing portions of sensitive data with fictitious or obscured characters, often for testing, development, or display.

⚠ **Exam Trap:** *Gatilho: CPF 123.***.***-** ou nome→John Doe = data masking. Foco em esconder parte do dado, não em criar token substituto.*

• PII (Personally Identifiable Information)

Data that can identify an individual directly or indirectly; it is the main target of obfuscation methods like tokenization and masking.

⚠ **Exam Trap:** *Se a questão menciona CPF, cartão, nome ou outro dado pessoal, pergunte qual obfuscação protege PII sem criptografia.*

• Data Obfuscation (N/A)

A broad category of techniques—including steganography, tokenization, and data masking—that hide or alter data to reduce exposure without encryption.

⚠ **Exam Trap:** *Sinônimo de obfuscation; não selecione se a questão exigir especificamente substituição por token ou ocultação em mídia.*

✓ Authentic Practice Questions (10 Real Exam Scenarios)

Scenario-based exam questions. Complete explanations and distractor analysis are provided in the answer key below.

QUESTION 1 · EXAM SCENARIO

A payment processor is helping an online retailer reduce PCI DSS scope. The retailer must continue to issue refunds and recurring charges, but the security team does not want the primary account number stored in the retailer's e-commerce database. Which technique should the retailer implement so its systems can store a surrogate value and still reference the original card number through a secure service?

- A) Data masking
- B) Tokenization
- C) Steganography
- D) Hashing with salt

QUESTION 2 · EXAM SCENARIO

A customer support portal allows agents to view account details. Compliance requires that agents see only the last four digits of each customer's government ID, while the full value remains available to the fraud investigation team through a separate authorized workflow. Which data protection technique is most appropriate for the customer support portal?

- A) Tokenization
- B) Data masking
- C) Steganography
- D) Full-disk encryption

QUESTION 3 · EXAM SCENARIO

A threat analyst reviewing outbound traffic discovers that a departing employee uploaded several innocuous-looking JPEG images to a personal cloud account. The images contain hidden instructions and source code embedded in their pixel data, and the employee did not use encryption. Which technique is the employee using to conceal the information?

- A) Data masking
- B) Tokenization
- C) Steganography
- D) Key stretching

QUESTION 4 · EXAM SCENARIO

A financial services company replaces customer account numbers with random-looking values before storing them in a marketing analytics platform. When an authorized service needs the real account number, it queries a hardened, access-controlled repository that maps each replacement value to its original account number. Which component is being described?

- A) Token vault
- B) Data masking policy
- C) Steganographic carrier
- D) Public key infrastructure

QUESTION 5 · EXAM SCENARIO

A software quality team needs a copy of the production customer database for testing. The testers must not see real names, email addresses, or national identification numbers, but the data should still look realistic and preserve the correct format for application testing. Which approach best meets these requirements?

- A) Steganography
- B) Tokenization
- C) Data masking
- D) Disk encryption

QUESTION 6 · EXAM SCENARIO

An application writes debug logs that sometimes include complete customer Social Security numbers. The security team wants the application to record only a redacted version, such as ***-**-6789, before the logs are written to disk. Which technique should be applied to the logging process?

- A) Tokenization
- B) Data masking
- C) Steganography
- D) Certificate stapling

QUESTION 7 · EXAM SCENARIO

A healthcare provider wants to share a research dataset with an external partner. The dataset must not contain real patient identifiers, and the provider does not need to reverse the transformation later. Which data obfuscation method is most appropriate?

- A) Tokenization with a token vault
- B) Reversible encryption
- C) Data masking
- D) Steganography

QUESTION 8 · EXAM SCENARIO

A security architect is evaluating controls for a mobile banking app. The app must display account balances and transaction history, but screenshots taken by users should not reveal full account numbers. Which technique should be implemented in the app's display layer?

- A) Data masking
- B) Tokenization
- C) Steganography
- D) Hashing

QUESTION 9 · EXAM SCENARIO

A multinational retailer wants its suppliers to submit invoices without ever receiving the retailer's actual bank account number. The retailer plans to issue each supplier a unique substitute value that can be validated internally but cannot be used to initiate unauthorized transfers. Which technique should the retailer use?

- A) Steganography
- B) Data masking
- C) Tokenization
- D) Digital watermarking

QUESTION 10 · EXAM SCENARIO

A data governance team is cataloging fields in a CRM system. The fields include full name, home address, email address, phone number, and passport number. The team needs a classification label that describes these fields because they can identify a specific person. Which label is most accurate?

- A) Cardholder data
- B) Protected health information
- C) Personally identifiable information
- D) Token vault entries

ANSWER KEY & COMPREHENSIVE DISTRACTOR EXPLANATIONS

Question 1: Option B — Tokenization

Tokenization replaces the primary account number with a token that has no exploitable value by itself. A token vault or tokenization service maps the token back to the original card number only when an authorized system needs it. Data masking only obscures portions of data, steganography hides data inside another medium, and hashing is one-way and cannot be used to retrieve the original card number.

Question 2: Option B — Data masking

Data masking redacts or obscures part of a value for users who do not need the full data, such as showing only the last four digits. The original value remains in the source system for authorized teams. Tokenization replaces the entire value with a token, steganography hides data in another medium, and full-disk encryption protects data at rest but does not change what an authorized portal user sees.

Question 3: Option C — Steganography

Steganography hides a message or file inside another medium, such as embedding data in the pixel values of an image. The carrier image may look normal to casual inspection. Data masking obscures parts of data, tokenization replaces sensitive values with tokens, and key stretching strengthens password hashes rather than hiding files.

Question 4: Option A — Token vault

A token vault stores the mapping between tokens and the original sensitive values. It is typically highly protected because compromise of the vault could allow detokenization. A data masking policy defines how data is obscured but does not provide a mapping back to the original value. A steganographic carrier is a medium used to hide data, and PKI manages certificates and keys.

Question 5: Option C — Data masking

Data masking substitutes realistic fictitious values or obscures sensitive fields while preserving the format needed by applications. This is commonly used to create safe test data. Tokenization is better when the original value must be retrieved later through a vault. Steganography hides data in other media, and disk encryption does not prevent testers with access from seeing real values.

Question 6: Option B — Data masking

Data masking is used to redact or obscure sensitive portions of data before storage or display, such as replacing all but the last four digits of a Social Security number in logs. Tokenization replaces the entire value with a token and usually requires a vault for retrieval. Steganography hides data in media, and certificate stapling is related to TLS certificate status checking.

Question 7: Option C — Data masking

Data masking can irreversibly alter or replace identifiers so the dataset can be shared without exposing real patient information. Since the provider does not need to reverse the transformation, a reversible method such as tokenization with a vault or encryption is unnecessary. Steganography is used to hide data inside another medium, not to de-identify a dataset.

Question 8: Option A — Data masking

Dynamic data masking can obscure account numbers in the user interface so screenshots do not reveal the full values while the backend still stores or processes the complete data. Tokenization replaces stored values with tokens, steganography hides data inside media, and hashing is one-way and unsuitable for displaying account numbers.

Question 9: Option C — Tokenization

Tokenization replaces the real bank account number with a unique token that has no direct value to the supplier or an attacker. The retailer's internal token service can map or validate the token when processing invoices. Data masking only obscures parts of a value, steganography hides data in another medium, and digital watermarking is typically used for ownership or authenticity marking.

Question 10: Option C — Personally identifiable information

Personally identifiable information, or PII, is data that can identify a specific individual, either alone or in combination with other data. Names, addresses, email addresses, phone numbers, and passport numbers are common examples. Cardholder

data relates to payment cards, protected health information relates to health data, and token vault entries are records used by tokenization systems.