

Data permission and use

Application scope, platform requirements and project information

Application and requested permission

Android app: Wear Companion | Package: com.edvinn.wearcompanion

Watch app: com.edvinn.firstwearableapplication | JavaScript FA model / liteWearable

Target: HUAWEI WATCH GT 6 only. Paired phone: Samsung Galaxy S23 (Android). iOS is not required.

Requested permission: Basic device information only. The application is for the phone app. No message-notification, remote-launch, health, fitness or sensor permissions are requested.

Use scenario and data flow

The developer opens the watch app to request current values from their own Firebase project. The Android companion fetches the JSON and returns it via Wear Engine P2P for display. Device connection and app-installation status are used to report whether the watch is reachable and its app is installed.

During communication, the user manually opens the Android companion in the foreground and opens the watch app. Huawei Health must remain running properly in the background. If the companion is inactive or unreachable, the proposed watch UI reports the failure and asks the user to open it manually; it does not attempt remote launch. Proposed screens are on page 3.

Project owner, data use and distribution

Owner: Edvin Nad, individual developer in Serbia. Contact: edvinnadj@gmail.com. Personal productivity / data-dashboard project; no other users and no AppGallery publication, ratings or download figures. Business license and enterprise introduction are not applicable.

The displayed data belongs to the developer and resides in the developer-controlled Firebase project. Credentials are held on the phone. No health or sensor data is accessed. This application does not collect data from other users or redistribute it to others.

Supplementary information: no planned hardware purchases through Huawei and no co-marketing plans. The GT6 was bought at retail for personal use. The existing user-authorization-path document accompanies this resubmission.


Why HTTP-PROXY remains unresolved

Observed device failures, with the original diagnostic log capture

Tests performed after the rejection

Huawei Health was connected and running. The watch app declares `ohos.permission.INTERNET`; `@system.fetch` is present. Version 1.0.1 failed with `-6 / "conect socket fail!"` against independent HTTPS endpoints. The original capture below shows failures for Google and JSONPlaceholder.

After installing v1.0.2, the developer also reported the same `-6` failure for both `http://example.com/` and `https://example.com/`, and the JSON test. That later HTTP/HTTPS result is a user report; it is not shown in this v1.0.1 screenshot.



Configuration check

The generic fetch documentation suggests `deviceConfig.default.network.cleartextTraffic`, but the installed lite schema rejects network (hvmigor 00303038). The setting was removed; requests still fail.

Conclusion

We have not established a working HTTP-PROXY route on this GT6/Samsung pairing. These failures do not prove that the platform lacks such a capability.

Requested guidance

Please identify the exact GT6 liteWearable HTTP-PROXY API, sample and prerequisites. If unavailable for this pairing, please approve the requested companion-based messaging approach.

Evidence limits

No working Wear Engine integration is claimed. The screens on page 3 are proposed UX, not screenshots of a completed integration.

Original developer-supplied device log screenshot (v1.0.1).

Proposed communication and fallback

UX mockups for review; these are not implemented integration screenshots

A. Phone companion active - both apps opened by the user

PHONE / Wear Companion

GT6 connected
Watch app installed
Ready to receive request
Fetch own Firebase JSON

Keep this app open

WATCH / Dashboard

Refresh requested
Data received
Show current values
Show last update time

Refresh

Watch request -> Wear Engine P2P -> Android fetch -> P2P response -> watch display

B. Phone companion inactive, disconnected or not responding

PHONE / User action

Open Wear Companion manually
Keep it in the foreground
Ensure Huawei Health is running
Restore watch connection

Ready for retry

WATCH / Unavailable

Phone unavailable
Open Wear Companion
on your phone, then retry.
Do not show stale data as current.

Retry

Proposed failure handling: a failed reachability check or response timeout shows the unavailable state. Refresh does not silently succeed, and the app does not attempt to launch the phone app remotely. Once the user opens the phone app and restores connectivity, Retry starts a new request.

Comparable public sample (Android / Lite Wearable P2P):

[github.com/Explore-In-HMOS-Wearable/
sportwatch-wear-engine-lite-wearable-to-mobile](https://github.com/Explore-In-HMOS-Wearable/sportwatch-wear-engine-lite-wearable-to-mobile)

The sample lists GT4/GT5. Please confirm GT6 support; compatibility is not assumed.