

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have $y - 8$ equals one half times the quantity $x - 6$. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have $y - 4$ equals one half times the quantity $x + 2$. The reason we have $x + 2$ is this simplifies the original $x - \text{negative } 2$. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from $y - 8$ equals one half times the quantity $x - 6$, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. **There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have **two** points), then the point-slope form is fastest.** To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have $y - 8$ equals one half times the quantity $x - 6$. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have $y - 4$ equals one half times the quantity $x + 2$. The reason we have $x + 2$ is this simplifies the original $x - \text{negative } 2$. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from $y - 8$ equals one half times the quantity $x - 6$, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)}$$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. **To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2.** This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have $y - 8$ equals one half times the quantity $x - 6$. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have $y - 4$ equals one half times the quantity $x + 2$. The reason we have $x + 2$ is this simplifies the original $x - \text{negative } 2$. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from $y - 8$ equals one half times the quantity $x - 6$, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)} = \frac{4}{8} = \frac{1}{2}$$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have y minus 8 equals one half times the quantity x minus 6. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have y minus 4 equals one half times the quantity x plus 2. The reason we have x plus 2 is this simplifies the original x minus negative 2. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from y minus 8 equals one half times the quantity x minus 6, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)} = \frac{4}{8} = \frac{1}{2}$$

$$m = \frac{4-8}{-2-(6)}$$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. **We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6.** This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have y minus 8 equals one half times the quantity x minus 6. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have y minus 4 equals one half times the quantity x plus 2. The reason we have x plus 2 is this simplifies the original x minus negative 2. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from y minus 8 equals one half times the quantity x minus 6, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)} = \frac{4}{8} = \frac{1}{2}$$

$$m = \frac{4-8}{-2-(6)} = \frac{-4}{-8} = \frac{1}{2}$$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. **This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half.** One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have y minus 8 equals one half times the quantity x minus 6. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have y minus 4 equals one half times the quantity x plus 2. The reason we have x plus 2 is this simplifies the original x minus negative 2. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from y minus 8 equals one half times the quantity x minus 6, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)} = \frac{4}{8} = \frac{1}{2}$$

$$m = \frac{4-8}{-2-(6)} = \frac{-4}{-8} = \frac{1}{2}$$

Acceptable final answer: $y - 8 = \frac{1}{2}(x - 6)$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. **One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have y minus 8 equals one half times the quantity x minus 6.** Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have y minus 4 equals one half times the quantity x plus 2. The reason we have x plus 2 is this simplifies the original x minus negative 2. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from y minus 8 equals one half times the quantity x minus 6, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)} = \frac{4}{8} = \frac{1}{2}$$

$$m = \frac{4-8}{-2-(6)} = \frac{-4}{-8} = \frac{1}{2}$$

Acceptable final answer: $y - 8 = \frac{1}{2}(x - 6)$

Acceptable final answer: $y - 4 = \frac{1}{2}(x + 2)$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have y minus 8 equals one half times the quantity x minus 6. **Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have y minus 4 equals one half times the quantity x plus 2. The reason we have x plus 2 is this simplifies the original x minus negative 2.** Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from y minus 8 equals one half times the quantity x minus 6, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)} = \frac{4}{8} = \frac{1}{2}$$

$$m = \frac{4-8}{-2-(6)} = \frac{-4}{-8} = \frac{1}{2}$$

Acceptable final answer: $y - 8 = \frac{1}{2}(x - 6)$

Acceptable final answer: $y - 4 = \frac{1}{2}(x + 2)$

$$y - 8 = \frac{1}{2}x - 3$$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have y minus 8 equals one half times the quantity x minus 6. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have y minus 4 equals one half times the quantity x plus 2. The reason we have x plus 2 is this simplifies the original x minus negative 2. **Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from y minus 8 equals one half times the quantity x minus 6, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.**

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)} = \frac{4}{8} = \frac{1}{2}$$

$$m = \frac{4-8}{-2-(6)} = \frac{-4}{-8} = \frac{1}{2}$$

Acceptable final answer: $y - 8 = \frac{1}{2}(x - 6)$

Acceptable final answer: $y - 4 = \frac{1}{2}(x + 2)$

$$y - 8 = \frac{1}{2}x - 3$$

$$y = \frac{1}{2}x + 5, \text{ another acceptable final answer.}$$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have y minus 8 equals one half times the quantity x minus 6. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have y minus 4 equals one half times the quantity x plus 2. The reason we have x plus 2 is this simplifies the original x minus negative 2. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from y minus 8 equals one half times the quantity x minus 6, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$.

Note: there are many possible final answers. All answers require finding slope. When you have slope and a point, then the point-slope form is fastest.

$$m = \frac{8-4}{6-(-2)} = \frac{4}{8} = \frac{1}{2}$$

$$m = \frac{4-8}{-2-(6)} = \frac{-4}{-8} = \frac{1}{2}$$

Acceptable final answer: $y - 8 = \frac{1}{2}(x - 6)$

Acceptable final answer: $y - 4 = \frac{1}{2}(x + 2)$

$$y - 8 = \frac{1}{2}x - 3$$

$$y = \frac{1}{2}x + 5, \text{ another acceptable final answer.}$$

Find an equation of the line passing through the points $(-2, 4)$ and $(6, 8)$. There are many possible equations for the same line. All answers require finding slope. When you have slope and a point (and note, we actually have *two* points), then the point-slope form is fastest. To compute the slope, we can do the y-value 8 minus the y-value 4 on top, and the bottom would then have to be the x-value 6 minus the x-value -2. This simplifies to 4 over 8, which simplifies to 1 over 2. We can also find the slope by doing the y-value 4 minus the y-value 8 on top, but then we have follow that order, and the bottom would then have to be the x-value -2 minus the x-value 6. This simplifies to -4 over -8, which simplifies to 1 over 2. Either way, we get the same slope of one half. One acceptable final answer is to use the point-slope form with the point $(6, 8)$ and the slope one half. Then, we have y minus 8 equals one half times the quantity x minus 6. Another acceptable final answer is to use the point-slope form with the point $(-2, 4)$ and the slope one half. Then, we have y minus 4 equals one half times the quantity x plus 2. The reason we have x plus 2 is this simplifies the original x minus negative 2. Say we needed an answer in slope-intercept form. We can start from either of our two equations above. If we start from y minus 8 equals one half times the quantity x minus 6, then we can distribute one half on the right, so the right side ends up being one half x minus 3. Adding 8 to both sides, we get y equals one half x plus 5.

