

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 = -\frac{2}{3}(x - 6)$. To remain on the y-axis, the x-coordinate (the horizontal coordinate) is 0. When we plug in $x = 0$, we get $y - 2 = -\frac{2}{3}(0 - 6)$. When we simplify the right side, we get $y - 2 = -\frac{2}{3}(-6)$. Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 = -\frac{2}{3}(x - 6)$. We actually don't need to bother with distributing the $-\frac{2}{3}$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 = -\frac{2}{3}(0 - 6)$. When we simplify the right side, we get $y - 2 = -\frac{2}{3}(-6)$. Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 = -\frac{2}{3}(x - 6)$. We actually don't need to bother with distributing the $-\frac{2}{3}$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 = -\frac{2}{3}(0 - 6)$. When we simplify the right side, we get $y - 2 = -\frac{2}{3}(-6)$. Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

What is the point of the y-intercept of a line that has a slope of $-2/3$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 =$ negative 2 over 3 times the quantity $x - 6$. We actually don't need to bother with distributing the $-2/3$ or any other work of that kind, since the question just wants the y-intercept. **Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work?** The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 =$ negative 2 over 3 times the quantity $0 - 6$. When we simplify the right side, we get $y - 2 =$ negative 2 over 3 times negative 6. Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

The y-intercept is the point where the line crosses the y-axis. On the y-axis, the x-coordinate is always 0.

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 = -\frac{2}{3}(x - 6)$. We actually don't need to bother with distributing the $-\frac{2}{3}$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? **The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0.** When we plug in $x = 0$, we get $y - 2 = -\frac{2}{3}(0 - 6)$. When we simplify the right side, we get $y - 2 = -\frac{2}{3}(-6)$. Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

The y-intercept is the point where the line crosses the y-axis. On the y-axis, the x-coordinate is always 0.

$$y - 2 = -\frac{2}{3}(0 - 6)$$

What is the point of the y-intercept of a line that has a slope of $-2/3$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 =$ negative 2 over 3 times the quantity $x - 6$. We actually don't need to bother with distributing the $-2/3$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 =$ negative 2 over 3 times the quantity $0 - 6$. When we simplify the right side, we get $y - 2 =$ negative 2 over 3 times negative 6 . Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

The y-intercept is the point where the line crosses the y-axis. On the y-axis, the x-coordinate is always 0.

$$y - 2 = -\frac{2}{3}(0 - 6)$$

$$y - 2 = -\frac{2}{3}(-6)$$

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 =$ negative 2 over 3 times the quantity $x - 6$. We actually don't need to bother with distributing the $-\frac{2}{3}$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 =$ negative 2 over 3 times the quantity 0 minus 6. **When we simplify the right side, we get y minus 2 equals negative 2 over 3 times negative 6.** Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

The y-intercept is the point where the line crosses the y-axis. On the y-axis, the x-coordinate is always 0.

$$y - 2 = -\frac{2}{3}(0 - 6)$$

$$y - 2 = -\frac{2}{3}(-6)$$

$$y - 2 = 4$$

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 =$ negative 2 over 3 times the quantity $x - 6$. We actually don't need to bother with distributing the $-\frac{2}{3}$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 =$ negative 2 over 3 times the quantity $0 - 6$. When we simplify the right side, we get $y - 2 =$ negative 2 over 3 times negative 6. **Simplify the right side. Negative two thirds times negative six is four. So y minus 2 equals 4.** Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

The y-intercept is the point where the line crosses the y-axis. On the y-axis, the x-coordinate is always 0.

$$y - 2 = -\frac{2}{3}(0 - 6)$$

$$y - 2 = -\frac{2}{3}(-6)$$

$$y - 2 = 4$$

$$y = 6$$

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 =$ negative 2 over 3 times the quantity $x - 6$. We actually don't need to bother with distributing the $-\frac{2}{3}$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 =$ negative 2 over 3 times the quantity $0 - 6$. When we simplify the right side, we get $y - 2 =$ negative 2 over 3 times negative 6. Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

The y-intercept is the point where the line crosses the y-axis. On the y-axis, the x-coordinate is always 0.

$$y - 2 = -\frac{2}{3}(0 - 6)$$

$$y - 2 = -\frac{2}{3}(-6)$$

$$y - 2 = 4$$

$$y = 6$$

The point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 = -\frac{2}{3}(x - 6)$. We actually don't need to bother with distributing the $-\frac{2}{3}$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 = -\frac{2}{3}(0 - 6)$. When we simplify the right side, we get $y - 2 = -\frac{2}{3}(-6)$. Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)?

Point-slope form: $y - y_1 = m(x - x_1)$

$$y - 2 = -\frac{2}{3}(x - 6)$$

The y-intercept is the point where the line crosses the y-axis. On the y-axis, the x-coordinate is always 0.

$$y - 2 = -\frac{2}{3}(0 - 6)$$

$$y - 2 = -\frac{2}{3}(-6)$$

$$y - 2 = 4$$

$$y = 6$$

The point of the y-intercept is (0, 6).

What is the point of the y-intercept of a line that has a slope of $-\frac{2}{3}$ and passes through (6, 2)? Since we have a point and a slope, using the point-slope form $y - y_1 = m(x - x_1)$ is fastest. We plug in the coordinates of a point for x_1 and y_1 , and leave x and y themselves alone. We also plug in for the slope where m is. In this case, we get $y - 2 = -\frac{2}{3}(x - 6)$. We actually don't need to bother with distributing the $-\frac{2}{3}$ or any other work of that kind, since the question just wants the y-intercept. Instead, what we can do is plug in $x = 0$ to find the y-coordinate of the y-intercept. Why does this work? The y-intercept is on the y-axis, and all along the y-axis, the x-coordinate (the horizontal coordinate) is 0. To remain on the y-axis, we can't have any movement to the left or right, which is why the horizontal coordinate, the x-coordinate, is 0. When we plug in $x = 0$, we get $y - 2 = -\frac{2}{3}(0 - 6)$. When we simplify the right side, we get $y - 2 = -\frac{2}{3}(-6)$. Simplify the right side. Negative two thirds times negative six is four. So $y - 2 = 4$. Adding 2 to both sides, we get $y = 6$. This is the y-coordinate of the y-intercept. Presented as a point, the point of the y-intercept is (0, 6).

