

$$\frac{3}{5} - \frac{2}{5} \times \frac{5}{6}.$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\frac{3}{5} - \frac{2}{5} \times \frac{5}{6}.$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\frac{3}{5} - \frac{2}{5} \times \frac{5}{6}.$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. **but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.**
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\frac{3}{5} - \frac{2}{5} \times \frac{5}{6}.$$

$$= \frac{3}{5} - \frac{2 \times 5}{5 \times 6}$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\begin{aligned} & \frac{3}{5} - \frac{2}{5} \times \frac{5}{6} \\ &= \frac{3}{5} - \frac{2 \times 5}{5 \times 6} \\ &= \frac{3}{5} - \frac{10}{30} \end{aligned}$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\begin{aligned}
 & \frac{3}{5} - \frac{2}{5} \times \frac{5}{6} \\
 &= \frac{3}{5} - \frac{2 \times 5}{5 \times 6} \\
 &= \frac{3}{5} - \frac{10}{30} \\
 &= \frac{3}{5} - \frac{1}{3}
 \end{aligned}$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\begin{aligned}
& \frac{3}{5} - \frac{2}{5} \times \frac{5}{6} \\
&= \frac{3}{5} - \frac{2 \times 5}{5 \times 6} \\
&= \frac{3}{5} - \frac{10}{30} \\
&= \frac{3}{5} - \frac{1}{3} \\
&= \frac{9}{15} - \frac{5}{15}
\end{aligned}$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\begin{aligned}
& \frac{3}{5} - \frac{2}{5} \times \frac{5}{6} \\
&= \frac{3}{5} - \frac{2 \times 5}{5 \times 6} \\
&= \frac{3}{5} - \frac{10}{30} \\
&= \frac{3}{5} - \frac{1}{3} \\
&= \frac{9}{15} - \frac{5}{15} \\
&= \frac{9-5}{15}
\end{aligned}$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\begin{aligned}
& \frac{3}{5} - \frac{2}{5} \times \frac{5}{6} \\
&= \frac{3}{5} - \frac{2 \times 5}{5 \times 6} \\
&= \frac{3}{5} - \frac{10}{30} \\
&= \frac{3}{5} - \frac{1}{3} \\
&= \frac{9}{15} - \frac{5}{15} \\
&= \frac{9-5}{15} \\
&= \frac{4}{15}
\end{aligned}$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

$$\begin{aligned}
& \frac{3}{5} - \frac{2}{5} \times \frac{5}{6} \\
&= \frac{3}{5} - \frac{2 \times 5}{5 \times 6} \\
&= \frac{3}{5} - \frac{10}{30} \\
&= \frac{3}{5} - \frac{1}{3} \\
&= \frac{9}{15} - \frac{5}{15} \\
&= \frac{9-5}{15} \\
&= \frac{4}{15}
\end{aligned}$$

1. Find three fifths minus two fifths times five sixths.
2. It is tempting to do subtraction first because it is written first,
3. but we have to focus on multiplying first because of the order of operations. So, first let's simplify two fifths times five sixths.
4. For multiplying fractions, we multiply straight across, so we have 2 times 5 over 5 times 6. Even though the first fraction 3 over 5 has not changed, we wrote it right after the equal sign right before the minus sign to account for it.
5. After copying down the first fraction 3 over 5, we can either rewrite the second fraction as 10 over 30.
6. After copying down the first fraction 3 over 5, we can also simplify the second fraction. Since 10 and 30 share a common factor of 10, we can divide the numerator and denominator by 10 to get 1 over 3.
7. We rewrite each fraction with a denominator of 15. By multiplying the top and bottom of the first fraction by 3, we replace the first fraction with 9 over 15. By multiplying the top and bottom of the second fraction by 5, we replace the second fraction with 5 over 15.
8. We subtract the numerators while keeping the denominator the same. So we have 9 minus 5 over 15.
9. By simplifying the numerator, our final answer is 4 over 15. This fraction is already in its simplest form since 4 and 15 do not share any common factors.

