Problem Set 1 - Early Childhood Development Due December 28.

In this problem set, we will look at the effects of The Abecedarian Project, a preschool intervention for children from low-income families implemented in North Carolina the 1960s. Before beginning this problem set, you should review Lecture 1 (slide deck), the Mentor Session's Lab 1 (slide deck, handout), and the supplemental **R** scripts functions_R.R and sapply_review.R.

- 1. Use readRDS to import the dataset, earlytrainingproject_clean.rds.1
- 2. The data set contains many outcomes, including outcomes from after the children have become teenagers or even adults. However, for this problem set we will use five outcome variables from when the subjects were still children: iq5 (IQ at age 5), iq6 (IQ at age 6), iq12 (IQ at age 12), retn12 (whether or not the child was retained at age 12), and iep12 (whether or not the child was receiving special education at age 12). Create a vector vars that contain the names of the corresponding variables. Create a vector varlabels that contains the corresponding labels for each variable for use in making tables.
- 3. Create a new data frame containing only the variables that we will use in the rest of our analysis: SUBJECT (subject ID number), DC_TRT (treatment indicator), and the outcome variables in vars.
- 4. Load package Hmisc. (you will have to install it first if you haven't already done so). Use describe to explore the data set. How many observations are in your data frame? Notice that there are missing values for some variables.
- 5. Use na.omit to create a new data frame containing only those observations with no missing values. Use describe to explore the resulting data set. How many observations were dropped by removing the missing values? Verify that there are no more missing values.
- 6. What values does the variable DC_TRT take?
- 7. Create a binary variable called treat (using DC_TRT) that is 1 if treated and 0 if control.

¹You can download the data to your own computer and then load using readRDS. Alternatively, you can read in the data directly from the web using readRDS(url("https://edward-vytlacil.github.io/Data/earlytrainingproject_clean.rds")).

- 8. Use Stargazer to make tables of descriptive statistics for the variables in vars, separately for controls and treated observations.
- 9. Using sapply and tapply, create a table compute the mean of each variable in vars for the control observations, the corresponding means for treatment observations, and the difference in those means as estimates of the average treatment effects. Use Stargazer to create a table of the estimated average treatment effects. Briefly discuss the results. Does the early childhood intervention seem to work to improve outcomes for the participants?