

App.js					
Function	Success Criteria / Expected Outcome	Test Method	Result	Comment	Solution
navToggler.addEventListener("click", togglerClick);	Navigation lists displays / hides	Click	PASS		
togglerClick()	Nav button switches between hamburger & close symbol		PASS		

Events.js					
Function	Success Criteria / Expected Outcome	Test Method	Result	Comment	Solution
card.addEventListener("click", toggleCard);	Current clicked card (e) expands if closed, currently opened cards collapse.	Click	PASS		
toggleCard(e)			PASS		

Contact.js					
Function	Success Criteria / Expected Outcome	Test Method	Result	Comment	Solution
sendContact(e)	Email containing the contact form is sent	Check email account	PASS	Smtplib is used to perform emailing sending	
showLoadingButton(e)	Slow connections: loading button is displayed	Throttle connection speed in Dev Tools	PASS		
displaySuccess()	Upon successful sending of the email – a success message should appear, a timeout function resets the form, the submit button returns to its original state	Fill out form and submit	PASS		
displayError()	Upon failure sending the email – a failure message should appear, the submit button returns to its	Input incorrect credentials into sendContact function - Fill out form and submit	PASS		

	original state, the input should get focus				
--	--	--	--	--	--

Auth.js					
Function	Success Criteria / Expected Outcome	Test Method	Result	Comment	Solution
Anonymous function invoked by click on icon	Icon should switch from open eye class to closed eye class	Click	PASS		
	Password input should change from type password to text	Inspect input in Dev tools	PASS		
	Text inside input should be revealed / starred out	Input text in password box, click toggle button	PASS		

Reports.js					
Function	Success Criteria / Expected Outcome	Test Method	Result	Comment	Solution
setEditable()	The description field of the report should become editable	setEditable(), removeEditable() – same test methods.	PASS		
removeEditable()	The description field of the report should not be editable	Click Edit Button – type in description field - Inspect input in Dev tools	PASS		
changeButtonText()	On click of the edit button – the delete button should change to cancel and the edit button should change to update  On click of the update button or cancel button, the buttons should return to their default state – other functions are invoked	Click buttons	PASS		
displayReportForm()	On click – the new report form should display	Click buttons – inspect in Dev Tools	PASS		

addToFilestoSwiper()	Images uploaded / captured by the user are added to a carousel	Upload images	PASS		
postToCloudinary(e)	<p>Images uploaded through the new report form should be sent to an api on the backend –</p> <p>The backend api should post the images to Cloudinary and in the JSON response should be a success message as well as the url of each image</p>	<p>Add images – Check Cloudinary dashboard</p> <p>Console.log reponse -load existing forms to see if image urls were stored. Compare uploaded images with returned images url</p>	<p>PASS</p> <p>PASS</p>		
enableButton()	<p>The button is disabled during the user upload</p> <p>The HTML input type=file doesn't natively return feedback of events during the upload process – i.e. if a user clicks cancel when the select file dialog appears –</p> <p>A custom function was created to allow 5 seconds between the user clicking the upload file and reenabling the button – this prevents the user submitting the form before files are fully uploaded</p>	Upload files – inspect item in Dev Tools –	PASS		
getLocation()  invokes  getPosition()	<p>Get the user position and display on a map</p> <p>Location coordinates</p>	<p>Open the reports form</p> <p>Paste cords into google maps</p>	<p>PASS</p> <p>PASS</p>		

geoError()	Map container displays error	Disable GPS on device	PASS		
crudReport()  Accepts 2 arguments – first is an object containing the data to be inserted into the db.  The second is a string representing the POST action, ie – EDIT, DELETE, CREATE	Data should be posted to, edit, deleted from db.  Upon successful operation, the page should reload and reflect the changes.	Perform CRUD operations and monitor db.  Inspect response object in Dev Tools  Attempt to call the function with incorrect / missing arguments	PASS  PASS  PASS		

Utils.js					
Function	Success Criteria / Expected Outcome	Test Method	Result	Comment	Solution
hideLoadingButton()	Removes the loading spinner from a submit button once the form action is complete	Submit form	PASS		
getSiblings	Returns an array of node elements of a target elements siblings	-	PASS		