### 室内工程专用



### 海宁景上照明科技有限公司

浙江灯具生产基地:海宁市盐官镇工业园区 广东灯具生产基地:中山市古镇海洲六岭工业区 电话:0760-22381758 传真:0760-22381759

> E-mail:hnjingshang@163.com http://www.hnjinghui.com

重庆客服 18523961567 沈生 江苏客服 13906113076 倪生 浙江客服 13567351558 徐生 其它地区客服 13005517718 倪生 成都客服 15068202588 倪生 上海客服 18158767398 姚生 古镇环球客服 ( 工程 ) 18925397899 倪生 古镇瑞丰客服 0760-86108898 杨 s 0760-22394255 陈 s 0760-86108977 林 s

## 室内工程专用



格栅灯盘系列 铝材办公灯系列 三防灯系列 日光灯支架系列



<sup>\*</sup>由于印刷原因造成色差问题,请以实物为准本公司保留修改产品更新的权力恕不另行通知,如有疑问请致电本公司。





# B<sup>品牌介绍</sup> Introduction

中山景上照明灯饰厂是浙江海宁景辉照明有限公司的下属企业,以高性价比的 LED 工程外壳为主,公司集研发、生产 和销售为一体拥有国家专利 30 多项旗下"景上"和"宇晨"多个品牌在行业中享自广泛的知名度。

2010年,公司确立了LED 五金配件为导向重点设计生产,铝材办工灯(外壳)、格栅灯盘(外壳)、三防支架(外壳)、 **铁皮支架(外壳)**服务各成品灯饰厂及工程超市、医院、体育馆、学校等。

企业目标:做好各灯饰产品的外壳,服务好各设计师的理念。

Zhongshan Jingshang lighting lighting factory is a subordinate company of Zhejiang Haining JingHui lighting co., LTD., with costeffective LED engineering case is given priority to, the company set research and development, production and sales as one owns national patent more than 30 "landscape" and "yu morning" multiple brands in the industry since the widespread popularity.

In 2010, the company established the LED hardware accessories oriented focus on design and production, aluminum office lamp (shell), grille lamp plate (shell), three stents (shell), iron (shell) service each finished lighting factory and engineering supermarkets, hospitals, stadiums, schools, and other enterprises.

Enterprise target: shell completes various lighting products, serve the designer's idea.













T8 反光灯盘		
灯体尺寸	外箱尺寸	装箱数量
Lamp dimension	carton size	QTY/CTN
598*598*75mm	600*600*160mm	2PCS
1198*298*75mm	1200*300*160cm	2PCS



T8- 豪华灯盘		
灯体尺寸	外箱尺寸	装箱数量
Lamp dimension 598*598*75mm	carton size 600*600*160mm	QTY/CTN 2PCS
1198*298*75mm	1200*300*160cm	2PCS



T8- 亚光灯盘		
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
598*598*75mm	600*600*160mm	2PCS
1198*298*75mm	1200*300*160cm	2PCS







LED T8 嵌入:	式有机片格栅灯	盘
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
598*598*75mm	600*600*160mm	2PCS
1198*298*75mm	1200*300*160cm	2PCS
1198*598*75mm	1200*600*160cm	2PCS



LED T8 嵌入式有机片格栅灯盘		
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
598*598*75mm	600*600*160mm	2PCS
1198*298*75mm	1200*300*160cm	2PCS
1198*598*75mm	1200*600*160cm	2PCS



T8 明装格栅灯盘			
灯体尺寸.	外箱尺寸	装箱数量	
Lamp dimension	carton size	QTY/CTN	
600*600*75mm	600*600*150mm	2PCS	
1200*300*75mm	1200*300*150cm	2PCS	
1200*600*75mm	1200*600*150cm	2PCS	



T8 洁净灯盘		
灯体尺寸	外箱尺寸	装箱数量
Lamp dimension	carton size	QTY/CTN
598*598*75mm	600*600*160mm	2PCS
1198*598*75mm	1200*600*160cm	2PCS



 灯体尺寸 Lamp dimension
 外箱尺寸 carton size
 装箱数量 QTY/CTN

 600\*600\*33mm
 600\*600\*70mm
 2PCS

 1200\*300\*30mm
 1200\*300\*70cm
 2PCS


1200\*600\*33mm 1200\*600\*70cm 2PCS

		,

THE IT I UP		
灯体尺寸	外箱尺寸	装箱数量
Lamp dimension	carton size	QTY/CTN
600*600*33mm	600*600*70mm	2PCS
1200*300*33mm	1200*300*70cm	2PCS
1200*600*33mm	1200*600*70cm	2PCS



	LED 面板灯 A		
量 N	灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
	600*600*17mm	600*600*40mm	2PCS
;	1200*300*17mm	1200*300*40cm	2PCS
,	1200*600*17mm	1200*600*40cm	2PCS



灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
600*600*17mm	600*600*40mm	2PCS
1200*300*17mm	1200*300*40cm	2PCS
1200*600*17mm	1200*600*40cm	2PCS



002

**Product Contents** 





6PCS



mm



mm



Lamp dimension

1250\*280\*90mm

Lamp dimension

1200\*220\*70mm



mm

5PCS

1200\*200\*70mm





1200\*60\*90mm



mm

600\*600\*65mm









1195\*140\*100mm

Lamp dimension

1180\*210\*55mm

1178\*130\*40mm



Lamp dimension

1195\*140\*100mm

1195\*205\*35mm

Lamp dimension

1203\*350\*45mm



carton size

mm

QTY/CTN

5PCS









Lamp dimension

1200\*220\*40mm

灯体尺寸

Lamp dimension

1195\*405\*66mm







mm



carton size QTY/CTN mm 4PCS



carton size

mm

QTY/CTN



Lamp dimension


1200\*80\*70mm



1180\*100\*35mm







外箱尺寸 carton size

mm

装箱数量 QTY/CTN 1PCS

1200\*80\*65mm



灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN	灯体尺寸 Lamp dimension
1175*68*40mm	mm	1PCS	1175*135*40m





T8 单只三防灯		
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱 QTY/
690*280*210mm	mm	8P
1290*280*210mm	mm	8P



T8 双只三防灯		
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
690*210*230mm	mm	6PCS
1290*255*230mm	mm	6PCS



T5 PC 防尘支架			
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN	
573*22*35mm	cm	30PCS	
873*22*35mm	cm	30PCS	
1173*22*35mm	cm	30PCS	



T5 防尘支架		
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
589*22*43mm	cm	30PCS
889*22*43mm	cm	30PCS
1189*22*43mm	cm	30PCS



8 PC 防尘支架 A				
灯体尺寸 amp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN		
55*34*53mm	cm	20PCS		
265*34*53mm	cm	20PCS		




T8 单只防尘格栅	
灯体尺寸 外箱尺寸 装箱数 Lamp dimension carton size QTY/CT	
655*34*53mm cm 20PCS	ŝ
1265*34*53mm cm 20PCS	S



单只防尘灯透明条纹			
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN	
625*92*40mm	cm	12PCS	
1225*92*40mm	cm	12PCS	
1225*92*40mm	cm	12PCS	



双只防尘灯透明条纹			
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN	
665*155*64mm	carton size	8PCS	
1265*155*64mm	cm	8PCS	



T8 防尘灯方型	<u>!</u>	
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
630*175*64mm	cm	5PCS
1230*175*64mm	cm	5PCS



T8 圆头支架		
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
622*62*30mm	cm	20PCS
1222*62*30mm	cm	20PCS











## 日光灯支架系列

#### FLUORESCENT LAMP BRACKET SERIES



A3 单支平盖				
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN		
1220*35*34mm	123*18*22.5cm	30PCS		
920*35*34mm	923*18*22.5cm	30PCS		
620*35*34mm	623*18*22.5cm	30PCS		



A3 单支带罩		
灯体尺寸	外箱尺寸	쏫
Lamp dimension	carton size	Q
1230*125*58mm	123*18*22.5cm	- 2




Lamp dimension















支平盖		A6 双支带罩			
ド尺寸 limension	外箱尺寸 carton size	装箱数量 QTY/CTN	灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
8*25mm	124.5*17*14cm	25PCS	1230*88*25mm	124.5*17*14cm	20PCS





铝支架		
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
1220*35*34mm	123*18*22.5cm	30PCS
920*35*34mm	923*18*22.5cm	30PCS
620*35*34mm	623*18*22.5cm	30PCS



 灯体尺寸 Lamp dimension
 外箱尺寸 carton size
 装箱数量 QTY/CTN

 622\*62\*30mm
 580\*71\*52mm
 20PCS

 1222\*62\*30mm
 1180\*71\*52mm
 20PCS



こり的で又栄	市卓	
灯体尺寸	外箱尺寸	装箱数量
Lamp dimension	carton size	QTY/CTN
622*62*30mm	583*100*52mm	15PCS
1222*62*30mm	1183*100*52mm	15PCS



15 里只错卓		
灯体尺寸	外箱尺寸	装箱数量
Lamp dimension	carton size	QTY/CTN
1220*35*34mm	574*45*33mm	25PCS
920*35*34mm	875*45*33mm	25PCS
620*35*34mm	1172*45*33mm	25PCS



外箱尺寸	装箱数量
carton size	QTY/CTN
574*90*40mm	18PCS
875*90*40mm	18PCS
1172*90*40mm	18PCS
	carton size 574*90*40mm 875*90*40mm



## **特种定制产品** SPECIAL CUSTOMIZED PRODUCTS














1230\*88\*25mm | 124.5\*17\*14cm | 25PCS








1230\*125\*58mm 123\*18\*22.5cm 20PCS
























T8 转 T5 支架带罩			
灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN	
1230*88*25mm	124.5*17*14cm	20PCS	











灯体尺寸 Lamp dimension	外箱尺寸 carton size	装箱数量 QTY/CTN
1230*88*25mm	124.5*17*14cm	25PCS




灯体尺寸	外箱尺寸	装箱数量
Lamp dimension	carton size	QTY/CTN
1230*125*58mm	123*18*22.5cm	20PCS



灯体尺寸	外箱尺寸	装箱数量	
amp dimension	carton size	QTY/CTN	
230*125*58mm	123*18*22.5cm	20PCS	























#### 产品特点:

灯体材质:灯体采用0.6mm优质高强度钢板制成 经除锈、除油、防锈处理,全喷塑工艺处理,在室内正常使用8年以上不锈;

适配光源:T8 直管荧光灯;

电器性能:内配高品质电子或电感镇流器,并秉承其功率因数高,谐波含量低等优点;设计特点:底盘采用斜底新型设计,可配不同类型、不同结构的天花龙骨。抛物弧形反射器设计,全方位反射,采用进口德国或美国阳极氧化镜面或雾面铝制造,使用寿命长;适用场所:商场、会议室、大堂等,需要天花造型或连续照明的场所使用。

Product features:


Light body material: light body USES the 0.6 mm high quality high strength steel plate, the rust removal, oil removal, rust, pensu processing, all in normal indoor use 8 years does not rust;

Adapter light source: T8 straight tube fluorescent lamp;

Electrical performance: with high quality electronic ballast or inductance, and adhering to its high power factor. low harmonic content.


Design features: chassis adopt bevel at the end of the new design, can match different types, different structure of the ceiling keel. Parabolic parabolic reflector design, comprehensive reflection, imported German or American anodized mirror or mist side aluminum manufacturing, long service life.

Application places: shopping malls, conference room, hall, etc., need to use smallpox modelling or continuous lighting places.


















格栅灯系列






## **格栅灯系列** Grille lamp series

















#### 产品特点:

灯体材质:灯体采用0.6mm优质高强度钢板制成 / 经除锈、除油、防锈处理 / 全喷塑工艺处理 , 在室内正常使用8年以上不锈;

适配光源:T8 直管荧光灯;

电器性能:内配高品质电子或电感镇流器,并秉承其功率因数高,谐波含量低等优点;

设计特点:底盘采用斜底新型设计,可配不同类型、不同结构的天花龙骨。抛物弧形反射器设计,全方位反射,采用进口德国或美国阳极氧化镜面或雾面铝制造,使用寿命长;

适用场所:商场、会议室、大堂等,需要天花造型或连续照明的场所使用。

Product features:

Light body material: light body USES the 0.6 mm high quality high strength steel plate, the rust removal, oil removal, rust, pensu processing, all in normal indoor use 8 years does not rust;

Adapter light source: T8 straight tube fluorescent lamp;

Electrical performance: with high quality electronic ballast or inductance, and adhering to its high power factor, low harmonic content.


Design features: chassis adopt bevel at the end of the new design, can match different types, different structure of the ceiling keel. Parabolic parabolic reflector design, comprehensive reflection, imported German or American anodized mirror or mist side aluminum manufacturing, long service life.

Application places: shopping malls, conference room, hall, etc., need to use smallpox modelling or continuous lighting places.















- Infaltable Screw
   Ceiling Accessories
   Ssrews
   Ceiling plate
- Stainles s Stee I Wire
- 6 Power Ling5 End Cap
- 4 Coppe r wireLoc k
- 3 Aluminu m profile
- 2 Light source1 PMMA Diffuse r










- ① Ceiling Accessories
- 9 Ssrews
- 8 Ceiling plate
- 7 Stainless Steel Wire
- 6 Stainless Steel Wire
- ⑤ Copper wireLock
- 4 End Cap
- 3 Aluminum profile
- 2 Light source
- 1 PMMA Diffuser






























三防支架外观设计美观耐用,完美的高透光灯罩,棱镜设计,光线集中,使用安装方便,具有防尘、防水、防灯管爆裂等特点,防护等级达 IP65,产品的安装多样化:有吊顶式、吸顶式等。内部电器及附件安装位置精确,美观。可选用电感、电子镇流器及应急电源。

Three stents design beautiful and durable, perfect high pervious to light lamps, prism is designed, concentrated light, use convenient installation, has many characteristics, such as dustproof, waterproof, prevent the tube burst, protection grade reaches IP65, diversification of product installation: ceiling type, type suction a top, etc. Internal electrical appliances and accessories installation location accurate, beautiful, can choose inductor, electronic ballast and emergency power supply.

适用于潮湿多灰尘场所,如各种粉状成品半成品加工场、仓库、冷库、洗浴(桑拿)中心、停车场和城市环境优化照明等。 Apply to damp, dusty places, such as various powder finished semi-finished products factories, warehouses, cold storage, bath, sauna center, parking lots and city lighting environment optimization









To the space more light, the protection of physical and mental health, life grade

给空间多一点光亮,对身心健康的保护,彰显生活品位



## **支架系列**Bracket series











#### 产品特点:

优美精致、豪华时尚的外观工艺处理技术。

镇流器设计,具有光效高、低温升、噪音小、寿命长、损耗小等特点。 0.5mm 厚以上进品优质冷轧板制成的精美耐用外壳。

表面采用先进的喷塑工艺处理,比同类产品的防锈、防腐蚀性能更好,更不易磨损。

灯座采用旋转式设计,使得灯管的安装方式极其简便,接触极其 J靠。

从流线型的外观结构设计,无不体现其尊贵、典雅的特色。 灯座采用高级阻燃不变色 PVC 材料制成,安全美观。

#### Features:

Elegant, luxurious and fashionable appearance treatment technology.

New type ballast design, and features high light effect, low temperature rising, low noise, no strobe frequency, long life and low consumption.

The durable and exquisite enclosure is made of 0.4mm imported quality cool casting plate.

The surface applies advanced plastic casting treatment, with better performance in anti-rust and anti-corrosion as well as wearable than other brands

Rotary lamp holder, convenient for installing the lamp, reliable contact.

Streamline appearance and structure design, noble and elegant.

The holder is made of high grade inflammable retardant PVC, the color will never fading, safe and beautiful.

