

Task: the user you recently added has been assigned to another project supporting the team in revamping the production webpage. Please add this user to the “support” group

I reviewed and confirmed the user's account details and login settings in the FreeIPA web interface, ensuring the account was correctly configured after group assignments.

The screenshot shows the FreeIPA Identity Management interface. The top navigation bar includes tabs for Identity, Policy, Authentication, Network Services, and IPA Server. The sub-navigation bar under 'Identity' shows 'Users' is selected, along with Hosts, Services, Groups, ID Views, and Automember. The URL in the browser is <https://ipa.procore.dev/ipa/ui/#/e/user/details/shackey>. The main content area displays the user 'shackey' with the following details:

User: shackey					
shackey is a member of:					
Settings	User Groups	Netgroups	Roles	HBAC Rules	Sudo Rules
<input type="button" value="Refresh"/>	<input type="button" value="Reverse"/>	<input type="button" value="Save"/>	<input type="button" value="Actions"/>		
Identity Settings			Account Settings		
Job Title	<input type="text"/>		User login	shackey	
First name *	<input type="text" value="selma"/>		Password	*****	
Last name *	<input type="text" value="hackey"/>		Password expiration	2025-09-16 23:12:44Z	
Full name *	<input type="text" value="selma hackey"/>		UID	<input type="text" value="770000488"/>	
Display name	<input type="text" value="selma hackey"/>		GID	<input type="text" value="770000488"/>	
Initials	<input type="text" value="sh"/>		Principal alias	<input type="text" value="shackey@PROCORE.DEV"/> <input type="button" value="Delete"/>	
GECOS	<input type="text" value="selma hackey"/>		<input type="button" value="Add"/>		
Class	<input type="text"/>		Kerberos principal expiration	<input type="text"/> <input type="button" value="hh : mn UTC"/>	
			Login shell	<input type="text" value="/bin/bash"/>	
			Home directory	<input type="text" value="/home/shackey"/>	
			SSH public keys	<input type="button" value="Add"/>	
			Certificates	<input type="button" value="Add"/>	
			Certificate mapping	<input type="button" value="Add"/>	
			<small>data </small>		

I added the user to the support group in FreeIPA by clicking Add and assigning the appropriate group to grant the required access

The screenshot shows the FreeIPA Identity Management interface. On the left, the 'Users' tab is selected, showing a list of users including 'shackey'. Below the list, it says 'shackey is a member of:' followed by 'User Groups (2)'. A 'User Groups' button is highlighted. To the right, a modal dialog titled 'Add User shackey into User Groups' is open. The dialog has two main sections: 'Available' and 'Prospective'. The 'Available' section lists various groups: Group name, admins, checkmk-admin, editors, foreman_admins, procure_interns, ssogroups, sysadmins, trust admins, and wheel. The 'Prospective' section lists: Group name and support. At the bottom of the dialog are 'Add' and 'Cancel' buttons.

Summary

I reviewed the user's account details in the FreeIPA web interface to confirm identity and login settings were correctly configured.

I added the user to the support group by clicking Add in the User Groups section to grant the appropriate access permissions.