

# MAISHA MAX NA MAXIT

Engineered by  
ISUZU East Africa



**Call 0800 724 724 or dial \*824# today.**



## MODEL NQR/NPR 4.3

DESCRIPTION	PART NO	QTY	RETAIL PRICE	BUNDLE PRICE
ELEMENT; OIL FILTER	1876180010	1	1,400	1,300
ELEMENT KIT; FUEL FILTER	1876180000	1	600	500
MAXIT Engine Oil 15W-40 CF-4/SG - 5 LTR	44M937145	2	3,000	2,900
Total			5,000	4,700

## FRR/FSR

DESCRIPTION	PART NO	QTY	RETAIL PRICE	BUNDLE PRICE
ELEMENT; OIL FILTER	1878100752	1	750	725
ELEMENT KIT; FUEL FILTER	9885111911	1	500	450
ELEMENT; OIL FILTER	8982744860	1	750	725
ELEMENT; FUEL FILTER	5876190621	1	500	450
MAXIT Engine Oil 15W-40 CF-4/SG - 5 LTR	44M937145	3	4,500	4,50
Total			7,000	6,750

## FVZ 23, FVX23

DESCRIPTION	PART NO	QTY	RETAIL PRICE	BUNDLE PRICE
ELEMENT; OIL FILTER	1878100752	1	750	750
ELEMENT; FUEL FILTER	5876190611	1	750	750
CARTRIDGE; OIL FILTER,PARTIAL	1132401632	1	4,500	4,100
ELEMENT; FUEL FILTER	5876190621	1	500	500
MAXIT Engine Oil 15W-40 CF-4/SG - 5 LTR	44M937145	2	3,000	2,900
MAXIT Engine Oil 15W-40 CF-4/SG - 20 LT	44M937020	1	5,700	5,500
Total			15,200	14,500

## NQR 81

DESCRIPTION	PART NO	QTY	RETAIL PRICE	BUNDLE PRICE
ELEMENT; FUEL FILTER	1876100933	1	1,500	1,400
ELEMENT; OIL FILTER	1876180010	1	1,400	1,300
MAXIT Engine Oil 15W-40 CI-4/SG - 5 LTR	44M077145	2	3,400	3,200
Total			6,300	5,900

## DMAX

DESCRIPTION	PART NO	QTY	RETAIL PRICE	BUNDLE PRICE
ELEMENT; OIL FILTER	ACDO-308	1	500	450
ELEMENT KIT; FUEL FILTER	1876180000	1	600	500
CARTRIDGE KIT; FUEL FILTER	1876180050	1	1,500	1,000
FILTER; ACL	1876180040	1	1,500	1,400
MAXIT Engine Oil 15W-40 CF-4/SG - 5 LTR	44M937145	1	1,500	1,450
MAXIT Engine Oil 15W-40 CF-4/SG - 1 LTR	44M937121	2	800	700
Total			6,400	5,500

## FRR90 / FTR 90

DESCRIPTION	PART NO	QTY	RETAIL PRICE	BUNDLE PRICE
ELEMENT; FUEL FILTER	1876100933	1	1,500	1,400
ELEMENT; OIL FILTER	1876180010	1	1,400	1,300
ELEMENT; FUEL FILTER	1876100942	1	4,000	3,800
MAXIT Engine Oil 15W-40 CI-4/SG - 5 LTR	44M077145	2	3,400	3,200
MAXIT Engine Oil 15W-40 CI-4/SG - 1 LTR	44M077121	1	500	500
Total			10,800	10,200

## FVZ 34

DESCRIPTION	PART NO	QTY	RETAIL PRICE	BUNDLE PRICE
ELEMENT; FUEL FILTER	1878100752	1	1,500	1,400
ELEMENT; OIL FILTER	9885111911	1	3,500	3,300
ELEMENT; FUEL FILTER	8982744860	1	4,000	3,900
MAXIT Engine Oil 15W-40 CI-4/SG - 5 LTR	5876190621	2	3,400	3,000
MAXIT Engine Oil 15W-40 CI-4/SG - 20 LT	44M937145	1	5,700	5,600
Total			18,100	17,200



# ISUZU SERVICE GUIDE

	MODEL		ENGINE	ENGINE				GEARBOX				TRANSFER CASE				DIFFERENTIAL								COOLANT				POWER STEERING			BRAKE/CLUTCH FLUID																																															
			SAE	API	TYPE	IN-TRVL	QNTY	SAE	API	IN-TRVL	QNTY	SAE	API	INTRVL	QNTY	FRONT/INTER				REAR				TYPE		INTRVL	QTY	TYPE	INTRVL	QTY	GRADE	INTRVL	QTY																																													
SUV	mu-X	4JK1-TC	5W- 40	CJ-4/SM	SYNTHETIC		7.5	MOBIL ATF 3309		120,000	11	15W-40	CI-4	30,000	1.5	80W-90	GL-5	30,000	1.5	85W-90 LS	GL-5	30,000	3	• Coolelf Auto Supra -37	24 Months/120,000Km	10	ATF D II, DEX-TRON II	40,000 Km/24 Months	0.5	Supreme 11 DOT 4	24 Months/40,000Km	0.5																																														
	mu-X	4JJ1-TC				10,000																																																																								
T Series 5th Gen	TFR54 S/C	4JA1-L	15W-40	CF-4	MINERAL	5,000	6	15W-40	CF-4	20,000	3	N/A				N/A				85W-90 LS	GL-5	20,000	2.5	• BESCO LLC SUPER TYPE E • HAVOLINE EXTENDED LIFE ANTIFREEZE • COOLANT • HAVOLINE XLC • EXTENDED LIFE COOLANT 6280 XLC	24 Months/120,000Km	8	BESCO ATF II Dextron 11-D	40,000 Km/24 Months	0.5	SAE J170 FMVSS 116 DOT 4	24 Months/40,000Km	0.5																																														
	TFS54 D/C											15W-40				CF-4	20,000	1.5	80W-90														GL-5	20,000	1.5																																											
	KB250 S/C (Dif-flock)											N/A				N/A																	85W-140																																													
	TFS85 S/C & D/C	4JJ1-TC	15W-40				CF-4	20,000	1.5	80W-90	GL-5	20,000	1.5	85W-90 LS																																																																
	TFR32 S/C		C24SE	20W-50	SG/CF2/CF	N/A				N/A																																																																				
	TFS77 S/C & D/C		4JH1-TC	15W-40	CF-4	15W-40				CF-4	20,000	1.5	80W-90	GL-5	20,000	1.5																																																														
T Series 6th Gen	TFR86 S/C	4JK1-TC	5W- 40	CJ-4/SM	SYNTHETIC	10,000	7	15W-40	CI-4	30,000	3	N/A				N/A				85W-90 LS	GL-5	30,000	3	• Havoline XLC • Castrol Anti-freeze SF • Caltex Extended LLC 6280 • Shell LLC Glysantin G30 (Glycoshell) • Havoline XLC • Delo ELC/ NitriteFree • Glysantin G34 • Glacelf Auto Supra • Coolelf Auto Supra -37	24 Months/120,000Km	10.1	BESCO ATF 111 Dexron III	40,000 Km/24 Months	1	Supreme 11 DOT 4	24 Months/40,000Km	0.5																																														
	TFS86 S/C & D/C	4JJ1-TC										15W-40				CI-4	30,000	1.5	80W-90														GL-5	30,000	1.5																																											
	TFS85 D/C Manual											MOBIL ATF 3309				120,000																	11																																													
	TFS85 Luxury Auto																																																																													
	TFR54 S/C LEED	4JA1-L	15W-40	CF-4	MINERAL	5,000	5	15W-40	CI-4	20,000	3	N/A				N/A				80W-90	GL-5	20,000	9.5																																																							
	TFR86 S/C & D/C	4JK1-TC	5W- 40	CJ-4/SM	SYNTHETIC	10,000	7	15W-40	CI-4	30,000		1.5	80W-90	GL-5	30,000	1.5	30,000																																																													
	TFS86 S/C & D/C	4JJ1-TC																MOBIL ATF 3309				120,000											11																																													
TFS85 D/C Manual																																																																														
TFS85 Luxury Auto																																																																														
N Series 6th Gen	NHR55	4JB1	15W-40	CF-4	MINERAL	7,500	8	15W-40	CF-4	30,000	3	N/A				N/A				85W-140	GL-5	30,000	3	• Havoline XLC Glysatin G34 Glacelf Auto Supra Coolef Auto Supra -37	24 Months/120,000Km	10	BESCO ATF 111 Dexron III	24 Months/40,000Km	1	Supreme 11 DOT 4	24 Months/40,000Km	1.5																																														
	NKR66/ NPR66/ NQR66	4HF1										10																																																																		
N Series 7th Gen	NLR77	4JH1-TC	15W-40	CI-4	MINERAL	10,000	6.6	15W-40	CI-4	40,000	3.5	N/A				N/A				85W-140	GL-5	40,000	3.5	• Havoline XLC • Glysatin G34 • Glacelf Auto Supra • Coolef Auto Supra -37	24 Months/120,000Km	11.3	BESCO ATF 111	40,000 Km/24 Months	1.5	Supreme 11 DOT 4	24 Months/40,000 Km	1.5																																														
	NMR85	4JJ1-TC										15,000	9.5	11.5	15W-40																																																															
	NQR81(M/K)	4HL1-TCS														15W-40	CI-4	45,000	2														15W-40	CI-4	45,000	3																																										
	NPS81																																																																													
F & M Series 6th Gen	FVR23	6SD1-N	15W-40	CF-4	MINERAL	7,500	28	85W-140	GL-5	30,000	13	N/A								N/A				85W-140	GL-5	30,000	14	• Havoline XLC • Glysatin G34 • Glacelf Auto Supra • Coolef Auto Supra -37	24 Months/120,000Km	28	BESCO ATF 111 Dexron III	12 Months/48,000Km					3.5	Supreme 11 DOT 4	12 Months/48,000Km	0.5																																						
	FVX23											6HH1-S	9	80W-90	GL-5	30,000	4	85W-140	GL-5	30,000	18	5																																																								
	FVZ23																						8										N/A	N/A	85W-90 LS	7																																										
	FTS33H	6HH1-N										5	13	85W-140	7																																																															
	FSR33 NON LSD															12																																																														
	FSR33 LSD																28																																																													
	FRR33 Truck	6SD1-TCC										10,000	28	10,000	25.6			80W-90	GL-5	40,000	16	N/A	85W-140										GL-5	40,000	18	85W-140					GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																										
	FRR33 Bus															6NX1-TCS																																					5W- 40	CJ-4/SM	SYNTHETIC	20,000	28	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km
	MV123 Bus																6SD1-TCC																																																													
	6SD1-TCC	10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140			GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																																																	
																6SD1-TCC														10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																							
																	6SD1-TCC																																							10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5
	6SD1-TCC	10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140			GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																																																	
																6SD1-TCC														10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																							
																	6SD1-TCC																																							10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5
	6SD1-TCC	10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140			GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																																																	
																6SD1-TCC														10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																							
																	6SD1-TCC																																							10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5
	6SD1-TCC	10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140			GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																																																	
																6SD1-TCC														10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																							
																	6SD1-TCC																																							10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5
	6SD1-TCC	10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140			GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																																																	
																6SD1-TCC														10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																							
																	6SD1-TCC																																							10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5
	6SD1-TCC	10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140			GL-5	40,000	12	• Coolef Auto Supra -37	24 Months/120,000Km	28.7	BESCO ATF 111	12 Months/60,000 Km	3.5	Supreme 11 DOT 4	12 Months/120,000 Km	2.2																																																	
																6SD1-TCC														10,000	28	10,000	25.6	80W-90	GL-5	40,000	16	N/A	85W-140	GL-5	40,000	18	85W-140	GL-5	40,000																																	



# Why Isuzu Genuine Parts?

Isuzu Genuine Parts are designed and manufactured to the same high standard of quality and design that Isuzu vehicles are known for. Isuzu parts undergo thorough tests to safeguard vehicle reliability, safety and performance; delivering longer service mileage and minimal interruption to business operations.

## Engine Service Parts

### Oil Filter

Oil filter traps any impurities contained in the engine Oil through the filter paper allowing only clean oil to lubricate the engine. While used together with the recommended lubricant.

### Fuel Filter

Fuel may contain impurities, such as water, dust and iron rust. Such fuel supplied to the engine may clog or wear the supply pump and injectors eventually shortening the life of the engine. Such impurities are removed by the filter paper ensuring oil supplied to the engine is clean. The filter paper is therefore critical in protecting the engine from damage.

Comparison	Isuzu Genuine Oil & Fuel Filters	Non-Genuine Filters
Filter Paper Material	Plant Fiber material with fine texture	Thin material with coarse texture
Filtration Area	Sufficient filtration verified thorough engineering tests	Reduced filtration area by upto 30%
Adhesive Agent	Provides good sealing using high quality adhesive agent	Insufficient adhesive, causing leakage
Performance	High efficiency in trapping impurities	Lacking efficiency by upto 50%

### Air Cleaner Element

This part is responsible for filtering air of impurities such as fine dust. If taken into the engine without filtration, the cylinder and piston rings wear out. As a result, the engine's power output and fuel consumption may drop affecting vehicle performance

## Engine Maintenance Parts

### Clutch Disks/Pressure Plate

The clutch has a role of transmitting power generated by the engine to the transmission. This is essential to vehicle motion from acceleration to deceleration. Clutch parts also serve as a fuse protecting the drivetrain from damage.

Comparison	Isuzu Genuine Clutch	Non-Genuine Clutch
Durability	Long service life - up to 80,000km mileage	Short service life average mileage - 40,000km
Startability	Stable torque transmission for a smooth start	Unstable torque transmission
Heat Resistance	High friction ability hence withstands high temperature	Low temperature resistance resulting in partial engagement

### Water Pump

The water pump is positioned between the engine and the radiator driven by a timing belt via a pulley. The main function of the water pump is to circulate coolant. The coolant absorbs heat from the engine sent to the radiator for cooling and returned to the engine. A properly functioning water pump is key to regulating engine temperature.

### Timing Belt/Fan Belt

Timing Belt transmits engine power to several auxiliary devices (generator, water pump, cooling fan, refrigerator compressor, air compressor, power steering pump, etc.). If the belt is broken

or fails to exert enough transmission performance due to weak tensioning, the engine may overheat resulting in reduced brake force or power steering malfunction.

Comparison	Isuzu Genuine Belt	Non-Genuine Belt
Length/Size	Optimal Length for every engine	Approximate Length
Cogged Shape	Calibrated to ensure a quiet operation	Non calibration causing abnormal noise
Heat Resistance	High friction ability hence withstands high temperature	Low temperature resistance resulting in partial engagement

## Customer Assurance

**Trust;** Isuzu Genuine Parts meet high Isuzu standards on manufacturing quality and certification

**Return on Investment;** Isuzu parts are economical resulting in low cost of vehicle maintenance to maximize profitability.

**Convenience** Isuzu has a wide network of distributors ensuring ready availability

**Peace of Mind:** Isuzu vehicles are designed to maximize mileage with long service intervals

**Emergency Support:** 24/7 Customer Service through our Toll-Free number and technical assistance

**Warranty:** Every Isuzu part comes with a quality guarantee covering **90 Days** or **3,000 km**

Toll free number: 0800 724 724



Isuzu Genuine Parts at Great Prices

ISUZU  
We've got you covered



**100%  
ISUZU**



Call our Contact Centre on 0800 724 724  
or simply dial \*824# to locate your nearest dealer



IsuzuKenya

**ISUZU**