

UNITED + RapidSOS


A staged path from a working voice-and-tap emergency prototype to a secure, verified public-safety integration.

DISCUSSION DRAFT - TEST MODE ONLY

Prepared by Edward Parkinson

Founder and Developer, Cybersymantics

September 23, 2026



Live prototype: edwardparkinson-star.github.io/United_AI/

A guided pilot is the right next step - not a production launch

UNITED gives a person two deliberate ways to begin an emergency workflow: speak “Stay Calm” or tap EMERGENCY. The prototype then gathers location and incident context; RapidSOS can help determine the safe, supported route from that trigger to professional verification and public safety.

What exists now

- ❑ A browser-based prototype in TEST mode.
- ❑ Voice phrase and large-button activation.
- ❑ GPS warm-up, fresh location capture, and accuracy metadata.
- ❑ Post-trigger audio recording and spoken reassurance.
- ❑ Separate test and intended live-dispatch code paths.

What UNITED is asking RapidSOS for

1. Confirm the appropriate product path: safety-agent-assisted response, direct 911 data delivery, or a combined workflow.
2. Provide technical discovery and sandbox access.
3. Define the event schema, verification rules, testing process, and production-readiness requirements.
4. Co-design a limited pilot before any public launch.

The proposed decision

Assign a RapidSOS partnership and technical contact for a discovery session. The output should be a written integration path, sandbox plan, and joint go/no-go criteria for a controlled pilot.

Why the fit is credible

RapidSOS publicly describes a path for apps, wearables, and personal emergency response systems to connect users to a RapidSOS Safety Agent or 911 and to provide critical data through a single API.^[1] UNITED is not claiming that this connection already exists. It is presenting a working interaction prototype and requesting the partnership needed to build the dispatch layer correctly.

01

Prototype

Demonstrates the user interaction and data capture.

02

Partnership

Defines supported response, verification, and data flow.


03

Pilot

Tests reliability under controlled, non-emergency conditions.

The product is designed for moments when a normal call is difficult

UNITED is intended as a supplemental safety tool for users who may be injured, panicked, unable to reach the screen quickly, or unable to sustain a normal voice call. It does not replace calling or texting 911 when those options are available.



The experience to preserve

- **Low-friction activation:** voice when hands are unavailable; a large visual control when voice is unavailable.
- **Clear state:** the interface must show TEST, armed, confirming, sending, accepted, failed, and canceled states.
- **Calm guidance:** short reassurance should never imply that help is coming until delivery and response status are actually known.
- **User control:** cancellation and correction must be obvious and safe.

A safety issue to test early

“Stay Calm” is ordinary conversational language. It may be easier to remember than a coded phrase, but it could also trigger accidentally. The pilot should measure false activations and compare safeguards such as a two-stage confirmation, a configurable phrase, device state checks, and a short cancel window.

Non-negotiable product truth

Until RapidSOS confirms the workflow and controlled testing succeeds, UNITED must remain in TEST mode and must not display “help is on the way” merely because a network request was attempted.

Initial use cases for discovery

Medical distress

A user can speak but cannot navigate a call.

Personal safety

A discreet trigger may be safer than a visible call.

Mobility constraint

The device is nearby but not reachable by hand.

The current build proves the concept - and clearly shows the work still required

Capability	Current prototype behavior	Production implication
Activation	Listens for “Stay Calm”; EMERGENCY button is the fallback.	Validate browser/device support and false-trigger rate.
Location	Warms GPS, then sends latitude, longitude, accuracy, and time.	Define freshness rules, confidence thresholds, and no-fix handling.
Audio	Begins a MediaRecorder session after activation.	RapidSOS must confirm whether and how audio may be transmitted.
Confirmation	A checkbox gates the intended live send path.	Replace with an accessible, stateful confirmation and cancellation flow.
Payload	Builds a draft event structure with source, code, time, location, note, and EMS request.	Map only to a RapidSOS-approved schema after technical discovery.
Test mode	Posts metadata and recording to a temporary relay.	Replace with a controlled sandbox, durable backend, and test identities.

Strengths worth carrying forward

- ☐ Simple, legible emergency interaction.
- ☐ Voice and touch activation paths.
- ☐ Location captured with accuracy metadata.
- ☐ Explicit separation between test and live intent.
- ☐ Privacy and terms language already surfaced in-app.

Known gaps before any live use


- API credentials cannot live in browser code.
- The temporary relay and per-load token are not production controls.
- No server-side authentication, idempotency, delivery receipt, retry policy, or operational audit trail exists.
- No validated RapidSOS endpoint or production schema is configured.
- Browser speech recognition and background behavior need device testing.

Prototype status in one sentence

The front end demonstrates an emergency-trigger experience; the public-safety delivery system remains to be designed and validated with RapidSOS.

Reviewed source: UNITED all-in-one browser build and voice/GPS helper file. The public demo URL is listed on the cover; behavior may vary by device permissions and browser support.

Production should place a trusted service between the user's device and RapidSOS



Recommended event lifecycle

1. **Enroll and consent:** verify the user/device, request permissions in context, and record acceptance of emergency-service terms.
2. **Create an intent:** “Stay Calm” or EMERGENCY opens an incident locally; it does not by itself claim dispatch success.
3. **Confirm and enrich:** collect a fresh location fix, accuracy, device timestamp, callback identity if permitted, and optional user-entered context.
4. **Submit server-side:** the backend authenticates to the approved RapidSOS service, assigns an idempotency key, and records the response.
5. **Show truthful status:** distinguish submitted, accepted, connected to a Safety Agent, delivered to public safety, failed, and canceled.
6. **Close safely:** process cancellation/stand-down according to RapidSOS rules and retain only the minimum audit data required.

Proposed minimum incident data

- Opaque incident and device IDs
- Trigger type and confirmation state
- Timestamp with time zone
- Latitude, longitude, accuracy, and fix age
- Requested service and short situation note
- Callback channel only with consent

RapidSOS must define

- Approved API, SDK, or monitoring workflow
- Required identity and verification fields
- Schema, authentication, rate limits, and acknowledgments
- Audio/media support and retention rules
- Cancellation, duplicate, and stale-event handling
- Geographic coverage and production certification

Trust depends on preventing false confidence, false alarms, and exposed data

Product safety controls

- ☐ Keep TEST and production environments visibly and technically separate.
- ☐ Require an intentional confirmation or the RapidSOS-approved verification path.
- ☐ Offer a visible cancel action and an accessible non-voice fallback.
- ☐ Never promise response until an authoritative status supports that message.
- ☐ Fail safely when microphone, location, network, or background execution is unavailable.
- ☐ Rate-limit duplicate triggers without suppressing a genuine new event.

Data protection controls

- ☐ Keep RapidSOS credentials and signing material on the backend.
- ☐ Encrypt transport and any retained incident data.
- ☐ Collect only fields required for response and user-approved context.
- ☐ Set short, explicit retention periods for recordings and location history.
- ☐ Use role-based access, immutable incident logs, and security monitoring.
- ☐ Document deletion, incident response, and user-data request procedures.

Audio requires a specific policy decision

The prototype records ambient audio after activation. An earlier RapidSOS partner example describes audio being recorded during a 911 call,^[3] but that does not prove that UNITED can upload audio through the same route. The team should not send or retain audio until RapidSOS confirms the supported workflow and legal, consent, evidentiary, and retention requirements are reviewed.

Operational readiness checklist

Area	Required evidence before launch
Reliability	Load, retry, offline, duplicate-event, and recovery test results
Observability	Incident correlation IDs, dashboards, alerts, and on-call ownership
Human factors	False-trigger study, accessibility review, and clear state messaging
Security	Threat model, credential design, access review, and penetration testing
Legal/privacy	Approved terms, consent copy, retention schedule, and jurisdiction review
Public safety	RapidSOS test completion, routing validation, and production approval

Monetization should remain disabled until dispatch, privacy, support, and customer-disclosure obligations are defined. The current \$5/year concept is a sustainability option, not part of the requested pilot decision.

Each stage should end with evidence, not optimism

STAGE 1

Technical discovery

Choose the supported RapidSOS product path and document the end-to-end sequence, required data, authentication, acknowledgments, cancellation behavior, coverage, and commercial prerequisites.

Exit: signed-off integration brief and named owners.

STAGE 2

Sandbox integration

Build the backend, replace browser-held secrets, implement schema validation and idempotency, and exercise success and failure states with synthetic incidents only.

Exit: repeatable automated tests and reviewed logs.

STAGE 3

Controlled end-to-end tests

Run planned tests with RapidSOS oversight. Validate routing, acknowledgments, cancellation, stale location, network loss, duplicate triggers, and device/browser variability.

Exit: jointly accepted test report and resolved critical defects.

STAGE 4

Limited field pilot

Invite a small, jointly agreed cohort under clear support and monitoring procedures. Keep rollout reversible and publish only verified capabilities.

Exit: production-readiness decision based on measured safety and reliability.

Measures to report

Measure	Why it matters	How to read it
Trigger accuracy	Prevents missed and accidental activation	False positives/negatives by device and context
Location quality	Supports routing and response	Fix age, accuracy radius, no-fix rate
Submission latency	Shows system responsiveness	Median and tail time to accepted event
Delivery outcome	Separates attempt from success	Accepted, rejected, retried, canceled, expired
User completion	Tests the confirmation design	Confirmed, abandoned, canceled, corrected
Operational burden	Protects public-safety capacity	Duplicate events and support incidents

Proposed RapidSOS role: technical guidance, sandbox/test access, workflow validation, controlled test coordination, and a clear certification or approval decision.

The first meeting should resolve ten concrete questions

- 1. Workflow:** Should UNITED connect first to a RapidSOS Safety Agent, directly to 911 data delivery, or to another supported service?
- 2. Trigger verification:** What human or technical verification is required before an incident reaches public safety?
- 3. Interface:** Which API or SDK is appropriate for a mobile web prototype and a future native application?
- 4. Identity:** Which user, device, callback, and consent fields are mandatory?
- 5. Event contract:** What schema, status model, idempotency behavior, and acknowledgment semantics apply?
- 6. Media:** Can ambient audio be shared, and if so, under what format, consent, and retention rules?
- 7. Coverage:** Where is the proposed workflow supported, and what fallback is required outside coverage?
- 8. Testing:** What sandbox, test numbers, scripted scenarios, and public-safety coordination are available?
- 9. Assurance:** What security, privacy, insurance, legal, and certification reviews are prerequisites?
- 10. Commercial path:** What pricing, minimums, support model, and launch commitments apply to an early-stage product?

Requested next action

Schedule a technical and partnership discovery call with the RapidSOS team. UNITED will provide a live TEST-mode demonstration and source walkthrough. RapidSOS would identify the supported product path and the requirements for sandbox access.

Project contact

Edward Parkinson

Founder and Developer, Cybersymantics
parkinsonedward564@gmail.com
713-380-1196

https://edwardparkinson-star.github.io/United_AI/

Positioning for the call

UNITED is a prototype seeking a responsible route to production. The goal of the conversation is not to persuade RapidSOS that the app is finished; it is to determine whether the concept fits, what must change, and how to prove it safely.

Official RapidSOS material supports the fit - not a claim of approval

The proposal uses RapidSOS's own public descriptions to frame the partnership opportunity. The exact product, workflow, schema, commercial terms, and approval path remain questions for RapidSOS.

What the public material establishes

- RapidSOS markets safety capabilities to technology companies, including apps, wearables, and personal emergency response systems.
- It describes direct links to RapidSOS Safety Agents or 911 and API-based delivery of critical emergency data.
- Its emergency API material discusses sharing connected-device data with Emergency Communication Centers.
- An e-BodyGuard partnership offers a relevant precedent for voice or button activation, user-provided safety data, and ambient audio associated with a 911 call.

Sources

1. RapidSOS, "Personal Emergency Apps & Wearables Enhance Safety."
<https://rapidsos.com/apps-wearables-personal-emergency-response-systems/>
2. RapidSOS, "How RapidSOS's Emergency API Connects Rich Data to Public Safety."
<https://rapidsos.com/blog/how-rapidsoss-emergency-api-connects-rich-data-to-public-safety/>
3. RapidSOS, "e-BodyGuard App Sends Data to 911 with RapidSOS."
<https://rapidsos.com/blog/e-bodyguard-rapidsos-partnership/>
4. RapidSOS, "Transform Safety with RapidSOS for Tech Innovators."
<https://rapidsos.com/tech-companies/>

Document basis

RapidSOS source pages were accessed September 23, 2026. Current UNITED behavior is based on a review of the browser source that powers the project. Proposed architecture, controls, and pilot stages are recommendations - not existing capabilities or RapidSOS commitments.

Public prototype: https://edwardparkinson-star.github.io/United_AI/