

Python Online Quiz

Advertisements

Following quiz provides Multiple Choice Questions (MCQs) related to **Python**. You will have to read all the given answers and click over the correct answer. If you are not sure about the answer then you can check the answer using **Show Answer** button. You can use **Next Quiz** button to check new set of questions in the quiz.



- Q 1 Which of the following data types is not supported in python?
- A Numbers
- B String
- C List
- D Slice

♦ Show Answer

- Q 2 What is the output of print list[0] if list = ['abcd', 786 , 2.23, 'john', 70.2]?
- A ['abcd', 786, 2.23, 'john', 70.2]
- B abcd
- C Error
- **D** None of the above.

♦ Show Answer

- Q 3 What is the output of print tinytuple * 2 if tinytuple = (123, 'john')?
- A (123, 'john', 123, 'john')
- **B** (123, 'john') * 2
- C Error
- **D** None of the above.

♦ Show Answer

Q 4 - Which of the following function convert a string to a long in python?	
A - int(x [,base])	
B - long(x [,base])	
C - float(x)	
D - str(x)	
	♦ Hide Answer
Q 5 - Which of the following function convert an integer to octal string in python?	
A - unichr(x)	
B - ord(x)	
c - hex(x)	
\mathbf{D} - oct(x)	
	♦ Show Answer
Q 6 - Which of the following function returns a random float r, such that 0 is less than or equal to than 1?	r and r is less
A - choice(seq)	
B - randrange ([start,] stop [,step])	
C - random()	
D - seed([x])	
	♦ Show Answer
Q 7 - Which of the following function checks in a string that all characters are in lowercase?	
A - islower()	
B - isnumeric()	
C - isspace()	
D - istitle()	
	♦ Hide Answer
Q 8 - Which of the following function removes all leading and trailing whitespace in string?	
A - replace(old, new [, max])	
B - strip([chars])	
C - swapcase()	
D - title()	
	♦ Show Answer
Q 9 - What is the following function gives the total length of the list?	
A - cmp(list)	

6/2017	Python Online Quiz - TutorialsPoint	
B - len(list)		
C - max(list)		
D - min(list)		
		₹ SHOW AllSWCI
Q 10 - What is the following	g function removes an object from a list?	=
A - list.index(obj)		
B - list.insert(index, obj)		
C - list.pop(obj=list[-1])		
D - list.remove(obj)		
		♦ Show Answer
⊙ Questions Page		Next Quiz ⊙
	Advertisements	



Write for us FAQ's Helping Contact

© Copyright 2017. All Rights Reserved.

Enter email for newsletter go