

Computation of positively graded filiform Lie algebras over \mathbb{R}

John Edwards Cameron Krome
Utah State University Idaho State University
Tracy Payne
Idaho State University

May 21, 2020

Summary table (starting on the next page)

Explanation of table

- Column 1 (search) - A character string for text searching purposes
- Column 2 (algebra) - The subclass of positively graded filiform Lie algebra(s)
- Column 3 (Jac) - A check indicates that the class is nonempty
- Column 4 (sol) - Number of Lie algebras in the class

search	algebra	Jac	sol
m1A25	$\mathbf{m}_{1A}(2, 5)$	\checkmark	1
m2A26	$\mathbf{m}_{2A}(2, 6)$	\checkmark	1
m1A36	$\mathbf{m}_{1A}(3, 6)$	\checkmark	1
m1A27	$\mathbf{m}_{1A}(2, 7)$	\checkmark	1
m3A27	$\mathbf{m}_{3A}(2, 7)$	\checkmark	∞
m2A37	$\mathbf{m}_{2A}(3, 7)$	\checkmark	1
m1A47	$\mathbf{m}_{1A}(4, 7)$	\checkmark	1
m2A28	$\mathbf{m}_{2A}(2, 8)$	\checkmark	1
m4A28	$\mathbf{m}_{4A}(2, 8)$	\checkmark	∞
m1A38	$\mathbf{m}_{1A}(3, 8)$	\checkmark	1
m3A38	$\mathbf{m}_{3A}(3, 8)$	\checkmark	∞
m2A48	$\mathbf{m}_{2A}(4, 8)$	\checkmark	1
m1A58	$\mathbf{m}_{1A}(5, 8)$	\checkmark	1
m1A29	$\mathbf{m}_{1A}(2, 9)$	\checkmark	1
m3A29	$\mathbf{m}_{3A}(2, 9)$	\checkmark	1
m5A29	$\mathbf{m}_{5A}(2, 9)$	\checkmark	∞
m2A39	$\mathbf{m}_{2A}(3, 9)$	\checkmark	1
m4A39	$\mathbf{m}_{4A}(3, 9)$	\checkmark	∞
m1A49	$\mathbf{m}_{1A}(4, 9)$	\checkmark	1
m3A49	$\mathbf{m}_{3A}(4, 9)$	\checkmark	∞
m2A59	$\mathbf{m}_{2A}(5, 9)$	\checkmark	1
m1A69	$\mathbf{m}_{1A}(6, 9)$	\checkmark	1
m2A210	$\mathbf{m}_{2A}(2, 10)$	\checkmark	1
m4A210	$\mathbf{m}_{4A}(2, 10)$	\checkmark	1
m6A210	$\mathbf{m}_{6A}(2, 10)$	\checkmark	∞
m1A310	$\mathbf{m}_{1A}(3, 10)$	\checkmark	1
m3A310	$\mathbf{m}_{3A}(3, 10)$	\checkmark	∞
m5A310	$\mathbf{m}_{5A}(3, 10)$	\checkmark	∞
m2A410	$\mathbf{m}_{2A}(4, 10)$	\checkmark	1
m4A410	$\mathbf{m}_{4A}(4, 10)$	\checkmark	∞
m1A510	$\mathbf{m}_{1A}(5, 10)$	\checkmark	1
m3A510	$\mathbf{m}_{3A}(5, 10)$	\checkmark	∞
m2A610	$\mathbf{m}_{2A}(6, 10)$	\checkmark	1
m1A710	$\mathbf{m}_{1A}(7, 10)$	\checkmark	1
m1A211	$\mathbf{m}_{1A}(2, 11)$	\checkmark	1
m3A211	$\mathbf{m}_{3A}(2, 11)$	\checkmark	1
m5A211	$\mathbf{m}_{5A}(2, 11)$	\checkmark	1
m7A211	$\mathbf{m}_{7A}(2, 11)$	\checkmark	∞
m2A311	$\mathbf{m}_{2A}(3, 11)$	\checkmark	1
m4A311	$\mathbf{m}_{4A}(3, 11)$	\checkmark	1
m6A311	$\mathbf{m}_{6A}(3, 11)$	\checkmark	∞
m1A411	$\mathbf{m}_{1A}(4, 11)$	\checkmark	1

search	algebra	Jac	sol
m3A411	$\mathbf{m}_{3A}(4, 11)$	\checkmark	∞
m5A411	$\mathbf{m}_{5A}(4, 11)$	\checkmark	∞
m2A511	$\mathbf{m}_{2A}(5, 11)$	\checkmark	1
m4A511	$\mathbf{m}_{4A}(5, 11)$	\checkmark	∞
m1A611	$\mathbf{m}_{1A}(6, 11)$	\checkmark	1
m3A611	$\mathbf{m}_{3A}(6, 11)$	\checkmark	∞
m2A711	$\mathbf{m}_{2A}(7, 11)$	\checkmark	1
m1A811	$\mathbf{m}_{1A}(8, 11)$	\checkmark	1
m2A212	$\mathbf{m}_{2A}(2, 12)$	\checkmark	1
m4A212	$\mathbf{m}_{4A}(2, 12)$		0
m6A212	$\mathbf{m}_{6A}(2, 12)$		0
m8A212	$\mathbf{m}_{8A}(2, 12)$	\checkmark	2
m1A312	$\mathbf{m}_{1A}(3, 12)$	\checkmark	1
m3A312	$\mathbf{m}_{3A}(3, 12)$	\checkmark	∞
m5A312	$\mathbf{m}_{5A}(3, 12)$	\checkmark	∞
m7A312	$\mathbf{m}_{7A}(3, 12)$	\checkmark	∞
m2A412	$\mathbf{m}_{2A}(4, 12)$	\checkmark	1
m4A412	$\mathbf{m}_{4A}(4, 12)$	\checkmark	∞
m6A412	$\mathbf{m}_{6A}(4, 12)$	\checkmark	∞
m1A512	$\mathbf{m}_{1A}(5, 12)$	\checkmark	1
m3A512	$\mathbf{m}_{3A}(5, 12)$	\checkmark	∞
m5A512	$\mathbf{m}_{5A}(5, 12)$	\checkmark	∞
m2A612	$\mathbf{m}_{2A}(6, 12)$	\checkmark	1
m4A612	$\mathbf{m}_{4A}(6, 12)$	\checkmark	∞
m1A712	$\mathbf{m}_{1A}(7, 12)$	\checkmark	1
m3A712	$\mathbf{m}_{3A}(7, 12)$	\checkmark	∞
m2A812	$\mathbf{m}_{2A}(8, 12)$	\checkmark	1
m1A912	$\mathbf{m}_{1A}(9, 12)$	\checkmark	1
m1A213	$\mathbf{m}_{1A}(2, 13)$	\checkmark	1
m3A213	$\mathbf{m}_{3A}(2, 13)$	\checkmark	1
m9A213	$\mathbf{m}_{9A}(2, 13)$	\checkmark	2
m2A313	$\mathbf{m}_{2A}(3, 13)$	\checkmark	1
m4A313	$\mathbf{m}_{4A}(3, 13)$	\checkmark	1
m6A313	$\mathbf{m}_{6A}(3, 13)$	\checkmark	1
m8A313	$\mathbf{m}_{8A}(3, 13)$	\checkmark	∞
m1A413	$\mathbf{m}_{1A}(4, 13)$	\checkmark	1
m3A413	$\mathbf{m}_{3A}(4, 13)$	\checkmark	∞
m5A413	$\mathbf{m}_{5A}(4, 13)$	\checkmark	∞
m7A413	$\mathbf{m}_{7A}(4, 13)$	\checkmark	∞
m2A513	$\mathbf{m}_{2A}(5, 13)$	\checkmark	1
m4A513	$\mathbf{m}_{4A}(5, 13)$	\checkmark	∞
m6A513	$\mathbf{m}_{6A}(5, 13)$	\checkmark	∞

search	algebra	Jac	sol
m1A613	$\mathbf{m}_{1A}(6, 13)$	\checkmark	1
m3A613	$\mathbf{m}_{3A}(6, 13)$	\checkmark	∞
m5A613	$\mathbf{m}_{5A}(6, 13)$	\checkmark	∞
m2A713	$\mathbf{m}_{2A}(7, 13)$	\checkmark	1
m4A713	$\mathbf{m}_{4A}(7, 13)$	\checkmark	∞
m1A813	$\mathbf{m}_{1A}(8, 13)$	\checkmark	1
m3A813	$\mathbf{m}_{3A}(8, 13)$	\checkmark	∞
m2A913	$\mathbf{m}_{2A}(9, 13)$	\checkmark	1
m1A1013	$\mathbf{m}_{1A}(10, 13)$	\checkmark	1
m2A214	$\mathbf{m}_{2A}(2, 14)$	\checkmark	1
m4A214	$\mathbf{m}_{4A}(2, 14)$		0
m10A214	$\mathbf{m}_{10A}(2, 14)$	\checkmark	2
m1A314	$\mathbf{m}_{1A}(3, 14)$	\checkmark	1
m3A314	$\mathbf{m}_{3A}(3, 14)$	\checkmark	∞
m5A314	$\mathbf{m}_{5A}(3, 14)$	\checkmark	1
m7A314	$\mathbf{m}_{7A}(3, 14)$	\checkmark	1
m9A314	$\mathbf{m}_{9A}(3, 14)$	\checkmark	∞
m2A414	$\mathbf{m}_{2A}(4, 14)$	\checkmark	1
m4A414	$\mathbf{m}_{4A}(4, 14)$	\checkmark	∞
m6A414	$\mathbf{m}_{6A}(4, 14)$	\checkmark	∞
m8A414	$\mathbf{m}_{8A}(4, 14)$	\checkmark	∞
m1A514	$\mathbf{m}_{1A}(5, 14)$	\checkmark	1
m3A514	$\mathbf{m}_{3A}(5, 14)$	\checkmark	∞
m5A514	$\mathbf{m}_{5A}(5, 14)$	\checkmark	∞
m7A514	$\mathbf{m}_{7A}(5, 14)$	\checkmark	∞
m2A614	$\mathbf{m}_{2A}(6, 14)$	\checkmark	1
m4A614	$\mathbf{m}_{4A}(6, 14)$	\checkmark	∞
m6A614	$\mathbf{m}_{6A}(6, 14)$	\checkmark	∞
m1A714	$\mathbf{m}_{1A}(7, 14)$	\checkmark	1
m3A714	$\mathbf{m}_{3A}(7, 14)$	\checkmark	∞
m5A714	$\mathbf{m}_{5A}(7, 14)$	\checkmark	∞
m2A814	$\mathbf{m}_{2A}(8, 14)$	\checkmark	1
m4A814	$\mathbf{m}_{4A}(8, 14)$	\checkmark	∞
m1A914	$\mathbf{m}_{1A}(9, 14)$	\checkmark	1
m3A914	$\mathbf{m}_{3A}(9, 14)$	\checkmark	∞
m2A1014	$\mathbf{m}_{2A}(10, 14)$	\checkmark	1
m1A1114	$\mathbf{m}_{1A}(11, 14)$	\checkmark	1
m2B26	$\mathbf{m}_{2B}(2, 6)$	\checkmark	1
m2B28	$\mathbf{m}_{2B}(2, 8)$		0
m4B28	$\mathbf{m}_{4B}(2, 8)$	\checkmark	1
m3B38	$\mathbf{m}_{3B}(3, 8)$	\checkmark	1
m2B48	$\mathbf{m}_{2B}(4, 8)$	\checkmark	1

search	algebra	Jac	sol
m2B210	$\mathbf{m}_{2B}(2, 10)$		0
m4B210	$\mathbf{m}_{4B}(2, 10)$		0
m6B210	$\mathbf{m}_{6B}(2, 10)$	\checkmark	2
m3B310	$\mathbf{m}_{3B}(3, 10)$	\checkmark	1
m5B310	$\mathbf{m}_{5B}(3, 10)$	\checkmark	∞
m2B410	$\mathbf{m}_{2B}(4, 10)$		0
m4B410	$\mathbf{m}_{4B}(4, 10)$	\checkmark	1
m3B510	$\mathbf{m}_{3B}(5, 10)$	\checkmark	1
m2B610	$\mathbf{m}_{2B}(6, 10)$	\checkmark	1
m2B212	$\mathbf{m}_{2B}(2, 12)$		0
m4B212	$\mathbf{m}_{4B}(2, 12)$		0
m6B212	$\mathbf{m}_{6B}(2, 12)$		0
m8B212	$\mathbf{m}_{8B}(2, 12)$	\checkmark	2
m3B312	$\mathbf{m}_{3B}(3, 12)$		0
m5B312	$\mathbf{m}_{5B}(3, 12)$		0
m7B312	$\mathbf{m}_{7B}(3, 12)$	\checkmark	2
m2B412	$\mathbf{m}_{2B}(4, 12)$		0
m4B412	$\mathbf{m}_{4B}(4, 12)$	\checkmark	1
m6B412	$\mathbf{m}_{6B}(4, 12)$	\checkmark	∞
m3B512	$\mathbf{m}_{3B}(5, 12)$	\checkmark	1
m5B512	$\mathbf{m}_{5B}(5, 12)$	\checkmark	∞
m2B612	$\mathbf{m}_{2B}(6, 12)$		0
m4B612	$\mathbf{m}_{4B}(6, 12)$	\checkmark	1
m3B712	$\mathbf{m}_{3B}(7, 12)$	\checkmark	1
m2B812	$\mathbf{m}_{2B}(8, 12)$	\checkmark	1
m2B214	$\mathbf{m}_{2B}(2, 14)$		0
m4B214	$\mathbf{m}_{4B}(2, 14)$		0
m10B214	$\mathbf{m}_{10B}(2, 14)$		0
m3B314	$\mathbf{m}_{3B}(3, 14)$		0
m5B314	$\mathbf{m}_{5B}(3, 14)$		0
m7B314	$\mathbf{m}_{7B}(3, 14)$		0
m9B314	$\mathbf{m}_{9B}(3, 14)$	\checkmark	4
m2B414	$\mathbf{m}_{2B}(4, 14)$		0
m4B414	$\mathbf{m}_{4B}(4, 14)$	\checkmark	1
m6B414	$\mathbf{m}_{6B}(4, 14)$	\checkmark	1
m8B414	$\mathbf{m}_{8B}(4, 14)$	\checkmark	∞
m3B514	$\mathbf{m}_{3B}(5, 14)$		0
m5B514	$\mathbf{m}_{5B}(5, 14)$	\checkmark	1
m7B514	$\mathbf{m}_{7B}(5, 14)$	\checkmark	∞
m2B614	$\mathbf{m}_{2B}(6, 14)$		0
m4B614	$\mathbf{m}_{4B}(6, 14)$	\checkmark	1
m6B614	$\mathbf{m}_{6B}(6, 14)$	\checkmark	∞

search	algebra	Jac	sol
m3B714	$\mathfrak{m}_{3B}(7, 14)$	\checkmark	1
m5B714	$\mathfrak{m}_{5B}(7, 14)$	\checkmark	∞
m2B814	$\mathfrak{m}_{2B}(8, 14)$		0
m4B814	$\mathfrak{m}_{4B}(8, 14)$	\checkmark	1
m3B914	$\mathfrak{m}_{3B}(9, 14)$	\checkmark	1
m2B1014	$\mathfrak{m}_{2B}(10, 14)$	\checkmark	1

Algebra details

$\mathfrak{m}_{1A}(2, 5)$

m1A25 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_2, e_3] = e_5$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 6)$

m2A26 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_2, e_3] = e_5$$

$$[e_2, e_4] = e_6$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(3, 6)$

m1A36 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_2, e_3] = e_6$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 7)$

m1A27 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_5] = e_7 \\ [e_3, e_4] = -e_7 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 7)$

m3A27 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\ [e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\ [e_3, e_4] = \alpha_{3,4}^7 e_7 & \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 \quad = 0$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^7 \rightarrow x_1$$

$$\alpha_{3,4}^7 \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(3, 7)$

m2A37 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_6 \\ [e_2, e_4] = e_7 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(4, 7)$

m1A47 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_2, e_3] = e_7 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 8)$

m2A28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\ [e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 8)$

m4A28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{2,6}^8 \rightarrow x_1 \\
\alpha_{3,5}^8 \rightarrow x_2 \\
\alpha_{2,5}^7 \rightarrow x_3 \\
\alpha_{3,4}^7 \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_3 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 - x_2 + x_3 & = 0 \\
(e_1, e_3, e_4) : & -x_2 + x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 2x_4 - 1 = 0 \\
x_2 - x_4 = 0 \\
x_3 + x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(3, 8)$

m1A38 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_5] = e_8 & [e_3, e_4] = -e_8 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 8)$

m3A38 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_6 & [e_2, e_4] = e_7 \\ [e_2, e_5] = \alpha_{2,5}^8 e_8 & [e_3, e_4] = \alpha_{3,4}^8 e_8 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 \quad = 0$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l} \alpha_{3,4}^8 \rightarrow x_1 \\ \alpha_{2,5}^8 \rightarrow x_2 \end{array}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(4, 8)$

m2A48 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_7 & [e_2, e_4] = e_8 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(5, 8)$

m1A58 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_2, e_3] = e_8 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 9)$

m1A29 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_7] = e_9 \\ [e_3, e_6] = -e_9 & [e_4, e_5] = e_9 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 9)$

m3A29 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = 0 \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = 2e_9 & [e_4, e_5] = -3e_9
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_4, e_5] = \alpha_{4,5}^9 e_9
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,6}^9 = 2 \\
\alpha_{2,7}^9 = 0 \\
\alpha_{4,5}^9 = -3
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\alpha_{3,6}^9 \rightarrow x_1$$

$$\alpha_{2,7}^9 \rightarrow x_2$$

$$\alpha_{4,5}^9 \rightarrow x_3$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_1 - x_2 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_3 - 1 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_2 \quad = 0$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 - 2 = 0$$

$$x_2 = 0$$

$$x_3 + 3 = 0$$

Solution 1:

$$x_1 = 2$$

$$x_2 = 0$$

$$x_3 = -3$$

$\mathfrak{m}_{5A}(2, 9)$

m5A29 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_3] = e_5$$

$$[e_2, e_4] = e_6$$

$$[e_2, e_5] = \alpha_{2,5}^7 e_7$$

$$[e_2, e_6] = \alpha_{2,6}^8 e_8$$

$$[e_2, e_7] = \alpha_{2,7}^9 e_9$$

$$[e_3, e_4] = \alpha_{3,4}^7 e_7$$

$$[e_3, e_5] = \alpha_{3,5}^8 e_8$$

$$[e_3, e_6] = \alpha_{3,6}^9 e_9$$

$$[e_4, e_5] = \alpha_{4,5}^9 e_9$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{2,6}^8 & \rightarrow x_1 \\
\alpha_{2,7}^9 & \rightarrow x_2 \\
\alpha_{3,6}^9 & \rightarrow x_3 \\
\alpha_{4,5}^9 & \rightarrow x_4 \\
\alpha_{3,4}^7 & \rightarrow x_5 \\
\alpha_{3,5}^8 & \rightarrow x_6 \\
\alpha_{2,5}^7 & \rightarrow x_7
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_5 - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 - x_6 + x_7 & = 0 \\
(e_1, e_3, e_4) : & x_5 - x_6 & = 0 \\
(e_1, e_2, e_6) : & x_1 - x_2 - x_3 & = 0 \\
(e_1, e_3, e_5) : & -x_3 - x_4 + x_6 & = 0 \\
(e_2, e_3, e_4) : & x_2 x_5 - x_3 + x_4 & = 0
\end{aligned}$$

Groebner basis (7 variables, 5 linear, 1 nonlinear)

$$\begin{aligned}
x_1 - 2x_7 + 1 & = 0 \\
x_2 - x_4 - 3x_7 + 2 & = 0 \\
x_3 + x_4 + x_7 - 1 & = 0 \\
x_4 x_7 - 3x_4 + 3x_7^2 - 6x_7 + 3 & = 0 \\
x_5 + x_7 - 1 & = 0 \\
x_6 + x_7 - 1 & = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(3, 9)$

m2A39 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 9)$

m4A39 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,5}^9 \rightarrow x_1 \\
\alpha_{2,6}^9 \rightarrow x_2 \\
\alpha_{3,4}^8 \rightarrow x_3
\end{array}$$

$$\alpha_{2,5}^8 \rightarrow x_4$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_4) : & -x_3 - x_4 + 1 & = 0 \\ (e_1, e_2, e_5) : & -x_1 - x_2 + x_4 & = 0 \\ (e_1, e_3, e_4) : & -x_1 + x_3 & = 0 \end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 - 1 = 0$$

$$x_2 - 2x_4 + 1 = 0$$

$$x_3 + x_4 - 1 = 0$$

$\mathfrak{m}_{1A}(4, 9)$

m1A49 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_5] = e_9 \\ [e_3, e_4] = -e_9 & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 9)$

m3A49 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\ [e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\ [e_3, e_4] = \alpha_{3,4}^9 e_9 & \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 \quad = 0$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^9 \rightarrow x_1$$

$$\alpha_{3,4}^9 \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathbf{m}_{2A}(5, 9)$

m2A59 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\ [e_2, e_4] = e_9 & \end{array}$$

No non-trivial Jacobi tests

$\mathbf{m}_{1A}(6, 9)$

m1A69 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_9 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 10)$

m2A210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_7] = e_9 & [e_2, e_8] = 3e_{10} \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_4, e_5] = e_9 & [e_4, e_6] = e_{10}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 10)$

m4A210 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = 0 & [e_2, e_8] = -5e_{10} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = 2e_9 & [e_3, e_7] = 5e_{10} \\
[e_4, e_5] = -3e_9 & [e_4, e_6] = -3e_{10}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,6}^9 = 2 \\
\alpha_{2,7}^9 = 0 \\
\alpha_{2,8}^{10} = -5 \\
\alpha_{4,5}^9 = -3 \\
\alpha_{4,6}^{10} = -3 \\
\alpha_{3,7}^{10} = 5
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\alpha_{3,6}^9 \rightarrow x_1$$

$$\alpha_{2,7}^9 \rightarrow x_2$$

$$\alpha_{2,8}^{10} \rightarrow x_3$$

$$\alpha_{4,5}^9 \rightarrow x_4$$

$$\alpha_{4,6}^{10} \rightarrow x_5$$

$$\alpha_{3,7}^{10} \rightarrow x_6$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_1 - x_2 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_4 - 1 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_2 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_2 - x_3 - x_6 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_1 - x_5 - x_6 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_4 - x_5 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_3 - x_6 \quad = 0$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$x_1 - 2 = 0$$

$$x_2 = 0$$

$$x_3 + 5 = 0$$

$$x_4 + 3 = 0$$

$$x_5 + 3 = 0$$

$$x_6 - 5 = 0$$

Solution 1:

$$x_1 = 2$$

$$x_2 = 0$$

$$x_3 = -5$$

$$x_4 = -3$$

$$x_5 = -3$$

$$x_6 = 5$$

$\mathfrak{m}_{6A}(2, 10)$

m6A210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{2,6}^8 \rightarrow x_1 \\
\alpha_{2,7}^9 \rightarrow x_2 \\
\alpha_{3,6}^9 \rightarrow x_3
\end{array}$$

$$\alpha_{2,8}^{10} \rightarrow x_4$$

$$\alpha_{4,5}^9 \rightarrow x_5$$

$$\alpha_{4,6}^{10} \rightarrow x_6$$

$$\alpha_{3,7}^{10} \rightarrow x_7$$

$$\alpha_{3,4}^7 \rightarrow x_8$$

$$\alpha_{3,5}^8 \rightarrow x_9$$

$$\alpha_{2,5}^7 \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_{10} - x_8 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 + x_{10} - x_9 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_8 - x_9 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_1 - x_2 - x_3 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_3 - x_5 + x_9 \quad = 0$$

$$(e_2, e_3, e_4) : \quad x_2 x_8 - x_3 + x_5 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_2 - x_4 - x_7 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_3 - x_6 - x_7 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_5 - x_6 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_{10} x_7 + x_4 x_9 \quad = 0$$

Groebner basis (10 variables, 8 linear, 1 nonlinear)

$$x_1 - 2x_{10} + 1 = 0$$

$$-5x_{10} + 2x_2 + x_7 + 3 = 0$$

$$x_{10} + 2x_3 - x_7 - 1 = 0$$

$$-5x_{10} + 2x_4 + 3x_7 + 3 = 0$$

$$x_{10} + 2x_5 + x_7 - 1 = 0$$

$$x_{10} + 2x_6 + x_7 - 1 = 0$$

$$-5x_{10}^2 + x_{10}x_7 + 8x_{10} - 3x_7 - 3 = 0$$

$$x_{10} + x_8 - 1 = 0$$

$$x_{10} + x_9 - 1 = 0$$

$\mathfrak{m}_{1A}(3, 10)$

m1A310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_7] = e_{10} & [e_3, e_6] = -e_{10} \\
[e_4, e_5] = e_{10} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 10)$

m3A310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{2,7}^{10} \rightarrow x_1 \\
\alpha_{4,5}^{10} \rightarrow x_2 \\
\alpha_{3,6}^{10} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_6) : & \quad -x_1 - x_3 + 2 & = 0 \\(e_1, e_3, e_5) : & \quad -x_2 - x_3 - 1 & = 0\end{aligned}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$\begin{aligned}x_1 + x_3 - 2 &= 0 \\x_2 + x_3 + 1 &= 0\end{aligned}$$

$\mathfrak{m}_{5A}(3, 10)$

m5A310 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\[e_2, e_3] &= e_6 & [e_2, e_4] &= e_7 \\[e_2, e_5] &= \alpha_{2,5}^8 e_8 & [e_2, e_6] &= \alpha_{2,6}^9 e_9 \\[e_2, e_7] &= \alpha_{2,7}^{10} e_{10} & [e_3, e_4] &= \alpha_{3,4}^8 e_8 \\[e_3, e_5] &= \alpha_{3,5}^9 e_9 & [e_3, e_6] &= \alpha_{3,6}^{10} e_{10} \\[e_4, e_5] &= \alpha_{4,5}^{10} e_{10}\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\(e_1, e_2, e_5) : & \quad \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\(e_1, e_3, e_4) : & \quad \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\(e_1, e_2, e_6) : & \quad \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\(e_1, e_3, e_5) : & \quad \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^8 \rightarrow x_1$$

$$\alpha_{3,5}^9 \rightarrow x_2$$

$$\alpha_{3,4}^8 \rightarrow x_3$$

$$\alpha_{4,5}^{10} \rightarrow x_4$$

$$\alpha_{2,6}^9 \rightarrow x_5$$

$$\alpha_{3,6}^{10} \rightarrow x_6$$

$$\alpha_{2,7}^{10} \rightarrow x_7$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_3 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad x_1 - x_2 - x_5 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_2 + x_3 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_5 - x_6 - x_7 \quad = 0$$

$$(e_1, e_3, e_5) : \quad x_2 - x_4 - x_6 \quad = 0$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$2x_1 - x_6 - x_7 - 1 = 0$$

$$2x_2 + x_6 + x_7 - 1 = 0$$

$$2x_3 + x_6 + x_7 - 1 = 0$$

$$2x_4 + 3x_6 + x_7 - 1 = 0$$

$$x_5 - x_6 - x_7 = 0$$

$\mathfrak{m}_{2A}(4, 10)$

m2A410 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_5] = e_9$$

$$[e_3, e_4] = -e_9$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_2, e_6] = 2e_{10}$$

$$[e_3, e_5] = -e_{10}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 10)$

m4A410 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_2, e_3] = e_7 & [e_2, e_4] = e_8 \\
[e_2, e_5] = \alpha_{2,5}^9 e_9 & [e_2, e_6] = \alpha_{2,6}^{10} e_{10} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{2,5}^9 \rightarrow x_1 \\
\alpha_{2,6}^{10} \rightarrow x_2 \\
\alpha_{3,4}^9 \rightarrow x_3 \\
\alpha_{3,5}^{10} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_2 - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_3 - x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_4 - 1 = 0 \\
x_2 + 2x_4 - 1 = 0 \\
x_3 - x_4 = 0
\end{array}$$

$\mathfrak{m}_{1A}(5, 10)$

m1A510 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_5] = e_{10} & [e_3, e_4] = -e_{10} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(5, 10)$

m3A510 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_8 & [e_2, e_4] = e_9 \\ [e_2, e_5] = \alpha_{2,5}^{10} e_{10} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 \quad = 0$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^{10} \rightarrow x_1$$

$$\alpha_{3,4}^{10} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(6, 10)$

m2A610 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(7, 10)$

m1A710 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_2, e_3] = e_{10} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 11)$

m1A211 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_9] = e_{11} \\ [e_3, e_8] = -e_{11} & [e_4, e_7] = e_{11} \\ [e_5, e_6] = -e_{11} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 11)$

m3A211 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = 0 \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = 3e_{11} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = -5e_{11} \\
[e_5, e_6] = 6e_{11} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = \alpha_{2,9}^{11}e_{11} \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11}e_{11} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = \alpha_{4,7}^{11}e_{11} \\
[e_5, e_6] = \alpha_{5,6}^{11}e_{11} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0
\end{array}$$

Solution 1:

$$\alpha_{4,7}^{11} = -5$$

$$\alpha_{2,9}^{11} = 0$$

$$\alpha_{3,8}^{11} = 3$$

$$\alpha_{5,6}^{11} = 6$$

How the solution(s) were or were not found:
Change variables

$$\alpha_{4,7}^{11} \rightarrow x_1$$

$$\alpha_{2,9}^{11} \rightarrow x_2$$

$$\alpha_{3,8}^{11} \rightarrow x_3$$

$$\alpha_{5,6}^{11} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_2 - x_3 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_1 - x_3 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 - x_4 + 1 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -x_2 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_2 \quad = 0$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 + 5 = 0$$

$$x_2 = 0$$

$$x_3 - 3 = 0$$

$$x_4 - 6 = 0$$

Solution 1:

$$x_1 = -5$$

$$x_2 = 0$$

$$x_3 = 3$$

$$x_4 = 6$$

$\mathfrak{m}_{5A}(2, 11)$

m5A211 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = 0 \\
[e_2, e_8] = -5e_{10} & [e_2, e_9] = -\frac{5e_{11}}{2} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = 2e_9 & [e_3, e_7] = 5e_{10} \\
[e_3, e_8] = -\frac{5e_{11}}{2} & [e_4, e_5] = -3e_9 \\
[e_4, e_6] = -3e_{10} & [e_4, e_7] = \frac{15e_{11}}{2} \\
[e_5, e_6] = -\frac{21e_{11}}{2} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,6}^9 &= 2 \\
\alpha_{2,7}^9 &= 0 \\
\alpha_{2,8}^{10} &= -5 \\
\alpha_{3,8}^{11} &= -5/2 \\
\alpha_{4,5}^9 &= -3 \\
\alpha_{4,6}^{10} &= -3 \\
\alpha_{4,7}^{11} &= 15/2 \\
\alpha_{2,9}^{11} &= -5/2 \\
\alpha_{3,7}^{10} &= 5 \\
\alpha_{5,6}^{11} &= -21/2
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,6}^9 &\rightarrow x_1 \\
\alpha_{2,7}^9 &\rightarrow x_2 \\
\alpha_{2,8}^{10} &\rightarrow x_3
\end{aligned}$$

$$\alpha_{3,8}^{11} \rightarrow x_4$$

$$\alpha_{4,5}^9 \rightarrow x_5$$

$$\alpha_{4,6}^{10} \rightarrow x_6$$

$$\alpha_{4,7}^{11} \rightarrow x_7$$

$$\alpha_{2,9}^{11} \rightarrow x_8$$

$$\alpha_{3,7}^{10} \rightarrow x_9$$

$$\alpha_{5,6}^{11} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_1 - x_2 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_5 - 1 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_2 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_2 - x_3 - x_9 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_1 - x_6 - x_9 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_5 - x_6 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_3 - x_9 \quad = 0$$

$$(e_1, e_2, e_8) : \quad x_3 - x_4 - x_8 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_4 - x_7 + x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_{10} + x_6 - x_7 \quad = 0$$

$$(e_2, e_3, e_6) : \quad x_1 x_8 - 2x_4 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_5 x_8 - x_7 \quad = 0$$

Groebner basis (10 variables, 10 linear, 0 nonlinear)

$$x_1 - 2 = 0$$

$$x_2 = 0$$

$$x_3 + 5 = 0$$

$$2x_4 + 5 = 0$$

$$x_5 + 3 = 0$$

$$x_6 + 3 = 0$$

$$2x_7 - 15 = 0$$

$$2x_8 + 5 = 0$$

$$x_9 - 5 = 0$$

$$2x_{10} + 21 = 0$$

Solution 1:

$$\begin{aligned} x_1 &= 2 \\ x_2 &= 0 \\ x_3 &= -5 \\ x_4 &= -5/2 \\ x_5 &= -3 \\ x_6 &= -3 \\ x_7 &= 15/2 \\ x_8 &= -5/2 \\ x_9 &= 5 \\ x_{10} &= -21/2 \end{aligned}$$

$\mathfrak{m}_{7A}(2, 11)$

m7A211 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned} [e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\ [e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\ [e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\ [e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\ [e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_5 \\ [e_2, e_4] &= e_6 & [e_2, e_5] &= \alpha_{2,5}^7 e_7 \\ [e_2, e_6] &= \alpha_{2,6}^8 e_8 & [e_2, e_7] &= \alpha_{2,7}^9 e_9 \\ [e_2, e_8] &= \alpha_{2,8}^{10} e_{10} & [e_2, e_9] &= \alpha_{2,9}^{11} e_{11} \\ [e_3, e_4] &= \alpha_{3,4}^7 e_7 & [e_3, e_5] &= \alpha_{3,5}^8 e_8 \\ [e_3, e_6] &= \alpha_{3,6}^9 e_9 & [e_3, e_7] &= \alpha_{3,7}^{10} e_{10} \\ [e_3, e_8] &= \alpha_{3,8}^{11} e_{11} & [e_4, e_5] &= \alpha_{4,5}^9 e_9 \\ [e_4, e_6] &= \alpha_{4,6}^{10} e_{10} & [e_4, e_7] &= \alpha_{4,7}^{11} e_{11} \\ [e_5, e_6] &= \alpha_{5,6}^{11} e_{11} \end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{2,6}^8 & \rightarrow x_1 \\
\alpha_{2,7}^9 & \rightarrow x_2 \\
\alpha_{3,6}^9 & \rightarrow x_3 \\
\alpha_{2,8}^{10} & \rightarrow x_4 \\
\alpha_{3,8}^{11} & \rightarrow x_5 \\
\alpha_{4,5}^9 & \rightarrow x_6 \\
\alpha_{4,6}^{10} & \rightarrow x_7 \\
\alpha_{4,7}^{11} & \rightarrow x_8 \\
\alpha_{2,9}^{11} & \rightarrow x_9 \\
\alpha_{3,7}^{10} & \rightarrow x_{10} \\
\alpha_{3,4}^7 & \rightarrow x_{11}
\end{aligned}$$

$$\alpha_{3,5}^8 \rightarrow x_{12}$$

$$\alpha_{5,6}^{11} \rightarrow x_{13}$$

$$\alpha_{2,5}^7 \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{11} - x_{14} + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 - x_{12} + x_{14} & = 0 \\
(e_1, e_3, e_4) : & x_{11} - x_{12} & = 0 \\
(e_1, e_2, e_6) : & x_1 - x_2 - x_3 & = 0 \\
(e_1, e_3, e_5) : & x_{12} - x_3 - x_6 & = 0 \\
(e_2, e_3, e_4) : & x_{11}x_2 - x_3 + x_6 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} + x_2 - x_4 & = 0 \\
(e_1, e_3, e_6) : & -x_{10} + x_3 - x_7 & = 0 \\
(e_1, e_4, e_5) : & x_6 - x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_{10}x_{14} + x_{12}x_4 & = 0 \\
(e_1, e_2, e_8) : & x_4 - x_5 - x_9 & = 0 \\
(e_1, e_3, e_7) : & x_{10} - x_5 - x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_{13} + x_7 - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_1x_5 - x_{13} + x_3x_9 & = 0 \\
(e_2, e_4, e_5) : & x_{13} - x_{14}x_8 + x_6x_9 & = 0
\end{array}$$

Groebner basis (14 variables, 3 linear, 10 nonlinear)

$$\begin{aligned}
& x_1 - 2x_{14} + 1 = 0 \\
& -2x_{13}x_{14}^2 + 4x_{13}x_{14} - 21x_{14}^3 + 9x_{14}^2 - 63x_{14} + 36x_2 + 39 = 0 \\
& 2x_{13}x_{14}^2 - 4x_{13}x_{14} + 21x_{14}^3 - 9x_{14}^2 - 9x_{14} + 36x_3 - 3 = 0 \\
& -2x_{13}x_{14}^2 + 4x_{13}x_{14} - 21x_{14}^3 + 9x_{14}^2 - 3x_{14} + 12x_4 + 3 = 0 \\
& 2x_{13}x_{14}^2 - 4x_{13}x_{14} - 12x_{13} + 21x_{14}^3 - 9x_{14}^2 - 33x_{14} + 12x_5 + 21 = 0 \\
& -2x_{13}x_{14}^2 + 4x_{13}x_{14} - 21x_{14}^3 + 9x_{14}^2 + 45x_{14} + 36x_6 - 33 = 0 \\
& -2x_{13}x_{14}^2 + 4x_{13}x_{14} - 21x_{14}^3 + 9x_{14}^2 + 45x_{14} + 36x_7 - 33 = 0 \\
& -2x_{13}x_{14}^2 + 4x_{13}x_{14} + 36x_{13} - 21x_{14}^3 + 9x_{14}^2 + 45x_{14} + 36x_8 - 33 = 0 \\
& -2x_{13}x_{14}^2 + 4x_{13}x_{14} + 6x_{13} - 21x_{14}^3 + 9x_{14}^2 + 15x_{14} + 6x_9 - 9 = 0 \\
& 18x_{10} + 2x_{13}x_{14}^2 - 4x_{13}x_{14} + 21x_{14}^3 - 9x_{14}^2 - 27x_{14} + 15 = 0 \\
& x_{11} + x_{14} - 1 = 0 \\
& x_{12} + x_{14} - 1 = 0 \\
& 2x_{13}x_{14}^3 - 10x_{13}x_{14}^2 + 12x_{13}x_{14} + 21x_{14}^4 - 72x_{14}^3 + 90x_{14}^2 - 48x_{14} + 9 = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(3, 11)$

m2A311 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 11)$

m4A311 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \frac{5e_{10}}{3} \\
[e_2, e_8] = 0 & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \frac{e_{10}}{3} \\
[e_3, e_7] = \frac{5e_{11}}{3} & [e_4, e_5] = -\frac{4e_{10}}{3} \\
[e_4, e_6] = -\frac{4e_{11}}{3} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,6}^{10} = 1/3 \\
\alpha_{4,5}^{10} = -4/3 \\
\alpha_{4,6}^{11} = -4/3 \\
\alpha_{2,7}^{10} = 5/3 \\
\alpha_{2,8}^{11} = 0 \\
\alpha_{3,7}^{11} = 5/3
\end{array}$$

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,6}^{10} \rightarrow x_1 \\
\alpha_{4,5}^{10} \rightarrow x_2
\end{array}$$

$$\alpha_{4,6}^{11} \rightarrow x_3$$

$$\alpha_{2,7}^{10} \rightarrow x_4$$

$$\alpha_{2,8}^{11} \rightarrow x_5$$

$$\alpha_{3,7}^{11} \rightarrow x_6$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_1 - x_4 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_2 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_4 - x_5 - x_6 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_1 - x_3 - x_6 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_2 - x_3 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_5 \quad = 0$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$3x_1 - 1 = 0$$

$$3x_2 + 4 = 0$$

$$3x_3 + 4 = 0$$

$$3x_4 - 5 = 0$$

$$x_5 = 0$$

$$3x_6 - 5 = 0$$

Solution 1:

$$x_1 = 1/3$$

$$x_2 = -4/3$$

$$x_3 = -4/3$$

$$x_4 = 5/3$$

$$x_5 = 0$$

$$x_6 = 5/3$$

$\mathfrak{m}_{6A}(3, 11)$

m6A311 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^8 \rightarrow x_1$$

$$\alpha_{3,5}^9 \rightarrow x_2$$

$$\alpha_{3,4}^8 \rightarrow x_3$$

$$\alpha_{4,5}^{10} \rightarrow x_4$$

$$\alpha_{4,6}^{11} \rightarrow x_5$$

$$\alpha_{2,6}^9 \rightarrow x_6$$

$$\alpha_{3,6}^{10} \rightarrow x_7$$

$$\alpha_{2,7}^{10} \rightarrow x_8$$

$$\alpha_{2,8}^{11} \rightarrow x_9$$

$$\alpha_{3,7}^{11} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_3 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad x_1 - x_2 - x_6 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_2 + x_3 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_6 - x_7 - x_8 \quad = 0$$

$$(e_1, e_3, e_5) : \quad x_2 - x_4 - x_7 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_{10} + x_8 - x_9 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_{10} - x_5 + x_7 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_4 - x_5 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_{10} + x_3x_9 + x_5 \quad = 0$$

Groebner basis (10 variables, 8 linear, 1 nonlinear)

$$5x_1 - 3x_{10} - 2x_9 - 3 = 0$$

$$3x_{10} + 5x_2 + 2x_9 - 2 = 0$$

$$3x_{10} + 5x_3 + 2x_9 - 2 = 0$$

$$4x_{10} + 5x_4 + x_9 - 1 = 0$$

$$4x_{10} + 5x_5 + x_9 - 1 = 0$$

$$-6x_{10} + 5x_6 - 4x_9 - 1 = 0$$

$$-x_{10} + 5x_7 + x_9 - 1 = 0$$

$$-x_{10} + x_8 - x_9 = 0$$

$$3x_{10}x_9 + 9x_{10} + 2x_9^2 - x_9 - 1 = 0$$

$\mathfrak{m}_{1A}(4, 11)$

m1A411 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_{11} \\
[e_3, e_6] = -e_{11} & [e_4, e_5] = e_{11}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 11)$

m3A411 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,6}^{11} \rightarrow x_1 \\
\alpha_{4,5}^{11} \rightarrow x_2
\end{array}$$

$$\alpha_{2,7}^{11} \rightarrow x_3$$

Jacobi Tests

$$\begin{aligned} (e_1, e_2, e_6) : & -x_1 - x_3 + 2 & = 0 \\ (e_1, e_3, e_5) : & -x_1 - x_2 - 1 & = 0 \end{aligned}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$\begin{aligned} x_1 + x_3 - 2 &= 0 \\ x_2 - x_3 + 3 &= 0 \end{aligned}$$

$\mathfrak{m}_{5A}(4, 11)$

m5A411 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned} [e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\ [e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\ [e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\ [e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\ [e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_7 \\ [e_2, e_4] &= e_8 & [e_2, e_5] &= \alpha_{2,5}^9 e_9 \\ [e_2, e_6] &= \alpha_{2,6}^{10} e_{10} & [e_2, e_7] &= \alpha_{2,7}^{11} e_{11} \\ [e_3, e_4] &= \alpha_{3,4}^9 e_9 & [e_3, e_5] &= \alpha_{3,5}^{10} e_{10} \\ [e_3, e_6] &= \alpha_{3,6}^{11} e_{11} & [e_4, e_5] &= \alpha_{4,5}^{11} e_{11} \end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned} (e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\ (e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\ (e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\ (e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\ (e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,6}^{11} &\rightarrow x_1 \\
\alpha_{3,4}^9 &\rightarrow x_2 \\
\alpha_{3,5}^{10} &\rightarrow x_3 \\
\alpha_{2,5}^9 &\rightarrow x_4 \\
\alpha_{4,5}^{11} &\rightarrow x_5 \\
\alpha_{2,6}^{10} &\rightarrow x_6 \\
\alpha_{2,7}^{11} &\rightarrow x_7
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : \quad -x_2 - x_4 + 1 &= 0 \\
(e_1, e_2, e_5) : \quad -x_3 + x_4 - x_6 &= 0 \\
(e_1, e_3, e_4) : \quad x_2 - x_3 &= 0 \\
(e_1, e_2, e_6) : \quad -x_1 + x_6 - x_7 &= 0 \\
(e_1, e_3, e_5) : \quad -x_1 + x_3 - x_5 &= 0
\end{aligned}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{aligned}
x_1 - x_6 + x_7 &= 0 \\
2x_2 + x_6 - 1 &= 0 \\
2x_3 + x_6 - 1 &= 0 \\
2x_4 - x_6 - 1 &= 0 \\
2x_5 + 3x_6 - 2x_7 - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(5, 11)$

m2A511 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_5] &= e_{10} \\
[e_2, e_6] &= 2e_{11} & [e_3, e_4] &= -e_{10} \\
[e_3, e_5] &= -e_{11}
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(5, 11)$

m4A511 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,5}^{11} \rightarrow x_1 \\
\alpha_{2,5}^{10} \rightarrow x_2 \\
\alpha_{3,4}^{10} \rightarrow x_3 \\
\alpha_{2,6}^{11} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_2 - x_4 & = 0 \\
(e_1, e_3, e_4) : & -x_1 + x_3 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
2x_1 + x_4 - 1 = 0 \\
2x_2 - x_4 - 1 = 0 \\
2x_3 + x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(6, 11)$

m1A611 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{11} \\ [e_3, e_4] = -e_{11} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(6, 11)$

m3A611 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_2, e_3] = e_9 \\ [e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\ [e_3, e_4] = \alpha_{3,4}^{11} e_{11} & \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 \quad = 0$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^{11} \rightarrow x_1$$

$$\alpha_{3,4}^{11} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(7, 11)$

m2A711 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_2, e_3] = e_{10}$
$[e_2, e_4] = e_{11}$	

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(8, 11)$

m1A811 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_2, e_3] = e_{11}$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 12)$

m2A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_9] = e_{11} & [e_2, e_{10}] = 4e_{12} \\
[e_3, e_8] = -e_{11} & [e_3, e_9] = -3e_{12} \\
[e_4, e_7] = e_{11} & [e_4, e_8] = 2e_{12} \\
[e_5, e_6] = -e_{11} & [e_5, e_7] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 12)$

m4A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_7] = e_9 & [e_2, e_8] = 3e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11}e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12}e_{12} \\
[e_3, e_6] = -e_9 & [e_3, e_7] = -2e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11}e_{11} & [e_3, e_9] = \alpha_{3,9}^{12}e_{12} \\
[e_4, e_5] = e_9 & [e_4, e_6] = e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11}e_{11} & [e_4, e_8] = \alpha_{4,8}^{12}e_{12} \\
[e_5, e_6] = \alpha_{5,6}^{11}e_{11} & [e_5, e_7] = \alpha_{5,7}^{12}e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & -2\alpha_{2,10}^{12} - \alpha_{3,9}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,9}^{12} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,8}^{11} & \rightarrow x_1 \\
\alpha_{3,9}^{12} & \rightarrow x_2 \\
\alpha_{2,10}^{12} & \rightarrow x_3 \\
\alpha_{4,7}^{11} & \rightarrow x_4 \\
\alpha_{4,8}^{12} & \rightarrow x_5 \\
\alpha_{2,9}^{11} & \rightarrow x_6 \\
\alpha_{5,6}^{11} & \rightarrow x_7 \\
\alpha_{5,7}^{12} & \rightarrow x_8
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_1 - x_6 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_4 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_4 - x_7 + 1 & = 0 \\
(e_2, e_3, e_6) : & -x_6 & = 0 \\
(e_2, e_4, e_5) : & x_6 & = 0 \\
(e_1, e_2, e_9) : & -x_2 - x_3 + x_6 & = 0 \\
(e_1, e_3, e_8) : & x_1 - x_2 - x_5 & = 0 \\
(e_1, e_4, e_7) : & x_4 - x_5 - x_8 & = 0 \\
(e_1, e_5, e_6) : & x_7 - x_8 & = 0 \\
(e_2, e_3, e_7) : & -x_2 - 2x_3 & = 0 \\
(e_2, e_4, e_6) : & x_3 & = 0 \\
(e_3, e_4, e_5) : & x_2 & = 0
\end{array}$$

Groebner basis (8 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{6A}(2, 12)$

m6A212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_7 & [e_2, e_6] = 2e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_3, e_4] = -e_7 & [e_3, e_5] = -e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - 2\alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,9}^{12} \alpha_{4,5}^9 + \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^9 \rightarrow x_1$$

$$\alpha_{2,7}^9 \rightarrow x_2$$

$$\alpha_{2,8}^{10} \rightarrow x_3$$

$$\alpha_{3,8}^{11} \rightarrow x_4$$

$$\alpha_{3,9}^{12} \rightarrow x_5$$

$$\alpha_{2,10}^{12} \rightarrow x_6$$

$$\alpha_{4,5}^9 \rightarrow x_7$$

$$\alpha_{4,6}^{10} \rightarrow x_8$$

$$\alpha_{4,7}^{11} \rightarrow x_9$$

$$\alpha_{4,8}^{12} \rightarrow x_{10}$$

$$\alpha_{2,9}^{11} \rightarrow x_{11}$$

$$\alpha_{3,7}^{10} \rightarrow x_{12}$$

$$\alpha_{5,6}^{11} \rightarrow x_{13}$$

$$\alpha_{5,7}^{12} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_7 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_2 & = 0 \\
(e_1, e_2, e_7) : & -x_{12} + x_2 - x_3 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_{12} - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_7 - x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{12} - x_3 & = 0 \\
(e_1, e_2, e_8) : & -x_{11} + x_3 - x_4 & = 0 \\
(e_1, e_3, e_7) : & x_{12} - x_4 - x_9 & = 0 \\
(e_1, e_4, e_6) : & -x_{13} + x_8 - x_9 & = 0 \\
(e_2, e_3, e_6) : & x_1 x_{11} - 2x_4 & = 0 \\
(e_2, e_4, e_5) : & x_{11} x_7 - x_9 & = 0 \\
(e_1, e_2, e_9) : & x_{11} - x_5 - x_6 & = 0 \\
(e_1, e_3, e_8) : & -x_{10} + x_4 - x_5 & = 0 \\
(e_1, e_4, e_7) : & -x_{10} - x_{14} + x_9 & = 0 \\
(e_1, e_5, e_6) : & x_{13} - x_{14} & = 0 \\
(e_2, e_3, e_7) : & x_{12} x_6 - x_2 x_5 & = 0 \\
(e_2, e_4, e_6) : & -2x_{10} + x_6 x_8 & = 0 \\
(e_3, e_4, e_5) : & x_{10} - x_{14} + x_5 x_7 & = 0
\end{array}$$

Groebner basis (14 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{8A}(2, 12)$

m8A212 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_2, e_3] = e_5$	$[e_2, e_4] = e_6$
$[e_2, e_5] = \frac{9e_7}{10}$	$[e_2, e_6] = \frac{4e_8}{5}$
$[e_2, e_7] = \frac{5e_9}{7}$	$[e_2, e_8] = \frac{9e_{10}}{14}$
$[e_2, e_9] = \frac{7e_{11}}{12}$	$[e_2, e_{10}] = \frac{8e_{12}}{15}$
$[e_3, e_4] = \frac{e_7}{10}$	$[e_3, e_5] = \frac{e_8}{10}$
$[e_3, e_6] = \frac{3e_9}{35}$	$[e_3, e_7] = \frac{e_{10}}{14}$
$[e_3, e_8] = \frac{5e_{11}}{84}$	$[e_3, e_9] = \frac{e_{12}}{20}$
$[e_4, e_5] = \frac{e_9}{70}$	$[e_4, e_6] = \frac{e_{10}}{70}$
$[e_4, e_7] = \frac{e_{11}}{84}$	$[e_4, e_8] = \frac{e_{12}}{105}$
$[e_5, e_6] = \frac{e_{11}}{420}$	$[e_5, e_7] = \frac{e_{12}}{420}$

Solution 2

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_2, e_3] = e_5$	$[e_2, e_4] = e_6$
$[e_2, e_5] = e_7$	$[e_2, e_6] = e_8$
$[e_2, e_7] = e_9$	$[e_2, e_8] = e_{10}$
$[e_2, e_9] = e_{11}$	$[e_2, e_{10}] = e_{12}$
$[e_3, e_4] = 0$	$[e_3, e_5] = 0$
$[e_3, e_6] = 0$	$[e_3, e_7] = 0$
$[e_3, e_8] = 0$	$[e_3, e_9] = 0$
$[e_4, e_5] = 0$	$[e_4, e_6] = 0$
$[e_4, e_7] = 0$	$[e_4, e_8] = 0$
$[e_5, e_6] = 0$	$[e_5, e_7] = 0$

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_2, e_3] = e_5$	$[e_2, e_4] = e_6$
$[e_2, e_5] = \alpha_{2,5}^7 e_7$	$[e_2, e_6] = \alpha_{2,6}^8 e_8$
$[e_2, e_7] = \alpha_{2,7}^9 e_9$	$[e_2, e_8] = \alpha_{2,8}^{10} e_{10}$
$[e_2, e_9] = \alpha_{2,9}^{11} e_{11}$	$[e_2, e_{10}] = \alpha_{2,10}^{12} e_{12}$
$[e_3, e_4] = \alpha_{3,4}^7 e_7$	$[e_3, e_5] = \alpha_{3,5}^8 e_8$
$[e_3, e_6] = \alpha_{3,6}^9 e_9$	$[e_3, e_7] = \alpha_{3,7}^{10} e_{10}$
$[e_3, e_8] = \alpha_{3,8}^{11} e_{11}$	$[e_3, e_9] = \alpha_{3,9}^{12} e_{12}$
$[e_4, e_5] = \alpha_{4,5}^9 e_9$	$[e_4, e_6] = \alpha_{4,6}^{10} e_{10}$
$[e_4, e_7] = \alpha_{4,7}^{11} e_{11}$	$[e_4, e_8] = \alpha_{4,8}^{12} e_{12}$
$[e_5, e_6] = \alpha_{5,6}^{11} e_{11}$	$[e_5, e_7] = \alpha_{5,7}^{12} e_{12}$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{4,6}^{10} &= 1/70 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{3,7}^{10} &= 1/14 \\
\alpha_{4,8}^{12} &= 1/105 \\
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{5,7}^{12} &= 1/420
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{2,6}^8 &= 1 \\
\alpha_{2,7}^9 &= 1 \\
\alpha_{3,6}^9 &= 0 \\
\alpha_{2,8}^{10} &= 1 \\
\alpha_{3,8}^{11} &= 0 \\
\alpha_{3,9}^{12} &= 0 \\
\alpha_{4,5}^9 &= 0 \\
\alpha_{4,6}^{10} &= 0 \\
\alpha_{4,7}^{11} &= 0 \\
\alpha_{2,10}^{12} &= 1 \\
\alpha_{2,9}^{11} &= 1 \\
\alpha_{3,7}^{10} &= 0 \\
\alpha_{4,8}^{12} &= 0 \\
\alpha_{3,4}^7 &= 0 \\
\alpha_{3,5}^8 &= 0 \\
\alpha_{5,6}^{11} &= 0 \\
\alpha_{2,5}^7 &= 1 \\
\alpha_{5,7}^{12} &= 0
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{2,6}^8 &\rightarrow x_1 \\
\alpha_{2,7}^9 &\rightarrow x_2 \\
\alpha_{3,6}^9 &\rightarrow x_3 \\
\alpha_{2,8}^{10} &\rightarrow x_4 \\
\alpha_{3,8}^{11} &\rightarrow x_5 \\
\alpha_{3,9}^{12} &\rightarrow x_6 \\
\alpha_{4,5}^9 &\rightarrow x_7 \\
\alpha_{4,6}^{10} &\rightarrow x_8 \\
\alpha_{4,7}^{11} &\rightarrow x_9
\end{aligned}$$

$$\alpha_{2,10}^{12} \rightarrow x_{10}$$

$$\alpha_{2,9}^{11} \rightarrow x_{11}$$

$$\alpha_{3,7}^{10} \rightarrow x_{12}$$

$$\alpha_{4,8}^{12} \rightarrow x_{13}$$

$$\alpha_{3,4}^7 \rightarrow x_{14}$$

$$\alpha_{3,5}^8 \rightarrow x_{15}$$

$$\alpha_{5,6}^{11} \rightarrow x_{16}$$

$$\alpha_{2,5}^7 \rightarrow x_{17}$$

$$\alpha_{5,7}^{12} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{14} - x_{17} + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 - x_{15} + x_{17} & = 0 \\
(e_1, e_3, e_4) : & x_{14} - x_{15} & = 0 \\
(e_1, e_2, e_6) : & x_1 - x_2 - x_3 & = 0 \\
(e_1, e_3, e_5) : & x_{15} - x_3 - x_7 & = 0 \\
(e_2, e_3, e_4) : & x_{14}x_2 - x_3 + x_7 & = 0 \\
(e_1, e_2, e_7) : & -x_{12} + x_2 - x_4 & = 0 \\
(e_1, e_3, e_6) : & -x_{12} + x_3 - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_7 - x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{12}x_{17} + x_{15}x_4 & = 0 \\
(e_1, e_2, e_8) : & -x_{11} + x_4 - x_5 & = 0 \\
(e_1, e_3, e_7) : & x_{12} - x_5 - x_9 & = 0 \\
(e_1, e_4, e_6) : & -x_{16} + x_8 - x_9 & = 0 \\
(e_2, e_3, e_6) : & -x_1x_5 + x_{11}x_3 - x_{16} & = 0 \\
(e_2, e_4, e_5) : & x_{11}x_7 + x_{16} - x_{17}x_9 & = 0 \\
(e_1, e_2, e_9) : & -x_{10} + x_{11} - x_6 & = 0 \\
(e_1, e_3, e_8) : & -x_{13} + x_5 - x_6 & = 0 \\
(e_1, e_4, e_7) : & -x_{13} - x_{18} + x_9 & = 0 \\
(e_1, e_5, e_6) : & x_{16} - x_{18} & = 0 \\
(e_2, e_3, e_7) : & x_{10}x_{12} - x_{18} - x_2x_6 & = 0 \\
(e_2, e_4, e_6) : & -x_1x_{13} + x_{10}x_8 & = 0 \\
(e_3, e_4, e_5) : & -x_{13}x_{15} + x_{14}x_{18} + x_6x_7 & = 0
\end{array}$$

Groebner basis (18 variables, 4 linear, 16 nonlinear)

$$\begin{aligned}
& x_1 - 2x_{17} + 1 = 0 \\
& -24x_{17}^2 - 7x_{17}x_{18} + 42x_{18}^2 + 11x_{18} + 16x_2 + 8 = 0 \\
& 24x_{17}^2 + 7x_{17}x_{18} - 32x_{17} - 42x_{18}^2 - 11x_{18} + 16x_3 + 8 = 0 \\
& -72x_{17}^2 - 21x_{17}x_{18} + 80x_{17} + 126x_{18}^2 + 33x_{18} + 16x_4 - 24 = 0 \\
& 72x_{17}^2 + 21x_{17}x_{18} - 128x_{17} - 126x_{18}^2 - 49x_{18} + 16x_5 + 56 = 0 \\
& 24x_{17}^2 + 7x_{17}x_{18} - 44x_{17} - 42x_{18}^2 - 23x_{18} + 4x_6 + 20 = 0 \\
& -24x_{17}^2 - 7x_{17}x_{18} + 48x_{17} + 42x_{18}^2 + 11x_{18} + 16x_7 - 24 = 0 \\
& -24x_{17}^2 - 7x_{17}x_{18} + 48x_{17} + 42x_{18}^2 + 11x_{18} + 16x_8 - 24 = 0 \\
& -24x_{17}^2 - 7x_{17}x_{18} + 48x_{17} + 42x_{18}^2 + 27x_{18} + 16x_9 - 24 = 0 \\
& 8x_{10} - 120x_{17}^2 - 35x_{17}x_{18} + 192x_{17} + 210x_{18}^2 + 87x_{18} - 80 = 0 \\
& 8x_{11} - 72x_{17}^2 - 21x_{17}x_{18} + 104x_{17} + 126x_{18}^2 + 41x_{18} - 40 = 0 \\
& 8x_{12} + 24x_{17}^2 + 7x_{17}x_{18} - 40x_{17} - 42x_{18}^2 - 11x_{18} + 16 = 0 \\
& 16x_{13} - 24x_{17}^2 - 7x_{17}x_{18} + 48x_{17} + 42x_{18}^2 + 43x_{18} - 24 = 0 \\
& x_{14} + x_{17} - 1 = 0 \\
& x_{15} + x_{17} - 1 = 0 \\
& x_{16} - x_{18} = 0 \\
& 60x_{17}^3 - 180x_{17}^2 - 45x_{17}x_{18} + 180x_{17} + 294x_{18}^2 + 65x_{18} - 60 = 0 \\
& 5x_{17}^2x_{18} - 10x_{17}x_{18} - 21x_{18}^2 + 5x_{18} = 0 \\
& 10x_{17}x_{18}^2 - 9x_{18}^2 = 0 \\
& 420x_{18}^3 - x_{18}^2 = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
& x_1 = 4/5 \\
& x_2 = 5/7 \\
& x_3 = 3/35 \\
& x_4 = 9/14 \\
& x_5 = 5/84 \\
& x_6 = 1/20 \\
& x_7 = 1/70 \\
& x_8 = 1/70 \\
& x_9 = 1/84
\end{aligned}$$

$$x_10 = 8/15$$

$$x_11 = 7/12$$

$$x_12 = 1/14$$

$$x_13 = 1/105$$

$$x_14 = 1/10$$

$$x_15 = 1/10$$

$$x_16 = 1/420$$

$$x_17 = 9/10$$

$$x_18 = 1/420$$

Solution 2:

$$x_1 = 1$$

$$x_2 = 1$$

$$x_3 = 0$$

$$x_4 = 1$$

$$x_5 = 0$$

$$x_6 = 0$$

$$x_7 = 0$$

$$x_8 = 0$$

$$x_9 = 0$$

$$x_10 = 1$$

$$x_11 = 1$$

$$x_12 = 0$$

$$x_13 = 0$$

$$x_14 = 0$$

$$x_15 = 0$$

$$x_16 = 0$$

$$x_17 = 1$$

$$x_18 = 0$$

$\mathfrak{m}_{1A}(3, 12)$

m1A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_9] = e_{12} & [e_3, e_8] = -e_{12} \\
[e_4, e_7] = e_{12} & [e_5, e_6] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 12)$

m3A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{4,7}^{12} \rightarrow x_1$$

$$\alpha_{2,9}^{12} \rightarrow x_2$$

$$\alpha_{5,6}^{12} \rightarrow x_3$$

$$\alpha_{3,8}^{12} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_2 - x_4 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_1 - x_4 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_1 - x_3 + 1 \quad = 0$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 + 2 = 0$$

$$x_2 + x_4 - 3 = 0$$

$$x_3 - x_4 - 3 = 0$$

$\mathfrak{m}_{5A}(3, 12)$

m5A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\ [e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\ [e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_4] = -e_8 \\ [e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\ [e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\ [e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\ [e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,6}^{10} & \rightarrow x_1 \\
\alpha_{2,9}^{12} & \rightarrow x_2 \\
\alpha_{4,7}^{12} & \rightarrow x_3 \\
\alpha_{4,5}^{10} & \rightarrow x_4 \\
\alpha_{4,6}^{11} & \rightarrow x_5 \\
\alpha_{2,7}^{10} & \rightarrow x_6 \\
\alpha_{2,8}^{11} & \rightarrow x_7 \\
\alpha_{3,8}^{12} & \rightarrow x_8 \\
\alpha_{3,7}^{11} & \rightarrow x_9 \\
\alpha_{5,6}^{12} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_6 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_6 - x_7 - x_9 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_5 - x_9 & = 0 \\
(e_1, e_4, e_5) : & x_4 - x_5 & = 0 \\
(e_2, e_3, e_4) : & -x_7 & = 0 \\
(e_1, e_2, e_8) : & -x_2 + x_7 - x_8 & = 0 \\
(e_1, e_3, e_7) : & -x_3 - x_8 + x_9 & = 0 \\
(e_1, e_4, e_6) : & -x_{10} - x_3 + x_5 & = 0 \\
(e_2, e_3, e_5) : & -x_2 - x_8 & = 0
\end{array}$$

Groebner basis (10 variables, 9 linear, 0 nonlinear)

$$\begin{array}{l}
3x_1 - 1 = 0 \\
x_{10} + x_2 + 3 = 0 \\
3x_{10} + 3x_3 + 4 = 0 \\
3x_4 + 4 = 0 \\
3x_5 + 4 = 0 \\
3x_6 - 5 = 0 \\
x_7 = 0 \\
-x_{10} + x_8 - 3 = 0 \\
3x_9 - 5 = 0
\end{array}$$

$\mathfrak{m}_{7A}(3, 12)$

m7A312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_6 & [e_2, e_4] = e_7 \\
[e_2, e_5] = \alpha_{2,5}^8 e_8 & [e_2, e_6] = \alpha_{2,6}^9 e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{ll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^8 \rightarrow x_1$$

$$\begin{aligned}
\alpha_{3,5}^9 &\rightarrow x_2 \\
\alpha_{2,9}^{12} &\rightarrow x_3 \\
\alpha_{4,7}^{12} &\rightarrow x_4 \\
\alpha_{3,4}^8 &\rightarrow x_5 \\
\alpha_{4,5}^{10} &\rightarrow x_6 \\
\alpha_{4,6}^{11} &\rightarrow x_7 \\
\alpha_{2,6}^9 &\rightarrow x_8 \\
\alpha_{3,6}^{10} &\rightarrow x_9 \\
\alpha_{2,7}^{10} &\rightarrow x_{10} \\
\alpha_{2,8}^{11} &\rightarrow x_{11} \\
\alpha_{3,8}^{12} &\rightarrow x_{12} \\
\alpha_{3,7}^{11} &\rightarrow x_{13} \\
\alpha_{5,6}^{12} &\rightarrow x_{14}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_1 - x_5 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad x_1 - x_2 - x_8 & = 0 \\
(e_1, e_3, e_4) : & \quad -x_2 + x_5 & = 0 \\
(e_1, e_2, e_6) : & \quad -x_{10} + x_8 - x_9 & = 0 \\
(e_1, e_3, e_5) : & \quad x_2 - x_6 - x_9 & = 0 \\
(e_1, e_2, e_7) : & \quad x_{10} - x_{11} - x_{13} & = 0 \\
(e_1, e_3, e_6) : & \quad -x_{13} - x_7 + x_9 & = 0 \\
(e_1, e_4, e_5) : & \quad x_6 - x_7 & = 0 \\
(e_2, e_3, e_4) : & \quad x_{11}x_5 - x_{13} + x_7 & = 0 \\
(e_1, e_2, e_8) : & \quad x_{11} - x_{12} - x_3 & = 0 \\
(e_1, e_3, e_7) : & \quad -x_{12} + x_{13} - x_4 & = 0 \\
(e_1, e_4, e_6) : & \quad -x_{14} - x_4 + x_7 & = 0 \\
(e_2, e_3, e_5) : & \quad -x_1x_{12} + x_{14} + x_2x_3 & = 0
\end{aligned}$$

Groebner basis (14 variables, 11 linear, 1 nonlinear)

$$\begin{aligned}
x_1 - 2x_{12} + 3x_{13} + 2x_{14} - 1 &= 0 \\
2x_{12} - 3x_{13} - 2x_{14} + x_2 &= 0
\end{aligned}$$

$$-4x_{12} + 9x_{13} + 5x_{14} + x_3 - 1 = 0$$

$$x_{12} - x_{13} + x_4 = 0$$

$$2x_{12} - 3x_{13} - 2x_{14} + x_5 = 0$$

$$x_{12} - x_{13} - x_{14} + x_6 = 0$$

$$x_{12} - x_{13} - x_{14} + x_7 = 0$$

$$-4x_{12} + 6x_{13} + 4x_{14} + x_8 - 1 = 0$$

$$x_{12} - 2x_{13} - x_{14} + x_9 = 0$$

$$x_{10} - 5x_{12} + 8x_{13} + 5x_{14} - 1 = 0$$

$$x_{11} - 5x_{12} + 9x_{13} + 5x_{14} - 1 = 0$$

$$10x_{12}^2 - 33x_{12}x_{13} - 20x_{12}x_{14} + 3x_{12} + 27x_{13}^2 + 33x_{13}x_{14} - 3x_{13} + 10x_{14}^2 - 3x_{14} = 0$$

$\mathfrak{m}_{2A}(4, 12)$

m2A412 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_7] = e_{11}$$

$$[e_2, e_8] = 3e_{12}$$

$$[e_3, e_6] = -e_{11}$$

$$[e_3, e_7] = -2e_{12}$$

$$[e_4, e_5] = e_{11}$$

$$[e_4, e_6] = e_{12}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 12)$

m4A412 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_9 & [e_2, e_6] = 2e_{10} \\
[e_2, e_7] = \alpha_{2,7}^{11}e_{11} & [e_2, e_8] = \alpha_{2,8}^{12}e_{12} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11}e_{11} & [e_3, e_7] = \alpha_{3,7}^{12}e_{12} \\
[e_4, e_5] = \alpha_{4,5}^{11}e_{11} & [e_4, e_6] = \alpha_{4,6}^{12}e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^{11} \rightarrow x_1$$

$$\alpha_{2,8}^{12} \rightarrow x_2$$

$$\alpha_{4,5}^{11} \rightarrow x_3$$

$$\alpha_{3,7}^{12} \rightarrow x_4$$

$$\alpha_{4,6}^{12} \rightarrow x_5$$

$$\alpha_{2,7}^{11} \rightarrow x_6$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : \quad & -x_1 - x_6 + 2 & = 0 \\
(e_1, e_3, e_5) : \quad & -x_1 - x_3 - 1 & = 0 \\
(e_1, e_2, e_7) : \quad & -x_2 - x_4 + x_6 & = 0 \\
(e_1, e_3, e_6) : \quad & x_1 - x_4 - x_5 & = 0 \\
(e_1, e_4, e_5) : \quad & x_3 - x_5 & = 0
\end{aligned}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{aligned}
x_1 + x_6 - 2 &= 0 \\
x_2 - 3x_6 + 5 &= 0 \\
x_3 - x_6 + 3 &= 0 \\
x_4 + 2x_6 - 5 &= 0 \\
x_5 - x_6 + 3 &= 0
\end{aligned}$$

$\mathfrak{m}_{6A}(4, 12)$

m6A412 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_2, e_3] &= e_7 & [e_2, e_4] &= e_8 \\
[e_2, e_5] &= \alpha_{2,5}^9 e_9 & [e_2, e_6] &= \alpha_{2,6}^{10} e_{10} \\
[e_2, e_7] &= \alpha_{2,7}^{11} e_{11} & [e_2, e_8] &= \alpha_{2,8}^{12} e_{12} \\
[e_3, e_4] &= \alpha_{3,4}^9 e_9 & [e_3, e_5] &= \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] &= \alpha_{3,6}^{11} e_{11} & [e_3, e_7] &= \alpha_{3,7}^{12} e_{12} \\
[e_4, e_5] &= \alpha_{4,5}^{11} e_{11} & [e_4, e_6] &= \alpha_{4,6}^{12} e_{12}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,6}^{11} & \rightarrow x_1 \\
\alpha_{3,4}^9 & \rightarrow x_2 \\
\alpha_{3,5}^{10} & \rightarrow x_3 \\
\alpha_{2,5}^9 & \rightarrow x_4 \\
\alpha_{2,8}^{12} & \rightarrow x_5 \\
\alpha_{4,5}^{11} & \rightarrow x_6 \\
\alpha_{2,6}^{10} & \rightarrow x_7 \\
\alpha_{3,7}^{12} & \rightarrow x_8 \\
\alpha_{4,6}^{12} & \rightarrow x_9 \\
\alpha_{2,7}^{11} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_2 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_3 + x_4 - x_7 & = 0 \\
(e_1, e_3, e_4) : & x_2 - x_3 & = 0 \\
(e_1, e_2, e_6) : & -x_1 - x_{10} + x_7 & = 0 \\
(e_1, e_3, e_5) : & -x_1 + x_3 - x_6 & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_5 - x_8 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_8 - x_9 & = 0 \\
(e_1, e_4, e_5) : & x_6 - x_9 & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$\begin{aligned}
3x_1 + x_{10} + 2x_9 - 1 &= 0 \\
x_{10} + 3x_2 - x_9 - 1 &= 0 \\
x_{10} + 3x_3 - x_9 - 1 &= 0 \\
-x_{10} + 3x_4 + x_9 - 2 &= 0 \\
-4x_{10} + 3x_5 - 5x_9 + 1 &= 0 \\
x_6 - x_9 &= 0 \\
-2x_{10} + 3x_7 + 2x_9 - 1 &= 0 \\
x_{10} + 3x_8 + 5x_9 - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(5, 12)$

m1A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_2, e_7] &= e_{12} & [e_3, e_6] &= -e_{12} \\
[e_4, e_5] &= e_{12} & &
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(5, 12)$

m3A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_2, e_5] &= e_{10} & [e_2, e_6] &= 2e_{11} \\
[e_2, e_7] &= \alpha_{2,7}^{12} e_{12} & [e_3, e_4] &= -e_{10} \\
[e_3, e_5] &= -e_{11} & [e_3, e_6] &= \alpha_{3,6}^{12} e_{12} \\
[e_4, e_5] &= \alpha_{4,5}^{12} e_{12} & &
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}(e_1, e_2, e_6) : & \quad -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\(e_1, e_3, e_5) : & \quad -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,7}^{12} \rightarrow x_1$$

$$\alpha_{4,5}^{12} \rightarrow x_2$$

$$\alpha_{3,6}^{12} \rightarrow x_3$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_6) : & \quad -x_1 - x_3 + 2 & = 0 \\(e_1, e_3, e_5) : & \quad -x_2 - x_3 - 1 & = 0\end{aligned}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 + x_3 - 2 = 0$$

$$x_2 + x_3 + 1 = 0$$

$\mathfrak{m}_{5A}(5, 12)$

m5A512 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\[e_2, e_3] &= e_8 & [e_2, e_4] &= e_9 \\[e_2, e_5] &= \alpha_{2,5}^{10} e_{10} & [e_2, e_6] &= \alpha_{2,6}^{11} e_{11} \\[e_2, e_7] &= \alpha_{2,7}^{12} e_{12} & [e_3, e_4] &= \alpha_{3,4}^{10} e_{10} \\[e_3, e_5] &= \alpha_{3,5}^{11} e_{11} & [e_3, e_6] &= \alpha_{3,6}^{12} e_{12} \\[e_4, e_5] &= \alpha_{4,5}^{12} e_{12}\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,5}^{11} & \rightarrow x_1 \\
\alpha_{2,5}^{10} & \rightarrow x_2 \\
\alpha_{3,6}^{12} & \rightarrow x_3 \\
\alpha_{2,7}^{12} & \rightarrow x_4 \\
\alpha_{4,5}^{12} & \rightarrow x_5 \\
\alpha_{3,4}^{10} & \rightarrow x_6 \\
\alpha_{2,6}^{11} & \rightarrow x_7
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_2 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_2 - x_7 & = 0 \\
(e_1, e_3, e_4) : & -x_1 + x_6 & = 0 \\
(e_1, e_2, e_6) : & -x_3 - x_4 + x_7 & = 0 \\
(e_1, e_3, e_5) : & x_1 - x_3 - x_5 & = 0
\end{aligned}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{aligned}
2x_1 + x_7 - 1 & = 0 \\
2x_2 - x_7 - 1 & = 0 \\
2x_3 + 2x_5 + x_7 - 1 & = 0 \\
2x_4 - 2x_5 - 3x_7 + 1 & = 0 \\
2x_6 + x_7 - 1 & = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(6, 12)$

m2A612 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_5] = e_{11} & [e_2, e_6] = 2e_{12} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(6, 12)$

m4A612 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \\
[e_2, e_5] = \alpha_{2,5}^{11} e_{11} & [e_2, e_6] = \alpha_{2,6}^{12} e_{12} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,6}^{12} \rightarrow x_1$$

$$\alpha_{2,5}^{11} \rightarrow x_2$$

$$\alpha_{3,4}^{11} \rightarrow x_3$$

$$\alpha_{3,5}^{12} \rightarrow x_4$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_2 - x_3 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 + x_2 - x_4 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_3 - x_4 \quad = 0$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + 2x_4 - 1 = 0$$

$$x_2 + x_4 - 1 = 0$$

$$x_3 - x_4 = 0$$

$\mathfrak{m}_{1A}(7, 12)$

m1A712 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_5] = e_{12}$$

$$[e_3, e_4] = -e_{12}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(7, 12)$

m3A712 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_{10} & [e_2, e_4] = e_{11} \\
[e_2, e_5] = \alpha_{2,5}^{12} e_{12} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 = 0$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^{12} \rightarrow x_1$$

$$\alpha_{3,4}^{12} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(8, 12)$

m2A812 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_2, e_3] = e_{11} & [e_2, e_4] = e_{12}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(9, 12)$

m1A912 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_2, e_3] = e_{12} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(2, 13)$

m1A213 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_{11}] = e_{13} \\ [e_3, e_{10}] = -e_{13} & [e_4, e_9] = e_{13} \\ [e_5, e_8] = -e_{13} & [e_6, e_7] = e_{13} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(2, 13)$

m3A213 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_9] = e_{11}$
$[e_2, e_{10}] = 4e_{12}$	$[e_2, e_{11}] = 0$
$[e_3, e_8] = -e_{11}$	$[e_3, e_9] = -3e_{12}$
$[e_3, e_{10}] = 4e_{13}$	$[e_4, e_7] = e_{11}$
$[e_4, e_8] = 2e_{12}$	$[e_4, e_9] = -7e_{13}$
$[e_5, e_6] = -e_{11}$	$[e_5, e_7] = -e_{12}$
$[e_5, e_8] = 9e_{13}$	$[e_6, e_7] = -10e_{13}$

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_9] = e_{11}$
$[e_2, e_{10}] = 4e_{12}$	$[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13}$
$[e_3, e_8] = -e_{11}$	$[e_3, e_9] = -3e_{12}$
$[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13}$	$[e_4, e_7] = e_{11}$
$[e_4, e_8] = 2e_{12}$	$[e_4, e_9] = \alpha_{4,9}^{13} e_{13}$
$[e_5, e_6] = -e_{11}$	$[e_5, e_7] = -e_{12}$
$[e_5, e_8] = \alpha_{5,8}^{13} e_{13}$	$[e_6, e_7] = \alpha_{6,7}^{13} e_{13}$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,11}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{5,8}^{13} &= 9 \\
\alpha_{6,7}^{13} &= -10 \\
\alpha_{2,11}^{13} &= 0 \\
\alpha_{3,10}^{13} &= 4 \\
\alpha_{4,9}^{13} &= -7
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{5,8}^{13} &\rightarrow x_1 \\
\alpha_{6,7}^{13} &\rightarrow x_2 \\
\alpha_{2,11}^{13} &\rightarrow x_3 \\
\alpha_{3,10}^{13} &\rightarrow x_4 \\
\alpha_{4,9}^{13} &\rightarrow x_5
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -x_3 - x_4 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_4 - x_5 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_1 - x_5 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_1 - x_2 - 1 & = 0 \\
(e_2, e_3, e_8) : & -x_3 & = 0 \\
(e_2, e_4, e_7) : & x_3 & = 0 \\
(e_2, e_5, e_6) : & -x_3 & = 0
\end{aligned}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$x_1 - 9 = 0$$

$$x_2 + 10 = 0$$

$$x_3 = 0$$

$$x_4 - 4 = 0$$

$$x_5 + 7 = 0$$

Solution 1:

$$x_1 = 9$$

$$x_2 = -10$$

$$x_3 = 0$$

$$x_4 = 4$$

$$x_5 = -7$$

$\mathbf{m}_{9A}(2, 13)$

m9A213 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_4] = e_6$$

$$[e_2, e_6] = e_8$$

$$[e_2, e_8] = e_{10}$$

$$[e_2, e_{10}] = e_{12}$$

$$[e_3, e_4] = 0$$

$$[e_3, e_6] = 0$$

$$[e_3, e_8] = 0$$

$$[e_3, e_{10}] = 0$$

$$[e_4, e_6] = 0$$

$$[e_4, e_8] = 0$$

$$[e_5, e_6] = 0$$

$$[e_5, e_8] = 0$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_3] = e_5$$

$$[e_2, e_5] = e_7$$

$$[e_2, e_7] = e_9$$

$$[e_2, e_9] = e_{11}$$

$$[e_2, e_{11}] = e_{13}$$

$$[e_3, e_5] = 0$$

$$[e_3, e_7] = 0$$

$$[e_3, e_9] = 0$$

$$[e_4, e_5] = 0$$

$$[e_4, e_7] = 0$$

$$[e_4, e_9] = 0$$

$$[e_5, e_7] = 0$$

$$[e_6, e_7] = 0$$

Solution 2

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_5$
$[e_2, e_4] = e_6$	$[e_2, e_5] = \frac{9e_7}{10}$
$[e_2, e_6] = \frac{4e_8}{5}$	$[e_2, e_7] = \frac{5e_9}{7}$
$[e_2, e_8] = \frac{9e_{10}}{14}$	$[e_2, e_9] = \frac{7e_{11}}{12}$
$[e_2, e_{10}] = \frac{8e_{12}}{15}$	$[e_2, e_{11}] = \frac{27e_{13}}{55}$
$[e_3, e_4] = \frac{e_7}{10}$	$[e_3, e_5] = \frac{e_8}{10}$
$[e_3, e_6] = \frac{3e_9}{35}$	$[e_3, e_7] = \frac{e_{10}}{14}$
$[e_3, e_8] = \frac{5e_{11}}{84}$	$[e_3, e_9] = \frac{e_{12}}{20}$
$[e_3, e_{10}] = \frac{7e_{13}}{165}$	$[e_4, e_5] = \frac{e_9}{70}$
$[e_4, e_6] = \frac{e_{10}}{70}$	$[e_4, e_7] = \frac{e_{11}}{84}$
$[e_4, e_8] = \frac{e_{12}}{105}$	$[e_4, e_9] = \frac{e_{13}}{132}$
$[e_5, e_6] = \frac{e_{11}}{420}$	$[e_5, e_7] = \frac{e_{12}}{420}$
$[e_5, e_8] = \frac{3e_{13}}{1540}$	$[e_6, e_7] = \frac{e_{13}}{2310}$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} & [e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_8] = \alpha_{4,8}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{13} e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_6, e_7] = \alpha_{6,7}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,6}^9 &= 0 \\
\alpha_{4,6}^{10} &= 0 \\
\alpha_{2,9}^{11} &= 1 \\
\alpha_{2,11}^{13} &= 1 \\
\alpha_{2,7}^9 &= 1 \\
\alpha_{2,8}^{10} &= 1 \\
\alpha_{4,5}^9 &= 0 \\
\alpha_{4,7}^{11} &= 0 \\
\alpha_{5,8}^{13} &= 0 \\
\alpha_{3,4}^7 &= 0 \\
\alpha_{4,9}^{13} &= 0 \\
\alpha_{2,6}^8 &= 1 \\
\alpha_{3,8}^{11} &= 0 \\
\alpha_{3,9}^{12} &= 0 \\
\alpha_{2,10}^{12} &= 1 \\
\alpha_{4,8}^{12} &= 0 \\
\alpha_{5,6}^{11} &= 0 \\
\alpha_{2,5}^7 &= 1 \\
\alpha_{3,7}^{10} &= 0 \\
\alpha_{6,7}^{13} &= 0 \\
\alpha_{3,10}^{13} &= 0 \\
\alpha_{3,5}^8 &= 0 \\
\alpha_{5,7}^{12} &= 0
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{4,6}^{10} &= 1/70 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{2,11}^{13} &= 27/55 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{5,8}^{13} &= 3/1540 \\
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{4,9}^{13} &= 1/132 \\
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{4,8}^{12} &= 1/105 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{3,7}^{10} &= 1/14 \\
\alpha_{6,7}^{13} &= 1/2310 \\
\alpha_{3,10}^{13} &= 7/165 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{5,7}^{12} &= 1/420
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,6}^9 &\rightarrow x_1 \\
\alpha_{4,6}^{10} &\rightarrow x_2 \\
\alpha_{2,9}^{11} &\rightarrow x_3 \\
\alpha_{2,11}^{13} &\rightarrow x_4 \\
\alpha_{2,7}^9 &\rightarrow x_5
\end{aligned}$$

$$\alpha_{2,8}^{10} \rightarrow x_6$$

$$\alpha_{4,5}^9 \rightarrow x_7$$

$$\alpha_{4,7}^{11} \rightarrow x_8$$

$$\alpha_{5,8}^{13} \rightarrow x_9$$

$$\alpha_{3,4}^7 \rightarrow x_{10}$$

$$\alpha_{4,9}^{13} \rightarrow x_{11}$$

$$\alpha_{2,6}^8 \rightarrow x_{12}$$

$$\alpha_{3,8}^{11} \rightarrow x_{13}$$

$$\alpha_{3,9}^{12} \rightarrow x_{14}$$

$$\alpha_{2,10}^{12} \rightarrow x_{15}$$

$$\alpha_{4,8}^{12} \rightarrow x_{16}$$

$$\alpha_{5,6}^{11} \rightarrow x_{17}$$

$$\alpha_{2,5}^7 \rightarrow x_{18}$$

$$\alpha_{3,7}^{10} \rightarrow x_{19}$$

$$\alpha_{6,7}^{13} \rightarrow x_{20}$$

$$\alpha_{3,10}^{13} \rightarrow x_{21}$$

$$\alpha_{3,5}^8 \rightarrow x_{22}$$

$$\alpha_{5,7}^{12} \rightarrow x_{23}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{10} - x_{18} + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{12} + x_{18} - x_{22} & = 0 \\
(e_1, e_3, e_4) : & x_{10} - x_{22} & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_{12} - x_5 & = 0 \\
(e_1, e_3, e_5) : & -x_1 + x_{22} - x_7 & = 0 \\
(e_2, e_3, e_4) : & -x_1 + x_{10}x_5 + x_7 & = 0 \\
(e_1, e_2, e_7) : & -x_{19} + x_5 - x_6 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_{19} - x_2 & = 0 \\
(e_1, e_4, e_5) : & -x_2 + x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_{18}x_{19} + x_{22}x_6 & = 0 \\
(e_1, e_2, e_8) : & -x_{13} - x_3 + x_6 & = 0 \\
(e_1, e_3, e_7) : & -x_{13} + x_{19} - x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_{17} + x_2 - x_8 & = 0 \\
(e_2, e_3, e_6) : & x_1x_3 - x_{12}x_{13} - x_{17} & = 0 \\
(e_2, e_4, e_5) : & x_{17} - x_{18}x_8 + x_3x_7 & = 0 \\
(e_1, e_2, e_9) : & -x_{14} - x_{15} + x_3 & = 0 \\
(e_1, e_3, e_8) : & x_{13} - x_{14} - x_{16} & = 0 \\
(e_1, e_4, e_7) : & -x_{16} - x_{23} + x_8 & = 0 \\
(e_1, e_5, e_6) : & x_{17} - x_{23} & = 0 \\
(e_2, e_3, e_7) : & -x_{14}x_5 + x_{15}x_{19} - x_{23} & = 0 \\
(e_2, e_4, e_6) : & -x_{12}x_{16} + x_{15}x_2 & = 0 \\
(e_3, e_4, e_5) : & x_{10}x_{23} + x_{14}x_7 - x_{16}x_{22} & = 0 \\
(e_1, e_2, e_{10}) : & x_{15} - x_{21} - x_4 & = 0 \\
(e_1, e_3, e_9) : & -x_{11} + x_{14} - x_{21} & = 0 \\
(e_1, e_4, e_8) : & -x_{11} + x_{16} - x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_{20} + x_{23} - x_9 & = 0 \\
(e_2, e_3, e_8) : & x_{13}x_4 - x_{21}x_6 - x_9 & = 0 \\
(e_2, e_4, e_7) : & -x_{11}x_5 - x_{20} + x_4x_8 & = 0 \\
(e_2, e_5, e_6) : & -x_{12}x_9 + x_{17}x_4 + x_{18}x_{20} & = 0 \\
(e_3, e_4, e_6) : & -x_1x_{11} + x_{10}x_{20} + x_2x_{21} & = 0
\end{aligned}$$

Groebner basis (23 variables, 4 linear, 21 nonlinear)

$$\begin{aligned}
16x_1 + 24x_{22}^2 - 7x_{22}x_{23} - 16x_{22} - 42x_{23}^2 - 4x_{23} &= 0 \\
16x_2 - 24x_{22}^2 + 7x_{22}x_{23} + 42x_{23}^2 + 4x_{23} &= 0
\end{aligned}$$

$$\begin{aligned}
& -72x_{22}^2 + 21x_{22}x_{23} + 40x_{22} + 126x_{23}^2 + 20x_{23} + 8x_3 - 8 = 0 \\
& -3960x_{22}^2 + 715x_{22}x_{23} + 1232x_{22} + 11970x_{23}^2 + 2420x_{23} + 176x_4 - 176 = 0 \\
& -24x_{22}^2 + 7x_{22}x_{23} + 48x_{22} + 42x_{23}^2 + 4x_{23} + 16x_5 - 16 = 0 \\
& -72x_{22}^2 + 21x_{22}x_{23} + 64x_{22} + 126x_{23}^2 + 12x_{23} + 16x_6 - 16 = 0 \\
& -24x_{22}^2 + 7x_{22}x_{23} + 42x_{23}^2 + 4x_{23} + 16x_7 = 0 \\
& -24x_{22}^2 + 7x_{22}x_{23} + 42x_{23}^2 + 20x_{23} + 16x_8 = 0 \\
& 55x_{22}x_{23} - 630x_{23}^2 - 22x_{23} + 22x_9 = 0 \\
& x_{10} - x_{22} = 0 \\
& 176x_{11} - 264x_{22}^2 - 363x_{22}x_{23} + 5502x_{23}^2 + 572x_{23} = 0 \\
& x_{12} + 2x_{22} - 1 = 0 \\
& 16x_{13} + 72x_{22}^2 - 21x_{22}x_{23} - 16x_{22} - 126x_{23}^2 - 28x_{23} = 0 \\
& 4x_{14} + 24x_{22}^2 - 7x_{22}x_{23} - 4x_{22} - 42x_{23}^2 - 16x_{23} = 0 \\
& 8x_{15} - 120x_{22}^2 + 35x_{22}x_{23} + 48x_{22} + 210x_{23}^2 + 52x_{23} - 8 = 0 \\
& 16x_{16} - 24x_{22}^2 + 7x_{22}x_{23} + 42x_{23}^2 + 36x_{23} = 0 \\
& x_{17} - x_{23} = 0 \\
& x_{18} + x_{22} - 1 = 0 \\
& 8x_{19} + 24x_{22}^2 - 7x_{22}x_{23} - 8x_{22} - 42x_{23}^2 - 4x_{23} = 0 \\
& 22x_{20} - 55x_{22}x_{23} + 630x_{23}^2 = 0 \\
& 176x_{21} + 1320x_{22}^2 + 55x_{22}x_{23} - 176x_{22} - 7350x_{23}^2 - 1276x_{23} = 0 \\
& 60x_{22}^3 - 45x_{22}x_{23} - 294x_{23}^2 - 20x_{23} = 0 \\
& 5x_{22}^2x_{23} - 21x_{23}^2 = 0 \\
& 10x_{22}x_{23}^2 - x_{23}^2 = 0 \\
& 420x_{23}^3 - x_{23}^2 = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= 0 \\
x_2 &= 0 \\
x_3 &= 1 \\
x_4 &= 1 \\
x_5 &= 1 \\
x_6 &= 1 \\
x_7 &= 0 \\
x_8 &= 0
\end{aligned}$$

$$x_9 = 0$$

$$x_10 = 0$$

$$x_11 = 0$$

$$x_12 = 1$$

$$x_13 = 0$$

$$x_14 = 0$$

$$x_15 = 1$$

$$x_16 = 0$$

$$x_17 = 0$$

$$x_18 = 1$$

$$x_19 = 0$$

$$x_20 = 0$$

$$x_21 = 0$$

$$x_22 = 0$$

$$x_23 = 0$$

Solution 2:

$$x_1 = 3/35$$

$$x_2 = 1/70$$

$$x_3 = 7/12$$

$$x_4 = 27/55$$

$$x_5 = 5/7$$

$$x_6 = 9/14$$

$$x_7 = 1/70$$

$$x_8 = 1/84$$

$$x_9 = 3/1540$$

$$x_10 = 1/10$$

$$x_11 = 1/132$$

$$x_12 = 4/5$$

$$x_13 = 5/84$$

$$x_14 = 1/20$$

$$x_15 = 8/15$$

$$x_16 = 1/105$$

$$x_17 = 1/420$$

$$x_18 = 9/10$$

$$x_19 = 1/14$$

$$x_20 = 1/2310$$

$$x_21 = 7/165$$

$$x_22 = 1/10$$

$$x_23 = 1/420$$

$\mathfrak{m}_{2A}(3, 13)$

m2A313 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_9] = e_{12}$$

$$[e_2, e_{10}] = 4e_{13}$$

$$[e_3, e_8] = -e_{12}$$

$$[e_3, e_9] = -3e_{13}$$

$$[e_4, e_7] = e_{12}$$

$$[e_4, e_8] = 2e_{13}$$

$$[e_5, e_6] = -e_{12}$$

$$[e_5, e_7] = -e_{13}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(3, 13)$

m4A313 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_2, e_9] = \frac{7e_{12}}{2} \\
[e_2, e_{10}] = 0 & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = -\frac{e_{12}}{2} \\
[e_3, e_9] = \frac{7e_{13}}{2} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} & [e_4, e_7] = -\frac{3e_{12}}{2} \\
[e_4, e_8] = -4e_{13} & [e_5, e_6] = \frac{5e_{12}}{2} \\
[e_5, e_7] = \frac{5e_{13}}{2} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_2, e_9] = \alpha_{2,9}^{12}e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13}e_{13} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12}e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13}e_{13} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} & [e_4, e_7] = \alpha_{4,7}^{12}e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13}e_{13} & [e_5, e_6] = \alpha_{5,6}^{12}e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13}e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,9}^{12} &= 7/2 \\
\alpha_{4,7}^{12} &= -3/2 \\
\alpha_{3,9}^{13} &= 7/2 \\
\alpha_{2,10}^{13} &= 0 \\
\alpha_{5,7}^{13} &= 5/2 \\
\alpha_{4,8}^{13} &= -4 \\
\alpha_{3,8}^{12} &= -1/2 \\
\alpha_{5,6}^{12} &= 5/2
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{2,9}^{12} &\rightarrow x_1 \\
\alpha_{4,7}^{12} &\rightarrow x_2 \\
\alpha_{3,9}^{13} &\rightarrow x_3 \\
\alpha_{2,10}^{13} &\rightarrow x_4 \\
\alpha_{5,7}^{13} &\rightarrow x_5 \\
\alpha_{4,8}^{13} &\rightarrow x_6 \\
\alpha_{3,8}^{12} &\rightarrow x_7
\end{aligned}$$

$$\alpha_{5,6}^{12} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_1 - x_7 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_7 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_2 - x_8 + 1 & = 0 \\
(e_1, e_2, e_9) : & x_1 - x_3 - x_4 & = 0 \\
(e_1, e_3, e_8) : & -x_3 - x_6 + x_7 & = 0 \\
(e_1, e_4, e_7) : & x_2 - x_5 - x_6 & = 0 \\
(e_1, e_5, e_6) : & -x_5 + x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_4 & = 0 \\
(e_2, e_4, e_5) : & x_4 & = 0
\end{array}$$

Groebner basis (8 variables, 8 linear, 0 nonlinear)

$$\begin{array}{l}
2x_1 - 7 = 0 \\
2x_2 + 3 = 0 \\
2x_3 - 7 = 0 \\
x_4 = 0 \\
2x_5 - 5 = 0 \\
x_6 + 4 = 0 \\
2x_7 + 1 = 0 \\
2x_8 - 5 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 7/2 \\
x_2 = -3/2 \\
x_3 = 7/2 \\
x_4 = 0 \\
x_5 = 5/2 \\
x_6 = -4 \\
x_7 = -1/2 \\
x_8 = 5/2
\end{array}$$

$\mathfrak{m}_{6A}(3, 13)$

m6A313 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \frac{5e_{10}}{3} \\
[e_2, e_8] = 0 & [e_2, e_9] = -\frac{49e_{12}}{33} \\
[e_2, e_{10}] = -\frac{14e_{13}}{11} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \frac{e_{10}}{3} \\
[e_3, e_7] = \frac{5e_{11}}{3} & [e_3, e_8] = \frac{49e_{12}}{33} \\
[e_3, e_9] = -\frac{7e_{13}}{33} & [e_4, e_5] = -\frac{4e_{10}}{3} \\
[e_4, e_6] = -\frac{4e_{11}}{3} & [e_4, e_7] = \frac{2e_{12}}{11} \\
[e_4, e_8] = \frac{56e_{13}}{33} & [e_5, e_6] = -\frac{50e_{12}}{33} \\
[e_5, e_7] = -\frac{50e_{13}}{33} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,6}^{10} &= 1/3 \\
\alpha_{2,9}^{12} &= -49/33 \\
\alpha_{4,7}^{12} &= 2/11 \\
\alpha_{4,5}^{10} &= -4/3 \\
\alpha_{4,8}^{13} &= 56/33 \\
\alpha_{3,9}^{13} &= -7/33 \\
\alpha_{2,10}^{13} &= -14/11 \\
\alpha_{5,7}^{13} &= -50/33 \\
\alpha_{4,6}^{11} &= -4/3 \\
\alpha_{2,7}^{10} &= 5/3 \\
\alpha_{2,8}^{11} &= 0 \\
\alpha_{3,8}^{12} &= 49/33 \\
\alpha_{3,7}^{11} &= 5/3 \\
\alpha_{5,6}^{12} &= -50/33
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,6}^{10} &\rightarrow x_1 \\
\alpha_{2,9}^{12} &\rightarrow x_2 \\
\alpha_{4,7}^{12} &\rightarrow x_3 \\
\alpha_{4,5}^{10} &\rightarrow x_4 \\
\alpha_{4,8}^{13} &\rightarrow x_5 \\
\alpha_{3,9}^{13} &\rightarrow x_6 \\
\alpha_{2,10}^{13} &\rightarrow x_7 \\
\alpha_{5,7}^{13} &\rightarrow x_8 \\
\alpha_{4,6}^{11} &\rightarrow x_9 \\
\alpha_{2,7}^{10} &\rightarrow x_{10} \\
\alpha_{2,8}^{11} &\rightarrow x_{11} \\
\alpha_{3,8}^{12} &\rightarrow x_{12} \\
\alpha_{3,7}^{11} &\rightarrow x_{13}
\end{aligned}$$

$$\alpha_{5,6}^{12} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_{10} - x_{11} - x_{13} & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_{13} - x_9 & = 0 \\
(e_1, e_4, e_5) : & x_4 - x_9 & = 0 \\
(e_2, e_3, e_4) : & -x_{11} & = 0 \\
(e_1, e_2, e_8) : & x_{11} - x_{12} - x_2 & = 0 \\
(e_1, e_3, e_7) : & -x_{12} + x_{13} - x_3 & = 0 \\
(e_1, e_4, e_6) : & -x_{14} - x_3 + x_9 & = 0 \\
(e_2, e_3, e_5) : & -x_{12} - x_2 & = 0 \\
(e_1, e_2, e_9) : & x_2 - x_6 - x_7 & = 0 \\
(e_1, e_3, e_8) : & x_{12} - x_5 - x_6 & = 0 \\
(e_1, e_4, e_7) : & x_3 - x_5 - x_8 & = 0 \\
(e_1, e_5, e_6) : & x_{14} - x_8 & = 0 \\
(e_2, e_3, e_6) : & x_1 x_7 - 2x_6 & = 0 \\
(e_2, e_4, e_5) : & x_4 x_7 - x_5 & = 0
\end{array}$$

Groebner basis (14 variables, 14 linear, 0 nonlinear)

$$\begin{array}{l}
3x_1 - 1 = 0 \\
33x_2 + 49 = 0 \\
11x_3 - 2 = 0 \\
3x_4 + 4 = 0 \\
33x_5 - 56 = 0 \\
33x_6 + 7 = 0 \\
11x_7 + 14 = 0 \\
33x_8 + 50 = 0 \\
3x_9 + 4 = 0 \\
3x_{10} - 5 = 0 \\
x_{11} = 0 \\
33x_{12} - 49 = 0
\end{array}$$

$$3x_{13} - 5 = 0$$

$$33x_{14} + 50 = 0$$

Solution 1:

$$x_1 = 1/3$$

$$x_2 = -49/33$$

$$x_3 = 2/11$$

$$x_4 = -4/3$$

$$x_5 = 56/33$$

$$x_6 = -7/33$$

$$x_7 = -14/11$$

$$x_8 = -50/33$$

$$x_9 = -4/3$$

$$x_{10} = 5/3$$

$$x_{11} = 0$$

$$x_{12} = 49/33$$

$$x_{13} = 5/3$$

$$x_{14} = -50/33$$

$\mathbf{m}_{8A}(3, 13)$

m8A313 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_3, e_4] = \alpha_{3,4}^8 e_8 \\
[e_3, e_5] = \alpha_{3,5}^9 e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^8 \rightarrow x_1$$

$$\alpha_{3,5}^9 \rightarrow x_2$$

$$\alpha_{2,9}^{12} \rightarrow x_3$$

$$\alpha_{4,7}^{12} \rightarrow x_4$$

$$\alpha_{3,4}^8 \rightarrow x_5$$

$$\alpha_{4,5}^{10} \rightarrow x_6$$

$$\alpha_{4,8}^{13} \rightarrow x_7$$

$$\alpha_{3,9}^{13} \rightarrow x_8$$

$$\alpha_{2,10}^{13} \rightarrow x_9$$

$$\alpha_{5,7}^{13} \rightarrow x_{10}$$

$$\alpha_{4,6}^{11} \rightarrow x_{11}$$

$$\alpha_{2,6}^9 \rightarrow x_{12}$$

$$\alpha_{3,6}^{10} \rightarrow x_{13}$$

$$\alpha_{2,7}^{10} \rightarrow x_{14}$$

$$\alpha_{2,8}^{11} \rightarrow x_{15}$$

$$\alpha_{3,8}^{12} \rightarrow x_{16}$$

$$\alpha_{3,7}^{11} \rightarrow x_{17}$$

$$\alpha_{5,6}^{12} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_5 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_{12} - x_2 & = 0 \\
(e_1, e_3, e_4) : & -x_2 + x_5 & = 0 \\
(e_1, e_2, e_6) : & x_{12} - x_{13} - x_{14} & = 0 \\
(e_1, e_3, e_5) : & -x_{13} + x_2 - x_6 & = 0 \\
(e_1, e_2, e_7) : & x_{14} - x_{15} - x_{17} & = 0 \\
(e_1, e_3, e_6) : & -x_{11} + x_{13} - x_{17} & = 0 \\
(e_1, e_4, e_5) : & -x_{11} + x_6 & = 0 \\
(e_2, e_3, e_4) : & x_{11} + x_{15}x_5 - x_{17} & = 0 \\
(e_1, e_2, e_8) : & x_{15} - x_{16} - x_3 & = 0 \\
(e_1, e_3, e_7) : & -x_{16} + x_{17} - x_4 & = 0 \\
(e_1, e_4, e_6) : & x_{11} - x_{18} - x_4 & = 0 \\
(e_2, e_3, e_5) : & -x_1x_{16} + x_{18} + x_2x_3 & = 0 \\
(e_1, e_2, e_9) : & x_3 - x_8 - x_9 & = 0 \\
(e_1, e_3, e_8) : & x_{16} - x_7 - x_8 & = 0 \\
(e_1, e_4, e_7) : & -x_{10} + x_4 - x_7 & = 0 \\
(e_1, e_5, e_6) : & -x_{10} + x_{18} & = 0 \\
(e_2, e_3, e_6) : & -x_{12}x_8 + x_{13}x_9 & = 0 \\
(e_2, e_4, e_5) : & -x_1x_7 + x_{10} + x_6x_9 & = 0
\end{array}$$

Groebner basis (18 variables, 15 linear, 4 nonlinear)

$$\begin{aligned}
x_1 - 2x_{16} + 3x_{17} + 2x_{18} - 1 &= 0 \\
2x_{16} - 3x_{17} - 2x_{18} + x_2 &= 0 \\
-4x_{16} + 9x_{17} + 5x_{18} + x_3 - 1 &= 0 \\
x_{16} - x_{17} + x_4 &= 0 \\
2x_{16} - 3x_{17} - 2x_{18} + x_5 &= 0 \\
x_{16} - x_{17} - x_{18} + x_6 &= 0 \\
x_{16} - x_{17} + x_{18} + x_7 &= 0 \\
-2x_{16} + x_{17} - x_{18} + x_8 &= 0 \\
-2x_{16} + 8x_{17} + 6x_{18} + x_9 - 1 &= 0 \\
x_{10} - x_{18} &= 0 \\
x_{11} + x_{16} - x_{17} - x_{18} &= 0 \\
x_{12} - 4x_{16} + 6x_{17} + 4x_{18} - 1 &= 0 \\
x_{13} + x_{16} - 2x_{17} - x_{18} &= 0 \\
x_{14} - 5x_{16} + 8x_{17} + 5x_{18} - 1 &= 0 \\
x_{15} - 5x_{16} + 9x_{17} + 5x_{18} - 1 &= 0 \\
50x_{16}^2 + 164x_{16}x_{18} + 15x_{16} - 30x_{17}^2 - 330x_{17}x_{18} - 15x_{17} - 214x_{18}^2 + 84x_{18} &= 0 \\
5x_{16}x_{17} + 8x_{16}x_{18} - 5x_{17}^2 - 15x_{17}x_{18} - 8x_{18}^2 + 3x_{18} &= 0 \\
32x_{16}x_{18}^2 + 30x_{16}x_{18} - 20x_{17}^3 - 6x_{17}^2x_{18} - 40x_{17}x_{18}^2 - 75x_{17}x_{18} - 32x_{18}^3 - 18x_{18}^2 + 9x_{18} &= 0 \\
100x_{17}^4 + 190x_{17}^3x_{18} + 88x_{17}^2x_{18}^2 + 225x_{17}^2x_{18} + 240x_{17}x_{18}^2 - 45x_{17}x_{18} + 18x_{18}^2 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(4, 13)$

m1A413 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_9] &= e_{13} \\
[e_3, e_8] &= -e_{13} & [e_4, e_7] &= e_{13} \\
[e_5, e_6] &= -e_{13}
\end{aligned}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(4, 13)$

m3A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_3, e_6] = -e_{11} & [e_3, e_7] = -2e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13}e_{13} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{13}e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{4,7}^{13} \rightarrow x_1$$

$$\alpha_{2,9}^{13} \rightarrow x_2$$

$$\alpha_{3,8}^{13} \rightarrow x_3$$

$$\alpha_{5,6}^{13} \rightarrow x_4$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_2 - x_3 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_3 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_4 + 1 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 - 1 = 0$$

$$x_2 + x_4 - 6 = 0$$

$$x_3 - x_4 + 3 = 0$$

$\mathfrak{m}_{5A}(4, 13)$

m5A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11}e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12}e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11}e_{11} & [e_3, e_7] = \alpha_{3,7}^{12}e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13}e_{13} & [e_4, e_5] = \alpha_{4,5}^{11}e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12}e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{13}e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^{11} \rightarrow x_1$$

$$\alpha_{2,8}^{12} \rightarrow x_2$$

$$\alpha_{5,6}^{13} \rightarrow x_3$$

$$\alpha_{4,5}^{11} \rightarrow x_4$$

$$\alpha_{2,9}^{13} \rightarrow x_5$$

$$\alpha_{3,7}^{12} \rightarrow x_6$$

$$\alpha_{4,7}^{13} \rightarrow x_7$$

$$\alpha_{4,6}^{12} \rightarrow x_8$$

$$\alpha_{3,8}^{13} \rightarrow x_9$$

$$\alpha_{2,7}^{11} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_1 - x_{10} + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_4 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_{10} - x_2 - x_6 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_1 - x_6 - x_8 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_4 - x_8 \quad = 0$$

$$(e_1, e_2, e_8) : \quad x_2 - x_5 - x_9 \quad = 0$$

$$(e_1, e_3, e_7) : \quad x_6 - x_7 - x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_3 - x_7 + x_8 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_5 \quad = 0$$

Groebner basis (10 variables, 9 linear, 0 nonlinear)

$$x_1 + x_{10} - 2 = 0$$

$$-3x_{10} + x_2 + 5 = 0$$

$$-6x_{10} + x_3 + 13 = 0$$

$$-x_{10} + x_4 + 3 = 0$$

$$x_5 = 0$$

$$2x_{10} + x_6 - 5 = 0$$

$$5x_{10} + x_7 - 10 = 0$$

$$-x_{10} + x_8 + 3 = 0$$

$$-3x_{10} + x_9 + 5 = 0$$

$\mathfrak{m}_{7A}(4, 13)$

m7A413 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_6] = \alpha_{2,6}^{10} e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12} e_{12} & [e_2, e_9] = \alpha_{2,9}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12} e_{12} & [e_4, e_7] = \alpha_{4,7}^{13} e_{13} \\
[e_5, e_6] = \alpha_{5,6}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^{11} \rightarrow x_1$$

$$\alpha_{3,4}^9 \rightarrow x_2$$

$$\alpha_{3,5}^{10} \rightarrow x_3$$

$$\alpha_{2,5}^9 \rightarrow x_4$$

$$\alpha_{2,8}^{12} \rightarrow x_5$$

$$\alpha_{5,6}^{13} \rightarrow x_6$$

$$\alpha_{4,5}^{11} \rightarrow x_7$$

$$\alpha_{2,6}^{10} \rightarrow x_8$$

$$\alpha_{3,7}^{12} \rightarrow x_9$$

$$\alpha_{2,9}^{13} \rightarrow x_{10}$$

$$\alpha_{4,7}^{13} \rightarrow x_{11}$$

$$\alpha_{4,6}^{12} \rightarrow x_{12}$$

$$\alpha_{3,8}^{13} \rightarrow x_{13}$$

$$\alpha_{2,7}^{11} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_2 - x_4 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_3 + x_4 - x_8 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_2 - x_3 \quad = 0$$

$$(e_1, e_2, e_6) : \quad -x_1 - x_{14} + x_8 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 + x_3 - x_7 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_{14} - x_5 - x_9 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_1 - x_{12} - x_9 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_{12} + x_7 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_{10} - x_{13} + x_5 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_{11} - x_{13} + x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_{11} + x_{12} - x_6 \quad = 0$$

$$(e_2, e_3, e_4) : \quad x_{10}x_2 + x_{11} - x_{13} \quad = 0$$

Groebner basis (14 variables, 11 linear, 1 nonlinear)

$$3x_1 + 2x_{12} + x_{14} - 1 = 0$$

$$\begin{aligned}
& -x_{12} + x_{14} + 3x_2 - 1 = 0 \\
& -x_{12} + x_{14} + 3x_3 - 1 = 0 \\
& x_{12} - x_{14} + 3x_4 - 2 = 0 \\
& -5x_{12} - 4x_{14} + 3x_5 + 1 = 0 \\
& -8x_{12} - 3x_{13} - x_{14} + 3x_6 + 1 = 0 \\
& -x_{12} + x_7 = 0 \\
& 2x_{12} - 2x_{14} + 3x_8 - 1 = 0 \\
& 5x_{12} + x_{14} + 3x_9 - 1 = 0 \\
& 3x_{10} - 5x_{12} + 3x_{13} - 4x_{14} + 1 = 0 \\
& 3x_{11} + 5x_{12} + 3x_{13} + x_{14} - 1 = 0 \\
& 5x_{12}^2 - 3x_{12}x_{13} - x_{12}x_{14} - 11x_{12} + 3x_{13}x_{14} - 21x_{13} - 4x_{14}^2 + 2x_{14} + 2 = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(5, 13)$

m2A513 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{12} \\
[e_2, e_8] = 3e_{13} & [e_3, e_6] = -e_{12} \\
[e_3, e_7] = -2e_{13} & [e_4, e_5] = e_{12} \\
[e_4, e_6] = e_{13} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(5, 13)$

m4A513 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_3, e_4] = -e_{10} \\
[e_3, e_5] = -e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,7}^{13} \rightarrow x_1 \\
\alpha_{3,6}^{12} \rightarrow x_2 \\
\alpha_{2,7}^{12} \rightarrow x_3 \\
\alpha_{4,6}^{13} \rightarrow x_4 \\
\alpha_{4,5}^{12} \rightarrow x_5 \\
\alpha_{2,8}^{13} \rightarrow x_6
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_2 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_5 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_1 + x_3 - x_6 & = 0 \\
(e_1, e_3, e_6) : & -x_1 + x_2 - x_4 & = 0 \\
(e_1, e_4, e_5) : & -x_4 + x_5 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
3x_1 + 2x_6 - 5 = 0 \\
3x_2 + x_6 - 1 = 0 \\
3x_3 - x_6 - 5 = 0 \\
3x_4 - x_6 + 4 = 0 \\
3x_5 - x_6 + 4 = 0
\end{array}$$

$\mathfrak{m}_{6A}(5, 13)$

m6A513 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \quad \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \quad \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \quad \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \quad \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \quad \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \quad \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,7}^{13} & \rightarrow x_1 \\
\alpha_{3,5}^{11} & \rightarrow x_2 \\
\alpha_{2,5}^{10} & \rightarrow x_3 \\
\alpha_{3,6}^{12} & \rightarrow x_4 \\
\alpha_{2,7}^{12} & \rightarrow x_5 \\
\alpha_{4,6}^{13} & \rightarrow x_6 \\
\alpha_{4,5}^{12} & \rightarrow x_7 \\
\alpha_{2,8}^{13} & \rightarrow x_8 \\
\alpha_{3,4}^{10} & \rightarrow x_9 \\
\alpha_{2,6}^{11} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_3 - x_9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad -x_{10} - x_2 + x_3 & = 0 \\
(e_1, e_3, e_4) : & \quad -x_2 + x_9 & = 0 \\
(e_1, e_2, e_6) : & \quad x_{10} - x_4 - x_5 & = 0 \\
(e_1, e_3, e_5) : & \quad x_2 - x_4 - x_7 & = 0 \\
(e_1, e_2, e_7) : & \quad -x_1 + x_5 - x_8 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_1 + x_4 - x_6 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_6 + x_7 & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$6x_1 - 5x_{10} + 4x_8 + 1 = 0$$

$$x_{10} + 2x_2 - 1 = 0$$

$$-x_{10} + 2x_3 - 1 = 0$$

$$-x_{10} + 6x_4 + 2x_8 - 1 = 0$$

$$-5x_{10} + 6x_5 - 2x_8 + 1 = 0$$

$$2x_{10} + 3x_6 - x_8 - 1 = 0$$

$$2x_{10} + 3x_7 - x_8 - 1 = 0$$

$$x_{10} + 2x_9 - 1 = 0$$

$\mathfrak{m}_{1A}(6, 13)$

m1A613 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_7] = e_{13}$$

$$[e_3, e_6] = -e_{13}$$

$$[e_4, e_5] = e_{13}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(6, 13)$

m3A613 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,7}^{13} \rightarrow x_1$$

$$\alpha_{4,5}^{13} \rightarrow x_2$$

$$\alpha_{3,6}^{13} \rightarrow x_3$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_2 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$x_1 + x_3 - 2 = 0$$

$$x_2 + x_3 + 1 = 0$$

$\mathfrak{m}_{5A}(6, 13)$

m5A613 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_2, e_6] = \alpha_{2,6}^{12} e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{2,6}^{12} \rightarrow x_1 \\
\alpha_{3,4}^{11} \rightarrow x_2 \\
\alpha_{2,7}^{13} \rightarrow x_3 \\
\alpha_{4,5}^{13} \rightarrow x_4 \\
\alpha_{2,5}^{11} \rightarrow x_5 \\
\alpha_{3,5}^{12} \rightarrow x_6 \\
\alpha_{3,6}^{13} \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_5 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_5 - x_6 & = 0 \\
(e_1, e_3, e_4) : & x_2 - x_6 & = 0 \\
(e_1, e_2, e_6) : & x_1 - x_3 - x_7 & = 0 \\
(e_1, e_3, e_5) : & -x_4 + x_6 - x_7 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{aligned}
x_1 + 2x_6 - 1 &= 0 \\
x_2 - x_6 &= 0 \\
x_3 + 2x_6 + x_7 - 1 &= 0 \\
x_4 - x_6 + x_7 &= 0 \\
x_5 + x_6 - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(7, 13)$

m2A713 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{12} \\
[e_2, e_6] = 2e_{13} & [e_3, e_4] = -e_{12} \\
[e_3, e_5] = -e_{13} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(7, 13)$

m4A713 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_5] = \alpha_{2,5}^{12} e_{12} \\
[e_2, e_6] = \alpha_{2,6}^{13} e_{13} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12} \\
[e_3, e_5] = \alpha_{3,5}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{2,5}^{12} \rightarrow x_1 \\
\alpha_{3,4}^{12} \rightarrow x_2 \\
\alpha_{2,6}^{13} \rightarrow x_3 \\
\alpha_{3,5}^{13} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_2 + 1 & = 0 \\
(e_1, e_2, e_5) : & x_1 - x_3 - x_4 & = 0 \\
(e_1, e_3, e_4) : & x_2 - x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_4 - 1 = 0 \\
x_2 - x_4 = 0 \\
x_3 + 2x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(8, 13)$

m1A813 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{13} \\
[e_3, e_4] = -e_{13} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(8, 13)$

m3A813 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = \alpha_{2,5}^{13} e_{13} \\
[e_3, e_4] = \alpha_{3,4}^{13} e_{13} &
\end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 \quad = 0$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,4}^{13} \rightarrow x_1$$

$$\alpha_{2,5}^{13} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(9, 13)$

m2A913 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{12} \\ [e_2, e_4] = e_{13} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(10, 13)$

m1A1013 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2A}(2, 14)$

m2A214 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_{11}] = e_{13}$	$[e_2, e_{12}] = 5e_{14}$
$[e_3, e_{10}] = -e_{13}$	$[e_3, e_{11}] = -4e_{14}$
$[e_4, e_9] = e_{13}$	$[e_4, e_{10}] = 3e_{14}$
$[e_5, e_8] = -e_{13}$	$[e_5, e_9] = -2e_{14}$
$[e_6, e_7] = e_{13}$	$[e_6, e_8] = e_{14}$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(2, 14)$

m4A214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{11} & [e_2, e_{10}] = 4e_{12} \\
[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} & [e_2, e_{12}] = \alpha_{2,12}^{14} e_{14} \\
[e_3, e_8] = -e_{11} & [e_3, e_9] = -3e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_3, e_{11}] = \alpha_{3,11}^{14} e_{14} \\
[e_4, e_7] = e_{11} & [e_4, e_8] = 2e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{13} e_{13} & [e_4, e_{10}] = \alpha_{4,10}^{14} e_{14} \\
[e_5, e_6] = -e_{11} & [e_5, e_7] = -e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_5, e_9] = \alpha_{5,9}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{13} e_{13} & [e_6, e_8] = \alpha_{6,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,11}^{13} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{13} - \alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{13} - \alpha_{3,11}^{14} - \alpha_{4,10}^{14} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{14} + \alpha_{4,9}^{13} - \alpha_{5,9}^{14} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{13} - \alpha_{5,9}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{13} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -3\alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_2, e_4, e_8) : & 2\alpha_{2,12}^{14} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{2,12}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & -\alpha_{3,11}^{14} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{2,12}^{14} & \rightarrow x_1 \\
\alpha_{3,11}^{14} & \rightarrow x_2 \\
\alpha_{5,8}^{13} & \rightarrow x_3 \\
\alpha_{4,10}^{14} & \rightarrow x_4 \\
\alpha_{5,9}^{14} & \rightarrow x_5 \\
\alpha_{6,8}^{14} & \rightarrow x_6 \\
\alpha_{6,7}^{13} & \rightarrow x_7 \\
\alpha_{2,11}^{13} & \rightarrow x_8 \\
\alpha_{3,10}^{13} & \rightarrow x_9 \\
\alpha_{4,9}^{13} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_8 - x_9 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_{10} - x_9 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_{10} - x_3 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_3 - x_7 - 1 & = 0 \\
(e_2, e_3, e_8) : & -x_8 & = 0 \\
(e_2, e_4, e_7) : & x_8 & = 0 \\
(e_2, e_5, e_6) : & -x_8 & = 0 \\
(e_1, e_2, e_{11}) : & -x_1 - x_2 + x_8 & = 0 \\
(e_1, e_3, e_{10}) : & -x_2 - x_4 + x_9 & = 0 \\
(e_1, e_4, e_9) : & x_{10} - x_4 - x_5 & = 0 \\
(e_1, e_5, e_8) : & x_3 - x_5 - x_6 & = 0 \\
(e_1, e_6, e_7) : & -x_6 + x_7 & = 0 \\
(e_2, e_3, e_9) : & -3x_1 - x_2 & = 0 \\
(e_2, e_4, e_8) : & 2x_1 & = 0 \\
(e_2, e_5, e_7) : & -x_1 & = 0 \\
(e_3, e_4, e_7) : & x_2 & = 0 \\
(e_3, e_5, e_6) : & -x_2 & = 0
\end{array}$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{10A}(2, 14)$

m10A214 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_3] = e_5$	$[e_2, e_4] = e_6$
$[e_2, e_5] = e_7$	$[e_2, e_6] = e_8$
$[e_2, e_7] = e_9$	$[e_2, e_8] = e_{10}$
$[e_2, e_9] = e_{11}$	$[e_2, e_{10}] = e_{12}$
$[e_2, e_{11}] = e_{13}$	$[e_2, e_{12}] = e_{14}$
$[e_3, e_4] = 0$	$[e_3, e_5] = 0$
$[e_3, e_6] = 0$	$[e_3, e_7] = 0$
$[e_3, e_8] = 0$	$[e_3, e_9] = 0$
$[e_3, e_{10}] = 0$	$[e_3, e_{11}] = 0$
$[e_4, e_5] = 0$	$[e_4, e_6] = 0$
$[e_4, e_7] = 0$	$[e_4, e_8] = 0$
$[e_4, e_9] = 0$	$[e_4, e_{10}] = 0$
$[e_5, e_6] = 0$	$[e_5, e_7] = 0$
$[e_5, e_8] = 0$	$[e_5, e_9] = 0$
$[e_6, e_7] = 0$	$[e_6, e_8] = 0$

Solution 2

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \frac{9e_7}{10} & [e_2, e_6] = \frac{4e_8}{5} \\
[e_2, e_7] = \frac{5e_9}{7} & [e_2, e_8] = \frac{9e_{10}}{14} \\
[e_2, e_9] = \frac{7e_{11}}{12} & [e_2, e_{10}] = \frac{8e_{12}}{15} \\
[e_2, e_{11}] = \frac{27e_{13}}{55} & [e_2, e_{12}] = \frac{5e_{14}}{11} \\
[e_3, e_4] = \frac{e_7}{10} & [e_3, e_5] = \frac{e_8}{10} \\
[e_3, e_6] = \frac{3e_9}{35} & [e_3, e_7] = \frac{e_{10}}{14} \\
[e_3, e_8] = \frac{5e_{11}}{84} & [e_3, e_9] = \frac{e_{12}}{20} \\
[e_3, e_{10}] = \frac{7e_{13}}{165} & [e_3, e_{11}] = \frac{2e_{14}}{55} \\
[e_4, e_5] = \frac{e_9}{70} & [e_4, e_6] = \frac{e_{10}}{70} \\
[e_4, e_7] = \frac{e_{11}}{84} & [e_4, e_8] = \frac{e_{12}}{105} \\
[e_4, e_9] = \frac{e_{13}}{132} & [e_4, e_{10}] = \frac{e_{14}}{165} \\
[e_5, e_6] = \frac{e_{11}}{420} & [e_5, e_7] = \frac{e_{12}}{420} \\
[e_5, e_8] = \frac{3e_{13}}{1540} & [e_5, e_9] = \frac{e_{14}}{660} \\
[e_6, e_7] = \frac{e_{13}}{2310} & [e_6, e_8] = \frac{e_{14}}{2310}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_5 & [e_2, e_4] = e_6 \\
[e_2, e_5] = \alpha_{2,5}^7 e_7 & [e_2, e_6] = \alpha_{2,6}^8 e_8 \\
[e_2, e_7] = \alpha_{2,7}^9 e_9 & [e_2, e_8] = \alpha_{2,8}^{10} e_{10} \\
[e_2, e_9] = \alpha_{2,9}^{11} e_{11} & [e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} \\
[e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} & [e_2, e_{12}] = \alpha_{2,12}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^7 e_7 & [e_3, e_5] = \alpha_{3,5}^8 e_8 \\
[e_3, e_6] = \alpha_{3,6}^9 e_9 & [e_3, e_7] = \alpha_{3,7}^{10} e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{11} e_{11} & [e_3, e_9] = \alpha_{3,9}^{12} e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} & [e_3, e_{11}] = \alpha_{3,11}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^9 e_9 & [e_4, e_6] = \alpha_{4,6}^{10} e_{10} \\
[e_4, e_7] = \alpha_{4,7}^{11} e_{11} & [e_4, e_8] = \alpha_{4,8}^{12} e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{13} e_{13} & [e_4, e_{10}] = \alpha_{4,10}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{11} e_{11} & [e_5, e_7] = \alpha_{5,7}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{13} e_{13} & [e_5, e_9] = \alpha_{5,9}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{13} e_{13} & [e_6, e_8] = \alpha_{6,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0 \\
(e_1, e_2, e_{11}) : & \alpha_{2,11}^{13} - \alpha_{2,12}^{14} - \alpha_{3,11}^{14} & = 0 \\
(e_1, e_3, e_{10}) : & \alpha_{3,10}^{13} - \alpha_{3,11}^{14} - \alpha_{4,10}^{14} & = 0 \\
(e_1, e_4, e_9) : & -\alpha_{4,10}^{14} + \alpha_{4,9}^{13} - \alpha_{5,9}^{14} & = 0 \\
(e_1, e_5, e_8) : & \alpha_{5,8}^{13} - \alpha_{5,9}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_1, e_6, e_7) : & \alpha_{6,7}^{13} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & \alpha_{2,12}^{14} \alpha_{3,9}^{11} - \alpha_{2,9}^{11} \alpha_{3,11}^{14} - \alpha_{5,9}^{14} & = 0 \\
(e_2, e_4, e_8) : & \alpha_{2,12}^{14} \alpha_{4,8}^{12} - \alpha_{2,8}^{10} \alpha_{4,10}^{14} - \alpha_{6,8}^{14} & = 0 \\
(e_2, e_5, e_7) : & \alpha_{2,12}^{14} \alpha_{5,7}^{12} - \alpha_{2,7}^9 \alpha_{5,9}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,11}^{14} \alpha_{4,7}^{11} - \alpha_{3,7}^{10} \alpha_{4,10}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,9}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}\alpha_{3,6}^9 &= 0 \\ \alpha_{4,6}^{10} &= 0 \\ \alpha_{2,9}^{11} &= 1 \\ \alpha_{2,11}^{13} &= 1 \\ \alpha_{2,7}^9 &= 1 \\ \alpha_{2,8}^{10} &= 1 \\ \alpha_{4,5}^9 &= 0 \\ \alpha_{4,7}^{11} &= 0 \\ \alpha_{5,8}^{13} &= 0 \\ \alpha_{4,10}^{14} &= 0 \\ \alpha_{3,4}^7 &= 0 \\ \alpha_{4,9}^{13} &= 0 \\ \alpha_{2,6}^8 &= 1 \\ \alpha_{3,8}^{11} &= 0 \\ \alpha_{3,9}^{12} &= 0 \\ \alpha_{2,10}^{12} &= 1 \\ \alpha_{2,12}^{14} &= 1 \\ \alpha_{3,11}^{14} &= 0 \\ \alpha_{4,8}^{12} &= 0 \\ \alpha_{6,8}^{14} &= 0 \\ \alpha_{5,9}^{14} &= 0 \\ \alpha_{5,6}^{11} &= 0 \\ \alpha_{2,5}^7 &= 1 \\ \alpha_{3,7}^{10} &= 0 \\ \alpha_{6,7}^{13} &= 0 \\ \alpha_{3,10}^{13} &= 0 \\ \alpha_{3,5}^8 &= 0 \\ \alpha_{5,7}^{12} &= 0\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{3,6}^9 &= 3/35 \\
\alpha_{4,6}^{10} &= 1/70 \\
\alpha_{2,9}^{11} &= 7/12 \\
\alpha_{2,11}^{13} &= 27/55 \\
\alpha_{2,7}^9 &= 5/7 \\
\alpha_{2,8}^{10} &= 9/14 \\
\alpha_{4,5}^9 &= 1/70 \\
\alpha_{4,7}^{11} &= 1/84 \\
\alpha_{5,8}^{13} &= 3/1540 \\
\alpha_{4,10}^{14} &= 1/165 \\
\alpha_{3,4}^7 &= 1/10 \\
\alpha_{4,9}^{13} &= 1/132 \\
\alpha_{2,6}^8 &= 4/5 \\
\alpha_{3,8}^{11} &= 5/84 \\
\alpha_{3,9}^{12} &= 1/20 \\
\alpha_{2,10}^{12} &= 8/15 \\
\alpha_{2,12}^{14} &= 5/11 \\
\alpha_{3,11}^{14} &= 2/55 \\
\alpha_{4,8}^{12} &= 1/105 \\
\alpha_{6,8}^{14} &= 1/2310 \\
\alpha_{5,9}^{14} &= 1/660 \\
\alpha_{5,6}^{11} &= 1/420 \\
\alpha_{2,5}^7 &= 9/10 \\
\alpha_{3,7}^{10} &= 1/14 \\
\alpha_{6,7}^{13} &= 1/2310 \\
\alpha_{3,10}^{13} &= 7/165 \\
\alpha_{3,5}^8 &= 1/10 \\
\alpha_{5,7}^{12} &= 1/420
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\alpha_{3,6}^9 \rightarrow x_1$$

$$\alpha_{4,6}^{10} \rightarrow x_2$$

$$\alpha_{2,9}^{11} \rightarrow x_3$$

$$\alpha_{2,11}^{13} \rightarrow x_4$$

$$\alpha_{2,7}^9 \rightarrow x_5$$

$$\alpha_{2,8}^{10} \rightarrow x_6$$

$$\alpha_{4,5}^9 \rightarrow x_7$$

$$\alpha_{4,7}^{11} \rightarrow x_8$$

$$\alpha_{5,8}^{13} \rightarrow x_9$$

$$\alpha_{4,10}^{14} \rightarrow x_{10}$$

$$\alpha_{3,4}^7 \rightarrow x_{11}$$

$$\alpha_{4,9}^{13} \rightarrow x_{12}$$

$$\alpha_{2,6}^8 \rightarrow x_{13}$$

$$\alpha_{3,8}^{11} \rightarrow x_{14}$$

$$\alpha_{3,9}^{12} \rightarrow x_{15}$$

$$\alpha_{2,10}^{12} \rightarrow x_{16}$$

$$\alpha_{2,12}^{14} \rightarrow x_{17}$$

$$\alpha_{3,11}^{14} \rightarrow x_{18}$$

$$\alpha_{4,8}^{12} \rightarrow x_{19}$$

$$\alpha_{6,8}^{14} \rightarrow x_{20}$$

$$\alpha_{5,9}^{14} \rightarrow x_{21}$$

$$\alpha_{5,6}^{11} \rightarrow x_{22}$$

$$\alpha_{2,5}^7 \rightarrow x_{23}$$

$$\alpha_{3,7}^{10} \rightarrow x_{24}$$

$$\alpha_{6,7}^{13} \rightarrow x_{25}$$

$$\alpha_{3,10}^{13} \rightarrow x_{26}$$

$$\alpha_{3,5}^8 \rightarrow x_{27}$$

$$\alpha_{5,7}^{12} \rightarrow x_{28}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{11} - x_{23} + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{13} + x_{23} - x_{27} & = 0 \\
(e_1, e_3, e_4) : & x_{11} - x_{27} & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_{13} - x_5 & = 0 \\
(e_1, e_3, e_5) : & -x_1 + x_{27} - x_7 & = 0 \\
(e_2, e_3, e_4) : & -x_1 + x_{11}x_5 + x_7 & = 0 \\
(e_1, e_2, e_7) : & -x_{24} + x_5 - x_6 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_2 - x_{24} & = 0 \\
(e_1, e_4, e_5) : & -x_2 + x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_{23}x_{24} + x_{27}x_6 & = 0 \\
(e_1, e_2, e_8) : & -x_{14} - x_3 + x_6 & = 0 \\
(e_1, e_3, e_7) : & -x_{14} + x_{24} - x_8 & = 0 \\
(e_1, e_4, e_6) : & x_2 - x_{22} - x_8 & = 0 \\
(e_2, e_3, e_6) : & x_1x_3 - x_{13}x_{14} - x_{22} & = 0 \\
(e_2, e_4, e_5) : & x_{22} - x_{23}x_8 + x_3x_7 & = 0 \\
(e_1, e_2, e_9) : & -x_{15} - x_{16} + x_3 & = 0 \\
(e_1, e_3, e_8) : & x_{14} - x_{15} - x_{19} & = 0 \\
(e_1, e_4, e_7) : & -x_{19} - x_{28} + x_8 & = 0 \\
(e_1, e_5, e_6) : & x_{22} - x_{28} & = 0 \\
(e_2, e_3, e_7) : & -x_{15}x_5 + x_{16}x_{24} - x_{28} & = 0 \\
(e_2, e_4, e_6) : & -x_{13}x_{19} + x_{16}x_2 & = 0 \\
(e_3, e_4, e_5) : & x_{11}x_{28} + x_{15}x_7 - x_{19}x_{27} & = 0 \\
(e_1, e_2, e_{10}) : & x_{16} - x_{26} - x_4 & = 0 \\
(e_1, e_3, e_9) : & -x_{12} + x_{15} - x_{26} & = 0 \\
(e_1, e_4, e_8) : & -x_{12} + x_{19} - x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_{25} + x_{28} - x_9 & = 0 \\
(e_2, e_3, e_8) : & x_{14}x_4 - x_{26}x_6 - x_9 & = 0 \\
(e_2, e_4, e_7) : & -x_{12}x_5 - x_{25} + x_4x_8 & = 0 \\
(e_2, e_5, e_6) : & -x_{13}x_9 + x_{22}x_4 + x_{23}x_{25} & = 0 \\
(e_3, e_4, e_6) : & -x_1x_{12} + x_{11}x_{25} + x_2x_{26} & = 0 \\
(e_1, e_2, e_{11}) : & -x_{17} - x_{18} + x_4 & = 0 \\
(e_1, e_3, e_{10}) : & -x_{10} - x_{18} + x_{26} & = 0 \\
(e_1, e_4, e_9) : & -x_{10} + x_{12} - x_{21} & = 0 \\
(e_1, e_5, e_8) : & -x_{20} - x_{21} + x_9 & = 0 \\
(e_1, e_6, e_7) : & -x_{20} + x_{25} & = 0 \\
(e_2, e_3, e_9) : & x_{15}x_{17} - x_{18}x_3 - x_{21} & = 0 \\
(e_2, e_4, e_8) : & -x_{10}x_6 + x_{17}x_{19} - x_{20} & = 0 \\
(e_2, e_5, e_7) : & x_{17}x_{28} - x_{21}x_5 & = 0 \\
(e_3, e_4, e_7) : & -x_{10}x_{24} + x_{18}x_8 & = 0 \\
(e_3, e_5, e_6) : & -x_1x_{21} + x_{18}x_{22} + x_{20}x_{27} & = 0
\end{aligned}$$

Groebner basis (28 variables, 4 linear, 26 nonlinear)

$$\begin{aligned}
&16x_1 + 24x_{27}^2 - 7x_{27}x_{28} - 16x_{27} - 42x_{28}^2 - 4x_{28} = 0 \\
&16x_2 - 24x_{27}^2 + 7x_{27}x_{28} + 42x_{28}^2 + 4x_{28} = 0 \\
&-72x_{27}^2 + 21x_{27}x_{28} + 40x_{27} + 126x_{28}^2 + 20x_{28} + 8x_3 - 8 = 0 \\
&-3960x_{27}^2 + 715x_{27}x_{28} + 1232x_{27} + 11970x_{28}^2 + 2420x_{28} + 176x_4 - 176 = 0 \\
&-24x_{27}^2 + 7x_{27}x_{28} + 48x_{27} + 42x_{28}^2 + 4x_{28} + 16x_5 - 16 = 0 \\
&-72x_{27}^2 + 21x_{27}x_{28} + 64x_{27} + 126x_{28}^2 + 12x_{28} + 16x_6 - 16 = 0 \\
&-24x_{27}^2 + 7x_{27}x_{28} + 42x_{28}^2 + 4x_{28} + 16x_7 = 0 \\
&-24x_{27}^2 + 7x_{27}x_{28} + 42x_{28}^2 + 20x_{28} + 16x_8 = 0 \\
&55x_{27}x_{28} - 630x_{28}^2 - 22x_{28} + 22x_9 = 0 \\
&176x_{10} - 264x_{27}^2 - 1243x_{27}x_{28} + 15582x_{28}^2 + 748x_{28} = 0 \\
&x_{11} - x_{27} = 0 \\
&176x_{12} - 264x_{27}^2 - 363x_{27}x_{28} + 5502x_{28}^2 + 572x_{28} = 0 \\
&x_{13} + 2x_{27} - 1 = 0 \\
&16x_{14} + 72x_{27}^2 - 21x_{27}x_{28} - 16x_{27} - 126x_{28}^2 - 28x_{28} = 0 \\
&4x_{15} + 24x_{27}^2 - 7x_{27}x_{28} - 4x_{27} - 42x_{28}^2 - 16x_{28} = 0 \\
&8x_{16} - 120x_{27}^2 + 35x_{27}x_{28} + 48x_{27} + 210x_{28}^2 + 52x_{28} - 8 = 0 \\
&176x_{17} - 5544x_{27}^2 - 583x_{27}x_{28} + 1408x_{27} + 34902x_{28}^2 + 4444x_{28} - 176 = 0 \\
&88x_{18} + 792x_{27}^2 + 649x_{27}x_{28} - 88x_{27} - 11466x_{28}^2 - 1012x_{28} = 0 \\
&16x_{19} - 24x_{27}^2 + 7x_{27}x_{28} + 42x_{28}^2 + 36x_{28} = 0 \\
&22x_{20} - 55x_{27}x_{28} + 630x_{28}^2 = 0 \\
&11x_{21} + 55x_{27}x_{28} - 630x_{28}^2 - 11x_{28} = 0 \\
&x_{22} - x_{28} = 0 \\
&x_{23} + x_{27} - 1 = 0 \\
&8x_{24} + 24x_{27}^2 - 7x_{27}x_{28} - 8x_{27} - 42x_{28}^2 - 4x_{28} = 0 \\
&22x_{25} - 55x_{27}x_{28} + 630x_{28}^2 = 0 \\
&176x_{26} + 1320x_{27}^2 + 55x_{27}x_{28} - 176x_{27} - 7350x_{28}^2 - 1276x_{28} = 0 \\
&60x_{27}^3 - 45x_{27}x_{28} - 294x_{28}^2 - 20x_{28} = 0 \\
&5x_{27}^2x_{28} - 21x_{28}^2 = 0 \\
&10x_{27}x_{28}^2 - x_{28}^2 = 0 \\
&420x_{28}^3 - x_{28}^2 = 0
\end{aligned}$$

Solution 1:

$$x_1 = 0$$

$$x_2 = 0$$

$$x_3 = 1$$

$$x_4 = 1$$

$$x_5 = 1$$

$$x_6 = 1$$

$$x_7 = 0$$

$$x_8 = 0$$

$$x_9 = 0$$

$$x_{10} = 0$$

$$x_{11} = 0$$

$$x_{12} = 0$$

$$x_{13} = 1$$

$$x_{14} = 0$$

$$x_{15} = 0$$

$$x_{16} = 1$$

$$x_{17} = 1$$

$$x_{18} = 0$$

$$x_{19} = 0$$

$$x_{20} = 0$$

$$x_{21} = 0$$

$$x_{22} = 0$$

$$x_{23} = 1$$

$$x_{24} = 0$$

$$x_{25} = 0$$

$$x_{26} = 0$$

$$x_{27} = 0$$

$$x_{28} = 0$$

Solution 2:

$$x_1 = 3/35$$

$$x_2 = 1/70$$

$$\begin{aligned}
x_3 &= 7/12 \\
x_4 &= 27/55 \\
x_5 &= 5/7 \\
x_6 &= 9/14 \\
x_7 &= 1/70 \\
x_8 &= 1/84 \\
x_9 &= 3/1540 \\
x_{10} &= 1/165 \\
x_{11} &= 1/10 \\
x_{12} &= 1/132 \\
x_{13} &= 4/5 \\
x_{14} &= 5/84 \\
x_{15} &= 1/20 \\
x_{16} &= 8/15 \\
x_{17} &= 5/11 \\
x_{18} &= 2/55 \\
x_{19} &= 1/105 \\
x_{20} &= 1/2310 \\
x_{21} &= 1/660 \\
x_{22} &= 1/420 \\
x_{23} &= 9/10 \\
x_{24} &= 1/14 \\
x_{25} &= 1/2310 \\
x_{26} &= 7/165 \\
x_{27} &= 1/10 \\
x_{28} &= 1/420
\end{aligned}$$

$\mathfrak{m}_{1A}(3, 14)$

m1A314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_{11}] = e_{14} & [e_3, e_{10}] = -e_{14} \\
[e_4, e_9] = e_{14} & [e_5, e_8] = -e_{14} \\
[e_6, e_7] = e_{14} &
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(3, 14)$

m3A314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{12} & [e_2, e_{10}] = 4e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} & [e_3, e_8] = -e_{12} \\
[e_3, e_9] = -3e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_4, e_7] = e_{12} & [e_4, e_8] = 2e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14} e_{14} & [e_5, e_6] = -e_{12} \\
[e_5, e_7] = -e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{2,11}^{14} - \alpha_{3,10}^{14} + 4 & = 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{14} - \alpha_{4,9}^{14} - 3 & = 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{14} - \alpha_{5,8}^{14} + 2 & = 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{14} - \alpha_{6,7}^{14} - 1 & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{5,8}^{14} \rightarrow x_1$$

$$\alpha_{6,7}^{14} \rightarrow x_2$$

$$\alpha_{4,9}^{14} \rightarrow x_3$$

$$\alpha_{2,11}^{14} \rightarrow x_4$$

$$\alpha_{3,10}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -x_4 - x_5 + 4 & = 0 \\
(e_1, e_3, e_9) : & \quad -x_3 - x_5 - 3 & = 0 \\
(e_1, e_4, e_8) : & \quad -x_1 - x_3 + 2 & = 0 \\
(e_1, e_5, e_7) : & \quad -x_1 - x_2 - 1 & = 0
\end{aligned}$$

Groebner basis (5 variables, 4 linear, 0 nonlinear)

$$x_1 - x_5 - 5 = 0$$

$$x_2 + x_5 + 6 = 0$$

$$x_3 + x_5 + 3 = 0$$

$$x_4 + x_5 - 4 = 0$$

$\mathfrak{m}_{5A}(3, 14)$

m5A314 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \frac{7e_{12}}{2} & [e_2, e_{10}] = 0 \\
[e_2, e_{11}] = 0 & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = -\frac{e_{12}}{2} \\
[e_3, e_9] = \frac{7e_{13}}{2} & [e_3, e_{10}] = 0 \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = -\frac{3e_{12}}{2} & [e_4, e_8] = -4e_{13} \\
[e_4, e_9] = \frac{7e_{14}}{2} & [e_5, e_6] = \frac{5e_{12}}{2} \\
[e_5, e_7] = \frac{5e_{13}}{2} & [e_5, e_8] = -\frac{15e_{14}}{2} \\
[e_6, e_7] = 10e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{10} & [e_2, e_8] = 3e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12}e_{12} & [e_2, e_{10}] = \alpha_{2,10}^{13}e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14}e_{14} & [e_3, e_6] = -e_{10} \\
[e_3, e_7] = -2e_{11} & [e_3, e_8] = \alpha_{3,8}^{12}e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13}e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14}e_{14} \\
[e_4, e_5] = e_{10} & [e_4, e_6] = e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12}e_{12} & [e_4, e_8] = \alpha_{4,8}^{13}e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{12}e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13}e_{13} & [e_5, e_8] = \alpha_{5,8}^{14}e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14}e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & -2\alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,9}^{12} &= 7/2 \\
\alpha_{4,7}^{12} &= -3/2 \\
\alpha_{5,8}^{14} &= -15/2 \\
\alpha_{6,7}^{14} &= 10 \\
\alpha_{3,9}^{13} &= 7/2 \\
\alpha_{2,10}^{13} &= 0 \\
\alpha_{5,7}^{13} &= 5/2 \\
\alpha_{4,9}^{14} &= 7/2 \\
\alpha_{4,8}^{13} &= -4 \\
\alpha_{2,11}^{14} &= 0 \\
\alpha_{3,8}^{12} &= -1/2 \\
\alpha_{5,6}^{12} &= 5/2 \\
\alpha_{3,10}^{14} &= 0
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{2,9}^{12} &\rightarrow x_1 \\
\alpha_{4,7}^{12} &\rightarrow x_2 \\
\alpha_{5,8}^{14} &\rightarrow x_3 \\
\alpha_{6,7}^{14} &\rightarrow x_4 \\
\alpha_{3,9}^{13} &\rightarrow x_5 \\
\alpha_{2,10}^{13} &\rightarrow x_6 \\
\alpha_{5,7}^{13} &\rightarrow x_7 \\
\alpha_{4,9}^{14} &\rightarrow x_8 \\
\alpha_{4,8}^{13} &\rightarrow x_9 \\
\alpha_{2,11}^{14} &\rightarrow x_{10} \\
\alpha_{3,8}^{12} &\rightarrow x_{11} \\
\alpha_{5,6}^{12} &\rightarrow x_{12} \\
\alpha_{3,10}^{14} &\rightarrow x_{13}
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_1 - x_{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_{11} - x_2 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_{12} - x_2 + 1 & = 0 \\
(e_1, e_2, e_9) : & x_1 - x_5 - x_6 & = 0 \\
(e_1, e_3, e_8) : & x_{11} - x_5 - x_9 & = 0 \\
(e_1, e_4, e_7) : & x_2 - x_7 - x_9 & = 0 \\
(e_1, e_5, e_6) : & x_{12} - x_7 & = 0 \\
(e_2, e_3, e_6) : & -x_6 & = 0 \\
(e_2, e_4, e_5) : & x_6 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{10} - x_{13} + x_6 & = 0 \\
(e_1, e_3, e_9) : & -x_{13} + x_5 - x_8 & = 0 \\
(e_1, e_4, e_8) : & -x_3 - x_8 + x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_3 - x_4 + x_7 & = 0 \\
(e_2, e_3, e_7) : & -2x_{10} - x_{13} & = 0 \\
(e_2, e_4, e_6) : & x_{10} & = 0 \\
(e_3, e_4, e_5) : & x_{13} & = 0
\end{array}$$

Groebner basis (13 variables, 13 linear, 0 nonlinear)

$$\begin{array}{l}
2x_1 - 7 = 0 \\
2x_2 + 3 = 0 \\
2x_3 + 15 = 0 \\
x_4 - 10 = 0 \\
2x_5 - 7 = 0 \\
x_6 = 0 \\
2x_7 - 5 = 0 \\
2x_8 - 7 = 0 \\
x_9 + 4 = 0 \\
x_{10} = 0 \\
2x_{11} + 1 = 0 \\
2x_{12} - 5 = 0 \\
x_{13} = 0
\end{array}$$

Solution 1:

$$x_1 = 7/2$$

$$x_2 = -3/2$$

$$x_3 = -15/2$$

$$x_4 = 10$$

$$x_5 = 7/2$$

$$x_6 = 0$$

$$x_7 = 5/2$$

$$x_8 = 7/2$$

$$x_9 = -4$$

$$x_{10} = 0$$

$$x_{11} = -1/2$$

$$x_{12} = 5/2$$

$$x_{13} = 0$$

$\mathfrak{m}_{7A}(3, 14)$

m7A314 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_1, e_{13}] &= e_{14} \\
[e_2, e_5] &= e_8 & [e_2, e_6] &= 2e_9 \\
[e_2, e_7] &= \frac{5e_{10}}{3} & [e_2, e_8] &= 0 \\
[e_2, e_9] &= -\frac{49e_{12}}{33} & [e_2, e_{10}] &= -\frac{14e_{13}}{11} \\
[e_2, e_{11}] &= -\frac{7e_{14}}{11} & [e_3, e_4] &= -e_8 \\
[e_3, e_5] &= -e_9 & [e_3, e_6] &= \frac{e_{10}}{3} \\
[e_3, e_7] &= \frac{5e_{11}}{3} & [e_3, e_8] &= \frac{49e_{12}}{33} \\
[e_3, e_9] &= -\frac{7e_{13}}{33} & [e_3, e_{10}] &= -\frac{7e_{14}}{11} \\
[e_4, e_5] &= -\frac{4e_{10}}{3} & [e_4, e_6] &= -\frac{4e_{11}}{3} \\
[e_4, e_7] &= \frac{2e_{12}}{11} & [e_4, e_8] &= \frac{56e_{13}}{33} \\
[e_4, e_9] &= \frac{14e_{14}}{33} & [e_5, e_6] &= -\frac{50e_{12}}{33} \\
[e_5, e_7] &= -\frac{50e_{13}}{33} & [e_5, e_8] &= \frac{14e_{14}}{11} \\
[e_6, e_7] &= -\frac{92e_{14}}{33}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_8 & [e_2, e_6] = 2e_9 \\
[e_2, e_7] = \alpha_{2,7}^{10} e_{10} & [e_2, e_8] = \alpha_{2,8}^{11} e_{11} \\
[e_2, e_9] = \alpha_{2,9}^{12} e_{12} & [e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} \\
[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14} & [e_3, e_4] = -e_8 \\
[e_3, e_5] = -e_9 & [e_3, e_6] = \alpha_{3,6}^{10} e_{10} \\
[e_3, e_7] = \alpha_{3,7}^{11} e_{11} & [e_3, e_8] = \alpha_{3,8}^{12} e_{12} \\
[e_3, e_9] = \alpha_{3,9}^{13} e_{13} & [e_3, e_{10}] = \alpha_{3,10}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{10} e_{10} & [e_4, e_6] = \alpha_{4,6}^{11} e_{11} \\
[e_4, e_7] = \alpha_{4,7}^{12} e_{12} & [e_4, e_8] = \alpha_{4,8}^{13} e_{13} \\
[e_4, e_9] = \alpha_{4,9}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{12} e_{12} \\
[e_5, e_7] = \alpha_{5,7}^{13} e_{13} & [e_5, e_8] = \alpha_{5,8}^{14} e_{14} \\
[e_6, e_7] = \alpha_{6,7}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,11}^{14} \alpha_{3,7}^{11} - \alpha_{2,7}^{10} \alpha_{3,10}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} \alpha_{4,6}^{11} - 2\alpha_{4,9}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} \alpha_{4,5}^{10} + \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,6}^{10} &= 1/3 \\
\alpha_{2,9}^{12} &= -49/33 \\
\alpha_{4,7}^{12} &= 2/11 \\
\alpha_{4,5}^{10} &= -4/3 \\
\alpha_{4,8}^{13} &= 56/33 \\
\alpha_{5,8}^{14} &= 14/11 \\
\alpha_{6,7}^{14} &= -92/33 \\
\alpha_{3,9}^{13} &= -7/33 \\
\alpha_{2,10}^{13} &= -14/11 \\
\alpha_{5,7}^{13} &= -50/33 \\
\alpha_{4,6}^{11} &= -4/3 \\
\alpha_{4,9}^{14} &= 14/33 \\
\alpha_{2,7}^{10} &= 5/3 \\
\alpha_{2,11}^{14} &= -7/11 \\
\alpha_{2,8}^{11} &= 0 \\
\alpha_{3,8}^{12} &= 49/33 \\
\alpha_{3,7}^{11} &= 5/3 \\
\alpha_{5,6}^{12} &= -50/33 \\
\alpha_{3,10}^{14} &= -7/11
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,6}^{10} &\rightarrow x_1 \\
\alpha_{2,9}^{12} &\rightarrow x_2 \\
\alpha_{4,7}^{12} &\rightarrow x_3 \\
\alpha_{4,5}^{10} &\rightarrow x_4 \\
\alpha_{4,8}^{13} &\rightarrow x_5 \\
\alpha_{5,8}^{14} &\rightarrow x_6 \\
\alpha_{6,7}^{14} &\rightarrow x_7 \\
\alpha_{3,9}^{13} &\rightarrow x_8
\end{aligned}$$

$$\alpha_{2,10}^{13} \rightarrow x_9$$

$$\alpha_{5,7}^{13} \rightarrow x_{10}$$

$$\alpha_{4,6}^{11} \rightarrow x_{11}$$

$$\alpha_{4,9}^{14} \rightarrow x_{12}$$

$$\alpha_{2,7}^{10} \rightarrow x_{13}$$

$$\alpha_{2,11}^{14} \rightarrow x_{14}$$

$$\alpha_{2,8}^{11} \rightarrow x_{15}$$

$$\alpha_{3,8}^{12} \rightarrow x_{16}$$

$$\alpha_{3,7}^{11} \rightarrow x_{17}$$

$$\alpha_{5,6}^{12} \rightarrow x_{18}$$

$$\alpha_{3,10}^{14} \rightarrow x_{19}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : & \quad -x_1 - x_{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_1 - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & \quad x_{13} - x_{15} - x_{17} & = 0 \\
(e_1, e_3, e_6) : & \quad x_1 - x_{11} - x_{17} & = 0 \\
(e_1, e_4, e_5) : & \quad -x_{11} + x_4 & = 0 \\
(e_2, e_3, e_4) : & \quad -x_{15} & = 0 \\
(e_1, e_2, e_8) : & \quad x_{15} - x_{16} - x_2 & = 0 \\
(e_1, e_3, e_7) : & \quad -x_{16} + x_{17} - x_3 & = 0 \\
(e_1, e_4, e_6) : & \quad x_{11} - x_{18} - x_3 & = 0 \\
(e_2, e_3, e_5) : & \quad -x_{16} - x_2 & = 0 \\
(e_1, e_2, e_9) : & \quad x_2 - x_8 - x_9 & = 0 \\
(e_1, e_3, e_8) : & \quad x_{16} - x_5 - x_8 & = 0 \\
(e_1, e_4, e_7) : & \quad -x_{10} + x_3 - x_5 & = 0 \\
(e_1, e_5, e_6) : & \quad -x_{10} + x_{18} & = 0 \\
(e_2, e_3, e_6) : & \quad x_1 x_9 - 2x_8 & = 0 \\
(e_2, e_4, e_5) : & \quad x_4 x_9 - x_5 & = 0 \\
(e_1, e_2, e_{10}) : & \quad -x_{14} - x_{19} + x_9 & = 0 \\
(e_1, e_3, e_9) : & \quad -x_{12} - x_{19} + x_8 & = 0 \\
(e_1, e_4, e_8) : & \quad -x_{12} + x_5 - x_6 & = 0 \\
(e_1, e_5, e_7) : & \quad x_{10} - x_6 - x_7 & = 0 \\
(e_2, e_3, e_7) : & \quad -x_{13} x_{19} + x_{14} x_{17} & = 0 \\
(e_2, e_4, e_6) : & \quad x_{11} x_{14} - 2x_{12} & = 0 \\
(e_3, e_4, e_5) : & \quad x_{12} + x_{19} x_4 - x_6 & = 0
\end{aligned}$$

Groebner basis (19 variables, 19 linear, 0 nonlinear)

$$\begin{aligned}
3x_1 - 1 &= 0 \\
33x_2 + 49 &= 0 \\
11x_3 - 2 &= 0 \\
3x_4 + 4 &= 0 \\
33x_5 - 56 &= 0 \\
11x_6 - 14 &= 0 \\
33x_7 + 92 &= 0 \\
33x_8 + 7 &= 0
\end{aligned}$$

$$11x_9 + 14 = 0$$

$$33x_{10} + 50 = 0$$

$$3x_{11} + 4 = 0$$

$$33x_{12} - 14 = 0$$

$$3x_{13} - 5 = 0$$

$$11x_{14} + 7 = 0$$

$$x_{15} = 0$$

$$33x_{16} - 49 = 0$$

$$3x_{17} - 5 = 0$$

$$33x_{18} + 50 = 0$$

$$11x_{19} + 7 = 0$$

Solution 1:

$$x_1 = 1/3$$

$$x_2 = -49/33$$

$$x_3 = 2/11$$

$$x_4 = -4/3$$

$$x_5 = 56/33$$

$$x_6 = 14/11$$

$$x_7 = -92/33$$

$$x_8 = -7/33$$

$$x_9 = -14/11$$

$$x_{10} = -50/33$$

$$x_{11} = -4/3$$

$$x_{12} = 14/33$$

$$x_{13} = 5/3$$

$$x_{14} = -7/11$$

$$x_{15} = 0$$

$$x_{16} = 49/33$$

$$x_{17} = 5/3$$

$$x_{18} = -50/33$$

$$x_{19} = -7/11$$

$\mathfrak{m}_{9A}(3, 14)$

m9A314 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_3] = e_6$	$[e_2, e_4] = e_7$
$[e_2, e_5] = \alpha_{2,5}^8 e_8$	$[e_2, e_6] = \alpha_{2,6}^9 e_9$
$[e_2, e_7] = \alpha_{2,7}^{10} e_{10}$	$[e_2, e_8] = \alpha_{2,8}^{11} e_{11}$
$[e_2, e_9] = \alpha_{2,9}^{12} e_{12}$	$[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13}$
$[e_2, e_{11}] = \alpha_{2,11}^{14} e_{14}$	$[e_3, e_4] = \alpha_{3,4}^8 e_8$
$[e_3, e_5] = \alpha_{3,5}^9 e_9$	$[e_3, e_6] = \alpha_{3,6}^{10} e_{10}$
$[e_3, e_7] = \alpha_{3,7}^{11} e_{11}$	$[e_3, e_8] = \alpha_{3,8}^{12} e_{12}$
$[e_3, e_9] = \alpha_{3,9}^{13} e_{13}$	$[e_3, e_{10}] = \alpha_{3,10}^{14} e_{14}$
$[e_4, e_5] = \alpha_{4,5}^{10} e_{10}$	$[e_4, e_6] = \alpha_{4,6}^{11} e_{11}$
$[e_4, e_7] = \alpha_{4,7}^{12} e_{12}$	$[e_4, e_8] = \alpha_{4,8}^{13} e_{13}$
$[e_4, e_9] = \alpha_{4,9}^{14} e_{14}$	$[e_5, e_6] = \alpha_{5,6}^{12} e_{12}$
$[e_5, e_7] = \alpha_{5,7}^{13} e_{13}$	$[e_5, e_8] = \alpha_{5,8}^{14} e_{14}$
$[e_6, e_7] = \alpha_{6,7}^{14} e_{14}$	

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{13} - \alpha_{2,11}^{14} - \alpha_{3,10}^{14} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{14} + \alpha_{3,9}^{13} - \alpha_{4,9}^{14} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{13} - \alpha_{4,9}^{14} - \alpha_{5,8}^{14} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{13} - \alpha_{5,8}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,11}^{14} \alpha_{3,7}^{11} - \alpha_{2,7}^{10} \alpha_{3,10}^{14} - \alpha_{6,7}^{14} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,11}^{14} \alpha_{4,6}^{11} - \alpha_{2,6}^9 \alpha_{4,9}^{14} + \alpha_{6,7}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{14} \alpha_{4,5}^{10} + \alpha_{3,4}^8 \alpha_{5,8}^{14} - \alpha_{3,5}^9 \alpha_{4,9}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,9}^{12} \rightarrow x_1$$

$$\alpha_{6,7}^{14} \rightarrow x_2$$

$$\alpha_{3,9}^{13} \rightarrow x_3$$

$$\alpha_{2,5}^8 \rightarrow x_4$$

$$\alpha_{3,6}^{10} \rightarrow x_5$$

$$\alpha_{2,7}^{10} \rightarrow x_6$$

$$\alpha_{2,8}^{11} \rightarrow x_7$$

$$\alpha_{3,7}^{11} \rightarrow x_8$$

$$\alpha_{3,10}^{14} \rightarrow x_9$$

$$\alpha_{3,5}^9 \rightarrow x_{10}$$

$$\alpha_{3,4}^8 \rightarrow x_{11}$$

$$\alpha_{5,8}^{14} \rightarrow x_{12}$$

$$\alpha_{2,10}^{13} \rightarrow x_{13}$$

$$\alpha_{4,9}^{14} \rightarrow x_{14}$$

$$\alpha_{4,8}^{13} \rightarrow x_{15}$$

$$\alpha_{5,6}^{12} \rightarrow x_{16}$$

$$\alpha_{4,7}^{12} \rightarrow x_{17}$$

$$\alpha_{5,7}^{13} \rightarrow x_{18}$$

$$\alpha_{4,6}^{11} \rightarrow x_{19}$$

$$\alpha_{3,8}^{12} \rightarrow x_{20}$$

$$\alpha_{4,5}^{10} \rightarrow x_{21}$$

$$\alpha_{2,6}^9 \rightarrow x_{22}$$

$$\alpha_{2,11}^{14} \rightarrow x_{23}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{11} - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{10} - x_{22} + x_4 & = 0 \\
(e_1, e_3, e_4) : & -x_{10} + x_{11} & = 0 \\
(e_1, e_2, e_6) : & x_{22} - x_5 - x_6 & = 0 \\
(e_1, e_3, e_5) : & x_{10} - x_{21} - x_5 & = 0 \\
(e_1, e_2, e_7) : & x_6 - x_7 - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{19} + x_5 - x_8 & = 0 \\
(e_1, e_4, e_5) : & -x_{19} + x_{21} & = 0 \\
(e_2, e_3, e_4) : & x_{11}x_7 + x_{19} - x_8 & = 0 \\
(e_1, e_2, e_8) : & -x_1 - x_{20} + x_7 & = 0 \\
(e_1, e_3, e_7) : & -x_{17} - x_{20} + x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_{16} - x_{17} + x_{19} & = 0 \\
(e_2, e_3, e_5) : & x_1x_{10} + x_{16} - x_{20}x_4 & = 0 \\
(e_1, e_2, e_9) : & x_1 - x_{13} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{15} + x_{20} - x_3 & = 0 \\
(e_1, e_4, e_7) : & -x_{15} + x_{17} - x_{18} & = 0 \\
(e_1, e_5, e_6) : & x_{16} - x_{18} & = 0 \\
(e_2, e_3, e_6) : & x_{13}x_5 - x_{22}x_3 & = 0 \\
(e_2, e_4, e_5) : & x_{13}x_{21} - x_{15}x_4 + x_{18} & = 0 \\
(e_1, e_2, e_{10}) : & x_{13} - x_{23} - x_9 & = 0 \\
(e_1, e_3, e_9) : & -x_{14} + x_3 - x_9 & = 0 \\
(e_1, e_4, e_8) : & -x_{12} - x_{14} + x_{15} & = 0 \\
(e_1, e_5, e_7) : & -x_{12} + x_{18} - x_2 & = 0 \\
(e_2, e_3, e_7) : & -x_2 + x_{23}x_8 - x_6x_9 & = 0 \\
(e_2, e_4, e_6) : & -x_{14}x_{22} + x_{19}x_{23} + x_2 & = 0 \\
(e_3, e_4, e_5) : & -x_{10}x_{14} + x_{11}x_{12} + x_{21}x_9 & = 0
\end{array}$$

Groebner basis (23 variables, 8 linear, 15 nonlinear)

$$\begin{aligned}
& 8640x_1 - 30240x_{21} + 455x_{22}^4 + 1430x_{22}^3x_{23} + 1031x_{22}^3 - 4296x_{22}^2x_{23} - 5835x_{22}^2 + 2250x_{22}x_{23} - 12791x_{22} + 616x_{23} + 8500 \\
& 864x_2 - 8640x_{21} - 455x_{22}^4 - 1430x_{22}^3x_{23} - 1031x_{22}^3 + 4296x_{22}^2x_{23} + 5835x_{22}^2 - 2250x_{22}x_{23} - 5785x_{22} - 1480x_{23} + 2300 = \\
& -10080x_{21} - 455x_{22}^4 - 1430x_{22}^3x_{23} - 1031x_{22}^3 + 4296x_{22}^2x_{23} + 5835x_{22}^2 - 2250x_{22}x_{23} - 7369x_{22} - 616x_{23} + 2880x_3 + 3020 \\
& -x_{22} + 2x_4 - 1 = 0 \\
& 2x_{21} + x_{22} + 2x_5 - 1 = 0
\end{aligned}$$

$$\begin{aligned}
& -2x_{21} - 3x_{22} + 2x_6 + 1 = 0 \\
& -3x_{21} - 2x_{22} + x_7 + 1 = 0 \\
& 4x_{21} + x_{22} + 2x_8 - 1 = 0 \\
& 455x_{22}^4 + 1430x_{22}^3x_{23} + 1031x_{22}^3 - 4296x_{22}^2x_{23} - 5835x_{22}^2 + 2250x_{22}x_{23} + 2329x_{22} + 2776x_{23} + 2160x_9 - 140 = 0 \\
& 2x_{10} + x_{22} - 1 = 0 \\
& 2x_{11} + x_{22} - 1 = 0 \\
& 960x_{12} + 7200x_{21} + 455x_{22}^4 + 1430x_{22}^3x_{23} + 1031x_{22}^3 - 4296x_{22}^2x_{23} - 5835x_{22}^2 + 2250x_{22}x_{23} + 5449x_{22} + 1576x_{23} - 2060 = 0 \\
& 2160x_{13} + 455x_{22}^4 + 1430x_{22}^3x_{23} + 1031x_{22}^3 - 4296x_{22}^2x_{23} - 5835x_{22}^2 + 2250x_{22}x_{23} + 2329x_{22} + 616x_{23} - 140 = 0 \\
& 8640x_{14} - 30240x_{21} - 3185x_{22}^4 - 10010x_{22}^3x_{23} - 7217x_{22}^3 + 30072x_{22}^2x_{23} + 40845x_{22}^2 - 15750x_{22}x_{23} - 31423x_{22} - 12952x_{23} - 140 = 0 \\
& 4320x_{15} + 17280x_{21} + 455x_{22}^4 + 1430x_{22}^3x_{23} + 1031x_{22}^3 - 4296x_{22}^2x_{23} - 5835x_{22}^2 + 2250x_{22}x_{23} + 8809x_{22} + 616x_{23} - 4460 = 0 \\
& 8640x_{16} - 21600x_{21} - 455x_{22}^4 - 1430x_{22}^3x_{23} - 1031x_{22}^3 + 4296x_{22}^2x_{23} + 5835x_{22}^2 - 2250x_{22}x_{23} - 8809x_{22} - 616x_{23} + 4460 = 0 \\
& 8640x_{17} + 12960x_{21} + 455x_{22}^4 + 1430x_{22}^3x_{23} + 1031x_{22}^3 - 4296x_{22}^2x_{23} - 5835x_{22}^2 + 2250x_{22}x_{23} + 8809x_{22} + 616x_{23} - 4460 = 0 \\
& 8640x_{18} - 21600x_{21} - 455x_{22}^4 - 1430x_{22}^3x_{23} - 1031x_{22}^3 + 4296x_{22}^2x_{23} + 5835x_{22}^2 - 2250x_{22}x_{23} - 8809x_{22} - 616x_{23} + 4460 = 0 \\
& x_{19} - x_{21} = 0 \\
& 8640x_{20} + 4320x_{21} - 455x_{22}^4 - 1430x_{22}^3x_{23} - 1031x_{22}^3 + 4296x_{22}^2x_{23} + 5835x_{22}^2 - 2250x_{22}x_{23} - 4489x_{22} - 616x_{23} + 140 = 0 \\
& 3x_{21}x_{22} - 9x_{21} + 2x_{22}^2 - 4x_{22} + 2 = 0 \\
& 192x_{21}x_{23} - 96x_{21} - 35x_{22}^4 - 110x_{22}^3x_{23} - 117x_{22}^3 + 212x_{22}^2x_{23} + 269x_{22}^2 + 14x_{22}x_{23} - 155x_{22} - 116x_{23} + 38 = 0 \\
& 35x_{22}^5 + 110x_{22}^4x_{23} + 12x_{22}^4 - 542x_{22}^3x_{23} - 620x_{22}^3 + 750x_{22}^2x_{23} + 898x_{22}^2 - 98x_{22}x_{23} - 375x_{22} - 220x_{23} + 50 = 0
\end{aligned}$$

$\mathfrak{m}_{2A}(4, 14)$

m2A414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_9] = e_{13} & [e_2, e_{10}] = 4e_{14} \\
[e_3, e_8] = -e_{13} & [e_3, e_9] = -3e_{14} \\
[e_4, e_7] = e_{13} & [e_4, e_8] = 2e_{14} \\
[e_5, e_6] = -e_{13} & [e_5, e_7] = -e_{14}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(4, 14)$

m4A414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{11} & [e_2, e_8] = 3e_{12} \\
[e_2, e_9] = \alpha_{2,9}^{13}e_{13} & [e_2, e_{10}] = \alpha_{2,10}^{14}e_{14} \\
[e_3, e_6] = -e_{11} & [e_3, e_7] = -2e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13}e_{13} & [e_3, e_9] = \alpha_{3,9}^{14}e_{14} \\
[e_4, e_5] = e_{11} & [e_4, e_6] = e_{12} \\
[e_4, e_7] = \alpha_{4,7}^{13}e_{13} & [e_4, e_8] = \alpha_{4,8}^{14}e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{13}e_{13} & [e_5, e_7] = \alpha_{5,7}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{5,7}^{14} \rightarrow x_1$$

$$\alpha_{5,6}^{13} \rightarrow x_2$$

$$\alpha_{4,7}^{13} \rightarrow x_3$$

$$\alpha_{2,9}^{13} \rightarrow x_4$$

$$\alpha_{4,8}^{14} \rightarrow x_5$$

$$\alpha_{2,10}^{14} \rightarrow x_6$$

$$\alpha_{3,8}^{13} \rightarrow x_7$$

$$\alpha_{3,9}^{14} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_8) : & -x_4 - x_7 + 3 & = 0 \\ (e_1, e_3, e_7) : & -x_3 - x_7 - 2 & = 0 \\ (e_1, e_4, e_6) : & -x_2 - x_3 + 1 & = 0 \\ (e_1, e_2, e_9) : & x_4 - x_6 - x_8 & = 0 \\ (e_1, e_3, e_8) : & -x_5 + x_7 - x_8 & = 0 \\ (e_1, e_4, e_7) : & -x_1 + x_3 - x_5 & = 0 \\ (e_1, e_5, e_6) : & -x_1 + x_2 & = 0 \end{array}$$

Groebner basis (8 variables, 7 linear, 0 nonlinear)

$$3x_1 - x_8 - 4 = 0$$

$$3x_2 - x_8 - 4 = 0$$

$$3x_3 + x_8 + 1 = 0$$

$$3x_4 + x_8 - 14 = 0$$

$$3x_5 + 2x_8 + 5 = 0$$

$$3x_6 + 4x_8 - 14 = 0$$

$$3x_7 - x_8 + 5 = 0$$

$\mathfrak{m}_{6A}(4, 14)$

m6A414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_9 & [e_2, e_6] = 2e_{10} \\
[e_2, e_7] = \alpha_{2,7}^{11}e_{11} & [e_2, e_8] = \alpha_{2,8}^{12}e_{12} \\
[e_2, e_9] = \alpha_{2,9}^{13}e_{13} & [e_2, e_{10}] = \alpha_{2,10}^{14}e_{14} \\
[e_3, e_4] = -e_9 & [e_3, e_5] = -e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11}e_{11} & [e_3, e_7] = \alpha_{3,7}^{12}e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13}e_{13} & [e_3, e_9] = \alpha_{3,9}^{14}e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{11}e_{11} & [e_4, e_6] = \alpha_{4,6}^{12}e_{12} \\
[e_4, e_7] = \alpha_{4,7}^{13}e_{13} & [e_4, e_8] = \alpha_{4,8}^{14}e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{13}e_{13} & [e_5, e_7] = \alpha_{5,7}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,10}^{14} - \alpha_{3,9}^{14} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^{11} \rightarrow x_1$$

$$\alpha_{3,9}^{14} \rightarrow x_2$$

$$\alpha_{5,7}^{14} \rightarrow x_3$$

$$\alpha_{2,8}^{12} \rightarrow x_4$$

$$\alpha_{5,6}^{13} \rightarrow x_5$$

$$\alpha_{4,5}^{11} \rightarrow x_6$$

$$\alpha_{2,9}^{13} \rightarrow x_7$$

$$\alpha_{3,7}^{12} \rightarrow x_8$$

$$\alpha_{4,7}^{13} \rightarrow x_9$$

$$\alpha_{4,8}^{14} \rightarrow x_{10}$$

$$\alpha_{2,10}^{14} \rightarrow x_{11}$$

$$\alpha_{4,6}^{12} \rightarrow x_{12}$$

$$\alpha_{3,8}^{13} \rightarrow x_{13}$$

$$\alpha_{2,7}^{11} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_1 - x_{14} + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_6 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_{14} - x_4 - x_8 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_1 - x_{12} - x_8 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_{12} + x_6 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_{13} + x_4 - x_7 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_{13} + x_8 - x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad x_{12} - x_5 - x_9 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_7 \quad = 0$$

$$(e_1, e_2, e_9) : \quad -x_{11} - x_2 + x_7 \quad = 0$$

$$(e_1, e_3, e_8) : \quad -x_{10} + x_{13} - x_2 \quad = 0$$

$$(e_1, e_4, e_7) : \quad -x_{10} - x_3 + x_9 \quad = 0$$

$$(e_1, e_5, e_6) : \quad -x_3 + x_5 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_{11} - x_2 \quad = 0$$

Groebner basis (14 variables, 13 linear, 0 nonlinear)

$$\begin{aligned}x_1 + x_{14} - 2 &= 0 \\-14x_{14} + x_2 + 28 &= 0 \\-6x_{14} + x_3 + 13 &= 0 \\-3x_{14} + x_4 + 5 &= 0 \\-6x_{14} + x_5 + 13 &= 0 \\-x_{14} + x_6 + 3 &= 0 \\x_7 &= 0 \\2x_{14} + x_8 - 5 &= 0 \\5x_{14} + x_9 - 10 &= 0 \\x_{10} + 11x_{14} - 23 &= 0 \\x_{11} + 14x_{14} - 28 &= 0 \\x_{12} - x_{14} + 3 &= 0 \\x_{13} - 3x_{14} + 5 &= 0\end{aligned}$$

$\mathfrak{m}_{8A}(4, 14)$

m8A414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_7 & [e_2, e_4] = e_8 \\
[e_2, e_5] = \alpha_{2,5}^9 e_9 & [e_2, e_6] = \alpha_{2,6}^{10} e_{10} \\
[e_2, e_7] = \alpha_{2,7}^{11} e_{11} & [e_2, e_8] = \alpha_{2,8}^{12} e_{12} \\
[e_2, e_9] = \alpha_{2,9}^{13} e_{13} & [e_2, e_{10}] = \alpha_{2,10}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^9 e_9 & [e_3, e_5] = \alpha_{3,5}^{10} e_{10} \\
[e_3, e_6] = \alpha_{3,6}^{11} e_{11} & [e_3, e_7] = \alpha_{3,7}^{12} e_{12} \\
[e_3, e_8] = \alpha_{3,8}^{13} e_{13} & [e_3, e_9] = \alpha_{3,9}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{11} e_{11} & [e_4, e_6] = \alpha_{4,6}^{12} e_{12} \\
[e_4, e_7] = \alpha_{4,7}^{13} e_{13} & [e_4, e_8] = \alpha_{4,8}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{13} e_{13} & [e_5, e_7] = \alpha_{5,7}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{14} + \alpha_{2,9}^{13} - \alpha_{3,9}^{14} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{13} - \alpha_{3,9}^{14} - \alpha_{4,8}^{14} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{13} - \alpha_{4,8}^{14} - \alpha_{5,7}^{14} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{13} - \alpha_{5,7}^{14} & = 0 \\
(e_2, e_3, e_5) : & \alpha_{2,10}^{14} \alpha_{3,5}^{10} - \alpha_{2,5}^9 \alpha_{3,9}^{14} + \alpha_{5,7}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,6}^{11} & \rightarrow x_1 \\
\alpha_{3,9}^{14} & \rightarrow x_2 \\
\alpha_{3,4}^9 & \rightarrow x_3 \\
\alpha_{3,5}^{10} & \rightarrow x_4 \\
\alpha_{5,7}^{14} & \rightarrow x_5 \\
\alpha_{2,5}^9 & \rightarrow x_6 \\
\alpha_{2,8}^{12} & \rightarrow x_7 \\
\alpha_{5,6}^{13} & \rightarrow x_8 \\
\alpha_{4,5}^{11} & \rightarrow x_9 \\
\alpha_{2,6}^{10} & \rightarrow x_{10}
\end{aligned}$$

$$\alpha_{3,7}^{12} \rightarrow x_{11}$$

$$\alpha_{2,9}^{13} \rightarrow x_{12}$$

$$\alpha_{4,7}^{13} \rightarrow x_{13}$$

$$\alpha_{2,10}^{14} \rightarrow x_{14}$$

$$\alpha_{4,8}^{14} \rightarrow x_{15}$$

$$\alpha_{4,6}^{12} \rightarrow x_{16}$$

$$\alpha_{3,8}^{13} \rightarrow x_{17}$$

$$\alpha_{2,7}^{11} \rightarrow x_{18}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_3 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{10} - x_4 + x_6 & = 0 \\
(e_1, e_3, e_4) : & x_3 - x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_{10} - x_{18} & = 0 \\
(e_1, e_3, e_5) : & -x_1 + x_4 - x_9 & = 0 \\
(e_1, e_2, e_7) : & -x_{11} + x_{18} - x_7 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_{11} - x_{16} & = 0 \\
(e_1, e_4, e_5) : & -x_{16} + x_9 & = 0 \\
(e_1, e_2, e_8) : & -x_{12} - x_{17} + x_7 & = 0 \\
(e_1, e_3, e_7) : & x_{11} - x_{13} - x_{17} & = 0 \\
(e_1, e_4, e_6) : & -x_{13} + x_{16} - x_8 & = 0 \\
(e_2, e_3, e_4) : & x_{12}x_3 + x_{13} - x_{17} & = 0 \\
(e_1, e_2, e_9) : & x_{12} - x_{14} - x_2 & = 0 \\
(e_1, e_3, e_8) : & -x_{15} + x_{17} - x_2 & = 0 \\
(e_1, e_4, e_7) : & x_{13} - x_{15} - x_5 & = 0 \\
(e_1, e_5, e_6) : & -x_5 + x_8 & = 0 \\
(e_2, e_3, e_5) : & x_{14}x_4 - x_2x_6 + x_5 & = 0
\end{array}$$

Groebner basis (18 variables, 15 linear, 1 nonlinear)

$$\begin{array}{l}
3x_1 + 2x_{16} + x_{18} - 1 = 0 \\
-13x_{16} - 9x_{17} - 2x_{18} + 3x_2 + 2 = 0 \\
-x_{16} + x_{18} + 3x_3 - 1 = 0 \\
-x_{16} + x_{18} + 3x_4 - 1 = 0
\end{array}$$

$$\begin{aligned}
-8x_{16} - 3x_{17} - x_{18} + 3x_5 + 1 &= 0 \\
x_{16} - x_{18} + 3x_6 - 2 &= 0 \\
-5x_{16} - 4x_{18} + 3x_7 + 1 &= 0 \\
-8x_{16} - 3x_{17} - x_{18} + 3x_8 + 1 &= 0 \\
-x_{16} + x_9 &= 0 \\
3x_{10} + 2x_{16} - 2x_{18} - 1 &= 0 \\
3x_{11} + 5x_{16} + x_{18} - 1 &= 0 \\
3x_{12} - 5x_{16} + 3x_{17} - 4x_{18} + 1 &= 0 \\
3x_{13} + 5x_{16} + 3x_{17} + x_{18} - 1 &= 0 \\
3x_{14} + 8x_{16} + 12x_{17} - 2x_{18} - 1 &= 0 \\
3x_{15} + 13x_{16} + 6x_{17} + 2x_{18} - 2 &= 0 \\
5x_{16}^2 - 3x_{16}x_{17} - x_{16}x_{18} - 11x_{16} + 3x_{17}x_{18} - 21x_{17} - 4x_{18}^2 + 2x_{18} + 2 &= 0
\end{aligned}$$

$\mathfrak{m}_{1A}(5, 14)$

m1A514 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_9] = e_{14}$	$[e_3, e_8] = -e_{14}$
$[e_4, e_7] = e_{14}$	$[e_5, e_6] = -e_{14}$

No non-trivial Jacobi tests

$m_{3A}(5, 14)$

m3A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_7] = e_{12} & [e_2, e_8] = 3e_{13} \\
[e_2, e_9] = \alpha_{2,9}^{14} e_{14} & [e_3, e_6] = -e_{12} \\
[e_3, e_7] = -2e_{13} & [e_3, e_8] = \alpha_{3,8}^{14} e_{14} \\
[e_4, e_5] = e_{12} & [e_4, e_6] = e_{13} \\
[e_4, e_7] = \alpha_{4,7}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{14} - \alpha_{3,8}^{14} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{14} - \alpha_{4,7}^{14} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{14} - \alpha_{5,6}^{14} + 1 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{4,7}^{14} \rightarrow x_1$$

$$\alpha_{5,6}^{14} \rightarrow x_2$$

$$\alpha_{2,9}^{14} \rightarrow x_3$$

$$\alpha_{3,8}^{14} \rightarrow x_4$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_3 - x_4 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_4 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_2 + 1 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$x_1 + x_4 + 2 = 0$$

$$x_2 - x_4 - 3 = 0$$

$$x_3 + x_4 - 3 = 0$$

$\mathfrak{m}_{5A}(5, 14)$

m5A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_2, e_5] = e_{10} & [e_2, e_6] = 2e_{11} \\ [e_2, e_7] = \alpha_{2,7}^{12}e_{12} & [e_2, e_8] = \alpha_{2,8}^{13}e_{13} \\ [e_2, e_9] = \alpha_{2,9}^{14}e_{14} & [e_3, e_4] = -e_{10} \\ [e_3, e_5] = -e_{11} & [e_3, e_6] = \alpha_{3,6}^{12}e_{12} \\ [e_3, e_7] = \alpha_{3,7}^{13}e_{13} & [e_3, e_8] = \alpha_{3,8}^{14}e_{14} \\ [e_4, e_5] = \alpha_{4,5}^{12}e_{12} & [e_4, e_6] = \alpha_{4,6}^{13}e_{13} \\ [e_4, e_7] = \alpha_{4,7}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{14}e_{14} \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll} (e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\ (e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\ (e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\ (e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\ (e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\ (e_1, e_2, e_8) : & \alpha_{2,8}^{13} - \alpha_{2,9}^{14} - \alpha_{3,8}^{14} & = 0 \\ (e_1, e_3, e_7) : & \alpha_{3,7}^{13} - \alpha_{3,8}^{14} - \alpha_{4,7}^{14} & = 0 \\ (e_1, e_4, e_6) : & \alpha_{4,6}^{13} - \alpha_{4,7}^{14} - \alpha_{5,6}^{14} & = 0 \end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,7}^{13} \rightarrow x_1$$

$$\alpha_{3,8}^{14} \rightarrow x_2$$

$$\alpha_{3,6}^{12} \rightarrow x_3$$

$$\alpha_{2,7}^{12} \rightarrow x_4$$

$$\alpha_{4,6}^{13} \rightarrow x_5$$

$$\alpha_{5,6}^{14} \rightarrow x_6$$

$$\alpha_{4,7}^{14} \rightarrow x_7$$

$$\alpha_{4,5}^{12} \rightarrow x_8$$

$$\alpha_{2,9}^{14} \rightarrow x_9$$

$$\alpha_{2,8}^{13} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_3 - x_4 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_3 - x_8 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_1 - x_{10} + x_4 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_1 + x_3 - x_5 \quad = 0$$

$$(e_1, e_4, e_5) : \quad -x_5 + x_8 \quad = 0$$

$$(e_1, e_2, e_8) : \quad x_{10} - x_2 - x_9 \quad = 0$$

$$(e_1, e_3, e_7) : \quad x_1 - x_2 - x_7 \quad = 0$$

$$(e_1, e_4, e_6) : \quad x_5 - x_6 - x_7 \quad = 0$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$3x_1 + 2x_{10} - 5 = 0$$

$$-x_{10} + x_2 + x_9 = 0$$

$$x_{10} + 3x_3 - 1 = 0$$

$$-x_{10} + 3x_4 - 5 = 0$$

$$-x_{10} + 3x_5 + 4 = 0$$

$$-2x_{10} + x_6 + x_9 + 3 = 0$$

$$5x_{10} + 3x_7 - 3x_9 - 5 = 0$$

$$-x_{10} + 3x_8 + 4 = 0$$

$\mathfrak{m}_{7A}(5, 14)$

m7A514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_8 & [e_2, e_4] = e_9 \\
[e_2, e_5] = \alpha_{2,5}^{10} e_{10} & [e_2, e_6] = \alpha_{2,6}^{11} e_{11} \\
[e_2, e_7] = \alpha_{2,7}^{12} e_{12} & [e_2, e_8] = \alpha_{2,8}^{13} e_{13} \\
[e_2, e_9] = \alpha_{2,9}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{10} e_{10} \\
[e_3, e_5] = \alpha_{3,5}^{11} e_{11} & [e_3, e_6] = \alpha_{3,6}^{12} e_{12} \\
[e_3, e_7] = \alpha_{3,7}^{13} e_{13} & [e_3, e_8] = \alpha_{3,8}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{12} e_{12} & [e_4, e_6] = \alpha_{4,6}^{13} e_{13} \\
[e_4, e_7] = \alpha_{4,7}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{13} - \alpha_{2,9}^{14} - \alpha_{3,8}^{14} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{13} - \alpha_{3,8}^{14} - \alpha_{4,7}^{14} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{13} - \alpha_{4,7}^{14} - \alpha_{5,6}^{14} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,7}^{13} \rightarrow x_1$$

$$\alpha_{3,5}^{11} \rightarrow x_2$$

$$\alpha_{2,5}^{10} \rightarrow x_3$$

$$\alpha_{3,8}^{14} \rightarrow x_4$$

$$\alpha_{3,6}^{12} \rightarrow x_5$$

$$\alpha_{2,7}^{12} \rightarrow x_6$$

$$\alpha_{4,6}^{13} \rightarrow x_7$$

$$\alpha_{5,6}^{14} \rightarrow x_8$$

$$\alpha_{4,7}^{14} \rightarrow x_9$$

$$\alpha_{4,5}^{12} \rightarrow x_{10}$$

$$\alpha_{2,9}^{14} \rightarrow x_{11}$$

$$\alpha_{2,8}^{13} \rightarrow x_{12}$$

$$\alpha_{3,4}^{10} \rightarrow x_{13}$$

$$\alpha_{2,6}^{11} \rightarrow x_{14}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_{13} - x_3 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_{14} - x_2 + x_3 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_{13} - x_2 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_{14} - x_5 - x_6 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_{10} + x_2 - x_5 \quad = 0$$

$$(e_1, e_2, e_7) : \quad -x_1 - x_{12} + x_6 \quad = 0$$

$$(e_1, e_3, e_6) : \quad -x_1 + x_5 - x_7 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_{10} - x_7 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_{11} + x_{12} - x_4 \quad = 0$$

$$(e_1, e_3, e_7) : \quad x_1 - x_4 - x_9 \quad = 0$$

$$(e_1, e_4, e_6) : \quad x_7 - x_8 - x_9 \quad = 0$$

Groebner basis (14 variables, 11 linear, 0 nonlinear)

$$6x_1 + 4x_{12} - 5x_{14} + 1 = 0$$

$$\begin{aligned}
x_{14} + 2x_2 - 1 &= 0 \\
-x_{14} + 2x_3 - 1 &= 0 \\
x_{11} - x_{12} + x_4 &= 0 \\
2x_{12} - x_{14} + 6x_5 - 1 &= 0 \\
-2x_{12} - 5x_{14} + 6x_6 + 1 &= 0 \\
-x_{12} + 2x_{14} + 3x_7 - 1 &= 0 \\
2x_{11} - 4x_{12} + 3x_{14} + 2x_8 - 1 &= 0 \\
-6x_{11} + 10x_{12} - 5x_{14} + 6x_9 + 1 &= 0 \\
3x_{10} - x_{12} + 2x_{14} - 1 &= 0 \\
2x_{13} + x_{14} - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2A}(6, 14)$

m2A614 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_1, e_{13}] = e_{14}$
$[e_2, e_7] = e_{13}$	$[e_2, e_8] = 3e_{14}$
$[e_3, e_6] = -e_{13}$	$[e_3, e_7] = -2e_{14}$
$[e_4, e_5] = e_{13}$	$[e_4, e_6] = e_{14}$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(6, 14)$

m4A614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{11} & [e_2, e_6] = 2e_{12} \\
[e_2, e_7] = \alpha_{2,7}^{13} e_{13} & [e_2, e_8] = \alpha_{2,8}^{14} e_{14} \\
[e_3, e_4] = -e_{11} & [e_3, e_5] = -e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_3, e_7] = \alpha_{3,7}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{13} e_{13} & [e_4, e_6] = \alpha_{4,6}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{13} - \alpha_{2,8}^{14} - \alpha_{3,7}^{14} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{13} - \alpha_{3,7}^{14} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{13} - \alpha_{4,6}^{14} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,7}^{13} \rightarrow x_1$$

$$\alpha_{3,7}^{14} \rightarrow x_2$$

$$\alpha_{4,6}^{14} \rightarrow x_3$$

$$\alpha_{4,5}^{13} \rightarrow x_4$$

$$\alpha_{2,8}^{14} \rightarrow x_5$$

$$\alpha_{3,6}^{13} \rightarrow x_6$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_6 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_4 - x_6 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_1 - x_2 - x_5 & = 0 \\
(e_1, e_3, e_6) : & -x_2 - x_3 + x_6 & = 0 \\
(e_1, e_4, e_5) : & -x_3 + x_4 & = 0
\end{array}$$

Groebner basis (6 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_6 - 2 = 0 \\
x_2 - 2x_6 - 1 = 0 \\
x_3 + x_6 + 1 = 0 \\
x_4 + x_6 + 1 = 0 \\
x_5 + 3x_6 - 1 = 0
\end{array}$$

$\mathfrak{m}_{6A}(6, 14)$

m6A614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_9 & [e_2, e_4] = e_{10} \\
[e_2, e_5] = \alpha_{2,5}^{11} e_{11} & [e_2, e_6] = \alpha_{2,6}^{12} e_{12} \\
[e_2, e_7] = \alpha_{2,7}^{13} e_{13} & [e_2, e_8] = \alpha_{2,8}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{11} e_{11} & [e_3, e_5] = \alpha_{3,5}^{12} e_{12} \\
[e_3, e_6] = \alpha_{3,6}^{13} e_{13} & [e_3, e_7] = \alpha_{3,7}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{13} e_{13} & [e_4, e_6] = \alpha_{4,6}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{13} - \alpha_{2,8}^{14} - \alpha_{3,7}^{14} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{13} - \alpha_{3,7}^{14} - \alpha_{4,6}^{14} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{13} - \alpha_{4,6}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{2,6}^{12} & \rightarrow x_1 \\
\alpha_{3,4}^{11} & \rightarrow x_2 \\
\alpha_{2,7}^{13} & \rightarrow x_3 \\
\alpha_{3,7}^{14} & \rightarrow x_4 \\
\alpha_{4,6}^{14} & \rightarrow x_5 \\
\alpha_{4,5}^{13} & \rightarrow x_6 \\
\alpha_{2,8}^{14} & \rightarrow x_7 \\
\alpha_{2,5}^{11} & \rightarrow x_8 \\
\alpha_{3,5}^{12} & \rightarrow x_9 \\
\alpha_{3,6}^{13} & \rightarrow x_{10}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_2 - x_8 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_8 - x_9 & = 0 \\
(e_1, e_3, e_4) : & x_2 - x_9 & = 0 \\
(e_1, e_2, e_6) : & x_1 - x_{10} - x_3 & = 0 \\
(e_1, e_3, e_5) : & -x_{10} - x_6 + x_9 & = 0 \\
(e_1, e_2, e_7) : & x_3 - x_4 - x_7 & = 0 \\
(e_1, e_3, e_6) : & x_{10} - x_4 - x_5 & = 0 \\
(e_1, e_4, e_5) : & -x_5 + x_6 & = 0
\end{aligned}$$

Groebner basis (10 variables, 8 linear, 0 nonlinear)

$$x_1 + 2x_9 - 1 = 0$$

$$x_2 - x_9 = 0$$

$$x_{10} + x_3 + 2x_9 - 1 = 0$$

$$-2x_{10} + x_4 + x_9 = 0$$

$$x_{10} + x_5 - x_9 = 0$$

$$x_{10} + x_6 - x_9 = 0$$

$$3x_{10} + x_7 + x_9 - 1 = 0$$

$$x_8 + x_9 - 1 = 0$$

$\mathfrak{m}_{1A}(7, 14)$

m1A714 (this line included for string searching purposes)

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_1, e_{13}] = e_{14}$$

$$[e_2, e_7] = e_{14}$$

$$[e_3, e_6] = -e_{14}$$

$$[e_4, e_5] = e_{14}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(7, 14)$

m3A714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{12} & [e_2, e_6] = 2e_{13} \\
[e_2, e_7] = \alpha_{2,7}^{14} e_{14} & [e_3, e_4] = -e_{12} \\
[e_3, e_5] = -e_{13} & [e_3, e_6] = \alpha_{3,6}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{14} - \alpha_{3,6}^{14} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{14} - \alpha_{4,5}^{14} - 1 & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{4,5}^{14} \rightarrow x_1 \\
\alpha_{2,7}^{14} \rightarrow x_2 \\
\alpha_{3,6}^{14} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_2 - x_3 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 2 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + x_3 + 1 = 0 \\
x_2 + x_3 - 2 = 0
\end{array}$$

$m_{5A}(7, 14)$

m5A714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_{10} & [e_2, e_4] = e_{11} \\
[e_2, e_5] = \alpha_{2,5}^{12} e_{12} & [e_2, e_6] = \alpha_{2,6}^{13} e_{13} \\
[e_2, e_7] = \alpha_{2,7}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{12} e_{12} \\
[e_3, e_5] = \alpha_{3,5}^{13} e_{13} & [e_3, e_6] = \alpha_{3,6}^{14} e_{14} \\
[e_4, e_5] = \alpha_{4,5}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{13} - \alpha_{2,7}^{14} - \alpha_{3,6}^{14} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{13} - \alpha_{3,6}^{14} - \alpha_{4,5}^{14} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,4}^{12} \rightarrow x_1 \\
\alpha_{3,6}^{14} \rightarrow x_2 \\
\alpha_{3,5}^{13} \rightarrow x_3 \\
\alpha_{2,6}^{13} \rightarrow x_4 \\
\alpha_{2,5}^{12} \rightarrow x_5 \\
\alpha_{4,5}^{14} \rightarrow x_6 \\
\alpha_{2,7}^{14} \rightarrow x_7
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_5 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_3 - x_4 + x_5 & = 0 \\
(e_1, e_3, e_4) : & x_1 - x_3 & = 0 \\
(e_1, e_2, e_6) : & -x_2 + x_4 - x_7 & = 0 \\
(e_1, e_3, e_5) : & -x_2 + x_3 - x_6 & = 0
\end{array}$$

Groebner basis (7 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
3x_1 - x_6 + x_7 - 1 = 0 \\
3x_2 + 2x_6 + x_7 - 1 = 0 \\
3x_3 - x_6 + x_7 - 1 = 0 \\
3x_4 + 2x_6 - 2x_7 - 1 = 0 \\
3x_5 + x_6 - x_7 - 2 = 0
\end{array}$$

$\mathfrak{m}_{2A}(8, 14)$

m2A814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_5] = e_{13} & [e_2, e_6] = 2e_{14} \\
[e_3, e_4] = -e_{13} & [e_3, e_5] = -e_{14}
\end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{4A}(8, 14)$

m4A814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
[e_2, e_3] = e_{11} & [e_2, e_4] = e_{12} \\
[e_2, e_5] = \alpha_{2,5}^{13} e_{13} & [e_2, e_6] = \alpha_{2,6}^{14} e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{13} e_{13} & [e_3, e_5] = \alpha_{3,5}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{13} - \alpha_{2,6}^{14} - \alpha_{3,5}^{14} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{13} - \alpha_{3,5}^{14} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{2,6}^{14} \rightarrow x_1 \\
\alpha_{3,4}^{13} \rightarrow x_2 \\
\alpha_{3,5}^{14} \rightarrow x_3 \\
\alpha_{2,5}^{13} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 - x_3 + x_4 & = 0 \\
(e_1, e_3, e_4) : & x_2 - x_3 & = 0
\end{array}$$

Groebner basis (4 variables, 3 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 2x_4 + 1 = 0 \\
x_2 + x_4 - 1 = 0 \\
x_3 + x_4 - 1 = 0
\end{array}$$

$\mathfrak{m}_{1A}(9, 14)$

m1A914 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
 [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
 [e_2, e_5] = e_{14} & [e_3, e_4] = -e_{14}
 \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{3A}(9, 14)$

m3A914 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
 [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
 [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\
 [e_2, e_3] = e_{12} & [e_2, e_4] = e_{13} \\
 [e_2, e_5] = \alpha_{2,5}^{14} e_{14} & [e_3, e_4] = \alpha_{3,4}^{14} e_{14}
 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{2,5}^{14} - \alpha_{3,4}^{14} + 1 \quad = 0$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,5}^{14} \rightarrow x_1$$

$$\alpha_{3,4}^{14} \rightarrow x_2$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_2 + 1 \quad = 0$$

Groebner basis (2 variables, 1 linear, 0 nonlinear)

$$x_1 + x_2 - 1 = 0$$

$\mathfrak{m}_{2A}(10, 14)$

m2A1014 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_2, e_3] = e_{13} & [e_2, e_4] = e_{14} \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{1A}(11, 14)$

m1A1114 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_1, e_{13}] = e_{14} \\ [e_2, e_3] = e_{14} & \end{array}$$

No non-trivial Jacobi tests

$\mathfrak{m}_{2B}(2, 6)$

m2B26 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_2, e_3] = e_5 \\ [e_2, e_5] = e_6 & [e_3, e_4] = -e_6 \end{array}$$

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_2, e_3] = e_5 \\ [e_2, e_5] = e_6 & [e_3, e_4] = \alpha_{3,4}^6 e_6 \end{array}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_4) : \quad -\alpha_{3,4}^6 - 1 \quad = 0$$

Solution 1:

$$\alpha_{3,4}^6 = -1$$

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,4}^6 \rightarrow x_1$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - 1 \quad = 0$$

Groebner basis (1 variables, 1 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

Solution 1:

$$x_1 = -1$$

$\mathfrak{m}_{2B}(2, 8)$

m2B28 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_5] = e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = -e_7 \\
[e_3, e_6] = \alpha_{3,6}^8 e_8 & [e_4, e_5] = \alpha_{4,5}^8 e_8
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0 \\
(e_2, e_3, e_4) : & \text{no solutions} &
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(2, 8)$

m4B28 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = 3e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = -2e_7 \\
[e_3, e_6] = -e_8 & [e_4, e_5] = e_8
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_7] = e_8 & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_6] = \alpha_{3,6}^8 e_8 & [e_4, e_5] = \alpha_{4,5}^8 e_8
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,6}^8 + \alpha_{4,5}^8 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{4,5}^8 = 1 \\
\alpha_{2,5}^7 = 3 \\
\alpha_{3,4}^7 = -2 \\
\alpha_{3,6}^8 = -1
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\begin{array}{l}
\alpha_{4,5}^8 \rightarrow x_1 \\
\alpha_{2,5}^7 \rightarrow x_2 \\
\alpha_{3,4}^7 \rightarrow x_3 \\
\alpha_{3,6}^8 \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_3 + 1 & = 0 \\
(e_1, e_2, e_6) : & -x_4 - 1 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_4 & = 0 \\
(e_2, e_3, e_4) : & x_1 + x_3 - x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 - 3 = 0$$

$$x_3 + 2 = 0$$

$$x_4 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 3$$

$$x_3 = -2$$

$$x_4 = -1$$

$\mathfrak{m}_{3B}(3, 8)$

m3B38 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_2, e_3] = e_6$$

$$[e_2, e_4] = e_7$$

$$[e_2, e_7] = e_8$$

$$[e_3, e_6] = -e_8$$

$$[e_4, e_5] = e_8$$

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_6] = e_7$$

$$[e_2, e_3] = e_6$$

$$[e_2, e_4] = e_7$$

$$[e_2, e_7] = e_8$$

$$[e_3, e_6] = \alpha_{3,6}^8 e_8$$

$$[e_4, e_5] = \alpha_{4,5}^8 e_8$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_6) : \quad -\alpha_{3,6}^8 - 1 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -\alpha_{3,6}^8 - \alpha_{4,5}^8 \quad = 0$$

Solution 1:

$$\begin{aligned}\alpha_{4,5}^8 &= 1 \\ \alpha_{3,6}^8 &= -1\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}\alpha_{4,5}^8 &\rightarrow x_1 \\ \alpha_{3,6}^8 &\rightarrow x_2\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_6) : \quad & -x_2 - 1 &= 0 \\ (e_1, e_3, e_5) : \quad & -x_1 - x_2 &= 0\end{aligned}$$

Groebner basis (2 variables, 2 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 1 &= 0 \\ x_2 + 1 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= 1 \\ x_2 &= -1\end{aligned}$$

$\mathfrak{m}_{2B}(4, 8)$

m2B48 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\ [e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\ [e_1, e_6] &= e_7 & [e_2, e_3] &= e_7 \\ [e_2, e_7] &= e_8 & [e_3, e_6] &= -e_8 \\ [e_4, e_5] &= e_8\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_2, e_3] = e_7 \\
 [e_2, e_7] = e_8 & [e_3, e_6] = \alpha_{3,6}^8 e_8 \\
 [e_4, e_5] = \alpha_{4,5}^8 e_8 &
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_6) : & -\alpha_{3,6}^8 - 1 & = 0 \\
 (e_1, e_3, e_5) : & -\alpha_{3,6}^8 - \alpha_{4,5}^8 & = 0
 \end{array}$$

Solution 1:

$$\begin{array}{l}
 \alpha_{4,5}^8 = 1 \\
 \alpha_{3,6}^8 = -1
 \end{array}$$

How the solution(s) were or were not found:
Change variables

$$\begin{array}{l}
 \alpha_{4,5}^8 \rightarrow x_1 \\
 \alpha_{3,6}^8 \rightarrow x_2
 \end{array}$$

Jacobi Tests

$$\begin{array}{lll}
 (e_1, e_2, e_6) : & -x_2 - 1 & = 0 \\
 (e_1, e_3, e_5) : & -x_1 - x_2 & = 0
 \end{array}$$

Groebner basis (2 variables, 2 linear, 0 nonlinear)

$$\begin{array}{l}
 x_1 - 1 = 0 \\
 x_2 + 1 = 0
 \end{array}$$

Solution 1:

$$\begin{array}{l}
 x_1 = 1 \\
 x_2 = -1
 \end{array}$$

$\mathfrak{m}_{2B}(2, 10)$

m2B210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_7] = e_9 \\
[e_2, e_9] = e_{10} & [e_3, e_6] = -e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = e_9 \\
[e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_6) : & \text{no solutions} & \\
(e_2, e_4, e_5) : & \text{no solutions} &
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(2, 10)$

m4B210 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_9] = e_{10} & [e_3, e_4] = -e_7 \\
[e_3, e_5] = -e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{3,6}^9 - 2\alpha_{3,8}^{10} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,7}^{10} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,6}^9 &\rightarrow x_1 \\
\alpha_{2,7}^9 &\rightarrow x_2 \\
\alpha_{4,5}^9 &\rightarrow x_3 \\
\alpha_{3,8}^{10} &\rightarrow x_4 \\
\alpha_{5,6}^{10} &\rightarrow x_5 \\
\alpha_{4,7}^{10} &\rightarrow x_6
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : & -x_1 - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_3 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_2 & = 0 \\
(e_1, e_2, e_8) : & -x_4 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_4 - x_6 & = 0 \\
(e_1, e_4, e_6) : & -x_5 - x_6 & = 0 \\
(e_2, e_3, e_6) : & x_1 - 2x_4 & = 0 \\
(e_2, e_4, e_5) : & x_3 - x_6 & = 0
\end{aligned}$$

Groebner basis (6 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{6B}(2, 10)$

m6B210 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_2, e_3] = e_5$
$[e_2, e_4] = e_6$	$[e_2, e_5] = 0$
$[e_2, e_6] = -e_8$	$[e_2, e_7] = -e_9$
$[e_2, e_9] = e_{10}$	$[e_3, e_4] = e_7$
$[e_3, e_5] = e_8$	$[e_3, e_6] = 0$
$[e_3, e_8] = -e_{10}$	$[e_4, e_5] = e_9$
$[e_4, e_7] = e_{10}$	$[e_5, e_6] = -e_{10}$

Solution 2

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_2, e_3] = e_5$
$[e_2, e_4] = e_6$	$[e_2, e_5] = 2e_7$
$[e_2, e_6] = 3e_8$	$[e_2, e_7] = 7e_9$
$[e_2, e_9] = e_{10}$	$[e_3, e_4] = -e_7$
$[e_3, e_5] = -e_8$	$[e_3, e_6] = -4e_9$
$[e_3, e_8] = -e_{10}$	$[e_4, e_5] = 3e_9$
$[e_4, e_7] = e_{10}$	$[e_5, e_6] = -e_{10}$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_9] = e_{10} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_7] = \alpha_{4,7}^{10} e_{10} & [e_5, e_6] = \alpha_{5,6}^{10} e_{10}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{10} + \alpha_{3,6}^9 - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{10} + \alpha_{4,5}^9 + \alpha_{5,6}^{10} & = 0
\end{array}$$

Solution 1:

$$\alpha_{2,6}^8 = -1$$

$$\alpha_{2,7}^9 = -1$$

$$\alpha_{3,6}^9 = 0$$

$$\alpha_{4,5}^9 = 1$$

$$\alpha_{3,8}^{10} = -1$$

$$\alpha_{5,6}^{10} = -1$$

$$\alpha_{3,4}^7 = 1$$

$$\alpha_{4,7}^{10} = 1$$

$$\alpha_{3,5}^8 = 1$$

$$\alpha_{2,5}^7 = 0$$

Solution 2:

$$\alpha_{2,6}^8 = 3$$

$$\alpha_{2,7}^9 = 7$$

$$\alpha_{3,6}^9 = -4$$

$$\alpha_{4,5}^9 = 3$$

$$\alpha_{3,8}^{10} = -1$$

$$\alpha_{5,6}^{10} = -1$$

$$\alpha_{3,4}^7 = -1$$

$$\alpha_{4,7}^{10} = 1$$

$$\alpha_{3,5}^8 = -1$$

$$\alpha_{2,5}^7 = 2$$

How the solution(s) were or were not found:
Change variables

$$\alpha_{2,6}^8 \rightarrow x_1$$

$$\alpha_{2,7}^9 \rightarrow x_2$$

$$\alpha_{3,6}^9 \rightarrow x_3$$

$$\alpha_{4,5}^9 \rightarrow x_4$$

$$\alpha_{3,8}^{10} \rightarrow x_5$$

$$\alpha_{5,6}^{10} \rightarrow x_6$$

$$\alpha_{3,4}^7 \rightarrow x_7$$

$$\alpha_{4,7}^{10} \rightarrow x_8$$

$$\alpha_{3,5}^8 \rightarrow x_9$$

$$\alpha_{2,5}^7 \rightarrow x_{10}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{10} - x_7 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 + x_{10} - x_9 & = 0 \\
(e_1, e_3, e_4) : & x_7 - x_9 & = 0 \\
(e_1, e_2, e_6) : & x_1 - x_2 - x_3 & = 0 \\
(e_1, e_3, e_5) : & -x_3 - x_4 + x_9 & = 0 \\
(e_2, e_3, e_4) : & x_2 x_7 - x_3 + x_4 & = 0 \\
(e_1, e_2, e_8) : & -x_5 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_5 - x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_6 - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_1 x_5 + x_3 - x_6 & = 0 \\
(e_2, e_4, e_5) : & -x_{10} x_8 + x_4 + x_6 & = 0
\end{array}$$

Groebner basis (10 variables, 9 linear, 1 nonlinear)

$$x_1 - 2x_{10} + 1 = 0$$

$$-4x_{10} + x_2 + 1 = 0$$

$$2x_{10} + x_3 = 0$$

$$-x_{10} + x_4 - 1 = 0$$

$$x_5 + 1 = 0$$

$$x_6 + 1 = 0$$

$$x_{10} + x_7 - 1 = 0$$

$$x_8 - 1 = 0$$

$$x_{10} + x_9 - 1 = 0$$

$$x_{10}^2 - 2x_{10} = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = -1$$

$$x_3 = 0$$

$$x_4 = 1$$

$$x_5 = -1$$

$$x_6 = -1$$

$$x_7 = 1$$

$$x_8 = 1$$

$$x_9 = 1$$

$$x_{10} = 0$$

Solution 2:

$$x_1 = 3$$

$$x_2 = 7$$

$$x_3 = -4$$

$$x_4 = 3$$

$$x_5 = -1$$

$$x_6 = -1$$

$$x_7 = -1$$

$$x_8 = 1$$

$$x_9 = -1$$

$$x_{10} = 2$$

$\mathfrak{m}_{3B}(3, 10)$

m3B310 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_6] = 2e_9$$

$$[e_3, e_4] = -e_8$$

$$[e_3, e_8] = -e_{10}$$

$$[e_5, e_6] = -e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_5] = e_8$$

$$[e_2, e_9] = e_{10}$$

$$[e_3, e_5] = -e_9$$

$$[e_4, e_7] = e_{10}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_4] = -e_8 & [e_3, e_5] = -e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,8}^{10} - 1 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{4,7}^{10} = 1 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{3,8}^{10} = -1
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\begin{array}{l}
\alpha_{4,7}^{10} \rightarrow x_1 \\
\alpha_{5,6}^{10} \rightarrow x_2 \\
\alpha_{3,8}^{10} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_3 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_2 & = 0 \\
(e_2, e_3, e_5) : & -x_3 - 1 & = 0
\end{array}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = -1$$

$\mathbf{m}_{5B}(3, 10)$

m5B310 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_2, e_3] = e_6 \\ [e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\ [e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_9] = e_{10} \\ [e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\ [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\ [e_5, e_6] = \alpha_{5,6}^{10} e_{10} & \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll} (e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\ (e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\ (e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\ (e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\ (e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\ (e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\ (e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{10} + \alpha_{3,5}^9 + \alpha_{5,6}^{10} & = 0 \end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,5}^9 \rightarrow x_1$$

$$\alpha_{3,4}^8 \rightarrow x_2$$

$$\alpha_{3,8}^{10} \rightarrow x_3$$

$$\alpha_{5,6}^{10} \rightarrow x_4$$

$$\alpha_{2,6}^9 \rightarrow x_5$$

$$\alpha_{2,5}^8 \rightarrow x_6$$

$$\alpha_{4,7}^{10} \rightarrow x_7$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_2 - x_6 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 - x_5 + x_6 \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_1 + x_2 \quad = 0$$

$$(e_1, e_2, e_8) : \quad -x_3 - 1 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_3 - x_7 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_4 - x_7 \quad = 0$$

$$(e_2, e_3, e_5) : \quad x_1 - x_3x_6 + x_4 \quad = 0$$

Groebner basis (7 variables, 6 linear, 0 nonlinear)

$$x_1 + x_6 - 1 = 0$$

$$x_2 + x_6 - 1 = 0$$

$$x_3 + 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - 2x_6 + 1 = 0$$

$$x_7 - 1 = 0$$

$\mathfrak{m}_{2B}(4, 10)$

m2B410 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_5] = e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_4] = -e_9 \\
 [e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
 [e_5, e_6] = \alpha_{5,6}^{10} e_{10} &
 \end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
 (e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
 (e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
 (e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
 (e_2, e_3, e_4) : & \text{no solutions} &
 \end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(4, 10)$

m4B410 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
 [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
 [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
 [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
 [e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\
 [e_2, e_4] = e_8 & [e_2, e_5] = 3e_9 \\
 [e_2, e_9] = e_{10} & [e_3, e_4] = -2e_9 \\
 [e_3, e_8] = -e_{10} & [e_4, e_7] = e_{10} \\
 [e_5, e_6] = -e_{10} &
 \end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_9] = e_{10} & [e_3, e_4] = \alpha_{3,4}^9 e_9 \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,8}^{10} + \alpha_{4,7}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,4}^9 = -2 \\
\alpha_{3,8}^{10} = -1 \\
\alpha_{2,5}^9 = 3 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{4,7}^{10} = 1
\end{array}$$

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,4}^9 \rightarrow x_1 \\
\alpha_{3,8}^{10} \rightarrow x_2 \\
\alpha_{2,5}^9 \rightarrow x_3 \\
\alpha_{5,6}^{10} \rightarrow x_4 \\
\alpha_{4,7}^{10} \rightarrow x_5
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_1 - x_3 + 1 & = 0 \\
(e_1, e_2, e_8) : & -x_2 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_2 - x_5 & = 0 \\
(e_1, e_4, e_6) : & -x_4 - x_5 & = 0 \\
(e_2, e_3, e_4) : & x_1 - x_2 + x_5 & = 0
\end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 2 = 0 \\
x_2 + 1 = 0 \\
x_3 - 3 = 0 \\
x_4 + 1 = 0 \\
x_5 - 1 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = -2 \\
x_2 = -1 \\
x_3 = 3 \\
x_4 = -1 \\
x_5 = 1
\end{array}$$

$\mathfrak{m}_{3B}(5, 10)$

m3B510 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_8] = -e_{10} & [e_4, e_7] = e_{10} \\
[e_5, e_6] = -e_{10} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_9] = e_{10} \\
[e_3, e_8] = \alpha_{3,8}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{10} e_{10} \\
[e_5, e_6] = \alpha_{5,6}^{10} e_{10} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{3,8}^{10} - 1 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{4,7}^{10} = 1 \\
\alpha_{5,6}^{10} = -1 \\
\alpha_{3,8}^{10} = -1
\end{array}$$

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{4,7}^{10} \rightarrow x_1 \\
\alpha_{5,6}^{10} \rightarrow x_2 \\
\alpha_{3,8}^{10} \rightarrow x_3
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_7) : & -x_1 - x_3 & = 0 \\
(e_1, e_4, e_6) : & -x_1 - x_2 & = 0
\end{array}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = -1$$

$\mathfrak{m}_{2B}(6, 10)$

m2B610 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_9] = e_{10}$$

$$[e_4, e_7] = e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_3] = e_9$$

$$[e_3, e_8] = -e_{10}$$

$$[e_5, e_6] = -e_{10}$$

Original brackets:

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_2, e_9] = e_{10}$$

$$[e_4, e_7] = \alpha_{4,7}^{10} e_{10}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_2, e_3] = e_9$$

$$[e_3, e_8] = \alpha_{3,8}^{10} e_{10}$$

$$[e_5, e_6] = \alpha_{5,6}^{10} e_{10}$$

Non-trivial Jacobi Tests:

$$(e_1, e_2, e_8) : \quad -\alpha_{3,8}^{10} - 1 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -\alpha_{3,8}^{10} - \alpha_{4,7}^{10} \quad = 0$$

$$(e_1, e_4, e_6) : \quad -\alpha_{4,7}^{10} - \alpha_{5,6}^{10} \quad = 0$$

Solution 1:

$$\begin{aligned}\alpha_{4,7}^{10} &= 1 \\ \alpha_{5,6}^{10} &= -1 \\ \alpha_{3,8}^{10} &= -1\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}\alpha_{4,7}^{10} &\rightarrow x_1 \\ \alpha_{5,6}^{10} &\rightarrow x_2 \\ \alpha_{3,8}^{10} &\rightarrow x_3\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_8) : \quad & -x_3 - 1 &= 0 \\ (e_1, e_3, e_7) : \quad & -x_1 - x_3 &= 0 \\ (e_1, e_4, e_6) : \quad & -x_1 - x_2 &= 0\end{aligned}$$

Groebner basis (3 variables, 3 linear, 0 nonlinear)

$$\begin{aligned}x_1 - 1 &= 0 \\ x_2 + 1 &= 0 \\ x_3 + 1 &= 0\end{aligned}$$

Solution 1:

$$\begin{aligned}x_1 &= 1 \\ x_2 &= -1 \\ x_3 &= -1\end{aligned}$$

$\mathfrak{m}_{2B}(2, 12)$

m2B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_9] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_8] = -e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_7] = e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = -e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & \text{no solutions} & \\
(e_2, e_4, e_7) : & \text{no solutions} & \\
(e_2, e_5, e_6) : & \text{no solutions} &
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(2, 12)$

m4B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_9 \\
[e_2, e_8] = 3e_{10} & [e_2, e_9] = \alpha_{2,9}^{11}e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_6] = -e_9 \\
[e_3, e_7] = -2e_{10} & [e_3, e_8] = \alpha_{3,8}^{11}e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12}e_{12} & [e_4, e_5] = e_9 \\
[e_4, e_6] = e_{10} & [e_4, e_7] = \alpha_{4,7}^{11}e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12}e_{12} & [e_5, e_6] = \alpha_{5,6}^{11}e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12}e_{12} & [e_6, e_7] = \alpha_{6,7}^{12}e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{11} - \alpha_{3,8}^{11} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{11} - \alpha_{4,7}^{11} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{11} - \alpha_{5,6}^{11} + 1 & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,9}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -3\alpha_{3,10}^{12} + \alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,9}^{12} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{11} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} + \alpha_{4,9}^{12} & = 0
\end{array}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,8}^{11} \rightarrow x_1$$

$$\alpha_{5,8}^{12} \rightarrow x_2$$

$$\alpha_{4,7}^{11} \rightarrow x_3$$

$$\alpha_{2,9}^{11} \rightarrow x_4$$

$$\alpha_{4,9}^{12} \rightarrow x_5$$

$$\alpha_{6,7}^{12} \rightarrow x_6$$

$$\alpha_{3,10}^{12} \rightarrow x_7$$

$$\alpha_{5,6}^{11} \rightarrow x_8$$

Jacobi Tests

$$(e_1, e_2, e_8) : \quad -x_1 - x_4 + 3 \quad = 0$$

$$(e_1, e_3, e_7) : \quad -x_1 - x_3 - 2 \quad = 0$$

$$(e_1, e_4, e_6) : \quad -x_3 - x_8 + 1 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -x_4 \quad = 0$$

$$(e_2, e_4, e_5) : \quad x_4 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_7 - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_5 - x_7 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_2 - x_5 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_2 - x_6 \quad = 0$$

$$(e_2, e_3, e_8) : \quad x_1 - 3x_7 \quad = 0$$

$$(e_2, e_4, e_7) : \quad x_3 - x_5 \quad = 0$$

$$(e_2, e_5, e_6) : \quad x_8 \quad = 0$$

$$(e_3, e_4, e_6) : \quad x_5 + x_7 \quad = 0$$

Groebner basis (8 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{6B}(2, 12)$

m6B212 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_7 \\
[e_2, e_6] = 2e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_7 \\
[e_3, e_5] = -e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^9 - \alpha_{3,6}^9 + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^9 - \alpha_{4,5}^9 - 1 & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,7}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,9}^{11} \alpha_{3,6}^9 - 2\alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,9}^{11} \alpha_{4,5}^9 - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{10} \alpha_{3,10}^{12} + \alpha_{3,8}^{11} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^9 \alpha_{4,9}^{12} + \alpha_{4,7}^{11} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{11} - 2\alpha_{5,8}^{12} + \alpha_{6,7}^{12} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} \alpha_{4,6}^{10} - \alpha_{3,6}^9 \alpha_{4,9}^{12} - \alpha_{6,7}^{12} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^9 \rightarrow x_1$$

$$\alpha_{2,7}^9 \rightarrow x_2$$

$$\alpha_{2,8}^{10} \rightarrow x_3$$

$$\alpha_{3,8}^{11} \rightarrow x_4$$

$$\alpha_{4,5}^9 \rightarrow x_5$$

$$\alpha_{4,6}^{10} \rightarrow x_6$$

$$\alpha_{4,7}^{11} \rightarrow x_7$$

$$\alpha_{5,8}^{12} \rightarrow x_8$$

$$\alpha_{2,9}^{11} \rightarrow x_9$$

$$\alpha_{3,7}^{10} \rightarrow x_{10}$$

$$\alpha_{4,9}^{12} \rightarrow x_{11}$$

$$\alpha_{6,7}^{12} \rightarrow x_{12}$$

$$\alpha_{3,10}^{12} \rightarrow x_{13}$$

$$\alpha_{5,6}^{11} \rightarrow x_{14}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_2 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_5 - 1 & = 0 \\
(e_2, e_3, e_4) : & -x_2 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} + x_2 - x_3 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_{10} - x_6 & = 0 \\
(e_1, e_4, e_5) : & x_5 - x_6 & = 0 \\
(e_2, e_3, e_5) : & -x_{10} - x_3 & = 0 \\
(e_1, e_2, e_8) : & x_3 - x_4 - x_9 & = 0 \\
(e_1, e_3, e_7) : & x_{10} - x_4 - x_7 & = 0 \\
(e_1, e_4, e_6) : & -x_{14} + x_6 - x_7 & = 0 \\
(e_2, e_3, e_6) : & x_1 x_9 - 2x_4 & = 0 \\
(e_2, e_4, e_5) : & x_5 x_9 - x_7 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{13} - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_{11} - x_{13} & = 0 \\
(e_1, e_4, e_8) : & -x_{11} - x_8 & = 0 \\
(e_1, e_5, e_7) : & -x_{12} - x_8 & = 0 \\
(e_2, e_3, e_8) : & -x_{13} x_3 + x_4 & = 0 \\
(e_2, e_4, e_7) : & -x_{11} x_2 + x_7 & = 0 \\
(e_2, e_5, e_6) : & x_{12} + x_{14} - 2x_8 & = 0 \\
(e_3, e_4, e_6) : & -x_1 x_{11} - x_{12} + x_{13} x_6 & = 0
\end{array}$$

Groebner basis (14 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{8B}(2, 12)$

m8B212 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_5 \\
\\
[e_2, e_4] = e_6 & [e_2, e_5] = e_7 \left(1 - \frac{\sqrt{10}}{5}\right) \\
[e_2, e_6] = e_8 \left(1 - \frac{2\sqrt{10}}{5}\right) & [e_2, e_7] = e_9 \left(\frac{5}{3} - \frac{2\sqrt{10}}{3}\right) \\
[e_2, e_8] = e_{10} (3 - \sqrt{10}) & [e_2, e_9] = e_{11} (7 - 2\sqrt{10}) \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = \frac{\sqrt{10}e_7}{5} \\
[e_3, e_5] = \frac{\sqrt{10}e_8}{5} & [e_3, e_6] = e_9 \left(-\frac{2}{3} + \frac{4\sqrt{10}}{15}\right) \\
[e_3, e_7] = e_{10} \left(-\frac{4}{3} + \frac{\sqrt{10}}{3}\right) & [e_3, e_8] = e_{11} (-4 + \sqrt{10}) \\
[e_3, e_{10}] = -e_{12} & [e_4, e_5] = e_9 \left(\frac{2}{3} - \frac{\sqrt{10}}{15}\right) \\
[e_4, e_6] = e_{10} \left(\frac{2}{3} - \frac{\sqrt{10}}{15}\right) & [e_4, e_7] = e_{11} \left(\frac{8}{3} - \frac{2\sqrt{10}}{3}\right) \\
[e_4, e_9] = e_{12} & [e_5, e_6] = e_{11} \left(-2 + \frac{3\sqrt{10}}{5}\right) \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Solution 2

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_5 \\
\\
[e_2, e_4] &= e_6 & [e_2, e_5] &= e_7 \left(\frac{\sqrt{10}}{5} + 1 \right) \\
[e_2, e_6] &= e_8 \left(1 + \frac{2\sqrt{10}}{5} \right) & [e_2, e_7] &= e_9 \left(\frac{5}{3} + \frac{2\sqrt{10}}{3} \right) \\
[e_2, e_8] &= e_{10} (3 + \sqrt{10}) & [e_2, e_9] &= e_{11} (2\sqrt{10} + 7) \\
[e_2, e_{11}] &= e_{12} & [e_3, e_4] &= -\frac{\sqrt{10}e_7}{5} \\
[e_3, e_5] &= -\frac{\sqrt{10}e_8}{5} & [e_3, e_6] &= e_9 \left(-\frac{4\sqrt{10}}{15} - \frac{2}{3} \right) \\
[e_3, e_7] &= e_{10} \left(-\frac{4}{3} - \frac{\sqrt{10}}{3} \right) & [e_3, e_8] &= e_{11} (-4 - \sqrt{10}) \\
[e_3, e_{10}] &= -e_{12} & [e_4, e_5] &= e_9 \left(\frac{\sqrt{10}}{15} + \frac{2}{3} \right) \\
[e_4, e_6] &= e_{10} \left(\frac{\sqrt{10}}{15} + \frac{2}{3} \right) & [e_4, e_7] &= e_{11} \left(\frac{2\sqrt{10}}{3} + \frac{8}{3} \right) \\
[e_4, e_9] &= e_{12} & [e_5, e_6] &= e_{11} \left(-2 - \frac{3\sqrt{10}}{5} \right) \\
[e_5, e_8] &= -e_{12} & [e_6, e_7] &= e_{12}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{10} \alpha_{3,10}^{12} + \alpha_{3,8}^{11} - \alpha_{5,8}^{12} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^9 \alpha_{4,9}^{12} + \alpha_{4,7}^{11} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,5}^7 \alpha_{6,7}^{12} - \alpha_{2,6}^8 \alpha_{5,8}^{12} + \alpha_{5,6}^{11} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{12} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{12} - \alpha_{3,6}^9 \alpha_{4,9}^{12} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,6}^8 &= 1 - 2 * \sqrt{10}/5 \\
\alpha_{2,7}^9 &= 5/3 - 2 * \sqrt{10}/3 \\
\alpha_{3,6}^9 &= -2/3 + 4 * \sqrt{10}/15 \\
\alpha_{2,8}^{10} &= 3 - \sqrt{10} \\
\alpha_{3,8}^{11} &= -4 + \sqrt{10} \\
\alpha_{4,5}^9 &= 2/3 - \sqrt{10}/15 \\
\alpha_{4,6}^{10} &= 2/3 - \sqrt{10}/15 \\
\alpha_{4,7}^{11} &= 8/3 - 2 * \sqrt{10}/3 \\
\alpha_{5,8}^{12} &= -1 \\
\alpha_{2,9}^{11} &= 7 - 2 * \sqrt{10} \\
\alpha_{3,7}^{10} &= -4/3 + \sqrt{10}/3 \\
\alpha_{4,9}^{12} &= 1 \\
\alpha_{6,7}^{12} &= 1 \\
\alpha_{3,4}^7 &= \sqrt{10}/5 \\
\alpha_{3,10}^{12} &= -1 \\
\alpha_{3,5}^8 &= \sqrt{10}/5 \\
\alpha_{5,6}^{11} &= -2 + 3 * \sqrt{10}/5 \\
\alpha_{2,5}^7 &= 1 - \sqrt{10}/5
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{2,6}^8 &= 1 + 2 * \sqrt{10}/5 \\
\alpha_{2,7}^9 &= 5/3 + 2 * \sqrt{10}/3 \\
\alpha_{3,6}^9 &= -4 * \sqrt{10}/15 - 2/3 \\
\alpha_{2,8}^{10} &= 3 + \sqrt{10} \\
\alpha_{3,8}^{11} &= -4 - \sqrt{10} \\
\alpha_{4,5}^9 &= \sqrt{10}/15 + 2/3 \\
\alpha_{4,6}^{10} &= \sqrt{10}/15 + 2/3 \\
\alpha_{4,7}^{11} &= 2 * \sqrt{10}/3 + 8/3 \\
\alpha_{5,8}^{12} &= -1 \\
\alpha_{2,9}^{11} &= 2 * \sqrt{10} + 7 \\
\alpha_{3,7}^{10} &= -4/3 - \sqrt{10}/3 \\
\alpha_{4,9}^{12} &= 1 \\
\alpha_{6,7}^{12} &= 1 \\
\alpha_{3,4}^7 &= -\sqrt{10}/5 \\
\alpha_{3,10}^{12} &= -1 \\
\alpha_{3,5}^8 &= -\sqrt{10}/5 \\
\alpha_{5,6}^{11} &= -2 - 3 * \sqrt{10}/5 \\
\alpha_{2,5}^7 &= \sqrt{10}/5 + 1
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{2,6}^8 &\rightarrow x_1 \\
\alpha_{2,7}^9 &\rightarrow x_2 \\
\alpha_{3,6}^9 &\rightarrow x_3 \\
\alpha_{2,8}^{10} &\rightarrow x_4 \\
\alpha_{3,8}^{11} &\rightarrow x_5 \\
\alpha_{4,5}^9 &\rightarrow x_6 \\
\alpha_{4,6}^{10} &\rightarrow x_7 \\
\alpha_{4,7}^{11} &\rightarrow x_8 \\
\alpha_{5,8}^{12} &\rightarrow x_9
\end{aligned}$$

$$\begin{aligned}
\alpha_{2,9}^{11} &\rightarrow x_{10} \\
\alpha_{3,7}^{10} &\rightarrow x_{11} \\
\alpha_{4,9}^{12} &\rightarrow x_{12} \\
\alpha_{6,7}^{12} &\rightarrow x_{13} \\
\alpha_{3,4}^7 &\rightarrow x_{14} \\
\alpha_{3,10}^{12} &\rightarrow x_{15} \\
\alpha_{3,5}^8 &\rightarrow x_{16} \\
\alpha_{5,6}^{11} &\rightarrow x_{17} \\
\alpha_{2,5}^7 &\rightarrow x_{18}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{14} - x_{18} + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_1 - x_{16} + x_{18} & = 0 \\
(e_1, e_3, e_4) : & x_{14} - x_{16} & = 0 \\
(e_1, e_2, e_6) : & x_1 - x_2 - x_3 & = 0 \\
(e_1, e_3, e_5) : & x_{16} - x_3 - x_6 & = 0 \\
(e_2, e_3, e_4) : & x_{14}x_2 - x_3 + x_6 & = 0 \\
(e_1, e_2, e_7) : & -x_{11} + x_2 - x_4 & = 0 \\
(e_1, e_3, e_6) : & -x_{11} + x_3 - x_7 & = 0 \\
(e_1, e_4, e_5) : & x_6 - x_7 & = 0 \\
(e_2, e_3, e_5) : & -x_{11}x_{18} + x_{16}x_4 & = 0 \\
(e_1, e_2, e_8) : & -x_{10} + x_4 - x_5 & = 0 \\
(e_1, e_3, e_7) : & x_{11} - x_5 - x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_{17} + x_7 - x_8 & = 0 \\
(e_2, e_3, e_6) : & -x_1x_5 + x_{10}x_3 - x_{17} & = 0 \\
(e_2, e_4, e_5) : & x_{10}x_6 + x_{17} - x_{18}x_8 & = 0 \\
(e_1, e_2, e_{10}) : & -x_{15} - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_{12} - x_{15} & = 0 \\
(e_1, e_4, e_8) : & -x_{12} - x_9 & = 0 \\
(e_1, e_5, e_7) : & -x_{13} - x_9 & = 0 \\
(e_2, e_3, e_8) : & -x_{15}x_4 + x_5 - x_9 & = 0 \\
(e_2, e_4, e_7) : & -x_{12}x_2 - x_{13} + x_8 & = 0 \\
(e_2, e_5, e_6) : & -x_1x_9 + x_{13}x_{18} + x_{17} & = 0 \\
(e_3, e_4, e_6) : & -x_{12}x_3 + x_{13}x_{14} + x_{15}x_7 & = 0
\end{aligned}$$

Groebner basis (18 variables, 8 linear, 10 nonlinear)

$$\begin{aligned}
x_1 - 2x_{18} + 1 &= 0 \\
-15x_{18}^3 - 5x_{18}^2 - 59x_{18} + 36x_2 + 39 &= 0 \\
15x_{18}^3 + 5x_{18}^2 - 13x_{18} + 36x_3 - 3 &= 0 \\
-15x_{18}^3 - 5x_{18}^2 + x_{18} + 12x_4 + 3 &= 0 \\
15x_{18}^3 + 5x_{18}^2 - x_{18} + 12x_5 + 9 &= 0 \\
-15x_{18}^3 - 5x_{18}^2 + 49x_{18} + 36x_6 - 33 &= 0 \\
-15x_{18}^3 - 5x_{18}^2 + 49x_{18} + 36x_7 - 33 &= 0 \\
-15x_{18}^3 - 5x_{18}^2 - 59x_{18} + 36x_8 + 3 &= 0 \\
x_9 + 1 &= 0 \\
6x_{10} - 15x_{18}^3 - 5x_{18}^2 + x_{18} - 3 &= 0 \\
18x_{11} + 15x_{18}^3 + 5x_{18}^2 - 31x_{18} + 15 &= 0 \\
x_{12} - 1 &= 0 \\
x_{13} - 1 &= 0 \\
x_{14} + x_{18} - 1 &= 0 \\
x_{15} + 1 &= 0 \\
x_{16} + x_{18} - 1 &= 0 \\
x_{17} + 3x_{18} - 1 &= 0 \\
15x_{18}^4 - 40x_{18}^3 + 44x_{18}^2 - 36x_{18} + 9 &= 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= 1 - 2 * \sqrt{10}/5 \\
x_2 &= 5/3 - 2 * \sqrt{10}/3 \\
x_3 &= -2/3 + 4 * \sqrt{10}/15 \\
x_4 &= 3 - \sqrt{10} \\
x_5 &= -4 + \sqrt{10} \\
x_6 &= 2/3 - \sqrt{10}/15 \\
x_7 &= 2/3 - \sqrt{10}/15 \\
x_8 &= 8/3 - 2 * \sqrt{10}/3 \\
x_9 &= -1 \\
x_{10} &= 7 - 2 * \sqrt{10} \\
x_{11} &= -4/3 + \sqrt{10}/3
\end{aligned}$$

$$x_12 = 1$$

$$x_13 = 1$$

$$x_14 = \text{sqrt}(10)/5$$

$$x_15 = -1$$

$$x_16 = \text{sqrt}(10)/5$$

$$x_17 = -2 + 3 * \text{sqrt}(10)/5$$

$$x_18 = 1 - \text{sqrt}(10)/5$$

Solution 2:

$$x_1 = 1 + 2 * \text{sqrt}(10)/5$$

$$x_2 = 5/3 + 2 * \text{sqrt}(10)/3$$

$$x_3 = -4 * \text{sqrt}(10)/15 - 2/3$$

$$x_4 = 3 + \text{sqrt}(10)$$

$$x_5 = -4 - \text{sqrt}(10)$$

$$x_6 = \text{sqrt}(10)/15 + 2/3$$

$$x_7 = \text{sqrt}(10)/15 + 2/3$$

$$x_8 = 2 * \text{sqrt}(10)/3 + 8/3$$

$$x_9 = -1$$

$$x_10 = 2 * \text{sqrt}(10) + 7$$

$$x_11 = -4/3 - \text{sqrt}(10)/3$$

$$x_12 = 1$$

$$x_13 = 1$$

$$x_14 = -\text{sqrt}(10)/5$$

$$x_15 = -1$$

$$x_16 = -\text{sqrt}(10)/5$$

$$x_17 = -2 - 3 * \text{sqrt}(10)/5$$

$$x_18 = \text{sqrt}(10)/5 + 1$$

$\mathfrak{m}_{3B}(3, 12)$

m3B312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_7] = e_{10} \\
[e_2, e_8] = 3e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_6] = -e_{10} & [e_3, e_7] = -2e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = e_{10} \\
[e_4, e_6] = e_{11} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{3,10}^{12} - 2 & = 0 \\
(e_2, e_4, e_6) : & \text{no solutions} & \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{12} & = 0
\end{array}$$

There are no solutions.

$\mathfrak{m}_{5B}(3, 12)$

m5B312 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -e_8 & [e_3, e_5] = -e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{10} \alpha_{3,10}^{12} + \alpha_{3,7}^{11} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{4,6}^{11} - 2\alpha_{4,9}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{12} \alpha_{4,5}^{10} + \alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0
\end{array}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^{10} \rightarrow x_1$$

$$\alpha_{4,5}^{10} \rightarrow x_2$$

$$\alpha_{5,8}^{12} \rightarrow x_3$$

$$\alpha_{4,9}^{12} \rightarrow x_4$$

$$\alpha_{6,7}^{12} \rightarrow x_5$$

$$\alpha_{4,6}^{11} \rightarrow x_6$$

$$\alpha_{2,7}^{10} \rightarrow x_7$$

$$\alpha_{2,8}^{11} \rightarrow x_8$$

$$\alpha_{3,7}^{11} \rightarrow x_9$$

$$\alpha_{3,10}^{12} \rightarrow x_{10}$$

Jacobi Tests

$$(e_1, e_2, e_6) : \quad -x_1 - x_7 + 2 \quad = 0$$

$$(e_1, e_3, e_5) : \quad -x_1 - x_2 - 1 \quad = 0$$

$$(e_1, e_2, e_7) : \quad x_7 - x_8 - x_9 \quad = 0$$

$$(e_1, e_3, e_6) : \quad x_1 - x_6 - x_9 \quad = 0$$

$$(e_1, e_4, e_5) : \quad x_2 - x_6 \quad = 0$$

$$(e_2, e_3, e_4) : \quad -x_8 \quad = 0$$

$$(e_1, e_2, e_{10}) : \quad -x_{10} - 1 \quad = 0$$

$$(e_1, e_3, e_9) : \quad -x_{10} - x_4 \quad = 0$$

$$(e_1, e_4, e_8) : \quad -x_3 - x_4 \quad = 0$$

$$(e_1, e_5, e_7) : \quad -x_3 - x_5 \quad = 0$$

$$(e_2, e_3, e_7) : \quad -x_{10}x_7 + x_9 \quad = 0$$

$$(e_2, e_4, e_6) : \quad -2x_4 + x_6 \quad = 0$$

$$(e_3, e_4, e_5) : \quad x_{10}x_2 - x_3 + x_4 \quad = 0$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{7B}(3,12)$

m7B312 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = e_8 \\
[e_2, e_6] = e_9 & [e_2, e_7] = e_{10} \\
[e_2, e_8] = e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = 0 & [e_3, e_5] = 0 \\
[e_3, e_6] = 0 & [e_3, e_7] = 0 \\
[e_3, e_{10}] = -e_{12} & [e_4, e_5] = 0 \\
[e_4, e_6] = 0 & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Solution 2

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \frac{8e_8}{5} \\
[e_2, e_6] = \frac{11e_9}{5} & [e_2, e_7] = 4e_{10} \\
[e_2, e_8] = 7e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -\frac{3e_8}{5} & [e_3, e_5] = -\frac{3e_9}{5} \\
[e_3, e_6] = -\frac{9e_{10}}{5} & [e_3, e_7] = -3e_{11} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_5] = \frac{6e_{10}}{5} \\
[e_4, e_6] = \frac{6e_{11}}{5} & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{ll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{10} \alpha_{3,10}^{12} + \alpha_{3,7}^{11} - \alpha_{6,7}^{12} = 0 \\
(e_2, e_4, e_6) : & -\alpha_{2,6}^9 \alpha_{4,9}^{12} + \alpha_{4,6}^{11} + \alpha_{6,7}^{12} = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,10}^{12} \alpha_{4,5}^{10} + \alpha_{3,4}^8 \alpha_{5,8}^{12} - \alpha_{3,5}^9 \alpha_{4,9}^{12} = 0
\end{array}$$

Solution 1:

$$\begin{aligned}\alpha_{2,5}^8 &= 1 \\ \alpha_{3,5}^9 &= 0 \\ \alpha_{3,4}^8 &= 0 \\ \alpha_{4,5}^{10} &= 0 \\ \alpha_{5,8}^{12} &= -1 \\ \alpha_{4,9}^{12} &= 1 \\ \alpha_{6,7}^{12} &= 1 \\ \alpha_{4,6}^{11} &= 0 \\ \alpha_{2,6}^9 &= 1 \\ \alpha_{3,6}^{10} &= 0 \\ \alpha_{2,7}^{10} &= 1 \\ \alpha_{2,8}^{11} &= 1 \\ \alpha_{3,7}^{11} &= 0 \\ \alpha_{3,10}^{12} &= -1\end{aligned}$$

Solution 2:

$$\begin{aligned}\alpha_{2,5}^8 &= 8/5 \\ \alpha_{3,5}^9 &= -3/5 \\ \alpha_{3,4}^8 &= -3/5 \\ \alpha_{4,5}^{10} &= 6/5 \\ \alpha_{5,8}^{12} &= -1 \\ \alpha_{4,9}^{12} &= 1 \\ \alpha_{6,7}^{12} &= 1 \\ \alpha_{4,6}^{11} &= 6/5 \\ \alpha_{2,6}^9 &= 11/5 \\ \alpha_{3,6}^{10} &= -9/5 \\ \alpha_{2,7}^{10} &= 4 \\ \alpha_{2,8}^{11} &= 7 \\ \alpha_{3,7}^{11} &= -3 \\ \alpha_{3,10}^{12} &= -1\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{2,5}^8 &\rightarrow x_1 \\
\alpha_{3,5}^9 &\rightarrow x_2 \\
\alpha_{3,4}^8 &\rightarrow x_3 \\
\alpha_{4,5}^{10} &\rightarrow x_4 \\
\alpha_{5,8}^{12} &\rightarrow x_5 \\
\alpha_{4,9}^{12} &\rightarrow x_6 \\
\alpha_{6,7}^{12} &\rightarrow x_7 \\
\alpha_{4,6}^{11} &\rightarrow x_8 \\
\alpha_{2,6}^9 &\rightarrow x_9 \\
\alpha_{3,6}^{10} &\rightarrow x_{10} \\
\alpha_{2,7}^{10} &\rightarrow x_{11} \\
\alpha_{2,8}^{11} &\rightarrow x_{12} \\
\alpha_{3,7}^{11} &\rightarrow x_{13} \\
\alpha_{3,10}^{12} &\rightarrow x_{14}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_1 - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & \quad x_1 - x_2 - x_9 & = 0 \\
(e_1, e_3, e_4) : & \quad -x_2 + x_3 & = 0 \\
(e_1, e_2, e_6) : & \quad -x_{10} - x_{11} + x_9 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_{10} + x_2 - x_4 & = 0 \\
(e_1, e_2, e_7) : & \quad x_{11} - x_{12} - x_{13} & = 0 \\
(e_1, e_3, e_6) : & \quad x_{10} - x_{13} - x_8 & = 0 \\
(e_1, e_4, e_5) : & \quad x_4 - x_8 & = 0 \\
(e_2, e_3, e_4) : & \quad x_{12}x_3 - x_{13} + x_8 & = 0 \\
(e_1, e_2, e_{10}) : & \quad -x_{14} - 1 & = 0 \\
(e_1, e_3, e_9) : & \quad -x_{14} - x_6 & = 0 \\
(e_1, e_4, e_8) : & \quad -x_5 - x_6 & = 0 \\
(e_1, e_5, e_7) : & \quad -x_5 - x_7 & = 0 \\
(e_2, e_3, e_7) : & \quad -x_{11}x_{14} + x_{13} - x_7 & = 0 \\
(e_2, e_4, e_6) : & \quad -x_6x_9 + x_7 + x_8 & = 0 \\
(e_3, e_4, e_5) : & \quad x_{14}x_4 - x_2x_6 + x_3x_5 & = 0
\end{aligned}$$

Groebner basis (14 variables, 13 linear, 1 nonlinear)

$$5x_1 + x_{13} - 5 = 0$$

$$-x_{13} + 5x_2 = 0$$

$$-x_{13} + 5x_3 = 0$$

$$2x_{13} + 5x_4 = 0$$

$$x_5 + 1 = 0$$

$$x_6 - 1 = 0$$

$$x_7 - 1 = 0$$

$$2x_{13} + 5x_8 = 0$$

$$2x_{13} + 5x_9 - 5 = 0$$

$$5x_{10} - 3x_{13} = 0$$

$$x_{11} + x_{13} - 1 = 0$$

$$x_{12} + 2x_{13} - 1 = 0$$

$$x_{13}^2 + 3x_{13} = 0$$

$$x_{14} + 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = 0$$

$$x_3 = 0$$

$$x_4 = 0$$

$$x_5 = -1$$

$$x_6 = 1$$

$$x_7 = 1$$

$$x_8 = 0$$

$$x_9 = 1$$

$$x_{10} = 0$$

$$x_{11} = 1$$

$$x_{12} = 1$$

$$x_{13} = 0$$

$$x_{14} = -1$$

Solution 2:

$$x_1 = 8/5$$

$$\begin{aligned}
x_2 &= -3/5 \\
x_3 &= -3/5 \\
x_4 &= 6/5 \\
x_5 &= -1 \\
x_6 &= 1 \\
x_7 &= 1 \\
x_8 &= 6/5 \\
x_9 &= 11/5 \\
x_{10} &= -9/5 \\
x_11 &= 4 \\
x_{12} &= 7 \\
x_{13} &= -3 \\
x_{14} &= -1
\end{aligned}$$

$\mathfrak{m}_{2B}(4, 12)$

m2B412 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_7] &= e_{11} \\
[e_2, e_{11}] &= e_{12} & [e_3, e_6] &= -e_{11} \\
[e_3, e_{10}] &= \alpha_{3,10}^{12} e_{12} & [e_4, e_5] &= e_{11} \\
[e_4, e_9] &= \alpha_{4,9}^{12} e_{12} & [e_5, e_8] &= \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] &= \alpha_{6,7}^{12} e_{12}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{3,10}^{12} - 1 & &= 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & &= 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & &= 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & &= 0 \\
(e_2, e_3, e_6) : & \quad \text{no solutions} \\
(e_2, e_4, e_5) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{4B}(4, 12)$

m4B412 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = 4e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_9 \\
[e_3, e_5] = -e_{10} & [e_3, e_6] = -2e_{11} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_5] = e_{11} \\
[e_4, e_9] = e_{12} & [e_5, e_8] = -e_{12} \\
[e_6, e_7] = e_{12} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = -e_9 \\
[e_3, e_5] = -e_{10} & [e_3, e_6] = \alpha_{3,6}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_6) : & -2\alpha_{3,10}^{12} + \alpha_{3,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,9}^{12} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,6}^{11} &= -2 \\
\alpha_{5,8}^{12} &= -1 \\
\alpha_{4,9}^{12} &= 1 \\
\alpha_{6,7}^{12} &= 1 \\
\alpha_{4,5}^{11} &= 1 \\
\alpha_{3,10}^{12} &= -1 \\
\alpha_{2,7}^{11} &= 4
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,6}^{11} &\rightarrow x_1 \\
\alpha_{5,8}^{12} &\rightarrow x_2 \\
\alpha_{4,9}^{12} &\rightarrow x_3 \\
\alpha_{6,7}^{12} &\rightarrow x_4 \\
\alpha_{4,5}^{11} &\rightarrow x_5 \\
\alpha_{3,10}^{12} &\rightarrow x_6 \\
\alpha_{2,7}^{11} &\rightarrow x_7
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_7 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_5 - 1 & = 0 \\
(e_1, e_2, e_{10}) : & -x_6 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_3 - x_6 & = 0 \\
(e_1, e_4, e_8) : & -x_2 - x_3 & = 0 \\
(e_1, e_5, e_7) : & -x_2 - x_4 & = 0 \\
(e_2, e_3, e_6) : & x_1 - 2x_6 & = 0 \\
(e_2, e_4, e_5) : & -x_3 + x_5 & = 0
\end{array}$$

Groebner basis (7 variables, 7 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 2 = 0 \\
x_2 + 1 = 0 \\
x_3 - 1 = 0 \\
x_4 - 1 = 0 \\
x_5 - 1 = 0 \\
x_6 + 1 = 0 \\
x_7 - 4 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = -2 \\
x_2 = -1 \\
x_3 = 1 \\
x_4 = 1 \\
x_5 = 1 \\
x_6 = -1 \\
x_7 = 4
\end{array}$$

$\mathfrak{m}_{6B}(4, 12)$

m6B412 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_7 \\
[e_2, e_4] = e_8 & [e_2, e_5] = \alpha_{2,5}^9 e_9 \\
[e_2, e_6] = \alpha_{2,6}^{10} e_{10} & [e_2, e_7] = \alpha_{2,7}^{11} e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_4] = \alpha_{3,4}^9 e_9 \\
[e_3, e_5] = \alpha_{3,5}^{10} e_{10} & [e_3, e_6] = \alpha_{3,6}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_5] = \alpha_{4,5}^{11} e_{11} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^{10} \alpha_{3,10}^{12} + \alpha_{3,6}^{11} + \alpha_{6,7}^{12} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^9 \alpha_{4,9}^{12} + \alpha_{4,5}^{11} + \alpha_{5,8}^{12} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^{11} \rightarrow x_1$$

$$\alpha_{3,4}^9 \rightarrow x_2$$

$$\begin{aligned}
\alpha_{3,5}^{10} &\rightarrow x_3 \\
\alpha_{5,8}^{12} &\rightarrow x_4 \\
\alpha_{2,5}^9 &\rightarrow x_5 \\
\alpha_{4,9}^{12} &\rightarrow x_6 \\
\alpha_{6,7}^{12} &\rightarrow x_7 \\
\alpha_{4,5}^{11} &\rightarrow x_8 \\
\alpha_{2,6}^{10} &\rightarrow x_9 \\
\alpha_{3,10}^{12} &\rightarrow x_{10} \\
\alpha_{2,7}^{11} &\rightarrow x_{11}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_2 - x_5 + 1 &= 0 \\
(e_1, e_2, e_5) : & -x_3 + x_5 - x_9 &= 0 \\
(e_1, e_3, e_4) : & x_2 - x_3 &= 0 \\
(e_1, e_2, e_6) : & -x_1 - x_{11} + x_9 &= 0 \\
(e_1, e_3, e_5) : & -x_1 + x_3 - x_8 &= 0 \\
(e_1, e_2, e_{10}) : & -x_{10} - 1 &= 0 \\
(e_1, e_3, e_9) : & -x_{10} - x_6 &= 0 \\
(e_1, e_4, e_8) : & -x_4 - x_6 &= 0 \\
(e_1, e_5, e_7) : & -x_4 - x_7 &= 0 \\
(e_2, e_3, e_6) : & x_1 - x_{10}x_9 + x_7 &= 0 \\
(e_2, e_4, e_5) : & x_4 - x_5x_6 + x_8 &= 0
\end{aligned}$$

Groebner basis (11 variables, 10 linear, 0 nonlinear)

$$\begin{aligned}
2x_1 + x_{11} + 1 &= 0 \\
x_{11} + 4x_2 - 3 &= 0 \\
x_{11} + 4x_3 - 3 &= 0 \\
x_4 + 1 &= 0 \\
-x_{11} + 4x_5 - 1 &= 0 \\
x_6 - 1 &= 0 \\
x_7 - 1 &= 0 \\
-x_{11} + 4x_8 - 5 &= 0 \\
-x_{11} + 2x_9 + 1 &= 0 \\
x_{10} + 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{3B}(5, 12)$

m3B512 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_{10}] = -e_{12} & [e_4, e_9] = e_{12} \\
[e_5, e_8] = -e_{12} & [e_6, e_7] = e_{12}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,10}^{12} - 1 & = 0
\end{array}$$

Solution 1:

$$\alpha_{3,10}^{12} = -1$$

$$\alpha_{4,9}^{12} = 1$$

$$\alpha_{6,7}^{12} = 1$$

$$\alpha_{5,8}^{12} = -1$$

How the solution(s) were or were not found:
Change variables

$$\alpha_{3,10}^{12} \rightarrow x_1$$

$$\alpha_{4,9}^{12} \rightarrow x_2$$

$$\alpha_{6,7}^{12} \rightarrow x_3$$

$$\alpha_{5,8}^{12} \rightarrow x_4$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_{10}) : & -x_1 - 1 & = 0 \\ (e_1, e_3, e_9) : & -x_1 - x_2 & = 0 \\ (e_1, e_4, e_8) : & -x_2 - x_4 & = 0 \\ (e_1, e_5, e_7) : & -x_3 - x_4 & = 0 \\ (e_2, e_3, e_5) : & -x_1 - 1 & = 0 \end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$x_1 + 1 = 0$$

$$x_2 - 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = 1$$

$$x_3 = 1$$

$$x_4 = -1$$

$\mathfrak{m}_{5B}(5, 12)$

m5B512 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_4] = \alpha_{3,4}^{10} e_{10} & [e_3, e_5] = \alpha_{3,5}^{11} e_{11} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^{10} \alpha_{3,10}^{12} + \alpha_{3,5}^{11} + \alpha_{5,8}^{12} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,5}^{11} \rightarrow x_1 \\
\alpha_{2,5}^{10} \rightarrow x_2 \\
\alpha_{5,8}^{12} \rightarrow x_3 \\
\alpha_{4,9}^{12} \rightarrow x_4 \\
\alpha_{6,7}^{12} \rightarrow x_5
\end{array}$$

$$\begin{aligned}\alpha_{3,10}^{12} &\rightarrow x_6 \\ \alpha_{3,4}^{10} &\rightarrow x_7 \\ \alpha_{2,6}^{11} &\rightarrow x_8\end{aligned}$$

Jacobi Tests

$$\begin{aligned}(e_1, e_2, e_4) : & -x_2 - x_7 + 1 & = 0 \\ (e_1, e_2, e_5) : & -x_1 + x_2 - x_8 & = 0 \\ (e_1, e_3, e_4) : & -x_1 + x_7 & = 0 \\ (e_1, e_2, e_{10}) : & -x_6 - 1 & = 0 \\ (e_1, e_3, e_9) : & -x_4 - x_6 & = 0 \\ (e_1, e_4, e_8) : & -x_3 - x_4 & = 0 \\ (e_1, e_5, e_7) : & -x_3 - x_5 & = 0 \\ (e_2, e_3, e_5) : & x_1 - x_2 x_6 + x_3 & = 0\end{aligned}$$

Groebner basis (8 variables, 7 linear, 0 nonlinear)

$$\begin{aligned}2x_1 + x_8 - 1 &= 0 \\ 2x_2 - x_8 - 1 &= 0 \\ x_3 + 1 &= 0 \\ x_4 - 1 &= 0 \\ x_5 - 1 &= 0 \\ x_6 + 1 &= 0 \\ 2x_7 + x_8 - 1 &= 0\end{aligned}$$

$\mathfrak{m}_{2B}(6, 12)$

m2B612 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\ [e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\ [e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\ [e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\ [e_1, e_{10}] &= e_{11} & [e_2, e_5] &= e_{11} \\ [e_2, e_{11}] &= e_{12} & [e_3, e_4] &= -e_{11} \\ [e_3, e_{10}] &= \alpha_{3,10}^{12} e_{12} & [e_4, e_9] &= \alpha_{4,9}^{12} e_{12} \\ [e_5, e_8] &= \alpha_{5,8}^{12} e_{12} & [e_6, e_7] &= \alpha_{6,7}^{12} e_{12}\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & \quad -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_4) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{4B}(6, 12)$

m4B612 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_9 \\
[e_2, e_4] &= e_{10} & [e_2, e_5] &= 3e_{11} \\
[e_2, e_{11}] &= e_{12} & [e_3, e_4] &= -2e_{11} \\
[e_3, e_{10}] &= -e_{12} & [e_4, e_9] &= e_{12} \\
[e_5, e_8] &= -e_{12} & [e_6, e_7] &= e_{12}
\end{aligned}$$

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_2, e_3] &= e_9 \\
[e_2, e_4] &= e_{10} & [e_2, e_5] &= \alpha_{2,5}^{11} e_{11} \\
[e_2, e_{11}] &= e_{12} & [e_3, e_4] &= \alpha_{3,4}^{11} e_{11} \\
[e_3, e_{10}] &= \alpha_{3,10}^{12} e_{12} & [e_4, e_9] &= \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] &= \alpha_{5,8}^{12} e_{12} & [e_6, e_7] &= \alpha_{6,7}^{12} e_{12}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_{10}) : & \quad -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & \quad -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & \quad -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & \quad -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0 \\
(e_2, e_3, e_4) : & \quad -\alpha_{3,10}^{12} + \alpha_{3,4}^{11} + \alpha_{4,9}^{12} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,4}^{11} &= -2 \\
\alpha_{5,8}^{12} &= -1 \\
\alpha_{4,9}^{12} &= 1 \\
\alpha_{6,7}^{12} &= 1 \\
\alpha_{3,10}^{12} &= -1 \\
\alpha_{2,5}^{11} &= 3
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,4}^{11} &\rightarrow x_1 \\
\alpha_{5,8}^{12} &\rightarrow x_2 \\
\alpha_{4,9}^{12} &\rightarrow x_3 \\
\alpha_{6,7}^{12} &\rightarrow x_4 \\
\alpha_{3,10}^{12} &\rightarrow x_5 \\
\alpha_{2,5}^{11} &\rightarrow x_6
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & \quad -x_1 - x_6 + 1 & = 0 \\
(e_1, e_2, e_{10}) : & \quad -x_5 - 1 & = 0 \\
(e_1, e_3, e_9) : & \quad -x_3 - x_5 & = 0 \\
(e_1, e_4, e_8) : & \quad -x_2 - x_3 & = 0 \\
(e_1, e_5, e_7) : & \quad -x_2 - x_4 & = 0 \\
(e_2, e_3, e_4) : & \quad x_1 + x_3 - x_5 & = 0
\end{aligned}$$

Groebner basis (6 variables, 6 linear, 0 nonlinear)

$$x_1 + 2 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 - 1 = 0$$

$$x_5 + 1 = 0$$

$$x_6 - 3 = 0$$

Solution 1:

$$x_1 = -2$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = 1$$

$$x_5 = -1$$

$$x_6 = 3$$

$\mathfrak{m}_{3B}(7, 12)$

m3B712 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_2, e_4] = e_{11}$$

$$[e_3, e_{10}] = -e_{12}$$

$$[e_5, e_8] = -e_{12}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_2, e_3] = e_{10}$$

$$[e_2, e_{11}] = e_{12}$$

$$[e_4, e_9] = e_{12}$$

$$[e_6, e_7] = e_{12}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_{11}] = e_{12} \\
[e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{12} e_{12} \\
[e_5, e_8] = \alpha_{5,8}^{12} e_{12} & [e_6, e_7] = \alpha_{6,7}^{12} e_{12}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,10}^{12} = -1 \\
\alpha_{4,9}^{12} = 1 \\
\alpha_{6,7}^{12} = 1 \\
\alpha_{5,8}^{12} = -1
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\begin{array}{l}
\alpha_{3,10}^{12} \rightarrow x_1 \\
\alpha_{4,9}^{12} \rightarrow x_2 \\
\alpha_{6,7}^{12} \rightarrow x_3 \\
\alpha_{5,8}^{12} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_1 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_1 - x_2 & = 0 \\
(e_1, e_4, e_8) : & -x_2 - x_4 & = 0 \\
(e_1, e_5, e_7) : & -x_3 - x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 1 = 0 \\
x_2 - 1 = 0 \\
x_3 - 1 = 0 \\
x_4 + 1 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = -1 \\
x_2 = 1 \\
x_3 = 1 \\
x_4 = -1
\end{array}$$

$\mathfrak{m}_{2B}(8, 12)$

m2B812 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_{10}] = -e_{12} \\
[e_4, e_9] = e_{12} & [e_5, e_8] = -e_{12} \\
[e_6, e_7] = e_{12} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_2, e_3] = e_{11} \\
[e_2, e_{11}] = e_{12} & [e_3, e_{10}] = \alpha_{3,10}^{12} e_{12} \\
[e_4, e_9] = \alpha_{4,9}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{12} e_{12} \\
[e_6, e_7] = \alpha_{6,7}^{12} e_{12} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -\alpha_{3,10}^{12} - 1 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{12} - \alpha_{4,9}^{12} & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{12} - \alpha_{5,8}^{12} & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{12} - \alpha_{6,7}^{12} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{3,10}^{12} = -1 \\
\alpha_{4,9}^{12} = 1 \\
\alpha_{6,7}^{12} = 1 \\
\alpha_{5,8}^{12} = -1
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\begin{array}{l}
\alpha_{3,10}^{12} \rightarrow x_1 \\
\alpha_{4,9}^{12} \rightarrow x_2 \\
\alpha_{6,7}^{12} \rightarrow x_3 \\
\alpha_{5,8}^{12} \rightarrow x_4
\end{array}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_1 - 1 & = 0 \\
(e_1, e_3, e_9) : & -x_1 - x_2 & = 0 \\
(e_1, e_4, e_8) : & -x_2 - x_4 & = 0 \\
(e_1, e_5, e_7) : & -x_3 - x_4 & = 0
\end{array}$$

Groebner basis (4 variables, 4 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 1 = 0 \\
x_2 - 1 = 0 \\
x_3 - 1 = 0 \\
x_4 + 1 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = -1 \\
x_2 = 1 \\
x_3 = 1 \\
x_4 = -1
\end{array}$$

$\mathfrak{m}_{2B}(2, 14)$

m2B214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_{11}] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_{10}] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_9] = e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_8] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_7] = e_{13} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & \text{no solutions} \\
(e_2, e_4, e_9) : & \text{no solutions} \\
(e_2, e_5, e_8) : & \text{no solutions} \\
(e_2, e_6, e_7) : & \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathbf{m}_{4B}(2, 14)$

m4B214 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_9] &= e_{11} \\
[e_2, e_{10}] &= 4e_{12} & [e_2, e_{11}] &= \alpha_{2,11}^{13} e_{13} \\
[e_2, e_{13}] &= e_{14} & [e_3, e_8] &= -e_{11} \\
[e_3, e_9] &= -3e_{12} & [e_3, e_{10}] &= \alpha_{3,10}^{13} e_{13} \\
[e_3, e_{12}] &= \alpha_{3,12}^{14} e_{14} & [e_4, e_7] &= e_{11} \\
[e_4, e_8] &= 2e_{12} & [e_4, e_9] &= \alpha_{4,9}^{13} e_{13} \\
[e_4, e_{11}] &= \alpha_{4,11}^{14} e_{14} & [e_5, e_6] &= -e_{11} \\
[e_5, e_7] &= -e_{12} & [e_5, e_8] &= \alpha_{5,8}^{13} e_{13} \\
[e_5, e_{10}] &= \alpha_{5,10}^{14} e_{14} & [e_6, e_7] &= \alpha_{6,7}^{13} e_{13} \\
[e_6, e_9] &= \alpha_{6,9}^{14} e_{14} & [e_7, e_8] &= \alpha_{7,8}^{14} e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{10}) : & -\alpha_{2,11}^{13} - \alpha_{3,10}^{13} + 4 & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} - \alpha_{4,9}^{13} - 3 & = 0 \\
(e_1, e_4, e_8) : & -\alpha_{4,9}^{13} - \alpha_{5,8}^{13} + 2 & = 0 \\
(e_1, e_5, e_7) : & -\alpha_{5,8}^{13} - \alpha_{6,7}^{13} - 1 & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,11}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} & = 0 \\
(e_2, e_5, e_6) : & -\alpha_{2,11}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & \alpha_{3,10}^{13} - 4\alpha_{3,12}^{14} & = 0 \\
(e_2, e_4, e_9) : & -\alpha_{4,11}^{14} + \alpha_{4,9}^{13} & = 0 \\
(e_2, e_5, e_8) : & \alpha_{5,8}^{13} & = 0 \\
(e_2, e_6, e_7) : & \alpha_{6,7}^{13} & = 0 \\
(e_3, e_4, e_8) : & 2\alpha_{3,12}^{14} + \alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_7) : & -\alpha_{3,12}^{14} & = 0 \\
(e_4, e_5, e_6) : & -\alpha_{4,11}^{14} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,12}^{14} & \rightarrow x_1 \\
\alpha_{6,9}^{14} & \rightarrow x_2 \\
\alpha_{5,8}^{13} & \rightarrow x_3 \\
\alpha_{5,10}^{14} & \rightarrow x_4 \\
\alpha_{6,7}^{13} & \rightarrow x_5 \\
\alpha_{7,8}^{14} & \rightarrow x_6 \\
\alpha_{4,11}^{14} & \rightarrow x_7 \\
\alpha_{2,11}^{13} & \rightarrow x_8
\end{aligned}$$

$$\alpha_{3,10}^{13} \rightarrow x_9$$

$$\alpha_{4,9}^{13} \rightarrow x_{10}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_{10}) : & -x_8 - x_9 + 4 & = 0 \\
(e_1, e_3, e_9) : & -x_{10} - x_9 - 3 & = 0 \\
(e_1, e_4, e_8) : & -x_{10} - x_3 + 2 & = 0 \\
(e_1, e_5, e_7) : & -x_3 - x_5 - 1 & = 0 \\
(e_2, e_3, e_8) : & -x_8 & = 0 \\
(e_2, e_4, e_7) : & x_8 & = 0 \\
(e_2, e_5, e_6) : & -x_8 & = 0 \\
(e_1, e_2, e_{12}) : & -x_1 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_1 - x_7 & = 0 \\
(e_1, e_4, e_{10}) : & -x_4 - x_7 & = 0 \\
(e_1, e_5, e_9) : & -x_2 - x_4 & = 0 \\
(e_1, e_6, e_8) : & -x_2 - x_6 & = 0 \\
(e_2, e_3, e_{10}) : & -4x_1 + x_9 & = 0 \\
(e_2, e_4, e_9) : & x_{10} - x_7 & = 0 \\
(e_2, e_5, e_8) : & x_3 & = 0 \\
(e_2, e_6, e_7) : & x_5 & = 0 \\
(e_3, e_4, e_8) : & 2x_1 + x_7 & = 0 \\
(e_3, e_5, e_7) : & -x_1 & = 0 \\
(e_4, e_5, e_6) : & -x_7 & = 0
\end{array}$$

Groebner basis (10 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{10B}(2, 14)$

m10B214 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_5 \\
[e_2, e_4] = e_6 & [e_2, e_5] = \alpha_{2,5}^7 e_7 \\
[e_2, e_6] = \alpha_{2,6}^8 e_8 & [e_2, e_7] = \alpha_{2,7}^9 e_9 \\
[e_2, e_8] = \alpha_{2,8}^{10} e_{10} & [e_2, e_9] = \alpha_{2,9}^{11} e_{11} \\
[e_2, e_{10}] = \alpha_{2,10}^{12} e_{12} & [e_2, e_{11}] = \alpha_{2,11}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^7 e_7 \\
[e_3, e_5] = \alpha_{3,5}^8 e_8 & [e_3, e_6] = \alpha_{3,6}^9 e_9 \\
[e_3, e_7] = \alpha_{3,7}^{10} e_{10} & [e_3, e_8] = \alpha_{3,8}^{11} e_{11} \\
[e_3, e_9] = \alpha_{3,9}^{12} e_{12} & [e_3, e_{10}] = \alpha_{3,10}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^9 e_9 \\
[e_4, e_6] = \alpha_{4,6}^{10} e_{10} & [e_4, e_7] = \alpha_{4,7}^{11} e_{11} \\
[e_4, e_8] = \alpha_{4,8}^{12} e_{12} & [e_4, e_9] = \alpha_{4,9}^{13} e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_6] = \alpha_{5,6}^{11} e_{11} \\
[e_5, e_7] = \alpha_{5,7}^{12} e_{12} & [e_5, e_8] = \alpha_{5,8}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_7] = \alpha_{6,7}^{13} e_{13} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^7 - \alpha_{3,4}^7 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^7 - \alpha_{2,6}^8 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^7 - \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^8 - \alpha_{2,7}^9 - \alpha_{3,6}^9 & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^8 - \alpha_{3,6}^9 - \alpha_{4,5}^9 & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,7}^9 \alpha_{3,4}^7 - \alpha_{3,6}^9 + \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^9 - \alpha_{2,8}^{10} - \alpha_{3,7}^{10} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^9 - \alpha_{3,7}^{10} - \alpha_{4,6}^{10} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^9 - \alpha_{4,6}^{10} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^7 \alpha_{3,7}^{10} + \alpha_{2,8}^{10} \alpha_{3,5}^8 & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{10} - \alpha_{2,9}^{11} - \alpha_{3,8}^{11} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{10} - \alpha_{3,8}^{11} - \alpha_{4,7}^{11} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{10} - \alpha_{4,7}^{11} - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^8 \alpha_{3,8}^{11} + \alpha_{2,9}^{11} \alpha_{3,6}^9 - \alpha_{5,6}^{11} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^7 \alpha_{4,7}^{11} + \alpha_{2,9}^{11} \alpha_{4,5}^9 + \alpha_{5,6}^{11} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{12} + \alpha_{2,9}^{11} - \alpha_{3,9}^{12} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{11} - \alpha_{3,9}^{12} - \alpha_{4,8}^{12} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{11} - \alpha_{4,8}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{11} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_3, e_7) : & \alpha_{2,10}^{12} \alpha_{3,7}^{10} - \alpha_{2,7}^9 \alpha_{3,9}^{12} - \alpha_{5,7}^{12} & = 0 \\
(e_2, e_4, e_6) : & \alpha_{2,10}^{12} \alpha_{4,6}^{10} - \alpha_{2,6}^8 \alpha_{4,8}^{12} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,4}^7 \alpha_{5,7}^{12} - \alpha_{3,5}^8 \alpha_{4,8}^{12} + \alpha_{3,9}^{12} \alpha_{4,5}^9 & = 0 \\
(e_1, e_2, e_{10}) : & \alpha_{2,10}^{12} - \alpha_{2,11}^{13} - \alpha_{3,10}^{13} & = 0 \\
(e_1, e_3, e_9) : & -\alpha_{3,10}^{13} + \alpha_{3,9}^{12} - \alpha_{4,9}^{13} & = 0 \\
(e_1, e_4, e_8) : & \alpha_{4,8}^{12} - \alpha_{4,9}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_1, e_5, e_7) : & \alpha_{5,7}^{12} - \alpha_{5,8}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_3, e_8) : & \alpha_{2,11}^{13} \alpha_{3,8}^{11} - \alpha_{2,8}^{10} \alpha_{3,10}^{13} - \alpha_{5,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & \alpha_{2,11}^{13} \alpha_{4,7}^{11} - \alpha_{2,7}^9 \alpha_{4,9}^{13} - \alpha_{6,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,11}^{13} \alpha_{5,6}^{11} + \alpha_{2,5}^7 \alpha_{6,7}^{13} - \alpha_{2,6}^8 \alpha_{5,8}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,10}^{13} \alpha_{4,6}^{10} + \alpha_{3,4}^7 \alpha_{6,7}^{13} - \alpha_{3,6}^9 \alpha_{4,9}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_{10}) : & -\alpha_{2,10}^{12} \alpha_{3,12}^{14} + \alpha_{3,10}^{13} - \alpha_{5,10}^{14} & = 0 \\
(e_2, e_4, e_9) : & -\alpha_{2,9}^{11} \alpha_{4,11}^{14} + \alpha_{4,9}^{13} - \alpha_{6,9}^{14} & = 0 \\
(e_2, e_5, e_8) : & -\alpha_{2,5}^7 \alpha_{7,8}^{14} - \alpha_{2,8}^{10} \alpha_{5,10}^{14} + \alpha_{5,8}^{13} & = 0 \\
(e_2, e_6, e_7) : & \alpha_{2,6}^8 \alpha_{7,8}^{14} - \alpha_{2,7}^9 \alpha_{6,9}^{14} + \alpha_{6,7}^{13} & = 0 \\
(e_3, e_4, e_8) : & \alpha_{2,11}^{13} \alpha_{4,8}^{12} - \alpha_{2,4}^7 \alpha_{7,8}^{14} - \alpha_{2,8}^{10} \alpha_{4,11}^{14} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^9 \rightarrow x_1$$

$$\alpha_{4,6}^{10} \rightarrow x_2$$

$$\alpha_{2,9}^{11} \rightarrow x_3$$

$$\alpha_{5,10}^{14} \rightarrow x_4$$

$$\alpha_{2,11}^{13} \rightarrow x_5$$

$$\alpha_{2,7}^9 \rightarrow x_6$$

$$\alpha_{2,8}^{10} \rightarrow x_7$$

$$\alpha_{4,5}^9 \rightarrow x_8$$

$$\alpha_{4,7}^{11} \rightarrow x_9$$

$$\alpha_{5,8}^{13} \rightarrow x_{10}$$

$$\alpha_{3,4}^7 \rightarrow x_{11}$$

$$\alpha_{7,8}^{14} \rightarrow x_{12}$$

$$\alpha_{4,9}^{13} \rightarrow x_{13}$$

$$\alpha_{2,6}^8 \rightarrow x_{14}$$

$$\alpha_{3,8}^{11} \rightarrow x_{15}$$

$$\alpha_{3,9}^{12} \rightarrow x_{16}$$

$$\alpha_{2,10}^{12} \rightarrow x_{17}$$

$$\alpha_{3,12}^{14} \rightarrow x_{18}$$

$$\alpha_{6,9}^{14} \rightarrow x_{19}$$

$$\alpha_{4,8}^{12} \rightarrow x_{20}$$

$$\alpha_{5,6}^{11} \rightarrow x_{21}$$

$$\alpha_{2,5}^7 \rightarrow x_{22}$$

$$\alpha_{3,7}^{10} \rightarrow x_{23}$$

$$\alpha_{6,7}^{13} \rightarrow x_{24}$$

$$\alpha_{4,11}^{14} \rightarrow x_{25}$$

$$\alpha_{3,10}^{13} \rightarrow x_{26}$$

$$\alpha_{3,5}^8 \rightarrow x_{27}$$

$$\alpha_{5,7}^{12} \rightarrow x_{28}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_4) : & -x_{11} - x_{22} + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{14} + x_{22} - x_{27} & = 0 \\
(e_1, e_3, e_4) : & x_{11} - x_{27} & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_{14} - x_6 & = 0 \\
(e_1, e_3, e_5) : & -x_1 + x_{27} - x_8 & = 0 \\
(e_2, e_3, e_4) : & -x_1 + x_{11}x_6 + x_8 & = 0 \\
(e_1, e_2, e_7) : & -x_{23} + x_6 - x_7 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_2 - x_{23} & = 0 \\
(e_1, e_4, e_5) : & -x_2 + x_8 & = 0 \\
(e_2, e_3, e_5) : & -x_{22}x_{23} + x_{27}x_7 & = 0 \\
(e_1, e_2, e_8) : & -x_{15} - x_3 + x_7 & = 0 \\
(e_1, e_3, e_7) : & -x_{15} + x_{23} - x_9 & = 0 \\
(e_1, e_4, e_6) : & x_2 - x_{21} - x_9 & = 0 \\
(e_2, e_3, e_6) : & x_1x_3 - x_{14}x_{15} - x_{21} & = 0 \\
(e_2, e_4, e_5) : & x_{21} - x_{22}x_9 + x_3x_8 & = 0 \\
(e_1, e_2, e_9) : & -x_{16} - x_{17} + x_3 & = 0 \\
(e_1, e_3, e_8) : & x_{15} - x_{16} - x_{20} & = 0 \\
(e_1, e_4, e_7) : & -x_{20} - x_{28} + x_9 & = 0 \\
(e_1, e_5, e_6) : & x_{21} - x_{28} & = 0 \\
(e_2, e_3, e_7) : & -x_{16}x_6 + x_{17}x_{23} - x_{28} & = 0 \\
(e_2, e_4, e_6) : & -x_{14}x_{20} + x_{17}x_2 & = 0 \\
(e_3, e_4, e_5) : & x_{11}x_{28} + x_{16}x_8 - x_{20}x_{27} & = 0 \\
(e_1, e_2, e_{10}) : & x_{17} - x_{26} - x_5 & = 0 \\
(e_1, e_3, e_9) : & -x_{13} + x_{16} - x_{26} & = 0 \\
(e_1, e_4, e_8) : & -x_{10} - x_{13} + x_{20} & = 0 \\
(e_1, e_5, e_7) : & -x_{10} - x_{24} + x_{28} & = 0 \\
(e_2, e_3, e_8) : & -x_{10} + x_{15}x_5 - x_{26}x_7 & = 0 \\
(e_2, e_4, e_7) : & -x_{13}x_6 - x_{24} + x_5x_9 & = 0 \\
(e_2, e_5, e_6) : & -x_{10}x_{14} + x_{21}x_5 + x_{22}x_{24} & = 0 \\
(e_3, e_4, e_6) : & -x_1x_{13} + x_{11}x_{24} + x_2x_{26} & = 0 \\
(e_1, e_2, e_{12}) : & -x_{18} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{18} - x_{25} & = 0 \\
(e_1, e_4, e_{10}) : & -x_{25} - x_4 & = 0 \\
(e_1, e_5, e_9) : & -x_{19} - x_4 & = 0 \\
(e_1, e_6, e_8) : & -x_{12} - x_{19} & = 0 \\
(e_2, e_3, e_{10}) : & -x_{17}x_{18} + x_{26} - x_4 & = 0 \\
(e_2, e_4, e_9) : & x_{13} - x_{19} - x_{25}x_3 & = 0 \\
(e_2, e_5, e_8) : & x_{10} - x_{12}x_{22}x_4x_7 & = 0 \\
(e_2, e_6, e_7) : & x_{12}x_{14} - x_{19}x_6 + x_{24} & = 0 \\
(e_3, e_4, e_8) : & -x_{11}x_{12} - x_{15}x_{25} + x_{18}x_{20} & = 0 \\
(e_3, e_5, e_7) : & x_{12}x_{27} + x_{18}x_{28} - x_{23}x_4 & = 0 \\
(e_4, e_5, e_6) : & x_{19}x_8 - x_2x_4 + x_{21}x_{25} & = 0
\end{aligned}$$

Groebner basis (28 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{3B}(3, 14)$

m3B314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_9] = e_{12} \\
[e_2, e_{10}] = 4e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_8] = -e_{12} & [e_3, e_9] = -3e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_7] = e_{12} \\
[e_4, e_8] = 2e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = -e_{12} & [e_5, e_7] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{3,12}^{14} - 3 & = 0 \\
(e_2, e_4, e_8) : & \text{no solutions} & \\
(e_2, e_5, e_7) : & \text{no solutions} & \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} & = 0 \\
(e_3, e_5, e_6) : & -\alpha_{3,12}^{14} & = 0
\end{array}$$

There are no solutions.

$\mathfrak{m}_{5B}(3, 14)$

m5B314 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_7] = e_{10}$
$[e_2, e_8] = 3e_{11}$	$[e_2, e_9] = \alpha_{2,9}^{12}e_{12}$
$[e_2, e_{10}] = \alpha_{2,10}^{13}e_{13}$	$[e_2, e_{13}] = e_{14}$
$[e_3, e_6] = -e_{10}$	$[e_3, e_7] = -2e_{11}$
$[e_3, e_8] = \alpha_{3,8}^{12}e_{12}$	$[e_3, e_9] = \alpha_{3,9}^{13}e_{13}$
$[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14}$	$[e_4, e_5] = e_{10}$
$[e_4, e_6] = e_{11}$	$[e_4, e_7] = \alpha_{4,7}^{12}e_{12}$
$[e_4, e_8] = \alpha_{4,8}^{13}e_{13}$	$[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14}$
$[e_5, e_6] = \alpha_{5,6}^{12}e_{12}$	$[e_5, e_7] = \alpha_{5,7}^{13}e_{13}$
$[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14}$	$[e_6, e_9] = \alpha_{6,9}^{14}e_{14}$
$[e_7, e_8] = \alpha_{7,8}^{14}e_{14}$	

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{12} - \alpha_{4,7}^{12} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{12} - \alpha_{5,6}^{12} + 1 & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,10}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12}\alpha_{3,12}^{14} + \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_8) : & -3\alpha_{4,11}^{14} + \alpha_{4,8}^{13} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{5,10}^{14} + \alpha_{5,7}^{13} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14}\alpha_{4,7}^{12} + 2\alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14}\alpha_{5,6}^{12} + \alpha_{5,10}^{14} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,9}^{12} \rightarrow x_1$$

$$\alpha_{4,7}^{12} \rightarrow x_2$$

$$\alpha_{3,12}^{14} \rightarrow x_3$$

$$\alpha_{6,9}^{14} \rightarrow x_4$$

$$\alpha_{5,10}^{14} \rightarrow x_5$$

$$\alpha_{3,9}^{13} \rightarrow x_6$$

$$\alpha_{7,8}^{14} \rightarrow x_7$$

$$\alpha_{2,10}^{13} \rightarrow x_8$$

$$\alpha_{5,7}^{13} \rightarrow x_9$$

$$\alpha_{4,11}^{14} \rightarrow x_{10}$$

$$\alpha_{4,8}^{13} \rightarrow x_{11}$$

$$\alpha_{3,8}^{12} \rightarrow x_{12}$$

$$\alpha_{5,6}^{12} \rightarrow x_{13}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_1 - x_{12} + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_{12} - x_2 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_{13} - x_2 + 1 & = 0 \\
(e_1, e_2, e_9) : & x_1 - x_6 - x_8 & = 0 \\
(e_1, e_3, e_8) : & -x_{11} + x_{12} - x_6 & = 0 \\
(e_1, e_4, e_7) : & -x_{11} + x_2 - x_9 & = 0 \\
(e_1, e_5, e_6) : & x_{13} - x_9 & = 0 \\
(e_2, e_3, e_6) : & -x_8 & = 0 \\
(e_2, e_4, e_5) : & x_8 & = 0 \\
(e_1, e_2, e_{12}) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{10} - x_3 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{10} - x_5 & = 0 \\
(e_1, e_5, e_9) : & -x_4 - x_5 & = 0 \\
(e_1, e_6, e_8) : & -x_4 - x_7 & = 0 \\
(e_2, e_3, e_9) : & -x_1 x_3 + x_6 & = 0 \\
(e_2, e_4, e_8) : & -3x_{10} + x_{11} & = 0 \\
(e_2, e_5, e_7) : & -x_5 + x_9 & = 0 \\
(e_3, e_4, e_7) : & 2x_{10} + x_2 x_3 & = 0 \\
(e_3, e_5, e_6) : & x_{13} x_3 + x_5 & = 0
\end{array}$$

Groebner basis (13 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{7B}(3, 14)$

m7B314 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_8 \\
[e_2, e_6] = 2e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_8 & [e_3, e_5] = -e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_8] = \alpha_{3,8}^{12} e_{12} & [e_3, e_9] = \alpha_{3,9}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{12} e_{12} & [e_5, e_7] = \alpha_{5,7}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{10} - \alpha_{3,6}^{10} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{10} - \alpha_{4,5}^{10} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,8}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - 2\alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12} \alpha_{3,12}^{14} + \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_8) : & -\alpha_{2,8}^{11} \alpha_{4,11}^{14} + \alpha_{4,8}^{13} & = 0 \\
(e_2, e_5, e_7) : & -\alpha_{2,7}^{10} \alpha_{5,10}^{14} + \alpha_{5,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} \alpha_{4,7}^{12} - \alpha_{3,7}^{11} \alpha_{4,11}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14} \alpha_{5,6}^{12} - \alpha_{3,6}^{10} \alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0
\end{aligned}$$

No solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^{10} \rightarrow x_1$$

$$\alpha_{2,9}^{12} \rightarrow x_2$$

$$\alpha_{4,7}^{12} \rightarrow x_3$$

$$\alpha_{4,5}^{10} \rightarrow x_4$$

$$\alpha_{3,12}^{14} \rightarrow x_5$$

$$\alpha_{6,9}^{14} \rightarrow x_6$$

$$\alpha_{4,8}^{13} \rightarrow x_7$$

$$\alpha_{5,10}^{14} \rightarrow x_8$$

$$\alpha_{3,9}^{13} \rightarrow x_9$$

$$\alpha_{7,8}^{14} \rightarrow x_{10}$$

$$\alpha_{2,10}^{13} \rightarrow x_{11}$$

$$\alpha_{5,7}^{13} \rightarrow x_{12}$$

$$\alpha_{4,6}^{11} \rightarrow x_{13}$$

$$\alpha_{4,11}^{14} \rightarrow x_{14}$$

$$\alpha_{2,7}^{10} \rightarrow x_{15}$$

$$\alpha_{2,8}^{11} \rightarrow x_{16}$$

$$\alpha_{3,8}^{12} \rightarrow x_{17}$$

$$\alpha_{3,7}^{11} \rightarrow x_{18}$$

$$\alpha_{5,6}^{12} \rightarrow x_{19}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_{15} + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_4 - 1 & = 0 \\
(e_1, e_2, e_7) : & x_{15} - x_{16} - x_{18} & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_{13} - x_{18} & = 0 \\
(e_1, e_4, e_5) : & -x_{13} + x_4 & = 0 \\
(e_2, e_3, e_4) : & -x_{16} & = 0 \\
(e_1, e_2, e_8) : & x_{16} - x_{17} - x_2 & = 0 \\
(e_1, e_3, e_7) : & -x_{17} + x_{18} - x_3 & = 0 \\
(e_1, e_4, e_6) : & x_{13} - x_{19} - x_3 & = 0 \\
(e_2, e_3, e_5) : & -x_{17} - x_2 & = 0 \\
(e_1, e_2, e_9) : & -x_{11} + x_2 - x_9 & = 0 \\
(e_1, e_3, e_8) : & x_{17} - x_7 - x_9 & = 0 \\
(e_1, e_4, e_7) : & -x_{12} + x_3 - x_7 & = 0 \\
(e_1, e_5, e_6) : & -x_{12} + x_{19} & = 0 \\
(e_2, e_3, e_6) : & x_1 x_{11} - 2x_9 & = 0 \\
(e_2, e_4, e_5) : & x_{11} x_4 - x_7 & = 0 \\
(e_1, e_2, e_{12}) : & -x_5 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{14} - x_5 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{14} - x_8 & = 0 \\
(e_1, e_5, e_9) : & -x_6 - x_8 & = 0 \\
(e_1, e_6, e_8) : & -x_{10} - x_6 & = 0 \\
(e_2, e_3, e_9) : & -x_2 x_5 + x_9 & = 0 \\
(e_2, e_4, e_8) : & -x_{14} x_{16} + x_7 & = 0 \\
(e_2, e_5, e_7) : & x_{10} + x_{12} - x_{15} x_8 & = 0 \\
(e_3, e_4, e_7) : & -x_{10} - x_{14} x_{18} + x_3 x_5 & = 0 \\
(e_3, e_5, e_6) : & -x_1 x_8 + x_{19} x_5 - x_6 & = 0
\end{array}$$

Groebner basis (19 variables, 1 linear, 0 nonlinear)

$$1 = 0$$

$\mathfrak{m}_{9B}(3, 14)$

m9B314 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_3] &= e_6 \\
[e_2, e_4] &= e_7 & [e_2, e_5] &= \frac{e_8}{4} \\
[e_2, e_6] &= -\frac{e_9}{2} & [e_2, e_7] &= -\frac{23e_{10}}{28} \\
[e_2, e_8] &= -\frac{5e_{11}}{7} & [e_2, e_9] &= -\frac{5e_{12}}{4} \\
[e_2, e_{10}] &= -\frac{7e_{13}}{2} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_4] &= \frac{3e_8}{4} & [e_3, e_5] &= \frac{3e_9}{4} \\
[e_3, e_6] &= \frac{9e_{10}}{28} & [e_3, e_7] &= -\frac{3e_{11}}{28} \\
[e_3, e_8] &= \frac{15e_{12}}{28} & [e_3, e_9] &= \frac{9e_{13}}{4} \\
[e_3, e_{12}] &= -e_{14} & [e_4, e_5] &= \frac{3e_{10}}{7} \\
[e_4, e_6] &= \frac{3e_{11}}{7} & [e_4, e_7] &= -\frac{9e_{12}}{14} \\
[e_4, e_8] &= -\frac{12e_{13}}{7} & [e_4, e_{11}] &= e_{14} \\
[e_5, e_6] &= \frac{15e_{12}}{14} & [e_5, e_7] &= \frac{15e_{13}}{14} \\
[e_5, e_{10}] &= -e_{14} & [e_6, e_9] &= e_{14} \\
[e_7, e_8] &= -e_{14} & &
\end{aligned}$$

Solution 2

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_6$
$[e_2, e_4] = e_7$	$[e_2, e_5] = -2e_8$
$[e_2, e_6] = -5e_9$	$[e_2, e_7] = -5e_{10}$
$[e_2, e_8] = -2e_{11}$	$[e_2, e_9] = e_{12}$
$[e_2, e_{10}] = e_{13}$	$[e_2, e_{13}] = e_{14}$
$[e_3, e_4] = 3e_8$	$[e_3, e_5] = 3e_9$
$[e_3, e_6] = 0$	$[e_3, e_7] = -3e_{11}$
$[e_3, e_8] = -3e_{12}$	$[e_3, e_9] = 0$
$[e_3, e_{12}] = -e_{14}$	$[e_4, e_5] = 3e_{10}$
$[e_4, e_6] = 3e_{11}$	$[e_4, e_7] = 0$
$[e_4, e_8] = -3e_{13}$	$[e_4, e_{11}] = e_{14}$
$[e_5, e_6] = 3e_{12}$	$[e_5, e_7] = 3e_{13}$
$[e_5, e_{10}] = -e_{14}$	$[e_6, e_9] = e_{14}$
$[e_7, e_8] = -e_{14}$	

Solution 3

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_6$
$[e_2, e_4] = e_7$	$[e_2, e_5] = e_8$
$[e_2, e_6] = e_9$	$[e_2, e_7] = e_{10}$
$[e_2, e_8] = e_{11}$	$[e_2, e_9] = e_{12}$
$[e_2, e_{10}] = e_{13}$	$[e_2, e_{13}] = e_{14}$
$[e_3, e_4] = 0$	$[e_3, e_5] = 0$
$[e_3, e_6] = 0$	$[e_3, e_7] = 0$
$[e_3, e_8] = 0$	$[e_3, e_9] = 0$
$[e_3, e_{12}] = -e_{14}$	$[e_4, e_5] = 0$
$[e_4, e_6] = 0$	$[e_4, e_7] = 0$
$[e_4, e_8] = 0$	$[e_4, e_{11}] = e_{14}$
$[e_5, e_6] = 0$	$[e_5, e_7] = 0$
$[e_5, e_{10}] = -e_{14}$	$[e_6, e_9] = e_{14}$
$[e_7, e_8] = -e_{14}$	

Solution 4

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_3] &= e_6 \\
[e_2, e_4] &= e_7 & [e_2, e_5] &= \frac{10e_8}{7} \\
[e_2, e_6] &= \frac{13e_9}{7} & [e_2, e_7] &= \frac{19e_{10}}{7} \\
[e_2, e_8] &= 4e_{11} & [e_2, e_9] &= 7e_{12} \\
[e_2, e_{10}] &= 13e_{13} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_4] &= -\frac{3e_8}{7} & [e_3, e_5] &= -\frac{3e_9}{7} \\
[e_3, e_6] &= -\frac{6e_{10}}{7} & [e_3, e_7] &= -\frac{9e_{11}}{7} \\
[e_3, e_8] &= -3e_{12} & [e_3, e_9] &= -6e_{13} \\
[e_3, e_{12}] &= -e_{14} & [e_4, e_5] &= \frac{3e_{10}}{7} \\
[e_4, e_6] &= \frac{3e_{11}}{7} & [e_4, e_7] &= \frac{12e_{12}}{7} \\
[e_4, e_8] &= 3e_{13} & [e_4, e_{11}] &= e_{14} \\
[e_5, e_6] &= -\frac{9e_{12}}{7} & [e_5, e_7] &= -\frac{9e_{13}}{7} \\
[e_5, e_{10}] &= -e_{14} & [e_6, e_9] &= e_{14} \\
[e_7, e_8] &= -e_{14}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_6 \\
[e_2, e_4] = e_7 & [e_2, e_5] = \alpha_{2,5}^8 e_8 \\
[e_2, e_6] = \alpha_{2,6}^9 e_9 & [e_2, e_7] = \alpha_{2,7}^{10} e_{10} \\
[e_2, e_8] = \alpha_{2,8}^{11} e_{11} & [e_2, e_9] = \alpha_{2,9}^{12} e_{12} \\
[e_2, e_{10}] = \alpha_{2,10}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^8 e_8 & [e_3, e_5] = \alpha_{3,5}^9 e_9 \\
[e_3, e_6] = \alpha_{3,6}^{10} e_{10} & [e_3, e_7] = \alpha_{3,7}^{11} e_{11} \\
[e_3, e_8] = \alpha_{3,8}^{12} e_{12} & [e_3, e_9] = \alpha_{3,9}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{10} e_{10} \\
[e_4, e_6] = \alpha_{4,6}^{11} e_{11} & [e_4, e_7] = \alpha_{4,7}^{12} e_{12} \\
[e_4, e_8] = \alpha_{4,8}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_6] = \alpha_{5,6}^{12} e_{12} & [e_5, e_7] = \alpha_{5,7}^{13} e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^8 - \alpha_{3,4}^8 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^8 - \alpha_{2,6}^9 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^8 - \alpha_{3,5}^9 & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^9 - \alpha_{2,7}^{10} - \alpha_{3,6}^{10} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^9 - \alpha_{3,6}^{10} - \alpha_{4,5}^{10} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{10} - \alpha_{2,8}^{11} - \alpha_{3,7}^{11} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{10} - \alpha_{3,7}^{11} - \alpha_{4,6}^{11} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{10} - \alpha_{4,6}^{11} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,8}^{11} \alpha_{3,4}^8 - \alpha_{3,7}^{11} + \alpha_{4,6}^{11} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{11} - \alpha_{2,9}^{12} - \alpha_{3,8}^{12} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{11} - \alpha_{3,8}^{12} - \alpha_{4,7}^{12} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{11} - \alpha_{4,7}^{12} - \alpha_{5,6}^{12} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^8 \alpha_{3,8}^{12} + \alpha_{2,9}^{12} \alpha_{3,5}^9 + \alpha_{5,6}^{12} & = 0 \\
(e_1, e_2, e_9) : & -\alpha_{2,10}^{13} + \alpha_{2,9}^{12} - \alpha_{3,9}^{13} & = 0 \\
(e_1, e_3, e_8) : & \alpha_{3,8}^{12} - \alpha_{3,9}^{13} - \alpha_{4,8}^{13} & = 0 \\
(e_1, e_4, e_7) : & \alpha_{4,7}^{12} - \alpha_{4,8}^{13} - \alpha_{5,7}^{13} & = 0 \\
(e_1, e_5, e_6) : & \alpha_{5,6}^{12} - \alpha_{5,7}^{13} & = 0 \\
(e_2, e_3, e_6) : & \alpha_{2,10}^{13} \alpha_{3,6}^{10} - \alpha_{2,6}^9 \alpha_{3,9}^{13} & = 0 \\
(e_2, e_4, e_5) : & \alpha_{2,10}^{13} \alpha_{4,5}^{10} - \alpha_{2,5}^8 \alpha_{4,8}^{13} + \alpha_{5,7}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_9) : & -\alpha_{2,9}^{12} \alpha_{3,12}^{14} + \alpha_{3,9}^{13} - \alpha_{6,9}^{14} & = 0 \\
(e_2, e_4, e_8) : & -\alpha_{2,8}^{11} \alpha_{4,11}^{14} + \alpha_{4,8}^{13} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_5, e_7) : & \alpha_{2,5}^8 \alpha_{7,8}^{14} - \alpha_{2,7}^{10} \alpha_{5,10}^{14} + \alpha_{5,7}^{13} & = 0 \\
(e_3, e_4, e_7) : & \alpha_{3,12}^{14} \alpha_{4,7}^{12} + \alpha_{3,4}^8 \alpha_{7,8}^{14} - \alpha_{3,7}^{11} \alpha_{4,11}^{14} & = 0 \\
(e_3, e_5, e_6) : & \alpha_{3,12}^{14} \alpha_{5,6}^{12} + \alpha_{3,5}^9 \alpha_{6,9}^{14} - \alpha_{3,6}^{10} \alpha_{5,10}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,9}^{12} &= -5/4 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,9}^{13} &= 9/4 \\
\alpha_{2,5}^8 &= 1/4 \\
\alpha_{3,6}^{10} &= 9/28 \\
\alpha_{2,7}^{10} &= -23/28 \\
\alpha_{2,8}^{11} &= -5/7 \\
\alpha_{3,7}^{11} &= -3/28 \\
\alpha_{3,5}^9 &= 3/4 \\
\alpha_{3,4}^8 &= 3/4 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,10}^{13} &= -7/2 \\
\alpha_{4,8}^{13} &= -12/7 \\
\alpha_{5,6}^{12} &= 15/14 \\
\alpha_{4,7}^{12} &= -9/14 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,7}^{13} &= 15/14 \\
\alpha_{4,6}^{11} &= 3/7 \\
\alpha_{3,8}^{12} &= 15/28 \\
\alpha_{4,5}^{10} &= 3/7 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,6}^9 &= -1/2
\end{aligned}$$

Solution 2:

$$\begin{aligned}
\alpha_{2,9}^{12} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,9}^{13} &= 0 \\
\alpha_{2,5}^8 &= -2 \\
\alpha_{3,6}^{10} &= 0 \\
\alpha_{2,7}^{10} &= -5 \\
\alpha_{2,8}^{11} &= -2 \\
\alpha_{3,7}^{11} &= -3 \\
\alpha_{3,5}^9 &= 3 \\
\alpha_{3,4}^8 &= 3 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,10}^{13} &= 1 \\
\alpha_{4,8}^{13} &= -3 \\
\alpha_{5,6}^{12} &= 3 \\
\alpha_{4,7}^{12} &= 0 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,7}^{13} &= 3 \\
\alpha_{4,6}^{11} &= 3 \\
\alpha_{3,8}^{12} &= -3 \\
\alpha_{4,5}^{10} &= 3 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,6}^9 &= -5
\end{aligned}$$

Solution 3:

$$\begin{aligned}
\alpha_{2,9}^{12} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,9}^{13} &= 0 \\
\alpha_{2,5}^8 &= 1 \\
\alpha_{3,6}^{10} &= 0 \\
\alpha_{2,7}^{10} &= 1 \\
\alpha_{2,8}^{11} &= 1 \\
\alpha_{3,7}^{11} &= 0 \\
\alpha_{3,5}^9 &= 0 \\
\alpha_{3,4}^8 &= 0 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,10}^{13} &= 1 \\
\alpha_{4,8}^{13} &= 0 \\
\alpha_{5,6}^{12} &= 0 \\
\alpha_{4,7}^{12} &= 0 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,7}^{13} &= 0 \\
\alpha_{4,6}^{11} &= 0 \\
\alpha_{3,8}^{12} &= 0 \\
\alpha_{4,5}^{10} &= 0 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,6}^9 &= 1
\end{aligned}$$

Solution 4:

$$\begin{aligned}
\alpha_{2,9}^{12} &= 7 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{3,9}^{13} &= -6 \\
\alpha_{2,5}^8 &= 10/7 \\
\alpha_{3,6}^{10} &= -6/7 \\
\alpha_{2,7}^{10} &= 19/7 \\
\alpha_{2,8}^{11} &= 4 \\
\alpha_{3,7}^{11} &= -9/7 \\
\alpha_{3,5}^9 &= -3/7 \\
\alpha_{3,4}^8 &= -3/7 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{2,10}^{13} &= 13 \\
\alpha_{4,8}^{13} &= 3 \\
\alpha_{5,6}^{12} &= -9/7 \\
\alpha_{4,7}^{12} &= 12/7 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,7}^{13} &= -9/7 \\
\alpha_{4,6}^{11} &= 3/7 \\
\alpha_{3,8}^{12} &= -3 \\
\alpha_{4,5}^{10} &= 3/7 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,6}^9 &= 13/7
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{2,9}^{12} &\rightarrow x_1 \\
\alpha_{5,10}^{14} &\rightarrow x_2 \\
\alpha_{3,9}^{13} &\rightarrow x_3 \\
\alpha_{2,5}^8 &\rightarrow x_4 \\
\alpha_{3,6}^{10} &\rightarrow x_5
\end{aligned}$$

$$\alpha_{2,7}^{10} \rightarrow x_6$$

$$\alpha_{2,8}^{11} \rightarrow x_7$$

$$\alpha_{3,7}^{11} \rightarrow x_8$$

$$\alpha_{3,5}^9 \rightarrow x_9$$

$$\alpha_{3,4}^8 \rightarrow x_{10}$$

$$\alpha_{7,8}^{14} \rightarrow x_{11}$$

$$\alpha_{2,10}^{13} \rightarrow x_{12}$$

$$\alpha_{4,8}^{13} \rightarrow x_{13}$$

$$\alpha_{5,6}^{12} \rightarrow x_{14}$$

$$\alpha_{4,7}^{12} \rightarrow x_{15}$$

$$\alpha_{3,12}^{14} \rightarrow x_{16}$$

$$\alpha_{6,9}^{14} \rightarrow x_{17}$$

$$\alpha_{5,7}^{13} \rightarrow x_{18}$$

$$\alpha_{4,6}^{11} \rightarrow x_{19}$$

$$\alpha_{3,8}^{12} \rightarrow x_{20}$$

$$\alpha_{4,5}^{10} \rightarrow x_{21}$$

$$\alpha_{4,11}^{14} \rightarrow x_{22}$$

$$\alpha_{2,6}^9 \rightarrow x_{23}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{10} - x_4 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{23} + x_4 - x_9 & = 0 \\
(e_1, e_3, e_4) : & x_{10} - x_9 & = 0 \\
(e_1, e_2, e_6) : & x_{23} - x_5 - x_6 & = 0 \\
(e_1, e_3, e_5) : & -x_{21} - x_5 + x_9 & = 0 \\
(e_1, e_2, e_7) : & x_6 - x_7 - x_8 & = 0 \\
(e_1, e_3, e_6) : & -x_{19} + x_5 - x_8 & = 0 \\
(e_1, e_4, e_5) : & -x_{19} + x_{21} & = 0 \\
(e_2, e_3, e_4) : & x_{10}x_7 + x_{19} - x_8 & = 0 \\
(e_1, e_2, e_8) : & -x_1 - x_{20} + x_7 & = 0 \\
(e_1, e_3, e_7) : & -x_{15} - x_{20} + x_8 & = 0 \\
(e_1, e_4, e_6) : & -x_{14} - x_{15} + x_{19} & = 0 \\
(e_2, e_3, e_5) : & x_1x_9 + x_{14} - x_{20}x_4 & = 0 \\
(e_1, e_2, e_9) : & x_1 - x_{12} - x_3 & = 0 \\
(e_1, e_3, e_8) : & -x_{13} + x_{20} - x_3 & = 0 \\
(e_1, e_4, e_7) : & -x_{13} + x_{15} - x_{18} & = 0 \\
(e_1, e_5, e_6) : & x_{14} - x_{18} & = 0 \\
(e_2, e_3, e_6) : & x_{12}x_5 - x_{23}x_3 & = 0 \\
(e_2, e_4, e_5) : & x_{12}x_{21} - x_{13}x_4 + x_{18} & = 0 \\
(e_1, e_2, e_{12}) : & -x_{16} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{16} - x_{22} & = 0 \\
(e_1, e_4, e_{10}) : & -x_2 - x_{22} & = 0 \\
(e_1, e_5, e_9) : & -x_{17} - x_2 & = 0 \\
(e_1, e_6, e_8) : & -x_{11} - x_{17} & = 0 \\
(e_2, e_3, e_9) : & -x_1x_{16} - x_{17} + x_3 & = 0 \\
(e_2, e_4, e_8) : & -x_{11} + x_{13} - x_{22}x_7 & = 0 \\
(e_2, e_5, e_7) : & x_{11}x_4 + x_{18} - x_2x_6 & = 0 \\
(e_3, e_4, e_7) : & x_{10}x_{11} + x_{15}x_{16} - x_{22}x_8 & = 0 \\
(e_3, e_5, e_6) : & x_{14}x_{16} + x_{17}x_9 - x_2x_5 & = 0
\end{array}$$

Groebner basis (23 variables, 8 linear, 15 nonlinear)

$$\begin{aligned}
48x_1 - 14x_{23}^3 - 79x_{23}^2 - 22x_{23} + 67 &= 0 \\
x_2 + 1 &= 0 \\
14x_{23}^3 + 79x_{23}^2 + 22x_{23} + 48x_3 - 115 &= 0
\end{aligned}$$

$$\begin{aligned}
& -x_{23} + 2x_4 - 1 = 0 \\
& 14x_{23}^3 + 79x_{23}^2 + 22x_{23} + 336x_5 - 115 = 0 \\
& -14x_{23}^3 - 79x_{23}^2 - 358x_{23} + 336x_6 + 115 = 0 \\
& -14x_{23}^3 - 79x_{23}^2 - 78x_{23} + 112x_7 + 59 = 0 \\
& 14x_{23}^3 + 79x_{23}^2 - 62x_{23} + 168x_8 - 31 = 0 \\
& x_{23} + 2x_9 - 1 = 0 \\
& 2x_{10} + x_{23} - 1 = 0 \\
& x_{11} + 1 = 0 \\
& 24x_{12} - 14x_{23}^3 - 79x_{23}^2 - 22x_{23} + 91 = 0 \\
& 112x_{13} - 14x_{23}^3 - 79x_{23}^2 - 78x_{23} + 171 = 0 \\
& 336x_{14} + 14x_{23}^3 + 79x_{23}^2 + 190x_{23} - 283 = 0 \\
& 168x_{15} - 14x_{23}^3 - 79x_{23}^2 - 22x_{23} + 115 = 0 \\
& x_{16} + 1 = 0 \\
& x_{17} - 1 = 0 \\
& 336x_{18} + 14x_{23}^3 + 79x_{23}^2 + 190x_{23} - 283 = 0 \\
& 336x_{19} - 14x_{23}^3 - 79x_{23}^2 + 146x_{23} - 53 = 0 \\
& 84x_{20} + 14x_{23}^3 + 79x_{23}^2 - 20x_{23} - 73 = 0 \\
& 336x_{21} - 14x_{23}^3 - 79x_{23}^2 + 146x_{23} - 53 = 0 \\
& x_{22} - 1 = 0 \\
& 14x_{23}^4 + 37x_{23}^3 - 159x_{23}^2 + 43x_{23} + 65 = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
x_1 &= -5/4 \\
x_2 &= -1 \\
x_3 &= 9/4 \\
x_4 &= 1/4 \\
x_5 &= 9/28 \\
x_6 &= -23/28 \\
x_7 &= -5/7 \\
x_8 &= -3/28 \\
x_9 &= 3/4 \\
x_{10} &= 3/4 \\
x_{11} &= -1
\end{aligned}$$

$$x_12 = -7/2$$

$$x_13 = -12/7$$

$$x_14 = 15/14$$

$$x_15 = -9/14$$

$$x_16 = -1$$

$$x_17 = 1$$

$$x_18 = 15/14$$

$$x_19 = 3/7$$

$$x_20 = 15/28$$

$$x_21 = 3/7$$

$$x_22 = 1$$

$$x_23 = -1/2$$

Solution 2:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = 0$$

$$x_4 = -2$$

$$x_5 = 0$$

$$x_6 = -5$$

$$x_7 = -2$$

$$x_8 = -3$$

$$x_9 = 3$$

$$x_{10} = 3$$

$$x_{11} = -1$$

$$x_{12} = 1$$

$$x_{13} = -3$$

$$x_{14} = 3$$

$$x_{15} = 0$$

$$x_{16} = -1$$

$$x_{17} = 1$$

$$x_{18} = 3$$

$$x_{19} = 3$$

$$x_2 0 = -3$$

$$x_2 1 = 3$$

$$x_2 2 = 1$$

$$x_2 3 = -5$$

Solution 3:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = 0$$

$$x_4 = 1$$

$$x_5 = 0$$

$$x_6 = 1$$

$$x_7 = 1$$

$$x_8 = 0$$

$$x_9 = 0$$

$$x_1 0 = 0$$

$$x_1 1 = -1$$

$$x_1 2 = 1$$

$$x_1 3 = 0$$

$$x_1 4 = 0$$

$$x_1 5 = 0$$

$$x_1 6 = -1$$

$$x_1 7 = 1$$

$$x_1 8 = 0$$

$$x_1 9 = 0$$

$$x_2 0 = 0$$

$$x_2 1 = 0$$

$$x_2 2 = 1$$

$$x_2 3 = 1$$

Solution 4:

$$x_1 = 7$$

$$x_2 = -1$$

$$x_3 = -6$$

$$\begin{aligned}
x_4 &= 10/7 \\
x_5 &= -6/7 \\
x_6 &= 19/7 \\
x_7 &= 4 \\
x_8 &= -9/7 \\
x_9 &= -3/7 \\
x_{10} &= -3/7 \\
x_{11} &= -1 \\
x_{12} &= 13 \\
x_{13} &= 3 \\
x_{14} &= -9/7 \\
x_{15} &= 12/7 \\
x_{16} &= -1 \\
x_{17} &= 1 \\
x_{18} &= -9/7 \\
x_{19} &= 3/7 \\
x_{20} &= -3 \\
x_{21} &= 3/7 \\
x_{22} &= 1 \\
x_{23} &= 13/7
\end{aligned}$$

$\mathfrak{m}_{2B}(4, 14)$

m2B414 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_9] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_8] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_7] = e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_6] = -e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & \quad -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & \quad -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & \quad -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & \quad -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & \quad -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & \quad \text{no solutions} \\
(e_2, e_4, e_7) : & \quad \text{no solutions} \\
(e_2, e_5, e_6) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathbf{m}_{4B}(4, 14)$

m4B414 (this line included for string searching purposes)

Solution 1

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{11} \\
[e_2, e_8] &= 3e_{12} & [e_2, e_9] &= 6e_{13} \\
[e_2, e_{13}] &= e_{14} & [e_3, e_6] &= -e_{11} \\
[e_3, e_7] &= -2e_{12} & [e_3, e_8] &= -3e_{13} \\
[e_3, e_{12}] &= -e_{14} & [e_4, e_5] &= e_{11} \\
[e_4, e_6] &= e_{12} & [e_4, e_7] &= e_{13} \\
[e_4, e_{11}] &= e_{14} & [e_5, e_6] &= 0 \\
[e_5, e_{10}] &= -e_{14} & [e_6, e_9] &= e_{14} \\
[e_7, e_8] &= -e_{14}
\end{aligned}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_7] = e_{11} \\
[e_2, e_8] = 3e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_6] = -e_{11} \\
[e_3, e_7] = -2e_{12} & [e_3, e_8] = \alpha_{3,8}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = e_{11} \\
[e_4, e_6] = e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{13}e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} & [e_6, e_9] = \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14}e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -\alpha_{2,9}^{13} - \alpha_{3,8}^{13} + 3 & = 0 \\
(e_1, e_3, e_7) : & -\alpha_{3,8}^{13} - \alpha_{4,7}^{13} - 2 & = 0 \\
(e_1, e_4, e_6) : & -\alpha_{4,7}^{13} - \alpha_{5,6}^{13} + 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -3\alpha_{3,12}^{14} + \alpha_{3,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{4,11}^{14} + \alpha_{4,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{5,6}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14} + \alpha_{4,11}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,12}^{14} &= -1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{5,6}^{13} &= 0 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,7}^{13} &= 1 \\
\alpha_{2,9}^{13} &= 6 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{3,8}^{13} &= -3
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,12}^{14} &\rightarrow x_1 \\
\alpha_{6,9}^{14} &\rightarrow x_2 \\
\alpha_{5,10}^{14} &\rightarrow x_3 \\
\alpha_{5,6}^{13} &\rightarrow x_4 \\
\alpha_{7,8}^{14} &\rightarrow x_5 \\
\alpha_{4,7}^{13} &\rightarrow x_6 \\
\alpha_{2,9}^{13} &\rightarrow x_7 \\
\alpha_{4,11}^{14} &\rightarrow x_8 \\
\alpha_{3,8}^{13} &\rightarrow x_9
\end{aligned}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_8) : & -x_7 - x_9 + 3 & = 0 \\
(e_1, e_3, e_7) : & -x_6 - x_9 - 2 & = 0 \\
(e_1, e_4, e_6) : & -x_4 - x_6 + 1 & = 0 \\
(e_1, e_2, e_{12}) : & -x_1 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_1 - x_8 & = 0 \\
(e_1, e_4, e_{10}) : & -x_3 - x_8 & = 0 \\
(e_1, e_5, e_9) : & -x_2 - x_3 & = 0 \\
(e_1, e_6, e_8) : & -x_2 - x_5 & = 0 \\
(e_2, e_3, e_8) : & -3x_1 + x_9 & = 0 \\
(e_2, e_4, e_7) : & x_6 - x_8 & = 0 \\
(e_2, e_5, e_6) : & x_4 & = 0 \\
(e_3, e_4, e_6) : & x_1 + x_8 & = 0
\end{array}$$

Groebner basis (9 variables, 9 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 + 1 = 0 \\
x_2 - 1 = 0 \\
x_3 + 1 = 0 \\
x_4 = 0 \\
x_5 + 1 = 0 \\
x_6 - 1 = 0 \\
x_7 - 6 = 0 \\
x_8 - 1 = 0 \\
x_9 + 3 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = -1 \\
x_2 = 1 \\
x_3 = -1 \\
x_4 = 0 \\
x_5 = -1 \\
x_6 = 1 \\
x_7 = 6 \\
x_8 = 1 \\
x_9 = -3
\end{array}$$

$\mathfrak{m}_{6B}(4, 14)$

m6B414 (this line included for string searching purposes)

Solution 1

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_5] = e_9$
$[e_2, e_6] = 2e_{10}$	$[e_2, e_7] = \frac{5e_{11}}{3}$
$[e_2, e_8] = 0$	$[e_2, e_9] = 0$
$[e_2, e_{13}] = e_{14}$	$[e_3, e_4] = -e_9$
$[e_3, e_5] = -e_{10}$	$[e_3, e_6] = \frac{e_{11}}{3}$
$[e_3, e_7] = \frac{5e_{12}}{3}$	$[e_3, e_8] = 0$
$[e_3, e_{12}] = -e_{14}$	$[e_4, e_5] = -\frac{4e_{11}}{3}$
$[e_4, e_6] = -\frac{4e_{12}}{3}$	$[e_4, e_7] = \frac{5e_{13}}{3}$
$[e_4, e_{11}] = e_{14}$	$[e_5, e_6] = -3e_{13}$
$[e_5, e_{10}] = -e_{14}$	$[e_6, e_9] = e_{14}$
$[e_7, e_8] = -e_{14}$	

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_9 \\
[e_2, e_6] = 2e_{10} & [e_2, e_7] = \alpha_{2,7}^{11}e_{11} \\
[e_2, e_8] = \alpha_{2,8}^{12}e_{12} & [e_2, e_9] = \alpha_{2,9}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_9 \\
[e_3, e_5] = -e_{10} & [e_3, e_6] = \alpha_{3,6}^{11}e_{11} \\
[e_3, e_7] = \alpha_{3,7}^{12}e_{12} & [e_3, e_8] = \alpha_{3,8}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = \alpha_{4,5}^{11}e_{11} \\
[e_4, e_6] = \alpha_{4,6}^{12}e_{12} & [e_4, e_7] = \alpha_{4,7}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_6] = \alpha_{5,6}^{13}e_{13} \\
[e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} & [e_6, e_9] = \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14}e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{11} - \alpha_{3,6}^{11} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{11} - \alpha_{4,5}^{11} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{2,9}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{12}\alpha_{3,12}^{14} + \alpha_{3,8}^{13} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^{11}\alpha_{4,11}^{14} + \alpha_{4,7}^{13} & = 0 \\
(e_2, e_5, e_6) : & -2\alpha_{5,10}^{14} + \alpha_{5,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14}\alpha_{4,6}^{12} - \alpha_{3,6}^{11}\alpha_{4,11}^{14} - \alpha_{6,9}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,6}^{11} &= 1/3 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{2,8}^{12} &= 0 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{5,6}^{13} &= -3 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,5}^{11} &= -4/3 \\
\alpha_{2,9}^{13} &= 0 \\
\alpha_{3,7}^{12} &= 5/3 \\
\alpha_{4,7}^{13} &= 5/3 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{4,6}^{12} &= -4/3 \\
\alpha_{3,8}^{13} &= 0 \\
\alpha_{2,7}^{11} &= 5/3
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,6}^{11} &\rightarrow x_1 \\
\alpha_{3,12}^{14} &\rightarrow x_2 \\
\alpha_{6,9}^{14} &\rightarrow x_3 \\
\alpha_{2,8}^{12} &\rightarrow x_4 \\
\alpha_{5,10}^{14} &\rightarrow x_5 \\
\alpha_{5,6}^{13} &\rightarrow x_6 \\
\alpha_{7,8}^{14} &\rightarrow x_7 \\
\alpha_{4,5}^{11} &\rightarrow x_8 \\
\alpha_{2,9}^{13} &\rightarrow x_9 \\
\alpha_{3,7}^{12} &\rightarrow x_{10} \\
\alpha_{4,7}^{13} &\rightarrow x_{11} \\
\alpha_{4,11}^{14} &\rightarrow x_{12}
\end{aligned}$$

$$\alpha_{4,6}^{12} \rightarrow x_{13}$$

$$\alpha_{3,8}^{13} \rightarrow x_{14}$$

$$\alpha_{2,7}^{11} \rightarrow x_{15}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_{15} + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_8 - 1 & = 0 \\
(e_1, e_2, e_7) : & -x_{10} + x_{15} - x_4 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_{10} - x_{13} & = 0 \\
(e_1, e_4, e_5) : & -x_{13} + x_8 & = 0 \\
(e_1, e_2, e_8) : & -x_{14} + x_4 - x_9 & = 0 \\
(e_1, e_3, e_7) : & x_{10} - x_{11} - x_{14} & = 0 \\
(e_1, e_4, e_6) : & -x_{11} + x_{13} - x_6 & = 0 \\
(e_2, e_3, e_4) : & -x_9 & = 0 \\
(e_1, e_2, e_{12}) : & -x_2 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{12} - x_2 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{12} - x_5 & = 0 \\
(e_1, e_5, e_9) : & -x_3 - x_5 & = 0 \\
(e_1, e_6, e_8) : & -x_3 - x_7 & = 0 \\
(e_2, e_3, e_8) : & x_{14} - x_2 x_4 & = 0 \\
(e_2, e_4, e_7) : & x_{11} - x_{12} x_{15} & = 0 \\
(e_2, e_5, e_6) : & x_3 - 2x_5 + x_6 & = 0 \\
(e_3, e_4, e_6) : & -x_1 x_{12} + x_{13} x_2 - x_3 & = 0
\end{array}$$

Groebner basis (15 variables, 15 linear, 0 nonlinear)

$$3x_1 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 = 0$$

$$x_5 + 1 = 0$$

$$x_6 + 3 = 0$$

$$x_7 + 1 = 0$$

$$3x_8 + 4 = 0$$

$$x_9 = 0$$

$$3x_{10} - 5 = 0$$

$$3x_{11} - 5 = 0$$

$$x_{12} - 1 = 0$$

$$3x_{13} + 4 = 0$$

$$x_{14} = 0$$

$$3x_{15} - 5 = 0$$

Solution 1:

$$x_1 = 1/3$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = 0$$

$$x_5 = -1$$

$$x_6 = -3$$

$$x_7 = -1$$

$$x_8 = -4/3$$

$$x_9 = 0$$

$$x_{10} = 5/3$$

$$x_{11} = 5/3$$

$$x_{12} = 1$$

$$x_{13} = -4/3$$

$$x_{14} = 0$$

$$x_{15} = 5/3$$

$\mathfrak{m}_{8B}(4, 14)$

m8B414 (this line included for string searching purposes)

Original brackets:

$[e_1, e_2] = e_3$	$[e_1, e_3] = e_4$
$[e_1, e_4] = e_5$	$[e_1, e_5] = e_6$
$[e_1, e_6] = e_7$	$[e_1, e_7] = e_8$
$[e_1, e_8] = e_9$	$[e_1, e_9] = e_{10}$
$[e_1, e_{10}] = e_{11}$	$[e_1, e_{11}] = e_{12}$
$[e_1, e_{12}] = e_{13}$	$[e_2, e_3] = e_7$
$[e_2, e_4] = e_8$	$[e_2, e_5] = \alpha_{2,5}^9 e_9$
$[e_2, e_6] = \alpha_{2,6}^{10} e_{10}$	$[e_2, e_7] = \alpha_{2,7}^{11} e_{11}$
$[e_2, e_8] = \alpha_{2,8}^{12} e_{12}$	$[e_2, e_9] = \alpha_{2,9}^{13} e_{13}$
$[e_2, e_{13}] = e_{14}$	$[e_3, e_4] = \alpha_{3,4}^9 e_9$
$[e_3, e_5] = \alpha_{3,5}^{10} e_{10}$	$[e_3, e_6] = \alpha_{3,6}^{11} e_{11}$
$[e_3, e_7] = \alpha_{3,7}^{12} e_{12}$	$[e_3, e_8] = \alpha_{3,8}^{13} e_{13}$
$[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14}$	$[e_4, e_5] = \alpha_{4,5}^{11} e_{11}$
$[e_4, e_6] = \alpha_{4,6}^{12} e_{12}$	$[e_4, e_7] = \alpha_{4,7}^{13} e_{13}$
$[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14}$	$[e_5, e_6] = \alpha_{5,6}^{13} e_{13}$
$[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14}$	$[e_6, e_9] = \alpha_{6,9}^{14} e_{14}$
$[e_7, e_8] = \alpha_{7,8}^{14} e_{14}$	

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^9 - \alpha_{3,4}^9 + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^9 - \alpha_{2,6}^{10} - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^9 - \alpha_{3,5}^{10} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{10} - \alpha_{2,7}^{11} - \alpha_{3,6}^{11} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{10} - \alpha_{3,6}^{11} - \alpha_{4,5}^{11} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{11} - \alpha_{2,8}^{12} - \alpha_{3,7}^{12} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{11} - \alpha_{3,7}^{12} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{11} - \alpha_{4,6}^{12} & = 0 \\
(e_1, e_2, e_8) : & \alpha_{2,8}^{12} - \alpha_{2,9}^{13} - \alpha_{3,8}^{13} & = 0 \\
(e_1, e_3, e_7) : & \alpha_{3,7}^{12} - \alpha_{3,8}^{13} - \alpha_{4,7}^{13} & = 0 \\
(e_1, e_4, e_6) : & \alpha_{4,6}^{12} - \alpha_{4,7}^{13} - \alpha_{5,6}^{13} & = 0 \\
(e_2, e_3, e_4) : & \alpha_{2,9}^{13} \alpha_{3,4}^9 - \alpha_{3,8}^{13} + \alpha_{4,7}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_8) : & -\alpha_{2,8}^{12} \alpha_{3,12}^{14} + \alpha_{3,8}^{13} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_4, e_7) : & -\alpha_{2,7}^{11} \alpha_{4,11}^{14} + \alpha_{4,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_2, e_5, e_6) : & \alpha_{2,5}^9 \alpha_{6,9}^{14} - \alpha_{2,6}^{10} \alpha_{5,10}^{14} + \alpha_{5,6}^{13} & = 0 \\
(e_3, e_4, e_6) : & \alpha_{3,12}^{14} \alpha_{4,6}^{12} + \alpha_{3,4}^9 \alpha_{6,9}^{14} - \alpha_{3,6}^{11} \alpha_{4,11}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{3,6}^{11} \rightarrow x_1$$

$$\alpha_{3,4}^9 \rightarrow x_2$$

$$\alpha_{3,12}^{14} \rightarrow x_3$$

$$\alpha_{3,5}^{10} \rightarrow x_4$$

$$\alpha_{6,9}^{14} \rightarrow x_5$$

$$\alpha_{2,5}^9 \rightarrow x_6$$

$$\alpha_{2,8}^{12} \rightarrow x_7$$

$$\alpha_{5,10}^{14} \rightarrow x_8$$

$$\alpha_{5,6}^{13} \rightarrow x_9$$

$$\alpha_{7,8}^{14} \rightarrow x_{10}$$

$$\alpha_{4,5}^{11} \rightarrow x_{11}$$

$$\alpha_{2,6}^{10} \rightarrow x_{12}$$

$$\alpha_{3,7}^{12} \rightarrow x_{13}$$

$$\alpha_{2,9}^{13} \rightarrow x_{14}$$

$$\alpha_{4,7}^{13} \rightarrow x_{15}$$

$$\alpha_{4,11}^{14} \rightarrow x_{16}$$

$$\alpha_{4,6}^{12} \rightarrow x_{17}$$

$$\alpha_{3,8}^{13} \rightarrow x_{18}$$

$$\alpha_{2,7}^{11} \rightarrow x_{19}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_2 - x_6 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{12} - x_4 + x_6 & = 0 \\
(e_1, e_3, e_4) : & x_2 - x_4 & = 0 \\
(e_1, e_2, e_6) : & -x_1 + x_{12} - x_{19} & = 0 \\
(e_1, e_3, e_5) : & -x_1 - x_{11} + x_4 & = 0 \\
(e_1, e_2, e_7) : & -x_{13} + x_{19} - x_7 & = 0 \\
(e_1, e_3, e_6) : & x_1 - x_{13} - x_{17} & = 0 \\
(e_1, e_4, e_5) : & x_{11} - x_{17} & = 0 \\
(e_1, e_2, e_8) : & -x_{14} - x_{18} + x_7 & = 0 \\
(e_1, e_3, e_7) : & x_{13} - x_{15} - x_{18} & = 0 \\
(e_1, e_4, e_6) : & -x_{15} + x_{17} - x_9 & = 0 \\
(e_2, e_3, e_4) : & x_{14}x_2 + x_{15} - x_{18} & = 0 \\
(e_1, e_2, e_{12}) : & -x_3 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{16} - x_3 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{16} - x_8 & = 0 \\
(e_1, e_5, e_9) : & -x_5 - x_8 & = 0 \\
(e_1, e_6, e_8) : & -x_{10} - x_5 & = 0 \\
(e_2, e_3, e_8) : & -x_{10} + x_{18} - x_3x_7 & = 0 \\
(e_2, e_4, e_7) : & x_{10} + x_{15} - x_{16}x_{19} & = 0 \\
(e_2, e_5, e_6) : & -x_{12}x_8 + x_5x_6 + x_9 & = 0 \\
(e_3, e_4, e_6) : & -x_1x_{16} + x_{17}x_3 + x_2x_5 & = 0
\end{array}$$

Groebner basis (19 variables, 17 linear, 1 nonlinear)

$$\begin{array}{l}
5x_1 - 2x_{18} - x_{19} - 3 = 0 \\
x_{18} + 3x_{19} + 5x_2 - 1 = 0 \\
x_3 + 1 = 0 \\
x_{18} + 3x_{19} + 5x_4 - 1 = 0 \\
x_5 - 1 = 0 \\
-x_{18} - 3x_{19} + 5x_6 - 4 = 0 \\
x_{18} + x_7 + 1 = 0 \\
x_8 + 1 = 0 \\
3x_{18} + 9x_{19} + 5x_9 + 7 = 0 \\
x_{10} + 1 = 0
\end{array}$$

$$\begin{aligned}
5x_{11} + 3x_{18} + 4x_{19} + 2 &= 0 \\
5x_{12} - 2x_{18} - 6x_{19} - 3 &= 0 \\
x_{13} - x_{18} - x_{19} - 1 &= 0 \\
x_{14} + 2x_{18} + 1 &= 0 \\
x_{15} - x_{19} - 1 &= 0 \\
x_{16} - 1 &= 0 \\
5x_{17} + 3x_{18} + 4x_{19} + 2 &= 0 \\
x_{18}^2 + 3x_{18}x_{19} - 3x_{18} + 4x_{19} + 2 &= 0
\end{aligned}$$

$\mathfrak{m}_{3B}(5, 14)$

m3B514 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{12} \\
[e_2, e_8] &= 3e_{13} & [e_2, e_{13}] &= e_{14} \\
[e_3, e_6] &= -e_{12} & [e_3, e_7] &= -2e_{13} \\
[e_3, e_{12}] &= \alpha_{3,12}^{14}e_{14} & [e_4, e_5] &= e_{12} \\
[e_4, e_6] &= e_{13} & [e_4, e_{11}] &= \alpha_{4,11}^{14}e_{14} \\
[e_5, e_{10}] &= \alpha_{5,10}^{14}e_{14} & [e_6, e_9] &= \alpha_{6,9}^{14}e_{14} \\
[e_7, e_8] &= \alpha_{7,8}^{14}e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & &= 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & &= 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & &= 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & &= 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & &= 0 \\
(e_2, e_3, e_7) : & -\alpha_{3,12}^{14} - 2 & &= 0 \\
(e_2, e_4, e_6) : & \text{no solutions} & & \\
(e_3, e_4, e_5) : & \alpha_{3,12}^{14} & &= 0
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{5B}(5, 14)$

m5B514 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = 5e_{12} \\
[e_2, e_8] = 10e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_6] = -3e_{12} & [e_3, e_7] = -5e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = 2e_{12} \\
[e_4, e_6] = 2e_{13} & [e_4, e_{11}] = e_{14} \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{10} \\
[e_2, e_6] = 2e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{10} & [e_3, e_5] = -e_{11} \\
[e_3, e_6] = \alpha_{3,6}^{12} e_{12} & [e_3, e_7] = \alpha_{3,7}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{12} - \alpha_{3,6}^{12} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{12} - \alpha_{4,5}^{12} - 1 & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{12} \alpha_{3,12}^{14} + \alpha_{3,7}^{13} & = 0 \\
(e_2, e_4, e_6) : & -2\alpha_{4,11}^{14} + \alpha_{4,6}^{13} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,12}^{14} \alpha_{4,5}^{12} + \alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{3,7}^{13} &= -5 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{3,6}^{12} &= -3 \\
\alpha_{2,7}^{12} &= 5 \\
\alpha_{4,6}^{13} &= 2 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,5}^{12} &= 2 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{2,8}^{13} &= 10
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{3,7}^{13} &\rightarrow x_1 \\
\alpha_{3,12}^{14} &\rightarrow x_2
\end{aligned}$$

$$\begin{aligned}
\alpha_{6,9}^{14} &\rightarrow x_3 \\
\alpha_{3,6}^{12} &\rightarrow x_4 \\
\alpha_{2,7}^{12} &\rightarrow x_5 \\
\alpha_{4,6}^{13} &\rightarrow x_6 \\
\alpha_{5,10}^{14} &\rightarrow x_7 \\
\alpha_{7,8}^{14} &\rightarrow x_8 \\
\alpha_{4,5}^{12} &\rightarrow x_9 \\
\alpha_{4,11}^{14} &\rightarrow x_{10} \\
\alpha_{2,8}^{13} &\rightarrow x_{11}
\end{aligned}$$

Jacobi Tests

$$\begin{aligned}
(e_1, e_2, e_6) : & \quad -x_4 - x_5 + 2 & = 0 \\
(e_1, e_3, e_5) : & \quad -x_4 - x_9 - 1 & = 0 \\
(e_1, e_2, e_7) : & \quad -x_1 - x_{11} + x_5 & = 0 \\
(e_1, e_3, e_6) : & \quad -x_1 + x_4 - x_6 & = 0 \\
(e_1, e_4, e_5) : & \quad -x_6 + x_9 & = 0 \\
(e_1, e_2, e_{12}) : & \quad -x_2 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & \quad -x_{10} - x_2 & = 0 \\
(e_1, e_4, e_{10}) : & \quad -x_{10} - x_7 & = 0 \\
(e_1, e_5, e_9) : & \quad -x_3 - x_7 & = 0 \\
(e_1, e_6, e_8) : & \quad -x_3 - x_8 & = 0 \\
(e_2, e_3, e_7) : & \quad x_1 - x_2 x_5 & = 0 \\
(e_2, e_4, e_6) : & \quad -2x_{10} + x_6 & = 0 \\
(e_3, e_4, e_5) : & \quad x_{10} + x_2 x_9 - x_7 & = 0
\end{aligned}$$

Groebner basis (11 variables, 11 linear, 0 nonlinear)

$$\begin{aligned}
x_1 + 5 &= 0 \\
x_2 + 1 &= 0 \\
x_3 - 1 &= 0 \\
x_4 + 3 &= 0 \\
x_5 - 5 &= 0 \\
x_6 - 2 &= 0
\end{aligned}$$

$$x_7 + 1 = 0$$

$$x_8 + 1 = 0$$

$$x_9 - 2 = 0$$

$$x_{10} - 1 = 0$$

$$x_{11} - 10 = 0$$

Solution 1:

$$x_1 = -5$$

$$x_2 = -1$$

$$x_3 = 1$$

$$x_4 = -3$$

$$x_5 = 5$$

$$x_6 = 2$$

$$x_7 = -1$$

$$x_8 = -1$$

$$x_9 = 2$$

$$x_{10} = 1$$

$$x_{11} = 10$$

$\mathfrak{m}_{7B}(5, 14)$

m7B514 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_8 \\
[e_2, e_4] = e_9 & [e_2, e_5] = \alpha_{2,5}^{10} e_{10} \\
[e_2, e_6] = \alpha_{2,6}^{11} e_{11} & [e_2, e_7] = \alpha_{2,7}^{12} e_{12} \\
[e_2, e_8] = \alpha_{2,8}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{10} e_{10} & [e_3, e_5] = \alpha_{3,5}^{11} e_{11} \\
[e_3, e_6] = \alpha_{3,6}^{12} e_{12} & [e_3, e_7] = \alpha_{3,7}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{12} e_{12} \\
[e_4, e_6] = \alpha_{4,6}^{13} e_{13} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{10} - \alpha_{3,4}^{10} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{10} - \alpha_{2,6}^{11} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{10} - \alpha_{3,5}^{11} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{11} - \alpha_{2,7}^{12} - \alpha_{3,6}^{12} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{11} - \alpha_{3,6}^{12} - \alpha_{4,5}^{12} & = 0 \\
(e_1, e_2, e_7) : & \alpha_{2,7}^{12} - \alpha_{2,8}^{13} - \alpha_{3,7}^{13} & = 0 \\
(e_1, e_3, e_6) : & \alpha_{3,6}^{12} - \alpha_{3,7}^{13} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_4, e_5) : & \alpha_{4,5}^{12} - \alpha_{4,6}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_7) : & -\alpha_{2,7}^{12}\alpha_{3,12}^{14} + \alpha_{3,7}^{13} + \alpha_{7,8}^{14} & = 0 \\
(e_2, e_4, e_6) : & -\alpha_{2,6}^{11}\alpha_{4,11}^{14} + \alpha_{4,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_3, e_4, e_5) : & \alpha_{3,12}^{14}\alpha_{4,5}^{12} + \alpha_{3,4}^{10}\alpha_{5,10}^{14} - \alpha_{3,5}^{11}\alpha_{4,11}^{14} & = 0
\end{aligned}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{aligned}
\alpha_{3,7}^{13} & \rightarrow x_1 \\
\alpha_{3,5}^{11} & \rightarrow x_2 \\
\alpha_{2,5}^{10} & \rightarrow x_3 \\
\alpha_{3,12}^{14} & \rightarrow x_4 \\
\alpha_{6,9}^{14} & \rightarrow x_5 \\
\alpha_{3,6}^{12} & \rightarrow x_6 \\
\alpha_{2,7}^{12} & \rightarrow x_7 \\
\alpha_{4,6}^{13} & \rightarrow x_8 \\
\alpha_{5,10}^{14} & \rightarrow x_9 \\
\alpha_{7,8}^{14} & \rightarrow x_{10}
\end{aligned}$$

$$\alpha_{4,5}^{12} \rightarrow x_{11}$$

$$\alpha_{4,11}^{14} \rightarrow x_{12}$$

$$\alpha_{2,8}^{13} \rightarrow x_{13}$$

$$\alpha_{3,4}^{10} \rightarrow x_{14}$$

$$\alpha_{2,6}^{11} \rightarrow x_{15}$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -x_{14} - x_3 + 1 & = 0 \\
(e_1, e_2, e_5) : & -x_{15} - x_2 + x_3 & = 0 \\
(e_1, e_3, e_4) : & x_{14} - x_2 & = 0 \\
(e_1, e_2, e_6) : & x_{15} - x_6 - x_7 & = 0 \\
(e_1, e_3, e_5) : & -x_{11} + x_2 - x_6 & = 0 \\
(e_1, e_2, e_7) : & -x_1 - x_{13} + x_7 & = 0 \\
(e_1, e_3, e_6) : & -x_1 + x_6 - x_8 & = 0 \\
(e_1, e_4, e_5) : & x_{11} - x_8 & = 0 \\
(e_1, e_2, e_{12}) : & -x_4 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_{12} - x_4 & = 0 \\
(e_1, e_4, e_{10}) : & -x_{12} - x_9 & = 0 \\
(e_1, e_5, e_9) : & -x_5 - x_9 & = 0 \\
(e_1, e_6, e_8) : & -x_{10} - x_5 & = 0 \\
(e_2, e_3, e_7) : & x_1 + x_{10} - x_4 x_7 & = 0 \\
(e_2, e_4, e_6) : & -x_{12} x_{15} + x_5 + x_8 & = 0 \\
(e_3, e_4, e_5) : & x_{11} x_4 - x_{12} x_2 + x_{14} x_9 & = 0
\end{array}$$

Groebner basis (15 variables, 14 linear, 0 nonlinear)

$$2x_1 + 5x_{15} - 5 = 0$$

$$x_{15} + 2x_2 - 1 = 0$$

$$-x_{15} + 2x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - 1 = 0$$

$$3x_{15} + 2x_6 - 3 = 0$$

$$-5x_{15} + 2x_7 + 3 = 0$$

$$-x_{15} + x_8 + 1 = 0$$

$$\begin{aligned}
x_9 + 1 &= 0 \\
x_{10} + 1 &= 0 \\
x_{11} - x_{15} + 1 &= 0 \\
x_{12} - 1 &= 0 \\
x_{13} - 5x_{15} + 4 &= 0 \\
2x_{14} + x_{15} - 1 &= 0
\end{aligned}$$

$\mathfrak{m}_{2B}(6, 14)$

m2B614 (this line included for string searching purposes)

Original brackets:

$$\begin{aligned}
[e_1, e_2] &= e_3 & [e_1, e_3] &= e_4 \\
[e_1, e_4] &= e_5 & [e_1, e_5] &= e_6 \\
[e_1, e_6] &= e_7 & [e_1, e_7] &= e_8 \\
[e_1, e_8] &= e_9 & [e_1, e_9] &= e_{10} \\
[e_1, e_{10}] &= e_{11} & [e_1, e_{11}] &= e_{12} \\
[e_1, e_{12}] &= e_{13} & [e_2, e_7] &= e_{13} \\
[e_2, e_{13}] &= e_{14} & [e_3, e_6] &= -e_{13} \\
[e_3, e_{12}] &= \alpha_{3,12}^{14} e_{14} & [e_4, e_5] &= e_{13} \\
[e_4, e_{11}] &= \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] &= \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] &= \alpha_{6,9}^{14} e_{14} & [e_7, e_8] &= \alpha_{7,8}^{14} e_{14}
\end{aligned}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_{12}) : & \quad -\alpha_{3,12}^{14} - 1 & &= 0 \\
(e_1, e_3, e_{11}) : & \quad -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & &= 0 \\
(e_1, e_4, e_{10}) : & \quad -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & &= 0 \\
(e_1, e_5, e_9) : & \quad -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & &= 0 \\
(e_1, e_6, e_8) : & \quad -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & &= 0 \\
(e_2, e_3, e_6) : & \quad \text{no solutions} \\
(e_2, e_4, e_5) : & \quad \text{no solutions}
\end{aligned}$$

There are no solutions.

$\mathfrak{m}_{4B}(6, 14)$

m4B614 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = 4e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{11} \\
[e_3, e_5] = -e_{12} & [e_3, e_6] = -2e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_5] = e_{13} \\
[e_4, e_{11}] = e_{14} & [e_5, e_{10}] = -e_{14} \\
[e_6, e_9] = e_{14} & [e_7, e_8] = -e_{14}
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{11} \\
[e_2, e_6] = 2e_{12} & [e_2, e_7] = \alpha_{2,7}^{13}e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{11} \\
[e_3, e_5] = -e_{12} & [e_3, e_6] = \alpha_{3,6}^{13}e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14}e_{14} & [e_4, e_5] = \alpha_{4,5}^{13}e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14}e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14}e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14}e_{14} & [e_7, e_8] = \alpha_{7,8}^{14}e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{aligned}
(e_1, e_2, e_6) : & -\alpha_{2,7}^{13} - \alpha_{3,6}^{13} + 2 & = 0 \\
(e_1, e_3, e_5) : & -\alpha_{3,6}^{13} - \alpha_{4,5}^{13} - 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_6) : & -2\alpha_{3,12}^{14} + \alpha_{3,6}^{13} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{4,11}^{14} + \alpha_{4,5}^{13} & = 0
\end{aligned}$$

Solution 1:

$$\begin{aligned}
\alpha_{2,7}^{13} &= 4 \\
\alpha_{3,12}^{14} &= -1 \\
\alpha_{6,9}^{14} &= 1 \\
\alpha_{5,10}^{14} &= -1 \\
\alpha_{4,5}^{13} &= 1 \\
\alpha_{7,8}^{14} &= -1 \\
\alpha_{4,11}^{14} &= 1 \\
\alpha_{3,6}^{13} &= -2
\end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
\alpha_{2,7}^{13} &\rightarrow x_1 \\
\alpha_{3,12}^{14} &\rightarrow x_2 \\
\alpha_{6,9}^{14} &\rightarrow x_3 \\
\alpha_{5,10}^{14} &\rightarrow x_4 \\
\alpha_{4,5}^{13} &\rightarrow x_5 \\
\alpha_{7,8}^{14} &\rightarrow x_6 \\
\alpha_{4,11}^{14} &\rightarrow x_7
\end{aligned}$$

$$\alpha_{3,6}^{13} \rightarrow x_8$$

Jacobi Tests

$$\begin{array}{lll}
(e_1, e_2, e_6) : & -x_1 - x_8 + 2 & = 0 \\
(e_1, e_3, e_5) : & -x_5 - x_8 - 1 & = 0 \\
(e_1, e_2, e_{12}) : & -x_2 - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -x_2 - x_7 & = 0 \\
(e_1, e_4, e_{10}) : & -x_4 - x_7 & = 0 \\
(e_1, e_5, e_9) : & -x_3 - x_4 & = 0 \\
(e_1, e_6, e_8) : & -x_3 - x_6 & = 0 \\
(e_2, e_3, e_6) : & -2x_2 + x_8 & = 0 \\
(e_2, e_4, e_5) : & x_5 - x_7 & = 0
\end{array}$$

Groebner basis (8 variables, 8 linear, 0 nonlinear)

$$\begin{array}{l}
x_1 - 4 = 0 \\
x_2 + 1 = 0 \\
x_3 - 1 = 0 \\
x_4 + 1 = 0 \\
x_5 - 1 = 0 \\
x_6 + 1 = 0 \\
x_7 - 1 = 0 \\
x_8 + 2 = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
x_1 = 4 \\
x_2 = -1 \\
x_3 = 1 \\
x_4 = -1 \\
x_5 = 1 \\
x_6 = -1 \\
x_7 = 1 \\
x_8 = -2
\end{array}$$

$\mathfrak{m}_{6B}(6, 14)$

m6B614 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_9 \\
[e_2, e_4] = e_{10} & [e_2, e_5] = \alpha_{2,5}^{11} e_{11} \\
[e_2, e_6] = \alpha_{2,6}^{12} e_{12} & [e_2, e_7] = \alpha_{2,7}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^{11} e_{11} \\
[e_3, e_5] = \alpha_{3,5}^{12} e_{12} & [e_3, e_6] = \alpha_{3,6}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_5] = \alpha_{4,5}^{13} e_{13} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{11} - \alpha_{3,4}^{11} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{11} - \alpha_{2,6}^{12} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{11} - \alpha_{3,5}^{12} & = 0 \\
(e_1, e_2, e_6) : & \alpha_{2,6}^{12} - \alpha_{2,7}^{13} - \alpha_{3,6}^{13} & = 0 \\
(e_1, e_3, e_5) : & \alpha_{3,5}^{12} - \alpha_{3,6}^{13} - \alpha_{4,5}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_6) : & -\alpha_{2,6}^{12} \alpha_{3,12}^{14} + \alpha_{3,6}^{13} + \alpha_{6,9}^{14} & = 0 \\
(e_2, e_4, e_5) : & -\alpha_{2,5}^{11} \alpha_{4,11}^{14} + \alpha_{4,5}^{13} + \alpha_{5,10}^{14} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\alpha_{2,6}^{12} \rightarrow x_1$$

$$\alpha_{3,4}^{11} \rightarrow x_2$$

$$\alpha_{2,7}^{13} \rightarrow x_3$$

$$\alpha_{3,12}^{14} \rightarrow x_4$$

$$\alpha_{6,9}^{14} \rightarrow x_5$$

$$\alpha_{5,10}^{14} \rightarrow x_6$$

$$\alpha_{4,5}^{13} \rightarrow x_7$$

$$\alpha_{7,8}^{14} \rightarrow x_8$$

$$\alpha_{4,11}^{14} \rightarrow x_9$$

$$\alpha_{2,5}^{11} \rightarrow x_{10}$$

$$\alpha_{3,5}^{12} \rightarrow x_{11}$$

$$\alpha_{3,6}^{13} \rightarrow x_{12}$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_{10} - x_2 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_1 + x_{10} - x_{11} \quad = 0$$

$$(e_1, e_3, e_4) : \quad -x_{11} + x_2 \quad = 0$$

$$(e_1, e_2, e_6) : \quad x_1 - x_{12} - x_3 \quad = 0$$

$$(e_1, e_3, e_5) : \quad x_{11} - x_{12} - x_7 \quad = 0$$

$$(e_1, e_2, e_{12}) : \quad -x_4 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_4 - x_9 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_6 - x_9 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_5 - x_6 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_5 - x_8 \quad = 0$$

$$(e_2, e_3, e_6) : \quad -x_1 x_4 + x_{12} + x_5 \quad = 0$$

$$(e_2, e_4, e_5) : \quad -x_{10} x_9 + x_6 + x_7 \quad = 0$$

Groebner basis (12 variables, 11 linear, 0 nonlinear)

$$x_1 + x_{12} + 1 = 0$$

$$-x_{12} + 2x_2 - 2 = 0$$

$$2x_{12} + x_3 + 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - 1 = 0$$

$$x_6 + 1 = 0$$

$$x_{12} + 2x_7 - 2 = 0$$

$$x_8 + 1 = 0$$

$$x_9 - 1 = 0$$

$$2x_{10} + x_{12} = 0$$

$$2x_{11} - x_{12} - 2 = 0$$

$\mathfrak{m}_{3B}(7, 14)$

m3B714 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_6] = 2e_{13}$$

$$[e_3, e_4] = -e_{12}$$

$$[e_3, e_{12}] = -e_{14}$$

$$[e_5, e_{10}] = -e_{14}$$

$$[e_7, e_8] = -e_{14}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_5] = e_{12}$$

$$[e_2, e_{13}] = e_{14}$$

$$[e_3, e_5] = -e_{13}$$

$$[e_4, e_{11}] = e_{14}$$

$$[e_6, e_9] = e_{14}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{12} \\
[e_2, e_6] = 2e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = -e_{12} & [e_3, e_5] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{3,12}^{14} - 1 & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{3,12}^{14} = -1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{4,11}^{14} = 1
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{3,12}^{14} \rightarrow x_2
\end{array}$$

$$\alpha_{5,10}^{14} \rightarrow x_3$$

$$\alpha_{7,8}^{14} \rightarrow x_4$$

$$\alpha_{4,11}^{14} \rightarrow x_5$$

Jacobi Tests

$$(e_1, e_2, e_{12}) : \quad -x_2 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_2 - x_5 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_3 - x_5 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_1 - x_3 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_1 - x_4 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_2 - 1 \quad = 0$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$x_1 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 + 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 - 1 = 0$$

Solution 1:

$$x_1 = 1$$

$$x_2 = -1$$

$$x_3 = -1$$

$$x_4 = -1$$

$$x_5 = 1$$

$\mathfrak{m}_{5B}(7, 14)$

m5B714 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{10} \\
[e_2, e_4] = e_{11} & [e_2, e_5] = \alpha_{2,5}^{12} e_{12} \\
[e_2, e_6] = \alpha_{2,6}^{13} e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_4] = \alpha_{3,4}^{12} e_{12} & [e_3, e_5] = \alpha_{3,5}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{12} - \alpha_{3,4}^{12} + 1 & = 0 \\
(e_1, e_2, e_5) : & \alpha_{2,5}^{12} - \alpha_{2,6}^{13} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_3, e_4) : & \alpha_{3,4}^{12} - \alpha_{3,5}^{13} & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_5) : & -\alpha_{2,5}^{12} \alpha_{3,12}^{14} + \alpha_{3,5}^{13} + \alpha_{5,10}^{14} & = 0
\end{array}$$

Infinite number of solutions.

How the solution(s) were or were not found:

Change variables

$$\begin{array}{l}
\alpha_{3,4}^{12} \rightarrow x_1 \\
\alpha_{3,12}^{14} \rightarrow x_2 \\
\alpha_{6,9}^{14} \rightarrow x_3 \\
\alpha_{5,10}^{14} \rightarrow x_4 \\
\alpha_{3,5}^{13} \rightarrow x_5
\end{array}$$

$$\alpha_{7,8}^{14} \rightarrow x_6$$

$$\alpha_{4,11}^{14} \rightarrow x_7$$

$$\alpha_{2,6}^{13} \rightarrow x_8$$

$$\alpha_{2,5}^{12} \rightarrow x_9$$

Jacobi Tests

$$(e_1, e_2, e_4) : \quad -x_1 - x_9 + 1 \quad = 0$$

$$(e_1, e_2, e_5) : \quad -x_5 - x_8 + x_9 \quad = 0$$

$$(e_1, e_3, e_4) : \quad x_1 - x_5 \quad = 0$$

$$(e_1, e_2, e_{12}) : \quad -x_2 - 1 \quad = 0$$

$$(e_1, e_3, e_{11}) : \quad -x_2 - x_7 \quad = 0$$

$$(e_1, e_4, e_{10}) : \quad -x_4 - x_7 \quad = 0$$

$$(e_1, e_5, e_9) : \quad -x_3 - x_4 \quad = 0$$

$$(e_1, e_6, e_8) : \quad -x_3 - x_6 \quad = 0$$

$$(e_2, e_3, e_5) : \quad -x_2x_9 + x_4 + x_5 \quad = 0$$

Groebner basis (9 variables, 8 linear, 0 nonlinear)

$$x_1 + x_9 - 1 = 0$$

$$x_2 + 1 = 0$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 + x_9 - 1 = 0$$

$$x_6 + 1 = 0$$

$$x_7 - 1 = 0$$

$$x_8 - 2x_9 + 1 = 0$$

$\mathfrak{m}_{2B}(8, 14)$

m2B814 (this line included for string searching purposes)

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_5] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_4) : & \text{no solutions} &
\end{array}$$

There are no solutions.

$\mathfrak{m}_{4B}(8, 14)$

m4B814 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = 3e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = -2e_{13} \\
[e_3, e_{12}] = -e_{14} & [e_4, e_{11}] = e_{14} \\
[e_5, e_{10}] = -e_{14} & [e_6, e_9] = e_{14} \\
[e_7, e_8] = -e_{14} &
\end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{11} \\
[e_2, e_4] = e_{12} & [e_2, e_5] = \alpha_{2,5}^{13} e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_4] = \alpha_{3,4}^{13} e_{13} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_4) : & -\alpha_{2,5}^{13} - \alpha_{3,4}^{13} + 1 & = 0 \\
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0 \\
(e_2, e_3, e_4) : & -\alpha_{3,12}^{14} + \alpha_{3,4}^{13} + \alpha_{4,11}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{aligned}
 \alpha_{3,12}^{14} &= -1 \\
 \alpha_{3,4}^{13} &= -2 \\
 \alpha_{6,9}^{14} &= 1 \\
 \alpha_{5,10}^{14} &= -1 \\
 \alpha_{7,8}^{14} &= -1 \\
 \alpha_{4,11}^{14} &= 1 \\
 \alpha_{2,5}^{13} &= 3
 \end{aligned}$$

How the solution(s) were or were not found:
Change variables

$$\begin{aligned}
 \alpha_{3,12}^{14} &\rightarrow x_1 \\
 \alpha_{3,4}^{13} &\rightarrow x_2 \\
 \alpha_{6,9}^{14} &\rightarrow x_3 \\
 \alpha_{5,10}^{14} &\rightarrow x_4 \\
 \alpha_{7,8}^{14} &\rightarrow x_5 \\
 \alpha_{4,11}^{14} &\rightarrow x_6 \\
 \alpha_{2,5}^{13} &\rightarrow x_7
 \end{aligned}$$

Jacobi Tests

$$\begin{aligned}
 (e_1, e_2, e_4) : & \quad -x_2 - x_7 + 1 & = 0 \\
 (e_1, e_2, e_{12}) : & \quad -x_1 - 1 & = 0 \\
 (e_1, e_3, e_{11}) : & \quad -x_1 - x_6 & = 0 \\
 (e_1, e_4, e_{10}) : & \quad -x_4 - x_6 & = 0 \\
 (e_1, e_5, e_9) : & \quad -x_3 - x_4 & = 0 \\
 (e_1, e_6, e_8) : & \quad -x_3 - x_5 & = 0 \\
 (e_2, e_3, e_4) : & \quad -x_1 + x_2 + x_6 & = 0
 \end{aligned}$$

Groebner basis (7 variables, 7 linear, 0 nonlinear)

$$\begin{aligned}
 x_1 + 1 &= 0 \\
 x_2 + 2 &= 0
 \end{aligned}$$

$$x_3 - 1 = 0$$

$$x_4 + 1 = 0$$

$$x_5 + 1 = 0$$

$$x_6 - 1 = 0$$

$$x_7 - 3 = 0$$

Solution 1:

$$x_1 = -1$$

$$x_2 = -2$$

$$x_3 = 1$$

$$x_4 = -1$$

$$x_5 = -1$$

$$x_6 = 1$$

$$x_7 = 3$$

$\mathfrak{m}_{3B}(9, 14)$

m3B914 (this line included for string searching purposes)

Solution 1

$$[e_1, e_2] = e_3$$

$$[e_1, e_4] = e_5$$

$$[e_1, e_6] = e_7$$

$$[e_1, e_8] = e_9$$

$$[e_1, e_{10}] = e_{11}$$

$$[e_1, e_{12}] = e_{13}$$

$$[e_2, e_4] = e_{13}$$

$$[e_3, e_{12}] = -e_{14}$$

$$[e_5, e_{10}] = -e_{14}$$

$$[e_7, e_8] = -e_{14}$$

$$[e_1, e_3] = e_4$$

$$[e_1, e_5] = e_6$$

$$[e_1, e_7] = e_8$$

$$[e_1, e_9] = e_{10}$$

$$[e_1, e_{11}] = e_{12}$$

$$[e_2, e_3] = e_{12}$$

$$[e_2, e_{13}] = e_{14}$$

$$[e_4, e_{11}] = e_{14}$$

$$[e_6, e_9] = e_{14}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{12} \\
[e_2, e_4] = e_{13} & [e_2, e_{13}] = e_{14} \\
[e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} & [e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} \\
[e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} & [e_6, e_9] = \alpha_{6,9}^{14} e_{14} \\
[e_7, e_8] = \alpha_{7,8}^{14} e_{14} &
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{3,12}^{14} = -1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{4,11}^{14} = 1
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{3,12}^{14} \rightarrow x_2 \\
\alpha_{5,10}^{14} \rightarrow x_3 \\
\alpha_{7,8}^{14} \rightarrow x_4
\end{array}$$

$$\alpha_{4,11}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_{12}) : & -x_2 - 1 & = 0 \\ (e_1, e_3, e_{11}) : & -x_2 - x_5 & = 0 \\ (e_1, e_4, e_{10}) : & -x_3 - x_5 & = 0 \\ (e_1, e_5, e_9) : & -x_1 - x_3 & = 0 \\ (e_1, e_6, e_8) : & -x_1 - x_4 & = 0 \end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l} x_1 - 1 = 0 \\ x_2 + 1 = 0 \\ x_3 + 1 = 0 \\ x_4 + 1 = 0 \\ x_5 - 1 = 0 \end{array}$$

Solution 1:

$$\begin{array}{l} x_1 = 1 \\ x_2 = -1 \\ x_3 = -1 \\ x_4 = -1 \\ x_5 = 1 \end{array}$$

$\mathfrak{m}_{2B}(10, 14)$

m2B1014 (this line included for string searching purposes)

Solution 1

$$\begin{array}{ll} [e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\ [e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\ [e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\ [e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\ [e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\ [e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \\ [e_2, e_{13}] = e_{14} & [e_3, e_{12}] = -e_{14} \\ [e_4, e_{11}] = e_{14} & [e_5, e_{10}] = -e_{14} \\ [e_6, e_9] = e_{14} & [e_7, e_8] = -e_{14} \end{array}$$

Original brackets:

$$\begin{array}{ll}
[e_1, e_2] = e_3 & [e_1, e_3] = e_4 \\
[e_1, e_4] = e_5 & [e_1, e_5] = e_6 \\
[e_1, e_6] = e_7 & [e_1, e_7] = e_8 \\
[e_1, e_8] = e_9 & [e_1, e_9] = e_{10} \\
[e_1, e_{10}] = e_{11} & [e_1, e_{11}] = e_{12} \\
[e_1, e_{12}] = e_{13} & [e_2, e_3] = e_{13} \\
[e_2, e_{13}] = e_{14} & [e_3, e_{12}] = \alpha_{3,12}^{14} e_{14} \\
[e_4, e_{11}] = \alpha_{4,11}^{14} e_{14} & [e_5, e_{10}] = \alpha_{5,10}^{14} e_{14} \\
[e_6, e_9] = \alpha_{6,9}^{14} e_{14} & [e_7, e_8] = \alpha_{7,8}^{14} e_{14}
\end{array}$$

Non-trivial Jacobi Tests:

$$\begin{array}{lll}
(e_1, e_2, e_{12}) : & -\alpha_{3,12}^{14} - 1 & = 0 \\
(e_1, e_3, e_{11}) : & -\alpha_{3,12}^{14} - \alpha_{4,11}^{14} & = 0 \\
(e_1, e_4, e_{10}) : & -\alpha_{4,11}^{14} - \alpha_{5,10}^{14} & = 0 \\
(e_1, e_5, e_9) : & -\alpha_{5,10}^{14} - \alpha_{6,9}^{14} & = 0 \\
(e_1, e_6, e_8) : & -\alpha_{6,9}^{14} - \alpha_{7,8}^{14} & = 0
\end{array}$$

Solution 1:

$$\begin{array}{l}
\alpha_{6,9}^{14} = 1 \\
\alpha_{3,12}^{14} = -1 \\
\alpha_{5,10}^{14} = -1 \\
\alpha_{7,8}^{14} = -1 \\
\alpha_{4,11}^{14} = 1
\end{array}$$

How the solution(s) were or were not found:
Change variables

$$\begin{array}{l}
\alpha_{6,9}^{14} \rightarrow x_1 \\
\alpha_{3,12}^{14} \rightarrow x_2 \\
\alpha_{5,10}^{14} \rightarrow x_3 \\
\alpha_{7,8}^{14} \rightarrow x_4
\end{array}$$

$$\alpha_{4,11}^{14} \rightarrow x_5$$

Jacobi Tests

$$\begin{array}{lll} (e_1, e_2, e_{12}) : & -x_2 - 1 & = 0 \\ (e_1, e_3, e_{11}) : & -x_2 - x_5 & = 0 \\ (e_1, e_4, e_{10}) : & -x_3 - x_5 & = 0 \\ (e_1, e_5, e_9) : & -x_1 - x_3 & = 0 \\ (e_1, e_6, e_8) : & -x_1 - x_4 & = 0 \end{array}$$

Groebner basis (5 variables, 5 linear, 0 nonlinear)

$$\begin{array}{l} x_1 - 1 = 0 \\ x_2 + 1 = 0 \\ x_3 + 1 = 0 \\ x_4 + 1 = 0 \\ x_5 - 1 = 0 \end{array}$$

Solution 1:

$$\begin{array}{l} x_1 = 1 \\ x_2 = -1 \\ x_3 = -1 \\ x_4 = -1 \\ x_5 = 1 \end{array}$$