
5527_assign1



Abstract
Location dependent data 37 mobile computing context requires novel management approaches. The objective of this paper is to provide an overview of location-based services regarding the terms, technologies and standards. How location information is stored, communicated and manipulated is discussed as well a variety of applications of such information.

1 Introduction

36

In recent years, mobile computing has attracted a great interest both in the industry and in research. The daily use of mobile devices has thrived magnificently in the past decade. Providing data access on these mobile devices anywhere and any time is an important field of study.

In Section 2, a brief introduction of the topic is presented. Following that is Section 3 which lists the challenges in the field. Section 4 describes the current status of research work related to the topic. Finally, conclusions and opportunities for future work is given in Section 5.

2 Overview of the selected topic

22

2.1 Location-Based Services

A location-based service (LBS) can be described as an application that is dependent on a certain location. Triggered and user-requested LBS are the two major categories. [15]

The range and variance of location services is considerable. The location information can be used by the mobile operator or service provider to determine billing information, such as whether the user is in a home zone or roaming overseas. In addition, emergency services and lawful interception services will want information on a user's location at a specific point of time. [13]

Typical services will include the following:

- · fleet management
- · asset management
- navigation
- virtual sightseeing
- · searching for nearby bank, restaurant, restroom, etc.
- · localized mobile Yellow Pages
- · localized internet radio, weather report, etc.

2.2 Location Dependent Data

Location dependent data (LDD) refers to data whose values depend on location. A geographic domain is the entire area covered by the mobile computing platform. A location is a precise point within the geographic domain representing the smallest identifiable position in the domain, which can be expressed with a latitude/longitude pair. [16]

2.3 Positioning Technology

2.3.1 Global Positioning System (GPS)

The Global Positioning Setem (GPS) is a space-based satellite navigation system, can provide all-weather location and time information anywhere on or near the Earth, there are four or more GPS satellites unobstructed line of sight. It is by the U.S. government to maintain freedom of access to any GPS receiver. GPS solutions around the world, military, civilian and commercial users to provide key capabilities. In addition, the Global Positioning System is the backbone of the modern global air transport system. [5]

In 1973, the GPS project development, to overcome the limitations of the previous navigation system, a combination of ideas from several predecessors, including some confidential project design researches from the 1960s. [23] The creation of GPS and the U.S. Department of Defense (DOD) and 24 satellites in the first run. It began full operation in 1994.

Progress in the technology of existing systems and new requirements have led to efforts to modernize the GPS system and the implementation of next-generation GPS III satellites, and the next generation of operational control system (OCX). [3] Announcement from the Vice President and the White House in 1998 initiated these changes. 2000, the U.S. Congress authorized the modernization effort, referred to as GPS III.

In addition to GPS, other systems are in use or under development. Only the Russian military in Russia's Global Navigation Satellite System (GLONASS), the civilian population until it is fully available until 2007. Planned European Galileo positioning system, the Beidou navigation system and the Indian Regional Navigation Satellite System.

The principle behind GPS is the measurement distance between the satellite and receiver (or "area"). Satellite tells us exactly where we by broadcasting data in their orbits, which receivers use to calculate their positions. Its principle is this: If we know our exact distance from the satellite in space, we know that we are somewhere on satellite radius of an imaginary sphere surface distance equal to the radius if we know the exact distance from the two satellites we know our




Figure 1: How GPS Works

6

place in the intersection of two areas on the line. And, if we take the third and fourth two more satellite measurements, we can find our place the GPS receiver to handle the satellite measurement of the scope and its location. [6]

GPS uses the coordinate system called WGS 84 World Geodetic System 1984. It allows the surveyor around the world to produce all the longitude and latitude lines, locating places and things, the common frame of reference, like you see in the school map. Similarly, the GPS from the U.S. Naval Observatory in Washington, DC, time synchronization, GPS system time, all the elements, like Harrison's astronomical clock is synchronized in the Greenwich Mean Time. Figure 1 illustrates the process of global positioning system.

28

2.3.2 Differential GPS (DGPS)

Differential global positioning system (DGPS) is a global positioning system provides positioning accuracy from 15 meters in the name of the GPS accuracy the best case about 10 cm enhanced. The difference between the differential global

positioning systems as fixed, ground-based reference station network broadcast the location indicated by the satellite systems and the known fixed location. Broadcast satellite pseudorange and the actual pseudo-range (internal calculation) the difference between the receiving station may be caused by the same number of pseudo-range correction. Local shorter distance terrestrial transmitters, digital correction signals are usually broadcast. [7]

2.3.3 GSM Cellular Location

Due to the nature of the GSM mobile telephone network in cells, it is possible to determine the position of an ordinary GSM mobile phone. Described in The CEL-LID the basic system is a little rough, but the technology can provide to improve the accuracy. This section describes one of the methods increasing CELLID accuracy, but other countries also exist. GPS cellular localization is much stronger signal, and therefore the operating room, it is by the urban canyon effect (GSM network coverage) and impact. [15]

30

Netwos-based technologies, the use of the network service provider's infrastructure to determine the location of the mobile phone. Advantage of Network-based technologies (from the perspective of mobile operators), they can achieve non-invasive, does not affect the phone. Based on the accuracy of the network technology, cell recognition is not accurate and triangular, moderately accurate, and new "link" the most accurate timing method. Based on the accuracy of the network technology is not only dependent on the concentration of cells at the base station, and the urban environment, to achieve the highest possible precision execution timing. [8]

2.4 Representation of Location Information

Regardless of the methods used to find the return of the original data is usually co-ordination may be wrong parameters. While this is by far the most accurate statements, in the majority of the user's original data is not very useful, can only become valuable when explained in different ways. A position can be described relative to prior known location. As the name of a place known as geocoding points of interests table usually contains the name of the towns and cities, street name or place of business in some applications can also be used to customize the blog. [15]

3 Challenges

3.1 Challenges for Positioning Technology

3.1.1 Drawbacks of GPS

GPS provides an unprecedented level of positioning accuracy, but it does have some drawbacks. Satellites in high orbit, and broadcast a large area of the signal is very weak. Pseudo-random nature of the small footprint antenna signal allows, but because of the weak signal is received, you need a reasonably unobstructed sky. Repair of the trees in the next position in the GPS receiver cannot obtain a building coverage, and even limit the high-rise buildings of the sky. [15]

3.1.2 Cellular Location Limitations

Based on one of the main challenges of the network technology, is to work in close cooperation with the ISP, because it requires the operators of infrastructure hardware and software installation. Under normal circumstances, such as the legislative framework for the E911, will be in place to force the cooperation of the ISP, as well as to maintain the privacy of information. [8]

3.2 Challenges on Mobile Devices

In whatever cases, LDD or LBS has to be processed or consumed by mobile devices. Limitations of the device itself also pose challenges for providing a good service. Some of the shortcomings of mobile devices compared to fixed ones are:

- · intermittent connectivity
- · short battery life
- slow data transmission
- limited memory size
- limited storage size
- · weak processing unit
- small display size

And due to the fact that mobile devices have limit power, the early generations of mobile resources are not compatible with the general purpose protocols such as the standard HTTP.

3.3 Challenges for Query Processing

The major difficulties for query processing of location dependent data is that the location is frequently updated and that the position information is often not accurate to some extent when using some of the positioning technology mentioned in 2.3.

4 Existing work

4.1 Adapting Existing Techniques to Mobile Environment

As mentioned in 3.2, limitations of mobile devices make existing computing techniques no longer efficient or appropriate. Under this circumstance, a lot work has been done to adapt the existing techniques to the mobile environment. [14,19–21,26]

4.2 Location Dependent Data

Prasad et al. propose a data model for representing moving objects in database systems. It is called the Moving Objects Spatio-Temporal (MOST) data model. Future Temporal Logic (FTL) is proposed as the query language for the MOST model, and devise an algorithm for processing FTL queries in MOST. [27] The concept dynamic attributes whose value change continually as a function of time is introduced as well. Both spatial and temporal aspects into the location dependent processing are incorporated in their approach.

The approach of Dunham et al. for dealing with LDD queries and transactions is quite different from that of the MOST approach. They don't require that specific location data be placed in the database (although this would be allowed with their approach). The database can be thought of as partitioned into locations. Each partition would have the correct data values for that location. Their work does not actually conflict with that in [27]. LDD could be partitioned using their approach and could follow the MOST approach as well. [16] Figure 2 shows their proposed approach to implement location dependent data.

A Mobile Unit (MU) requests a query. It then is routed to the mobile service switching center (MSC) to determine the correct service control point (SCP), the news service. Each MSC has a unique SCP for each ISP. SCP has a database containing the location of the 16 levant data. Space-time copy of the database access any data continuously from the cells in the MSC area. It also contains a copy of the space of those objects in the MSC area, the area with household data. There is network connectivity to all SCPS, Appropriate distributed database




Figure 2: Dunham et al.'s Implementation Architecture for LDD

content control, across, the SCPS, as well as the recovery method. If the data are too large to be stored in the SCP, you can add the appropriate database server on the fixed network. In this case, the SCP query outing process server assumes that the requirements of the position to add the default location binding, so that has been determined, and receive a message when the SCP MSC. If the query contains another location, then this will override the default location and SCP forwards queries deal with the location. [16]

4.3 Location Representation

For many applications, including fleet management, tracking and routing, the most logical positional representation is graphical. There are many companies that specialize in the provision of map data including The AA [1], Ordnance Survey [10] and Bartholomew [2], with the main difference being one purely of aesthetics. A map image is usually composed of a number of layers, where motorways, roads, city labels and county borders will all appear on separate layers. The application provider may choose which layers to include, and will usually opt to only include certain layers at particular zoom levels to avoid clutter. [15]

4.3.1 Data Formats and Standards

XML Geographic information system (GIS) industry has formed a set of XML to describe the standard recommendations. They solve two types of geographic information - static (such as rivers, mountains, etc.) and dynamic (events, moving objects). Geography Markup Language (GML), the former information is captured, the latter is the exchange from the point of interests (POIX) the exchange

of interest-point mark, captured, the navigation Markup Language (NVML) for the tag line, and event information tag SKiCAL. [15]

- GML [4]
- POIX [11]
- NVML [9]
- SKiCAL [12]

In summary, an application might use a combination of the above XML-based formats. This can be achieved by using XML namespaces. It is also better to do the processing in the application server, which will guarantee sufficient capacity to handle generic XML processing.

4.4 Query Processing

Querying location dependent information in mobile environment has been as an important research area and most of the work to date has studied dat management issues of mobile object and their location information. [19] identifies new challenges and investigates their technical significance. New research problems include management of location dependent data, wireless data broadcasting, disconnection management and energy efficient data access. [24] describes the general architecture of the information system and the main considerations of our design. Then, based on these considerations, [24] presents a system support for maintaining the consistency of replicated data and for providing transaction schemas that account for the frequent but predictable disconnections, the mobility, and the vulnerability of the wireless environment. [25] presents a comprehensive survey of the various approaches to the problem of storing, querying, and updating the location of objects in mobile computing.

[18] points out that many issues to be dealt with stem from three essential properties of mobile computing: communication, mobility, and portability. [17] views location dependent queries as asking values of data which changes depending on a location. In [16] LDD is defined as spatial replicas depending on its geographic domain. [22] also discusses query processing approaches considering ocation bindings and physical organization.

Seydim et al. give a formalization of location relatedness in queries. [28] differentiates location dependence and location awareness and provides thorough examples to support their approach.

[30] identifies queries according to their access to location information. In all types mentioned by [30], Location Binding is assumed to be a "cell id" binding to the query. Local queries start from the current Base Station to the root

while non-local queries are redirected to the corresponding cell and the replies are, in turn, forwarded back to the current cell. Geographically-Clustered and Geographically-Dispersed queries have to processed in cell basis. Another type, nearest query has to be process from the current cell and the nearest cell to the farthest until satisfied.

4.5 Moving Object Databases (MOD)

Most research to date not only has concentrated on query processing issues for location databases but also on the MOD. [27, 29] These works views location dependent applications as MOD applications.

5 Conclusions

A review of the current status in LDD query processing and LBS data management. First, the characteristics of the mobile environment is introduced and clarified with examples of different types of LBS. With that knowledge, a number of challenges are listed and described. Query processing approaches in the mobile context, including MOD ones, are then discussed.

Future research directions in this field may contain some of the following:

- Decentralized architecture. Most mobile service architecture nowadays are centralized. Once the controlling node or the database server fail, the whole system fails as well. Distributed (or decentralized) architecture has been increasingly adopted in other applications such as source code management (Git, Mercurial) and file-sharing (BitTorrent). The design and standardization of a decentralized mobile computing architecture would probably help to build a more robust and available service.
- Streaming instead of querying. The current centralized solution implies
 that there exist a database storing all the location information for incoming
 queries. When a value is requested frequently from many mobile units,
 various caching techniques are currently used to support this. However, if
 a new solution can be found similar to the streaming mechanism in video
 on demand (VOD) applications using some technique like multicasting, the
 performance may be improved.
- Unified testing framework. Most existing researches test the performance of their approaches by simulation rather than in real mobile environments. Different works use different simulation methods with varied properties. In

this case, comparison or benchmarking is almost impossible since the testing results come from different environments. A unified testing framework would solve this problem.

References

- [1] The automobile association. http://www.theaa.com, March 7 2012.
- [2] Collins bartholomew. http://www.bartholomewmaps.com/, March 7 2012.
- [3] Factsheets: Gps advanced control segment (ocx). http://goo.gl/ZYfuC, March 7 2012.
- [4] Geography markup language. http://goo.gl/WyeDJ, March 7 2012.
- [5] Global positioning system. http://goo.gl/Plp5t, March 7 2012.
- [6] Gps primer: How gps works. http://goo.gl/CZ6DS, March 7 2012.
- [7] http://en.wikipedia.org/wiki/dgps. http://goo.gl/V2Qv8, March 7 2012.
- [8] Mobile phone tracking. http://goo.gl/4LSmY, March 7 2012.
- [9] Navigation markup language (nvml). http://www.w3.org/TR/NVML, March 7 2012.
- [10] Ordnance survey. http://www.ordnancesurvey.co.uk/, March 7 2012.
- [11] Poix: Point of interest exchange language specification, March 7 2012.
- [12] Skical an extension of icalendar. http://goo.gl/44rtT, March 7 2012.
- [13] Adams, P., Ashwell, G., and Baxter, R. Location-based services an overview of the standards. *Bt Technology Journal* 21, 1 (2003), 34–43.
- [14] BARBARÁ, D. Mobile computing and databases A survey. *IEEE TRANS-ACTIONS ON KNOWLEDGE AND DATA ENGINEERING 11*, 1 (Jan. 1999), 108–117.
- [15] D'ROZA, T., AND BILCHEV, G. An overview of location-based services. Bt Technology Journal 21, 1 (2003), 20–27.
- [16] DUNHAM, M., AND KUMAR, V. Location dependent data and its management in mobile databases. In *Database and Expert Systems Applications*, 1998. Proceedings. Ninth International Workshop on (1998), pp. 414–419.

- 23
- [17] DUNHAM, M. H., AND HELAL, A. Mobile computing and databases: anything new? *SIGMOD Rec.* 24 (Dec. 1995), 5–9.
- [18] FORMAN, G., AND ZAHORJAN, J. The challenges of mobile computing.

 Computer 27, 4 (1994), 38–47.
- [19] IMIELINSKI, T., AND BADRINATH, B. Data management for mobile computing. In SIGMOD Record (1993), Citeseer.
- [20] IMIELINSKI, T., AND KORTH, H. Introduction to mobile computing. *Mobile computing* (1996), 1–43.
- [21] JING, J., HELAL, A., AND ELMAGARMID, A. Client-server computing in mobile environments. ACM Computing Surveys (CSUR) 31, 2 (1999), 117– 157.
- [22] KUMAR, V., AND DUNHAM, M. Defining location data dependency, transaction mobility and commitment.
- [23] GS THE FUTURE OF THE GLOBAL POSITIONING SYSTEM, N. R. C. U. C., AND OF PUBLIC ADMINISTRATION, N. A. The global positioning system: a shared national asset: recommendations for technical improvements and enhancements. National Academies Press, 1995.
- [24] PITOURA, E., AND BHARGAVA, B. Building information systems for mobile environments. In *Proceedings of the third international conference on Information and knowledge management* (1994), ACM, pp. 371–378.
- [25] PITOURA, E., AND SAMARAS, G. Locating objects in mobile computing. Knowledge and Data Engineering, IEEE Transactions on 13, 4 (2001), 571–592.
- [26] PITOURA, E., SAMARAS, G., AND SAMARAS, G. Data management for mobile computing. Kluwer, 1998.
- [27] Prasad Sistla, A., Wolfson, O., Chamberlain, S., and Dao, S. Modeling and querying moving objects. In *Data Engineering*, 1997. Proceedings. 13th International Conference on (1997), IEEE, pp. 422–432.
- [28] SEYDIM, A., AND DUNHAM, M. Location dependent query processing. In *Proceedings of the 2nd ACM*... (2001).
- [29] WOLFSON, O., XU, B., CHAMBERLAIN, S., AND JIANG, L. Moving objects database successions and solutions. In Scientific and Statistical Database Management, 1998. Proceedings. Tenth International Conference on (1998), IEEE, pp. 111–122.

[30] Xu, J., and Lee, D. Querying location-dependent data in wireless cellular environment. In Proc. WAP Forum/W3C Workshop Position Dependent Information Services (2000). 12

5527_assign1

ORIGINALITY REPORT						
2	7 %	20 %	20 %	12 %		
SIMILA	RITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS		
PRIMA	RY SOURCES					
1	dbrg.cs.mnsu. Internet Source	edu			4%	
2	en.wikipedia.o Internet Source	rg			3%	
3	JeHyok Ryu. "	Applying the Effective	Distance to Location-D	Dependent Data",	1%	
4	V. Kumar. "An	architecture for location	on dependent query p	rocessing", 12th In	1%	
5	www.link.sprin	ger-ny.com			1%	
6	Submitted to F	lorence-Darlington Te	chnical College		1%	
7	Submitted to N	Mankato State Universi	ty		1%	
8	portal.acm.org				1%	
9	Victor C. S. Le	ee. "Optimistic Concurr	rency Control in Broad	cast Environments	1%	
10	Submitted to U	Iniversity of Auckland			1%	
11	Tomasz Imielir	nski. "Data manageme	nt for mobile computin	g", ACM SIGMOD	1%	
12	www.pst.ifi.lmu	ı.de			1%	
13	www.ijaet.org				1%	
14	www.humgeo.	c.u-tokyo.ac.jp			1%	
15	www.comp.pu	cpcaldas.br			1%	
16	V. Kumar. "Loo	cation dependent data	and its management in	n mobile database	1%	

17	users.ugent.be Internet Source	1%
18	Submitted to City University of Hong Kong Student Paper	1%
19	Submitted to University of South Australia Student Paper	1%
20	Submitted to Stockhom University & The Royal Institute of Technology Student Paper	1%
21	Hyunchul Kang. "Bandwidth-Conserving Cache Validation Schemes in a Mo	1%
22	Submitted to CUNY, John Jay College of Criminal Justice Student Paper	1%
23	DATTA, ANINDYA VANDERMEER, DEBRA E. CELI. "Broadcast Protoco	1%
24	Mario Piattini. "PSecGCM: Process for the Development of Secure Grid Co	1%
25	wireless.eecs.harvard.edu Internet Source	1%
26	Sang-Won Kang. "Considering a Semantic Prefetching Scheme for Cache M. Publication	1%
27	Submitted to University of Manitoba Student Paper	1%
28	www.esinet.eu Internet Source	1%
29	www.vandermeer.de Internet Source	1%
30	Ahas, R "Location based services-new challenges for planning and public <	1%
31	asc.di.fct.unl.pt Internet Source	1%
32	sites.computer.org Internet Source	1%
33	A. Kannan. "A Mobile Agent Based Heuristic Approach for Processing Loc	1%
34	Bonigk, J "A basic architecture for mobile information access", Computers	1%
35	Ernestina Cianca. "Integration of Navigation and Communication for Locatio	1%

_

36	www.harris.cise.ufl.edu Internet Source	< 1%
37	www.lampnet.org Internet Source	< 1%
38	www.citeulike.org Internet Source	< 1%
39	www.casa.ucl.ac.uk Internet Source	< 1%
40	Minoru Etoh. "Multimedia Processing Scheme", W-CDMA, 07/15/2002	< 1%

EXCLUDE QUOTES OFF EXCLUDE BIBLIOGRAPHYOFF EXCLUDE MATCHES OFF