
Cheap readings of the pair library, side A minus side B: built pairs and real-minus-shuffled twins
late save (steps 100, 300)
matched 5x save (steps 7–19)
update size |δW|/|W0|
prior: median answer rank, W0
prior: mean log P (library, stored)
steering (share of gain)
effective rank of the update
top-neuron overlap
copy − cipher
known − invented facts
gold: real − shuffled
template: real − shuffled (fails fit rule)
-0.0021
-0.0022 to -0.0020
-284
-284 to -284
-1.0
-1.0 to -1.0
0.58
0.54 to 0.63
-377
-385 to -369
floor ±31
0.056
0.038 to 0.068
floor ±0.034
-0.0016
-0.0017 to -0.0015
0
0 to 0
-0.3
-0.3 to -0.3
0.48
0.47 to 0.49
-154
-167 to -144
floor ±31
0.047
0.022 to 0.078
floor ±0.032
-0.0001
-0.0001 to -0.0001
-37
-41 to -31
0.3
0.1 to 0.4
0.05
0.04 to 0.05
floor ±1.03
31
30 to 32
floor ±31
0.040
0.037 to 0.044
floor ±0.030
-0.0001
-0.0001 to -0.0001
2
-2 to 6
0.9
0.7 to 1.0
-0.30
-0.34 to -0.27
40
37 to 42
floor ±31
0.083
0.073 to 0.088
floor ±0.030
-0.0002
-0.0003 to -0.0002
-284
-284 to -284
-1.0
-1.0 to -1.0
-0.33
-0.35 to -0.31
41
25 to 54
floor ±31
0.108
0.088 to 0.120
floor ±0.034
-0.0003
-0.0004 to -0.0003
0
0 to 0
-0.3
-0.3 to -0.3
0.04
0.03 to 0.05
-67
-76 to -62
floor ±31
0.082
0.066 to 0.091
floor ±0.032
0.0001
0.0001 to 0.0001
-37
-41 to -31
0.3
0.1 to 0.4
0.01
0.00 to 0.02
floor ±1.03
47
45 to 49
floor ±31
0.000
-0.005 to 0.003
floor ±0.030
×
×
×
×
×
×
3 seeds per side, paired by seed; cell = mean A − B, seed range and the pair's random-floor band under it; colour scaled per reading (red: A higher); hatched = inside the floor band.
Template twin: late save only.