

EVIDENCIAS DE PRUEBAS EXPLORATORIAS EN POSTMAN

FOTO 1.1




FOTO 1.2




FOTO 1.3

The screenshot shows a REST client interface with a POST request to `{{baseUrl}}/pet`. The request body is a JSON object with the following structure:

```
1 {
2   "id": 9223372036854154537,
3   "photoUrls": [],
4   "tags": []
5 }
```

The response status is 200 OK, with a time of 465 ms and a size of 377 B. The response body is displayed in the 'Body' tab, showing the same JSON structure as the request.

FOTO 1.4

The screenshot shows a REST client interface with a POST request to `{{baseUrl}}/pet`. The request body is a complex JSON object with the following structure:

```
1 {
2   "id": 1,
3   "category": {
4     "id": 1,
5     "name": "dog"
6   },
7   "name": "Ruff",
8   "photoUrls": [
9     "string"
10  ],
11  "tags": [
12    {
13      "id": 1,
14      "name": "Ruff"
15    }
16  ],
17  "status": "sold"
18 }
```

The response status is 200 OK, with a time of 407 ms and a size of 452 B. The response body is displayed in the 'Body' tab, showing the same JSON structure as the request.

FOTO 1.5




FOTO 1.6




FOTO 1.7




FOTO 1.8




FOTO 1.9




FOTO 1.10




FOTO 2.1




FOTO 2.2




FOTO 2.3




FOTO 2.4




FOTO 2.5




FOTO 2.6




FOTO 2.7




FOTO 2.8




FOTO 2.9




FOTO 2.10




FOTO 2.11

