

Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

Specifications for:

Commander 4047 4x4 with FFE Cab / Chassis Freightliner M2-106 / 2020MY

DIMENSIONS 124 in 120 in 62.70 in 41 in 190 in 331 in

VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model	M2106
Wheelbase (545)	4825MM (190 INCH) WHEELBASE
Rear Frame Overhang (552)	2550MM (100 INCH) REAR FRAME OVERHANG
Fifth Wheel (578)	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Slide Travel (in)	0
Slide Increment (in)	0
	0.0
Cab Size (829)	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016)RH OUTBOARD UNDER STEP M WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	OUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY





Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

TABLE SUMMARY - DIMENSIONS

Dimensions	Inches
Bumper to Back of Cab (BBC)	106.3
Bumper to Centerline of Front Axle (BA)	40.7
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	124.4
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	119.9
Back of Cab Protrusions (Exhaust/Intake) (CP)	0.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	4.5
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	4.5
Back of Cab to End of Frame	224.4
Cab Height (CH)	62.7
Wheelbase (WB)	190.0
Frame Overhang (OH)	100.0
Overall Length (OAL)	330.7
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	45.5

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.





Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

SPECIFICATION PROPOSAL

Data Cod	de Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-17M	M2 PRL-17M (EFF:11/14/17)			N/C
Data Version				
DRL-008	SPECPRO21 DATA RELEASE VER 008			N/C
Interior Conven	ience/Driver Retention Package			
055-002	INTERIOR CONVENIENCE PACKAGE			\$340.00
Vehicle Configu	ıration			
001-172	M2 106 CONVENTIONAL CHASSIS	5,759	3,503	\$102,495.00
004-220	2020 MODEL YEAR SPECIFIED			N/C
002-004	SET BACK AXLE - TRUCK			STD
019-001	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	10	10	\$1,083.00
003-001	LH PRIMARY STEERING LOCATION			STD
General Service)			
AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			N/C
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
A84-1UT	UTILITY BUSINESS SEGMENT			N/C
AA4-011	FIXED LOAD COMMODITY			N/C
AA5-006	TERRAIN/DUTY: 10% (SOME) OF THE TIME TRANSIT, IS SPENT ON NON-PAVED ROAI			N/C
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-003	MAINTAINED GRAVEL OR CRUSHED ROCI MOST SEVERE IN-TRANSIT (BETWEEN SIT ROAD SURFACE			N/C
995-091	MEDIUM TRUCK WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 14000).0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 21000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAR : 33000.0 lbs	PACITY		





Data Code	Description	Weight Front	Weight Rear	Retail Price
A70-99D	EXPECTED GROSS COMBINATION WEIGHT: 45000.0 lbs			
Truck Service				
AA3-006	UTILITY BODY			N/C
AF3-2FD	RING POWER			N/C
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
Engine				
101-21U	CUM B6.7 250 HP @ 2400 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM			\$3,211.00
Electronic Parame	eters			
79A-065	65 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80J-001	REGEN INHIBIT SPEED THRESHOLD - 0 MPH			N/C
Engine Equipmen	t			
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION			STD
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			\$109.00
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
133-004	ONE PIECE VALVE COVER			STD
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-1D8	(2) ALLIANCE MODEL 1131, GROUP 31, 12 VOLT MAINTENANCE FREE 1900 CCA THREADED STUD BATTERIES, NON FCCC ONLY			STD







Data Code	Description	Weight Front	Weight Rear	Retail Price
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
87P-001	CAB AUXILIARY POWER CABLE	5		N/C
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2		\$92.00
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			STD
131-013	AIR COMPRESSOR DISCHARGE LINE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-076	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH	20		\$14.00
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	\$823.00
28F-007	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED SINGLE REGENERATION REQUEST/INHIBIT SWITCH			N/C
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			(\$4.00)
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			N/C
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			\$48.00
273-004	BORG WARNER VISCOUS FAN DRIVE			(\$149.00)
110-003	CUMMINS SPIN ON FUEL FILTER			STD








Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

Data Code	Description	Weight Front	Weight Rear	Retail Price
118-001	FULL FLOW OIL FILTER			STD
266-078	950 SQUARE INCH ALUMINUM RADIATOR	50		N/C
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
138-010	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK HEATER	4		\$108.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH			\$43.00
Transmission				
342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60	\$6,711.00
Transmission Equip	ment			
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			N/C
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-022	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 5, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-022	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 5, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-017	S5 PERFORMANCE LIMITING PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84F-018	S7 ECONOMY LIMITING SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84G-018	2600 RPM PRIMARY MODE SHIFT SPEED			N/C
84H-016	2400 RPM SECONDARY MODE SHIFT SPEED			N/C

FREIGHTLINER







Data Code	Description	Weight Front	Weight Rear	Retail Price
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84L-010	DISABLE - LOAD BASED SHIFT SCHEDULE, DISABLE - VEHICLE ACCELERATION CONTROL			N/C
84N-000	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED			STD
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
353-023	VEHICLE INTERFACE WIRING CONNECTOR WITH OUT BLUNT CUTS, AT END OF FRAME			\$53.00
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED			\$25.00
362-1Y2	(2) CUSTOMER INSTALLED MUNCIE CS10 SERIES PTO'S			N/C
363-011	PTO MOUNTING, LH AND RH SIDES OF MAIN TRANSMISSION			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			STD
375-006	MERITOR MTC-4210 AND MTC-4213 TRANSFER CASE OIL COOLER	20		N/C
346-013	TRANSMISSION OIL CHECK AND FILL WITH CROSSOVER TO CLEAR LH PTO AND DIRECT MOUNT PUMP			\$63.00
373-042	MERITOR MTC 4210XL-EVO 2-SPEED TRANSFER CASE	325	325	\$10,945.00
376-001	TRANSFER CASE SHIFT CONTROLS WITH TRANSFER CASE PTO ON/OFF SWITCH WHEN APPLICABLE			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STD
Front Axle and E	quipment			
400-105	MX-14-120-EVO 14,000# 1790MM KPI SINGLE FRONT DRIVE AXLE	900		\$18,344.00
398-557	5.57 FRONT AXLE RATIO			N/C





Data Code	Description	Weight Front	Weight Rear	Retail Price
389-079	MXL 16T MERITOR EXTENDED LUBE FRONT STEERING AXLE DRIVELINE WITH HALF ROUND YOKES			N/C
402-087	MERITOR 16.5X5 Q+ MX DRIVE AXLE CAST SPIDER HEAVY DUTY CAM FRONT BRAKES			N/C
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-015	MERITOR CAST IRON FRONT BRAKE DRUMS			N/C
427-001	FRONT BRAKE DUST SHIELDS			N/C
409-006	FRONT OIL SEALS			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
536-012	TRW TAS-85 POWER STEERING	40		N/C
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE			\$14.00
Front Suspension				
620-010	14,600# TAPERLEAF FRONT SUSPENSION	170		\$524.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
62H-010	FRONT SUSPENSION WITH LEFT HAND OFFSET SHACKLE BRACKET	4		\$84.00
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equi	pment			
420-1N0	MS-21-14X 21,000# R-SERIES SINGLE REAR AXLE		10	\$150.00
421-557	5.57 REAR AXLE RATIO			\$84.00
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES			STD
382-073	MXL 17T MERITOR EXTENDED LUBE INTERTRANSMISSION DRIVELINE WITH HALF ROUND YOKES			N/C
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	\$674.00
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			N/C
87B-004	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			N/C





Data Code	e Description	Weight Front	Weight Rear	Retail Price
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			STD
440-006	REAR OIL SEALS			STD
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			STD
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			STD
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			\$123.00
Rear Suspensio	n			
622-1FX	23,000# AWD MULTI-LEAF SPRING REAR SUSPENSION		140	(\$1,527.00)
621-002	SPRING SUSPENSION - 1.00" AXLE SPACER			\$65.00
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			STD
Brake System				
018-002	AIR BRAKE PACKAGE			STD
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			N/C
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			N/C
460-001	STEEL AIR BRAKE RESERVOIRS			STD
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD			\$63.00
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			\$3.00





Data Code	Description	Weight Front	Weight Rear	Retail Price
Trailer Connections				
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS			N/C
296-027	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE			\$98.00
297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			N/C
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			STD
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
Wheelbase & Frame	•			
545-482	4825MM (190 INCH) WHEELBASE			N/C
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	160	280	\$856.00
552-063	2550MM (100 INCH) REAR FRAME OVERHANG			N/C
55W-009	FRAME OVERHANG RANGE: 91 INCH TO 100 INCH	-50	210	N/C
549-093	8 INCH BOLT ON FRONT FRAME EXTENSION	55		\$615.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 124.45 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 119.95 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 319.79			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 124.45 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 94.75 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 94.72 in			N/C
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203	-60		(\$320.00)





Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

Da	ta Code	Description	Weight Front	Weight Rear	Retail Price
586	6-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
551	1-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
Fuel Tanks	3				
204	4-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	20		\$152.00
218	3-005	RECTANGULAR FUEL TANK(S)			STD
215	5-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212	2-007	FUEL TANK(S) FORWARD			STD
664	4-001	PLAIN STEP FINISH			STD
205	5-001	FUEL TANK CAP(S)			STD
122	2-1J1	DETROIT FUELWATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER"	-5		\$27.00
216	6-020	EQUIFLO INBOARD FUEL SYSTEM			STD
116	F-998	NO NATURAL GAS VEHICLE FUEL TANK VENT LINE/STACK			STD
202	2-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires					
093	3-2FK	CONTINENTAL HDR2 12R22.5 16 PLY RADIAL FRONT TIRES	36		\$272.00
094	4-2GY	CONTINENTAL HDR2 ECO PLUS 11R22.5 16 PLY RADIAL REAR TIRES		56	(\$128.00)
Hubs					
418	3-015	MERITOR IRON FRONT HUBS			N/C
450	0-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels					
502	2-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66		\$244.00
505	5-657	ACCURIDE 51408 ACCU-LITE 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS			N/C
496	6-011	FRONT WHEEL MOUNTING NUTS			STD
497	7-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exteri	or				
829	9-071	106 INCH BBC FLAT ROOF ALUMINUM			STD



CONVENTIONAL CAB



Data	a Code	Description	Weight Front	Weight Rear	Retail Price
650-	800	AIR CAB MOUNTING			\$121.00
648-	002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			\$31.00
678-	018	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT			\$59.00
646-	023	HOOD MOUNTED CHROMED PLASTIC GRILLE			\$97.00
65X-	-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			\$49.00
644-	004	FIBERGLASS HOOD			STD
727-	1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4		\$88.00
726-	001	SINGLE ELECTRIC HORN			STD
728-	001	SINGLE HORN SHIELD			N/C
657-	1CV	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS			\$19.00
575-	001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-	038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL			N/C
302-	047	LED AERODYNAMIC MARKER LIGHTS			\$34.00
311-	001	DAYTIME RUNNING LIGHTS			\$21.00
294-	090	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING FOR COMBINED STOP/TURN LIGHTS TO FOUR FEET BEYOND END OF FRAME		-5	(\$35.00)
300-	015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-	1BM	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS			\$140.00
797-	001	DOOR MOUNTED MIRRORS			STD
796-	001	102 INCH EQUIPMENT WIDTH			STD
743-	204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
729-	001	STANDARD SIDE/REAR REFLECTORS			STD
275-	061	ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS			N/C
768-	043	63X14 INCH TINTED REAR WINDOW			STD
661-	003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
654-	027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	4		\$218.00
663-	013	TINTED WINDSHIELD			STD
659-	019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD





Data Code	Description	Weight Front	Weight Rear	Retail Price
Cab Interior				
707-1AK	OPAL GRAY VINYL INTERIOR			N/C
706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			\$13.00
708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR			\$25.00
772-006	BLACK MATS WITH SINGLE INSULATION			STD
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
694-010	IN DASH STORAGE BIN			STD
693-023	LH DOOR MAP POCKET			\$101.00
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			STD
860-004	SMART SWITCH EXPANSION MODULE			\$198.00
720-003	5 LB. FIRE EXTINGUISHER	10		\$63.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD
739-033	STANDARD INSULATION			STD
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF			N/C
655-005	LH AND RH ELECTRIC DOOR LOCKS			\$99.00
284-045	(2) 12 VOLT POWER RECEPTACLES MOUNTED IN DASH			\$30.00
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10		\$24.00
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		\$212.00
760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT	20		\$178.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD





Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	758-036	VINYL WITH VINYL INSERT DRIVER SEAT			STD
	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			STD
	763-101	BLACK SEAT BELTS			STD
	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		\$478.00
	540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instrun	nents & Cont	trols			
	732-003	WOODGRAIN DRIVER INSTRUMENT PANEL			N/C
	734-003	WOODGRAIN CENTER INSTRUMENT PANEL			N/C
	870-001	BLACK GAUGE BEZELS			STD
	486-006	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM WITH (1) ADDITIONAL PARK SWITCH FOR CUSTOMER USE			\$8.00
	840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
	149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
	811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			STD
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
	844-001	2 INCH ELECTRIC FUEL GAUGE			STD
	148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			STD
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
	830-006	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY AND HOBBS PTO OPERATION HOUR METER	2		\$55.00
	372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS			N/C
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
	679-001	OVERHEAD INSTRUMENT PANEL			\$76.00





	Data Code	Description	Weight Front	Weight Rear	Retail Price
	746-115	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939	10		\$398.00
	747-001	DASH MOUNTED RADIO			N/C
	750-002	(2) RADIO SPEAKERS IN CAB			N/C
	753-008	AM/FM ANTENNA MOUNTED ON LH SIDE MIRROR			\$71.00
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
	817-001	STANDARD VEHICLE SPEED SENSOR			STD
	812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
	162-011	IDLE LIMITER, ELECTRONIC ENGINE			STD
	81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH			\$12.00
	482-001	BW TRACTOR PROTECTION VALVE			N/C
	883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
	882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD
Design	ı				
	065-000	PAINT: ONE SOLID COLOR			STD
Color					
	980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC			STD
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	963-003	STANDARD E COAT/UNDERCOATING			STD





Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

Data C	ode	Description	Weight Front	Weight Rear	Retail Price
Certification /	Compl	iance			
996-00	1	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Secondary Fa	ctory C	Options			
998-00	1	CORPORATE PDI CENTER IN-SERVICE ONLY			N/C
999-01	4	DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE			N/C
80R-10	00	LIMIT = 10,000 FT-LB, MAX DRIVELINE TORQUE			N/C
Sales Program	ns				
		NO SALES PROGRAMS HAVE BEEN SELECTED			

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$149,310.00

Weight Summary					
	Weight Front	Weight Rear	Total Weight		
Factory Weight ⁺	7861 lbs	4634 lbs	12495 lbs		
Dealer Installed Options	0 lbs	0 lbs	0 lbs		
Total Weight [†]	7861 lbs	4634 lbs	12495 lbs		

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

 PMU-017
 2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR
 \$300.00

 P73-2FT
 STANDARD DESTINATION CHARGE
 \$2,050.00





Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

Extended Warranty

STANDARD WARRANTY TWO YEARS

WAG-009 TOWING: 6 MONTHS/UNLIMITED MILES/KM EXTENDED TOWING

COVERAGE \$550 CAP FEX APPLIES

\$100.00

Currency Exchange Rate 1.0000
Total Extended Warranty (Local Currency) \$100.00

Dealer Installed Options

•	Weight Front	Weight Rear	Price
OPERATOR AND MAINTENANCE MANUALS WILL ARRIVE IN EACH TRUCK, REPAIR AND PARTS MANAULS AVAILABLE THRU DTNA ACCOUNT	0	0	STD
Total Dealer Installed Options	0 lbs	0 lbs	\$0.00

⁽⁺⁾ Weights shown are estimates only.
If weight is critical, contact Customer Application Engineering.



^(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.