19:43

Advance ABAP on HANA

10 questions

Hi, Edwin. When you submit this form, the owner will see your name and email address.

1. Which of the following is INCORRECT about ALV IDA? (1 Point)

- ◯ Aggregation of amounts with different currency is not possible
- ◯ IDA-ALV programs cannot be scheduled as background jobs
- ◯ The Data Display is restricted to a maximum of 10 billion cells
- ◯ ALV IDA can also use CDS view as data source

2. Which are incorrect for ALV IDA? (1 Point)

Please select 2 options.

- ☐ Calculated fields performed on the application server
- ☐ Interface is used for implementing fuzzy search is IF_SALV_IDA_TEXT_SEARCH
- ☐ ALV IDA is best suited for SAP ECC with Oracle database
- ☐ Class used to implement ALV IDA is CL_SALV_GUI_TABLE_IDA

3. Which of the following app does not come under extensibility concept in SAP S/4HANA? (1 Point)

- ◯ Custom fields and logic

- ◯ Customer Business Object
- ◯ Custom Code List
- ◯ Customer Master Data

4. When you add a custom field using the Custom Fields and Logic app, where does the field physically get stored? (1 Point)

- ◯ In the standard SAP table itself
- ◯ In an extension include appended to standard table
- ◯ In a separate customer-specific table
- ◯ In the DDIC view only

5. Which of the following is NOT a valid use case for the Custom Fields and Logic app? (1 Point)

- ◯ Adding a new data field to a Fiori app
- ◯ Modifying SAP-delivered source code
- ◯ Adding a field to the customer master and exposing it in reports
- ◯ Adding logic for additional validations

6. When you define a Customer Business Object using the Fiori app, how is the object technically persisted? (1 Point)

- ◯ As a classic ABAP internal table
- ◯ As a database table with generated CDS views and UI services

- As a temporary runtime structure
- As a macro in the presentation layer

7. The OData ABAP programming model separates service creation into which key segments? (1 Point)

- Backend and frontend
- Print and display
- Data model, service implementation, and service registration
- JavaScript and XML

8. In an OData service developed in ABAP, which class do you typically extend to implement business logic? (1 Point)

- CL_GUI_ALV_GRID
- CL_ABAP_CONTEXT
- CL_*_DPC_EXT (Data Provider Class Extension)
- CL_SALV_TABLE

9. How does OData $expand option work in SAP ABAP? (1 Point)

- It creates a new entity
- It is not supported in ABAP OData
- It retrieves data for principal and dependent entity using navigation property in one single API call

- It deletes linked entities

10. Which query option can you use to return only specific fields of an entity in OData? (1 Point)

- $filter
- $expand
- $select
- $groupby

11. Enter your Deloitte email ID.

Enter your answer

12. Using a parameterized CDS as source for IDA:

- Not supported
- Supported; pass parameters at runtime and still benefit from pushdown
- Only fixed parameters
- Only for currency fields

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Microsoft Forms | AI-Powered surveys, quizzes and polls Create my own form

Privacy and cookies | Terms of use