21:38

SAP ABAP Basics, Assessment 1 - SAP ABAP P10

20 questions, 30 minutes

When you submit this form, it will not automatically collect your details like name and email address unless you provide it yourself.

* Required

1

What value will be stored in the variable v_num if you create it like this. DATA v_num(5) TYPE n VALUE 124. (1 Point)

- ○ 124
- ◉ 00124
- ○ 12400
- ○ __124

2

what is the correct syntax to fetch all columns from a database table(zcustomer) into an internal table(gt_cust).P_id is declared as below.Parameters: P_id type zcustomer-custid * (1 Point)

- SELECT custid custcat FROM zcustomer INTO gt_cust.
- SELECT * FROM zcustomer INTO gt_cust WHERE custid = p_id.
- SELECT * FROM zcustomer INTO TABLE gt_cust WHERE custid = P_id.
- SELECT custid custname custcont custcat FROM zcustomer INTO TABLE gt_cust WHERE custid IN p_id.

3

Which statement is correct to create a parameter? (1 Point)

- SELECT-OPTIONS: s1 for var NO EXTENSION.
- SELECT-OPTIONS: s1 for var NO-EXTENSION INTERVALS.
- SELECT-OPTIONS: s1 for var NO-EXTENSION NO INTERVALS.

- [x] PARAMETERS : p TYPE i.

4

Which of the following is NOT ABAP dictionary object? * (1 Point)

- [ ] DDIC table
- [ ] Domain
- [ ] Data element
- [x] ABAP program

5

Your Full Name *

EDWIN JOJU

6

What will be output of below code, if user has selected 1 and 10 in select-option S1.TYPES : BEGIN OF ty1,

```
  f1 type vbak-vbeln,
  f2 type vbak-erdat,
  f3 TYPE vbak-ernam,
  END OF ty1.
 data: wa type ty1, v1 type vbeln.
 data: it type table of ty1.
 select-OPTIONS: s1 for v1.
select vbeln erdat ernam
  from vbak
  into TABLE it
  WHERE vbeln IN s1.
write: sy-subrc, sy-dbcnt.
```
(1 Point)

- ○ 2 10
- ◉ 0 10
- ○ 1 5
- ○ 1 10

7

In ABAP Dictionary table, which is client dependent, if client field is only selected as Primary key, how many rows can be added to this table? (1 Point)

- ○ Any number

- [x] Only 1
- [ ] No rows can be added

8

How can we provide labeling to selection screen elements ? (1 Point)

Please select 2 options.

- [x] Using text elements
- [ ] Using comments and text element(text-001)
- [x] By using field label of data element

9

What is the default format for date type D? (1 Point)

- DDMMYYYY
- DD-MM-YYYY
- DD.MM.YYYY

- [x] YYYYMMDD

10

what is the transaction code to maintain(insert, delete, update) the data in a table * (1 Point)

- [ ] SE11
- [x] SE16
- [ ] SM30
- [ ] SE38

11

During run-time of ABAPA program, select-option is a table with 4 columns. * (1 Point)

- [x] true
- [ ] false

12

What will be the output?

```
DATA: v_str TYPE string VALUE 'Welcome to Deloitte SAP ABAP training',
      v_s1 TYPE string,
      v_s2 TYPE string,
      v_s3 TYPE string,
      v_len TYPE i.
SPLIT v_str AT ' ' INTO v_s1 v_s2 v_s3.
v_len = strlen(v_s2).
WRITE: v_len.
```

(1 Point)

- ○ 32
- ○ 8
- ◉ 2
- ○ 7

13

Your email-id *

EJOJU@DELOITTE.COM

14

Which one of the following options works for radio button ? (1 Point)

- ○ OBLIGATORY
- ○ NO-DISPLAY
- ◉ DEFAULT
- ○ VISIBLE-LENGTH

15

Which property you set for DDIC table to make it a transaction table(data in this table is changed frequently) ? (1 Point)

- ◉ Data Class
- ○ Size Category
- ○ Delivery Class
- ○ Enhancement Category

16

During a DO loop, which system field would you use to track the number of iterations? (1 Point)

- ○ sy-tabix
- ◉ sy-index
- ○ sy-dbcnt
- ○ sy-subc

17

which statements can be used to fetch a single record from table VBAK? (1 Point)

- ○ select .. up to 1 rows
- ○ select single...
- ○ select ... into table it..
- ◉ BOTH select .. up to 1 rows AND select single...

18

what is the correct syntax to create a variables in a program(select two options) * (1 Point)

Please select 2 options.

- [x] DATA: v1 type char30
- [ ] DATA: v2 like char30
- [ ] Types: v1 type char30
- [x] DATA: v1 type char30, V2 like v1.

19

Which of the following is not a workarea / structure? * (1 Point)

- ( ) DATA: wa TYPE KNA1. " Whene KNA1 is a DDIC table
- ( ) DATA: begin of wa, col1 type i, col2 type c, end of wa.
- (•) TYEPS: wa type c.
- ( ) TABLES: SFLIGHT. " Where SFLIGHT is a DDIC table

20

What will be output of below code? * (1 Point)

```
DATA: v_text TYPE c LENGTH 5 VALUE 'Hello World'.

WRITE: v_text.
```

- ○ Hello World
- ◉ Hello
- ○ World
- ○ Syntax Error

21

Which of the following is incorrect way to create workarea or structure ? (1 Point)

- ○ DATA: wa TYPE KNA1.
- ◉ TABLES KNA1.

- ◯ DATA: BEGIN OF wa, f1 TYPE c, f2 TYPE c, f3 TYPE c, END OF wa.
- ◯ TYPES: wa TYPE kna1.

22

Choose one of the followings. * (1 Point)

```
Which of the statements are TRUE ?

a. To make any field case sensitive use domain with a check for Case Sesnsitive
b. Field labels specified in data elements
c. Domain can be directly assigned to a database table field
```

- ◯ a, b and c
- ◉ Only a and b
- ◯ Only b and c
- ◯ Only c

You can print a copy of your answer after you submit

Never give out your password. Report abuse

Microsoft 365

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Microsoft Forms | AI-Powered surveys, quizzes and polls Create my own form

Privacy and cookies | Terms of use