

Canadian Community Health Survey (CCHS)

Annual Component - 2022 PUMF

Derived Variable (DV) Specifications



Statistics
Canada

Statistique
Canada

Canada

Table of Contents

CCC	Chronic conditions (2 DVs)	
	1) CCCDGSKL - Musculoskeletal system chronic disease - Grouped	1
	2) CCCDGCAR - Cardiovascular chronic condition - Grouped	1
CSS	Current smoking status (1 DV)	
	1) CSSG20 - Smoked - Frequency - 30 days - Grouped	2
DHH	Dwelling and household variables (2 DVs)	
	1) DHHDGHSZ - Household size - Grouped	3
	2) DHHGAGE - Age - Grouped	3
EAH	Eating habits (16 DVs)	
	1) EAHG05 - Ate food from a restaurant - Number of times - 30 days - Grouped	4
	2) EAHDVCHO - Daily consumption - chocolate milk	4
	3) EAHDVFFD - Daily consumption - fruit flavoured drinks or sports drinks	5
	4) EAHDVFRU - Daily consumption - fruit	5
	5) EAHDVGRN - Daily consumption - dark green vegetables	6
	6) EAHDVJUI - Daily consumption - pure fruit juice	6
	7) EAHDVORA - Daily consumption - orange-coloured vegetables	7
	8) EAHDVSCD - Daily consumption - sweetened coffee drinks or iced tea	7
	9) EAHDVSOD - Daily consumption - regular soft drinks	8
	10) EAHDVSTA - Daily consumption - starchy vegetables	8
	11) EAHDVVEG - Daily consumption - other vegetables	9
	12) EAHDVEND - Daily consumption - energy drinks	9
	13) EAHDVBVT - Daily consumption - beverages	10
	14) EAHDVBVG - Grouping of total daily consumption - beverages	10
	15) EAHDVFVT - Daily consumption - fruits and vegetables	10
	16) EAHDVFVG - Grouping of total daily consumption - fruits and vegetables	11
ECV	E-Cigarette and vaping (2 DVs)	
	1) ECVG15 - E-Cigarette - vaping device use - Grouped	12
	2) ECVDVSMK - E-Cigarette - vaping device and cigarette use	12
ECV2	Electronic cigarettes and vaping 2 (3 DVs)	
	1) ECV2G05A - Vape - E-liquid with nicotine - Grouped	13
	2) ECV2G05B - Vape - E-liquid without nicotine - Grouped	13
	3) ECV2G05C - Vape - E-liquid with unknown content - Grouped	13

ED	Education (1 DV)	
	1) EDDVH3 - Highest level of education - household, 3 levels	15
FSC	Food security (3 DVs)	
	1) FSCDVAF2 - Food security - adult status (including "marginally food insecure")	18
	2) FSCDVCF2 - Food security - child status (including "marginally food insecure")	18
	3) FSCDVHF2 - Household food security status - modified version (including "marginally food insecure")	19
GEO	Geography variables (2 DVs)	
	1) GEOGPRV - Province of residence - Grouped	22
	2) GEODGHR4 - Health region - Grouped	22
HWT	Height and weight - self-reported (3 DVs)	
	1) HWTDGISW - BMI classification for adults aged 18 and over (self-reported) - International standard - Grouped	24
	2) HWTDGWHO - BMI classification for children aged 12 to 17 (self-reported) - WHO classification system - Grouped	24
	3) HWTDGBCC - BMI classification for adults aged 18 and over (adjusted) - International standard - Grouped	25
INC	Income (4 DVs)	
	1) INCDGHH - Total Household Income - All Sources - Grouped	28
	2) INCDGRCA - Distribution of household income - National level (excluding Territories) - Grouped	28
	3) INCDGRPR - Distribution of household income - Provincial level (excluding Territories) - Grouped	29
	4) INCDGRRS - Distribution of household income - Health region level (excluding Territories) - Grouped	29
LBF	Labour force (3 DVs)	
	1) LBFDGHPW - Total usual hours worked per week - Grouped	31
	2) LBFDVPFT - Full-time/part-time working status (for total usual hours)	31
	3) LBFDGWSS - Working status last week - Grouped	32
LSM	Life satisfaction measure (1 DV)	
	1) LSMDVSWL - Satisfaction with life in general	33
OHM3	Oral health 3 (1 DV)	
	1) OHM3G50A - Type of dental insurance - private plan (G)	34
PAA	Physical activities - adults 18 years and older (6 DVs)	
	1) PAADVMA - Total number of minutes of moderate to vigorous physical activities - last 7 days	35

	2) PAADVACV - Physical activity indicator	35
	3) PAADVAC2 - Alternate physical activity indicator	36
	4) PAADVIG - Total number of minutes of vigorous physical activities - last 7 days	36
	5) PAADVOL - Volume of weekly activity done in the past 7 days (METs*minutes/week)	37
	6) PAADVWHO - Physically active, based on WHO guidelines	37
PCN	Prescription cost (1 DV)	
	1) PCNDGCRA - Prescription Medication - Cost related non-adherence - Grouped	39
SDC	Socio-demographic characteristics (3 DVs)	
	1) SDCDGIMM - Immigrant flag - Grouped	40
	2) SDCDVABT - Indigenous identity	40
	3) SDCDVFLA - Visible minority flag	40
SLP	Sleep (1 DV)	
	1) SLPG005 - Number of hours spent sleeping per night - Grouped	42
SMK	Smoking (3 DVs)	
	1) SMKDVSTY - Smoking status (type 2) - traditional definition	43
	2) SMKGYCS - Number of years smoked daily (current daily smokers only) - Grouped	43
	3) SMKDGSTP - Number of years since stopping smoking completely - Grouped	44
WDM	Abilities (Washington Group Short Set) (1 DV)	
	1) WDMGDIF - Difficulty - Level of difficulty across domains - Grouped	45

Chronic conditions (2 DVs)

1) Musculoskeletal system chronic disease - Grouped

Variable name: CCCDGSKL

Based on: CCC_100, CCC_105, CCC_120

Description: This grouped variable indicates if the respondent has fibromyalgia, arthritis, or osteoporosis (aged 40 and over)

Note: This is a regrouping of CCC_100, CCC_105, CCC_120.

Specifications			
Value	Condition(s)	Description	Notes
9	CCC_100 = 9 or CCC_105 = 9 or CCC_120 = 9	At least one required question was not answered (not stated)	NS
1	CCC_100 = 1 or CCC_105 = 1 or CCC_120 = 1	Has fibromyalgia, arthritis (e.g. osteoarthritis, rheumatoid arthritis, gout) or osteoporosis	
2	CCC_100 = (2,6) and CCC_105 = 2 and CCC_120 = 2	Does not have fibromyalgia, arthritis (e.g. osteoarthritis, rheumatoid arthritis, gout) or osteoporosis	

2) Cardiovascular chronic condition - Grouped

Variable name: CCCDGCAR

Based on: CCC_65, CCC_75, CCC_95

Description: This grouped variable indicates if the respondent has heart disease, has ever had a heart attack or suffers from the effects of a stroke.

Note: This is a regrouping of CCC_65, CCC_75, CCC_95.

Specifications			
Value	Condition(s)	Description	Notes
9	CCC_65 = 9 or CCC_75 = 9 or CCC_95 = 9	At least one required question was not answered (not stated)	NS
1	CCC_65 = 1 or CCC_75 = 1 or CCC_95 = 1	Has heart disease, or ever had a heart attack, or suffers from the effects of a stroke	
2	CCC_65 = 2 and CCC_75 = 2 and CCC_95 = (2,6)	Does not have heart disease, never had a heart attack, does not suffer from the effects of a stroke	

Current smoking status (1 DV)

1) Smoked - Frequency - 30 days - Grouped

Variable name: CSSG20

Based on: CSS_20

Description: This variable groups the number of times the respondent smoked cigarettes in the past 30 days.

Specifications			
Value	Condition(s)	Description	Notes
6	CSS_20 = 6	Population exclusions	NA
9	CSS_20 = 9	At least one required question was not answered (not stated)	NS
1	CSS_20 = 1	Every day	
2	CSS_20 = (2,3)	At least once in the past month, but less than once a day	
3	CSS_20 = 4	Not at all	

Dwelling and household variables (2 DVs)

1) Household size - Grouped

Variable name: DHHDGHSZ

Based on: SAMPLEID, DHHDVHSZ

Description: This variable indicates the number of people living within a household.

Note: This variable is derived by sorting the household roster dataset by SAMPLEID and by counting the number of persons within each SAMPLEID. DHHDGHSZ is a grouping of DHHDVHSZ.

Specifications

Value	Condition(s)	Description	Notes
1	DHHDVHSZ = 1	Exact number of persons living in household	
2	DHHDVHSZ >= 2	Grouped: 2 or more persons live in the household	

2) Age - Grouped

Variable name: DHHGAGE

Based on: AWCAGE

Description: This variable classifies the respondent based on their age.

Specifications

Value	Condition(s)	Description	Notes
1	12 <= AWCAGE <= 17	Age between 12 and 17	
2	18 <= AWCAGE <= 34	Age between 18 and 34	
3	35 <= AWCAGE <= 49	Age between 35 and 49	
4	50 <= AWCAGE <= 64	Age between 50 and 64	
5	AWCAGE >=65	65 years and older	

Eating habits (16 DVs)

1) Ate food from a restaurant - Number of times - 30 days - Grouped

Variable name: EAHG05

Based on: EAH_05A, EAH_05B

Description: This variable groups the number of times the respondent ate food from a restaurant in the past 30 days.

Temporary Reformat			
Value	Condition(s)	Description	Notes
EAHT05			
EAH_05A	EAH_05B = 1	Number of times/month (reported "times per month")	
EAH_05A * 4.25	EAH_05B = 2	Number of times/month (reported "times per week")	(rounded to an integer value)
EAH_05A * 30	EAH_05B = 3	Number of times/month (reported "times per day")	

Specifications			
Value	Condition(s)	Description	Notes
0	EAHT05 = 0	Did not eat food from a restaurant in the past 30 days	
6	EAH_05A= 996 or EAH_05B = 6	Population exclusions	NA
9	EAH_05A= 999 or EAH_05B = 9	At least one required question was not answered (not stated)	NS
1	EAHT05 = (1,2,3)	Ate food from a restaurant between 1 and 3 times in the past 30 days	
2	EAHT05 = (4,5,6,7,8,9)	Ate food from a restaurant between 4 and 9 times in the past 30 days	
3	EAHT05 > 9	Ate food from a restaurant more than 9 times in the past 30 days	

2) Daily consumption - chocolate milk

Variable name: EAHDVCHO

Based on: EAH_35A, EAH_35B

Description: This variable indicates the usual number of times per day the respondent consumes chocolate milk.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_35A = NS or EAH_35B = NS	At least one required question was not answered (not stated)	NS
EAH_35A	EAH_35B = 3	Number of times/day	

EAH_35A / 7	EAH_35B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_35A / 30	EAH_35B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_35A = 0	Did not drink chocolate milk in the past 30 days	

3) Daily consumption - fruit flavoured drinks or sports drinks

Variable name: EAHDVFFD

Based on: EAH_15A, EAH_15B

Description: This variable indicates the usual number of times per day the respondent consumes fruit flavoured drinks or sports drinks such as Fruité™, fruit punch or Gatorade™.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_15A = NS or EAH_15B = NS	At least one required question was not answered (not stated)	NS
EAH_15A	EAH_15B = 3	Number of times/day	
EAH_15A / 7	EAH_15B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_15A / 30	EAH_15B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_15A = 0	Did not drink fruit flavoured or sports drinks in the past 30 days	

4) Daily consumption - fruit

Variable name: EAHDVFRU

Based on: EAH_40A, EAH_40B

Description: This variable indicates the usual number of times per day the respondent consumes fruit, including fresh or frozen, dried or canned, but excluding fruit juices.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_40A = NS or EAH_40B = NS	At least one required question was not answered (not stated)	NS
EAH_40A	EAH_40B = 3	Number of times/day	
EAH_40A / 7	EAH_40B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)

EAH_40A / 30	EAH_40B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_40A = 0	Did not eat fruit in the past 30 days	

5) Daily consumption - dark green vegetables

Variable name: EAHDVGRN

Based on: EAH_45A, EAH_45B

Description: This variable indicates the number of times per day the respondent consumes dark green vegetables, such as broccoli, green beans, dark lettuce or spinach including fresh, frozen, canned or dried vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_45A = NS or EAH_45B = NS	At least one required question was not answered (not stated)	NS
EAH_45A	EAH_45B = 3	Number of times/day	
EAH_45A / 7	EAH_45B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_45A / 30	EAH_45B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_45A = 0	Did not eat green vegetables in the past 30 days	

6) Daily consumption - pure fruit juice

Variable name: EAHDVJUI

Based on: EAH_10A, EAH_10B

Description: This variable indicates the usual number of times per day the respondent consumes pure fruit juice.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_10A = NS or EAH_10B = NS	At least one required question was not answered (not stated)	NS
EAH_10A	EAH_10B = 3	Number of times/day	
EAH_10A / 7	EAH_10B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_10A / 30	EAH_10B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_10A = 0	Did not drink pure fruit juice in the past 30 days	

7) Daily consumption - orange-coloured vegetables

Variable name: EAHDVORA

Based on: EAH_50A, EAH_50B

Description: This variable indicates the usual number of times per day the respondent consumes orange-coloured vegetables such as carrots, orange bell pepper, sweet potatoes including fresh, frozen, canned or dried vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_50A = NS or EAH_50B = NS	At least one required question was not answered (not stated)	NS
EAH_50A	EAH_50B = 3	Number of times/day	
EAH_50A / 7	EAH_50B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_50A / 30	EAH_50B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_50A = 0	Did not eat orange vegetables in the past 30 days	

8) Daily consumption - sweetened coffee drinks or iced tea

Variable name: EAHDVSCD

Based on: EAH_25A, EAH_25B

Description: This variable indicates the usual number of times per day the respondent consumes sweetened coffee drinks or iced tea such as StarbucksTM Macchiato, Tim Hortons Iced CappTM or NesteaTM.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_25A = NS or EAH_25B = NS	At least one required question was not answered (not stated)	NS
EAH_25A	EAH_25B = 3	Number of times/day	
EAH_25A / 7	EAH_25B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_25A / 30	EAH_25B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_25A = 0	Did not drink sweetened coffee drinks or iced tea in the past 30 days	

9) Daily consumption - regular soft drinks

Variable name: EAHDVSOD

Based on: EAH_20A, EAH_20B

Description: This variable indicates the usual number of times per day the respondent consumes regular soft drinks excluding diet soft drinks.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_20A = NS or EAH_20B = NS	At least one required question was not answered (not stated)	NS
EAH_20A	EAH_20B = 3	Number of times/day	
EAH_20A / 7	EAH_20B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_20A / 30	EAH_20B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_20A = 0	Did not drink regular soft drinks in the past 30 days	

10) Daily consumption - starchy vegetables

Variable name: EAHDVSTA

Based on: EAH_55A, EAH_55B

Description: This variable indicates the usual number of times per day the respondent consumes starchy vegetables such as white potatoes or corn, including fresh, frozen, canned or dried vegetables and excluding deep fried potatoes.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_55A = NS or EAH_55B = NS	At least one required question was not answered (not stated)	NS
EAH_55A	EAH_55B = 3	Number of times/day	
EAH_55A / 7	EAH_55B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_55A / 30	EAH_55B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_55A = 0	Did not eat starchy vegetables in the past 30 days	

11) Daily consumption - other vegetables

Variable name: EAHDVVEG

Based on: EAH_60A, EAH_60B

Description: This variable indicates the usual number of times per day the respondent consumes other vegetables such as cucumber, celery, cabbage, tomatoes and cauliflower including fresh, frozen, canned or dried vegetables. This variable excludes the dark green and orange-coloured vegetables taken in consideration in EAHDVGRN and EAHDVORA and the starchy vegetables taken in EAHDVSTA.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_60A = NS or EAH_60B = NS	At least one required question was not answered (not stated)	NS
EAH_60A	EAH_60B = 3	Number of times/day	
EAH_60A / 7	EAH_60B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_60A / 30	EAH_60B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_60A = 0	Did not eat other vegetables in the past 30 days	

12) Daily consumption - energy drinks

Variable name: EAHDVEND

Based on: EAH_30A, EAH_30B

Description: This variable indicates the usual number of times per day the respondent consumes energy drinks such as RedBull™ or Monster™.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications

Value	Condition(s)	Description	Notes
999.6	DOEAH = 0	Module not selected	NA
999.9	EAH_30A = NS or EAH_30B = NS	At least one required question was not answered (not stated)	NS
EAH_30A	EAH_30B = 3	Number of times/day	
EAH_30A / 7	EAH_30B = 2	Number of times/day (reported "times per week")	(rounded to one decimal place)
EAH_30A / 30	EAH_30B = 1	Number of times/day (reported "times per month")	(rounded to one decimal place)
0	EAH_30A = 0	Did not drink energy drinks in the past 30 days	

13) Daily consumption - beverages

Variable name: EAHDVBVT

Based on: EAHDVFFD, EAHDVSOD, EAHDVSCD, EAHDVEND, EAHDVCHO

Description: This variable indicates the usual number of times per day the respondent consumes beverages.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
9999.6	DOEAH = 0	Module not selected	NA
9999.9	EAHDVFFD = NS or EAHDVSOD = NS or EAHDVSCD = NS or EAHDVEND = NS or EAHDVCHO = NS	At least one required question was not answered (not stated)	NS
EAHDVFFD + EAHDVSOD + EAHDVSCD + EAHDVEND + EAHDVCHO	(0 <= EAHDVFFD <=300) and (0 <= EAHDVSOD <=300) and (0 <= EAHDVSCD <=300) and (0 <= EAHDVEND <=300) and (0 <= EAHDVCHO <=300)	Total number of times the respondent drinks a beverage	(min:0.0;max:180 0.0)

14) Grouping of total daily consumption - beverages

Variable name: EAHDVBVG

Based on: EAHDVBVT

Description: This variable classifies the respondent based on the total number of times per day they consume beverages.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
6	DOEAH = 0	Module not selected	NA
9	EAHDVBVT = NS	At least one required question was not answered (not stated)	NS
1	EAHDVBVT < 5	Drinks beverages less than 5 times per day	
2	5 <= EAHDVBVT <= 10	Drinks beverages between 5 and 10 times per day	
3	EAHDVBVT > 10	Drinks beverages more than 10 times per day	

15) Daily consumption - fruits and vegetables

Variable name: EAHDVFT

Based on: EAHDVJUI, EAHDVFRU, EAHDVGRN, EAHDVORA, EAHDVSTA, EAHDVVEG

Description: This variable indicates the usual number of times per day the respondent consumes fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
9999.6	DOEAH = 0	Module not selected	NA
9999.9	EAHDVJUI = NS or EAHDVFRU = NS or EAHDVGRN = NS or EAHDVORA = NS or EAHDVSTA = NS or EAHDVVEG = NS	At least one required question was not answered (not stated)	NS
EAHDVJUI + EAHDVFRU + EAHDVGRN + EAHDVSTA + EAHDVORA + EAHDVVEG	(0 <= EAHDVJUI <=300) and (0 <= EAHDVFRU <=300) and (0 <= EAHDVGRN <=300) and (0 <= EAHDVSTA <=300) and (0 <= EAHDVORA <=300) and (0 <= EAHDVVEG <=300)	Total number of times the respondent eats fruits and vegetables	(min:0.0;max:180 0.0)

16) Grouping of total daily consumption - fruits and vegetables

Variable name: EAHDVFVG

Based on: EAHDVFVT

Description: This variable classifies the respondent based on the total number of times per day they eat fruits and vegetables.

Note: The CCHS measures the number of times (frequency), not the amount consumed. Respondents report consumption for the past 30 days at the time of interview.

Specifications			
Value	Condition(s)	Description	Notes
6	DOEAH = 0	Module not selected	NA
9	EAHDVFVT = NS	At least one required question was not answered (not stated)	NS
1	EAHDVFVT < 5	Eats fruits and vegetables less than 5 times per day	
2	5 <= EAHDVFVT <= 10	Eats fruits and vegetables between 5 and 10 times per day	
3	EAHDVFVT > 10	Eats fruits and vegetables more than 10 times per day	

E-Cigarette and vaping (2 DVs)

1) E-Cigarette - vaping device use - Grouped

Variable name: ECVG15

Based on: ECV_15

Description: This variable groups the number of times the respondent used an e-cigarette or vaping device in the past 30 days.

Specifications			
Value	Condition(s)	Description	Notes
6	ECV_15 = 6	Population exclusions	NA
9	ECV_15 = 9	At least one required question was not answered (not stated)	NS
1	ECV_15 = (1, 2, 3, 4)	At least once in the past month	
2	ECV_15 = 5	Never	

2) E-Cigarette - vaping device and cigarette use

Variable name: ECVDVSMK

Based on: ECV_05, ECV_10, ECV2_15, CSS_05, CSS_10

Description: This variable indicates whether the respondent tried an e-cigarette/vaping device or a cigarette first, or only tried an e-cigarette/vaping device or a cigarette, or never tried either.

Note: Respondents who answered having smoked a whole cigarette (CSS_05 = 1) were considered as having tried a cigarette.

Specifications			
Value	Condition(s)	Description	Notes
6	DOECV = 2	Module not selected	NA
9	ECV_05 = NS or ECV_10 = NS or ECV2_15 = NS or CSS_05 = NS or CSS_10 = NS	At least one required question was not answered (not stated)	NS
1	CSS_10 < 996 and ECV_10 < 996 and (CSS_10 > ECV_10 or (CSS_10 = ECV_10 and ECV2_15 = 1))	Tried an e-cigarette/vaping device first (has tried both)	
2	CSS_10 < 996 and ECV_10 < 996 and (CSS_10 < ECV_10 or (CSS_10 = ECV_10 and ECV2_15 = 2))	Tried a cigarette first (has tried both)	
3	ECV_05 = 1 and CSS_05 = 2	Only tried an e-cigarette/vaping device	
4	ECV_05 = 2 and CSS_05 = 1	Only tried a cigarette	
5	ECV_05 = 2 and CSS_05 = 2	Never tried an e-cigarette/vaping device and never tried a cigarette	

Electronic cigarettes and vaping 2 (3 DVs)

1) Vape - E-liquid with nicotine - Grouped

Variable name: ECV2G05A

Based on: ECV2_05A

Description: This variable indicates if the respondent has smoked a vaping liquid with nicotine in the past 30 days.

Specifications			
Value	Condition(s)	Description	Notes
9	ECV2_05A = 99	At least one required question was not answered (not stated)	NS
6	ECV2_05A = 96	Population exclusions	NA
1	ECV2_05A in (1:30)	Has smoked a vaping liquid with nicotine in the past 30 days	
2	ECV2_05A = 0	Has not smoked a vaping liquid with nicotine in the past 30 days	

2) Vape - E-liquid without nicotine - Grouped

Variable name: ECV2G05B

Based on: ECV2_05B

Description: This variable indicates if the respondent has smoked a vaping liquid without nicotine in the past 30 days.

Specifications			
Value	Condition(s)	Description	Notes
9	ECV2_05B = 99	At least one required question was not answered (not stated)	NS
6	ECV2_05B = 96	Population exclusions	NA
1	ECV2_05B in (1:30)	Has smoked a vaping liquid without nicotine in the past 30 days	
2	ECV2_05B = 0	Has not smoked a vaping liquid without nicotine in the past 30 days	

3) Vape - E-liquid with unknown content - Grouped

Variable name: ECV2G05C

Based on: ECV2_05C

Description: This variable indicates if the respondent has smoked a vaping liquid with unknown content in the past 30 days.

Specifications			
Value	Condition(s)	Description	Notes
9	ECV2_05C = 99	At least one required question was not answered	NS

		(not stated)	
6	ECV2_05C = 96	Population exclusions	NA
1	ECV2_05C in (1:30)	Has smoked a vaping liquid with unknown content in the past 30 days	
2	ECV2_05C=0	Has not smoked a vaping liquid with unknown content in the past 30 days	

Education (1 DV)

1) Highest level of education - household, 3 levels

Variable name: EDDVH3

Based on: EDDVR3 for each member of the household

Description: This variable indicates the highest level of education attained among all members of the household.

Note: This variable is derived by temporarily creating EDDVR3 for each member of the household (all INSTANCE within SSID). The highest value is then obtained by comparing values of EDDVR3 for all members within the household. The highest level of education in the household is coded to 'not stated' when there is not enough information to derive based on the education of all household members.

Food security (3 DVs)

Temporary Reformat			
Value	Condition(s)	Description	Notes
DHHTDKS			
1	DHHDVYKD <> 0 or DHHDVOKD <> 0	Set value to 1 to indicate households WITH children (aged less than 18)	
0	DHHDVYKD = 0 and DHHDVOKD = 0	Set value to 0 to indicate households WITHOUT children (aged less than 18)	
FSCT10			
0	FSC_10 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_10 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT15			
0	FSC_15 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_15 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT20			
0	FSC_20 = 3 and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_20 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide a "affirmative" response to food security questions.	
FSCT25			
0	FSC_25 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_25 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT30			
0	FSC_30 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_30 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT35			
0	FSC_35 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_35 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT40			
0	FSC_40 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_40 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT45			
0	FSC_45 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_45 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT50			
0	FSC_50 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_50 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	
FSCT55			
0	FSC_55 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.	
1	FSC_55 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.	

FSCT60		
0	FSC_60 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_60 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.
FSCT65		
0	FSC_65 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_65 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.
FSCT70		
0	FSC_70 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_70 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.
FSCT75		
0	FSC_75 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_75 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.
FSCT80		
0	FSC_80 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_80 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide a "affirmative" response to food security questions.
FSCT85		
0	FSC_85 = (3 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_85 = (1 or 2) and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.
FSCT90		
0	FSC_90 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_90 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.
FSCT95		
0	FSC_95 = (2 or NA) and DOFSC = 1	Set the value to 0 if respondent did not provide an "affirmative" response to food security questions.
1	FSC_95 = 1 and DOFSC = 1	Set the value to 1 if respondent did provide an "affirmative" response to food security questions.
FSCTASUM		
FSCT10 + FSCT15 + FSCT20 + FSCT40 + FSCT45 + FSCT50 + FSCT55 + FSCT60 + FSCT65 + FSCT70	All	Sum of all temporary variables for adults to be used in determining the level of household food insecurity. Total will range from 0 to 10. (Min: 0; Max: 10)
FSCTCSUM		
FSCT25 + FSCT30 + FSCT35 + FSCT75 + FSCT80 + FSCT85 + FSCT90 + FSCT95	All	Sum of all temporary variables for children to be used in determining the level of household food insecurity. Total will range from 0 to 8. (Min: 0; Max: 8)

1) Food security - adult status (including "marginally food insecure")

Variable name: FSCDVAF2

Based on: FSC_10, FSC_15, FSC_20, FSC_40, FSC_45, FSC_50, FSC_55, FSC_60, FSC_65, FSC_70, FSCTASUM

Description: This variable is based on a set of 10 adult-referenced questions and describes the food security situation of the adult members of the household in the previous 12 months. It captures four kinds of situations:

0 - Food secure: No indication of difficulty with income-related food access.

1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.

2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed (2 to 5 affirmative responses).

3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns (≥ 6 affirmative responses).

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: This variable does not necessarily reflect the experience of all adult members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the adult members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the adult members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: <http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php>

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 0	Module not selected	NA
9	FSC_10 = NS or FSC_15 = NS or FSC_20 = NS or FSC_40 = NS or FSC_45 = NS or FSC_50 = NS or FSC_55 = NS or FSC_60 = NS or FSC_65 = NS or FSC_70 = NS	At least one required question was not answered (not stated)	NS
0	FSCTASUM = 0	Food secure	
1	FSCTASUM = 1	Marginally food insecure	
2	(FSCTASUM ≥ 2 and FSCTASUM ≤ 5)	Moderately food insecure	
3	(FSCTASUM ≥ 6 and FSCTASUM ≤ 10)	Severely food insecure	

Reference: The model for FSCDVAF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004) - Income-Related Household Food Security in Canada".

2) Food security - child status (including "marginally food insecure")

Variable name: FSCDVCF2

2025

18

Based on: FSC_25, FSC_30, FSC_35, FSC_75, FSC_80, FSC_85, FSC_90, FSC_95, FSCTCSUM, DHHTDKS

Description: This variable is based on a set of 8 child-referenced questions and describes the food security situation of the child (less than 18 years old) members of the household in the previous 12 months. It captures four kinds of situations:

0 - Food secure: No indication of difficulty with income-related food access.

1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.

2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed (2 to 4 affirmative responses).

3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns (>= 5 affirmative responses).

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: This variable is only defined for households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1). This variable does not necessarily reflect the experience of all child members in the household. When using the person weights (WTS_M), this variable reflects the number of people living in households with food insecurity among the child members of the household. When using the household weights (WTS_MHH), this variable reflects the number of households with food insecurity among the child members of the household.

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: <http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php>

Specifications

Value	Condition(s)	Description	Notes
6	DHHTDKS = 0	Population exclusions (households without children less than 18 years of age)	NA
6	DOFSC = 0	Module not selected	NA
9	FSC_25 = NS or FSC_30 = NS or FSC_35 = NS or FSC_75 = NS or FSC_80 = NS or FSC_85 = NS or FSC_90 = NS or FSC_95 = NS	At least one required question was not answered (not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	DHHTDKS = 1 and FSCTCSUM = 0	Food secure	
1	DHHTDKS = 1 and FSCTCSUM = 1	Marginally food insecure	
2	DHHTDKS = 1 and (FSCTCSUM >= 2 and FSCTCSUM <= 4)	Moderately food insecure	
3	DHHTDKS = 1 and (FSCTCSUM >= 5 and FSCTCSUM <= 8)	Severely food insecure	

Reference: The model for FSCDVCF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004) - Income-Related Household Food Security in Canada".

3) Household food security status - modified version (including "marginally food insecure")

Variable name: FSCDVHF2

Based on: FSC_10, FSC_15, FSC_20, FSC_25, FSC_30, FSC_35, FSC_40, FSC_45, FSC_50, FSC_55, FSC_60, FSC_65, FSC_70, FSC_75, FSC_80, FSC_85, FSC_90, FSC_95, FSCTASUM, FSCTCSUM, DHHTDKS

Description: This variable is based on a set of 18 questions and describes the food security situation of the household in the previous 12 months. It captures four kinds of situations:

- 0 - Food secure: No indication of difficulty with income-related food access.
- 1 - Marginally food insecure: Exactly one indication of difficulty with income-related food access.
- 2 - Moderately food insecure: Indication of compromise in quality and/or quantity of food consumed.
- 3 - Severely food insecure: Indication of reduced food intake and disrupted eating patterns.

This variable is adopted from the Health Canada model of food security status. In 2020, Health Canada updated its recommended derivation of food insecurity measures to include the level 'marginal food insecurity'. Historically, this category was considered part of the population defined as 'food secure'. Users wishing to compare estimates from this table to earlier cycles of CCHS that do not include 'marginal food insecurity' should add the totals of the categories 'marginally insecure' and 'food secure' from this table to compare to the 'food secure' category of the earlier table. For international comparability, food insecurity is typically considered to be the combination of 'moderate' and 'severe' insecurity.

Note: When using the person weight (WTS_M), this variable reflects the number of people living the household with food insecurity. When using the household weight (WTS_MHH), this variable reflects the number of households with food insecurity.

Households with children are defined as households with individuals who are either aged 15 or less (DHHDVYKD=1), or aged 16 or 17 (DHHDVOKD=1).

In order to determine household food security status, responses to each question are first coded as either "affirmative" or "negative". Some of this coding is obvious because the only response options are "yes" or "no". For questions with less obvious response categories, the procedure for coding is as follows: response categories such as "Often true", "Sometimes true", "Almost every month", "Some months but not every month" are coded as "affirmative" (i.e. coded equal to 1). Response categories such as "Never true", "Only 1 or 2 months" are coded as "negative" (i.e. coded equal to 0).

Internet site: <http://www.hc-sc.gc.ca/fn-an/surveill/nutrition/commun/insecurit/status-situation-eng.php>

Specifications

Value	Condition(s)	Description	Notes
6	DOFSC = 0	Module not selected	NA
9	FSC_10 = NS or FSC_15 = NS or FSC_20 = NS or FSC_25 = NS or FSC_30 = NS or FSC_35 = NS or FSC_40 = NS or FSC_45 = NS or FSC_50 = NS or FSC_55 = NS or FSC_60 = NS or FSC_65 = NS or FSC_70 = NS or FSC_75 = NS or FSC_80 = NS or FSC_85 = NS or FSC_90 = NS or FSC_95 = NS	At least one required question was not answered (not stated) or the person most knowledgeable about the household was not available to answer questions for respondents aged 17 or younger.	NS
0	(DHHTDKS = 1 and FSCTASUM = 0 and FSCTCSUM = 0) or (DHHTDKS = 0 and FSCTASUM = 0)	Food secure	
1	(DHHTDKS = 1 and (FSCTASUM = 1 and FSCTCSUM = 0) or (FSCTASUM = 0 and FSCTCSUM = 1) or (FSCTASUM = 1 and FSCTCSUM = 1))) or (DHHTDKS = 0 and FSCTASUM = 1)	Marginally food insecure	

2	(DHHTDKS = 1 and (FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)) or (DHHTDKS = 1 and (((FSCTASUM >= 2 and FSCTASUM <= 5) and (FSCTCSUM <= 4)) or ((FSCTASUM <= 5) and (FSCTCSUM >= 2 and FSCTCSUM <= 4)))) or (DHHTDKS = 0 and (FSCTASUM >= 2 and FSCTASUM <= 5))	Moderately food insecure
3	(DHHTDKS = 1 and ((FSCTASUM >= 6 and FSCTASUM <= 10) or (FSCTCSUM >= 5 and FSCTCSUM <= 8))) or (DHHTDKS = 0 and (FSCTASUM >= 6 and FSCTASUM <= 10))	Severely food insecure

Reference: The model for FSCDVHF2 is adopted from the Health Canada model of food security status levels published by Health Canada in 2007. For more information about this model, please see The Office of Nutrition Policy and Promotion, Health Canada, "Canadian Community Health Survey, Cycle 2.2, Nutrition (2004) - Income-Related Household Food Security in Canada".

Geography variables (2 DVs)

The Postal Code Conversion File (PCCF) was used in the derivation of the geographic variables. Most of the geographic variables use the geography from the 2016 Census.

1) Province of residence - Grouped

Variable name: GEOGPRV

Based on: GEO_PRV

Description: This is the respondent's province of residence.

Specifications			
Value	Condition(s)	Description	Notes
GEO_PRV	GEO_PRV=<59	Province of residence of respondent	
60	60=<GEO_PRV=<62	Yukon/Northwest/Nunavut Territories	

2) Health region - Grouped

Variable name: GEODGHR4

Based on: GEODVHR4

Description: This variable is a 5-digit number that identifies the sub-provincial health areas. It is based on the 4-digit health regions specified by the Provincial Ministries of Health. The reconstruction is as follows:

- positions 1-2 (first two positions of GEODVHR4), representing the province;
- position 3 (value of "9");
- positions 4-5 (3rd and 4th positions of GEODVHR4).

Note: The variable GEODVHR4 is the health region based on GEODVPC (postal code) and is derived using the information available on the survey frame at the time of sampling and the geographic information provided by the respondent. GEODVHR4 and GEODVPC are not included in the Public Use Microdata File.

Specifications			
Value	Condition(s)	Description	Notes
10913	GEODVHR4 = (1013, 1014)	Group: Western Regional Integrated Health Authority Labrador-Grenfell Integrated Health Authority	
13904	GEODVHR4 = (1304, 1305)	Group: Zone 4 (Edmundston area) Zone 5 (Campbellton area)	
13906	GEODVHR4 = (1306, 1307)	Group: Zone 6 (Bathurst area) Zone 7 (Miramichi area)	
35939	GEODVHR4 = (3539, 3554)	Group: Huron County Health Unit Perth District Health Unit	
35947	GEODVHR4 = (3547, 3563)	Group: North Bay Parry Sound District Health Unit Timiskaming Health Unit	
35949	GEODVHR4 = (3549, 3556)	Group: Northwestern Health Unit Porcupine Health Unit	

46903	GEODVHR4 = (4603, 4604)	Group: Interlake-Eastern Regional Health Authority Northern Regional Health Authority
47901	GEODVHR4 = (4701, 4702, 4703)	Group: Sun Country Regional Health Authority Five Hills Regional Health Authority Cypress Regional Health Authority
47905	GEODVHR4 = (4705, 4708)	Group: Sunrise Regional Health Authority Kelsey Trail Regional Health Authority
47907	GEODVHR4 = (4707, 4710)	Group: Heartland Regional Health Authority Prairie North Regional Health Authority
47909	GEODVHR4 = (4709, 4714)	Group: Prince Albert Parkland Regional Health Authority Mamawetan/Keewatin/Athabasca
59951	GEODVHR4 = (5951, 5953)	Group: Northwest Health Service Delivery Area Northeast Health Service Delivery Area
60901	GEODVHR4 = (6001, 6101, 6201)	Group: Yukon Northwest Territories Nunavut

Height and weight - self-reported (3 DVs)

1) BMI classification for adults aged 18 and over (self-reported) - International standard - Grouped

Variable name: HWTDGISW

Based on: HWTDDVISW

Description: This variable assigns adult respondents aged 18 and over (except pregnant women) to one of the following categories, according to their Body Mass Index (BMI): underweight; acceptable weight; overweight; and obese class I, II, or III. The BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally.

Note: According to Health Canada, this BMI classification system can be used as a screening tool to identify weight-related health risks at the population and individual levels.

At the population level, the BMI classification system can be used to compare body weight patterns and related health risks within and between populations and to establish population trends in body weight patterns. The classification should be used with caution at the individual level because the health risk associated with each BMI category varies considerably between individuals. Particular caution should be used when classifying: youth who have not attained growth maturity, adults who are naturally very lean, very muscular adults, some ethnic and racial groups, and adults over 65 years of age.

Specifications			
Value	Condition(s)	Description	Notes
6	HWTDDVISW = 96	Population exclusions	NA
9	HWTDDVISW = 99	At least one required question was not answered (not stated)	NS
1	HWTDDVISW = (1,2)	Underweight / Normal weight	
2	HWTDDVISW = (3,4,5,6)	Overweight / Obese - Class I, II, III	

2) BMI classification for children aged 12 to 17 (self-reported) - WHO classification system - Grouped

Variable name: HWTDDGWHO

Based on: HWTDDVWHO

Description: This variable classifies children aged 12 to 17 (except female respondents aged 15 to 17 who were pregnant or did not answer the pregnancy question) in one of the following categories, according to the age-and-sex specific BMI cut-off points as defined by the World Health Organization (WHO): thinness; normal; overweight; and obese. In 2007, the WHO produced growth references for children aged 5 to 19 years using data from NHES II and III and NHANES I. The WHO BMI growth curves for 5- to 19-year-olds were constructed to ensure a smooth transition from the WHO standard for 0- to 5-year-olds. Based on these growth curves, the WHO recommends that children whose BMI is more than two standard deviations (SDs) above the mean should be considered obese, and those whose BMI is between one and two SDs above the mean, overweight. At all ages, the WHO cut-off points yield higher percentages of boys and girls classified as overweight/obese than do the IOTF or CDC cut-off points.

Note: This is a regrouping of HWTDDVWHO, grouping "obese" with "overweight" and "normal" with "thinness".

Specifications			
Value	Condition(s)	Description	Notes
6	HWTDDVWHO = 6	Population exclusions (aged 18 or older)	NA
9	HWTDDVWHO = 9	At least one required question was not answered (not stated)	NS
1	HWTDDVWHO = (1, 2)	Underweight / Normal weight	
2	HWTDDVWHO = (3, 4)	Overweight / Obese - Class I, II, III	

3) BMI classification for adults aged 18 and over (adjusted) - International standard - Grouped

Variable name: HWTDBGCC

Based on: HWTDBVCC

Description: This variable uses the respondent's adjusted BMI, calculated in HWTGDCOR, to assign adult respondents aged 18 and over (except pregnant women) to one of the following categories: underweight; acceptable weight; overweight; and obese class I, II or III. Here, the BMI categories are adopted from a body weight classification system recommended by Health Canada and the World Health Organization (WHO) which has been widely used internationally

Note: This is a regrouping of HWTGDCOR.

Specifications			
Value	Condition(s)	Description	Notes
6	HWTDBVCC = 96	Population exclusions	NA
9	HWTDBVCC = 99	At least one required question was not answered (not stated)	NS
1	HWTDBVCC = (1, 2)	Underweight / Normal weight	
2	HWTDBVCC = (3, 4, 5, 6)	Overweight / Obese - Class I, II, III	

Income (4 DVs)

Temporary variables: INCTRAT, INCTLIC, INCTINC

(Temporary variables are not disseminated on the Public Use Microdata File.)

INCTRAT is a temporary variable used in the calculation of the adjusted household income ratio (INCDVADR). It is the ratio between the total income of the respondent's household and the before-tax low income cut-off (LICO) corresponding to the number of persons in the household and the size of the community. The low income cut-off is the threshold at which a family would typically spend a larger portion of its income than the average family on the necessities of food, shelter and clothing.

INCTRAT is produced in two separate steps. A summary of those steps is provided below.

Step 1: Low income cut-offs for each family and community size were obtained for the 2020 reference year from the Canadian Income Survey.

A low income cut-off was linked to all respondents (INCTLIC). This cut-off corresponded to the size of the respondent's household (DHHDVHSZ) and the size of the community in which the respondent lives (GEOTPSZ). Therefore, respondents were assigned one of the 35 possible combinations that exist (7 household size groups times 5 community size groups). For instance, the INCTLIC variable of a respondent living in a household size of 3 people and in an urban community with a population of 47,000 people would be \$34,870.

Step 2: Individual ratios of household income to the low income cut-off are calculated for each household within each household and community size using the DHHDVHSZ household size variable and the GEOTPSZ community size variable. Ratios are calculated by dividing household income (INCTINC) by the corresponding low income cut-off (INCTLIC).

Beginning in 2016, income data are derived from tax records where linkage was possible and agreed to by the respondent. The flag INCFIMPH indicates whether household income variables (INC_005A-INC_005O, INC_010, INC_015, and INC_021) are reported or imputed. For more information, please refer to the document 'Income Variables and Sources in the Canadian Community Health Survey' available by request at statcan.hd-ds.statcan@canada.ca.

Low income cut-offs (INCTLIC) were taken from: Statistics Canada, Table 11-10-0241-01 (formerly CANSIM 206-0094).

Temporary Reformat

Value	Condition(s)	Description	Notes
GEOTPSZ			
1	GEODVUR = 0	Rural Area	
2	Size of the population centre (or CMA) < 30,000	Population Centre less than 30,000 people	
3	30,000 <= Size of the population centre (or CMA) < 100,000	Population Centre 30,000 to 99,999 people	
4	100,000 <= Size of the population centre (or CMA) < 500,000	Population Centre 100,000 to 499,999 people	
5	Size of the population centre (or CMA) >= 500,000	Population Centre 500,000 people or more	
INCTINC			
99999996	GEO_PRV = (60, 61, 62)	Residents of Territories excluded	
99999999	INC_021 = NS	None of the income questions were stated	
0	INC_021 <= 0	No income or income loss	Value of 0 assigned when income loss reported
INC_021	0 < INC_021 < NA	Specific and positive household income	
INCTLIC			
18,325	DHHDVHSZ = 1 and GEOTPSZ = 1	LICO when the household size = 1 and population size group = rural area	
22,814	DHHDVHSZ = 2 and GEOTPSZ = 1	LICO when the household size = 2 and population size group = rural area	
28,046	DHHDVHSZ = 3 and GEOTPSZ = 1	LICO when the household size = 3 and population size group = rural area	
34,053	DHHDVHSZ = 4 and GEOTPSZ = 1	LICO when the household size = 4 and population size group = rural area	
38,621	DHHDVHSZ = 5 and GEOTPSZ = 1	LICO when the household size = 5 and population size group = rural area	
43,559	DHHDVHSZ = 6 and GEOTPSZ = 1	LICO when the household size = 6 and population size group = rural area	

48,496	DHHDVHSZ >= 7 and GEOTPSZ = 1	LICO when the household size >= 7 and population size group = rural area
20,848	DHHDVHSZ = 1 and GEOTPSZ = 2	LICO when the household size = 1 and population size group = urban area - less than 30,000 people
25,953	DHHDVHSZ = 2 and GEOTPSZ = 2	LICO when the household size = 2 and population size group = urban area - less than 30,000 people
31,906	DHHDVHSZ = 3 and GEOTPSZ = 2	LICO when the household size = 3 and population size group = urban area - less than 30,000 people
38,740	DHHDVHSZ = 4 and GEOTPSZ = 2	LICO when the household size = 4 and population size group = urban area - less than 30,000 people
43,938	DHHDVHSZ = 5 and GEOTPSZ = 2	LICO when the household size = 5 and population size group = urban area - less than 30,000 people
49,555	DHHDVHSZ = 6 and GEOTPSZ = 2	LICO when the household size = 6 and population size group = urban area - less than 30,000 people
55,172	DHHDVHSZ >= 7 and GEOTPSZ = 2	LICO when the household size >= 7 and population size group = urban area - less than 30,000 people
22,784	DHHDVHSZ = 1 and GEOTPSZ = 3	LICO when the household size = 1 and population size group = urban area - 30,000 to 99,999 people
28,364	DHHDVHSZ = 2 and GEOTPSZ = 3	LICO when the household size = 2 and population size group = urban area - 30,000 to 99,999 people
34,870	DHHDVHSZ = 3 and GEOTPSZ = 3	LICO when the household size = 3 and population size group = urban area - 30,000 to 99,999 people
42,338	DHHDVHSZ = 4 and GEOTPSZ = 3	LICO when the household size = 4 and population size group = urban area - 30,000 to 99,999 people
48,019	DHHDVHSZ = 5 and GEOTPSZ = 3	LICO when the household size = 5 and population size group = urban area - 30,000 to 99,999 people
54,157	DHHDVHSZ = 6 and GEOTPSZ = 3	LICO when the household size = 6 and population size group = urban area - 30,000 to 99,999 people
60,296	DHHDVHSZ >= 7 and GEOTPSZ = 3	LICO when the household size >= 7 and population size group = urban area - 30,000 to 99,999 people
22,926	DHHDVHSZ = 1 and GEOTPSZ = 4	LICO when the household size = 1 and population size group = urban area - 100,000 to 499,999 people
28,540	DHHDVHSZ = 2 and GEOTPSZ = 4	LICO when the household size = 2 and population size group = urban area - 100,000 to 499,999 people
35,087	DHHDVHSZ = 3 and GEOTPSZ = 4	LICO when the household size = 3 and population size group = urban area - 100,000 to 499,999 people
42,600	DHHDVHSZ = 4 and GEOTPSZ = 4	LICO when the household size = 4 and population size group = urban area - 100,000 to 499,999 people
48,315	DHHDVHSZ = 5 and GEOTPSZ = 4	LICO when the household size = 5 and population size group = urban area - 100,000 to 499,999 people
54,493	DHHDVHSZ = 6 and GEOTPSZ = 4	LICO when the household size = 6 and population size group = urban area - 100,000 to 499,999 people
60,670	DHHDVHSZ >= 7 and GEOTPSZ = 4	LICO when the household size >= 7 and population size group = urban area - 100,000 to 499,999 people
26,620	DHHDVHSZ = 1 and GEOTPSZ = 5	LICO when the household size = 1 and population size group = urban area - 500,000 people or more
33,141	DHHDVHSZ = 2 and GEOTPSZ = 5	LICO when the household size = 2 and population size group = urban area - 500,000 people or more
40,743	DHHDVHSZ = 3 and GEOTPSZ = 5	LICO when the household size = 3 and population size group = urban area - 500,000 people or more
49,467	DHHDVHSZ = 4 and GEOTPSZ = 5	LICO when the household size = 4 and population size group = urban area - 500,000 people or more
56,105	DHHDVHSZ = 5 and GEOTPSZ = 5	LICO when the household size = 5 and population size group = urban area - 500,000 people or more
63,276	DHHDVHSZ = 6 and GEOTPSZ = 5	LICO when the household size = 6 and population size group = urban area - 500,000 people or more
70,449	DHHDVHSZ >= 7 and GEOTPSZ = 5	LICO when the household size >= 7 and population size group = urban area - 500,000 people or more
INCTRAT		
9999.99999999 6	INCTINC = NA	Residents of territories excluded
		9 decimals

9999.99999999 9	INCTINC = NS	The ratio cannot be calculated because the household income was not stated	9 decimals
INCTINC / INCTLIC	INCTINC <> (NA,NS)	Individual ratio of household income to the low income cut-off corresponding to the size of the household and the size of the community. The maximum ratio is based on the maximum household income accepted, which is \$90,000,000	9 decimals; min: 0, max: 5530

1) Total Household Income - All Sources - Grouped

Variable name: INCDGHH

Based on: INCDVHH

Description: This variable groups the total household income from all sources.

Specifications			
Value	Condition(s)	Description	Notes
9	INCDVHH = 99	At least one required question was not answered (not stated)	NS
1	INCDVHH = (1, 2, 3, 4, 5)	No income or less than \$20,000	
2	INCDVHH = (6, 7)	\$20,000 to \$39,999	
3	INCDVHH = (8, 9)	\$40,000 to \$59,999	
4	INCDVHH = (10, 11)	\$60,000 to \$79,999	
5	INCDVHH = (12, 13, 14, 15)	\$80,000 or more	

2) Distribution of household income - National level (excluding Territories) - Grouped

Variable name: INCDGRCA

Based on: INCDVADR

Description: This derived variable is a distribution of respondents in quintiles (five categories including approximately the same percentage of residents) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents.

Note: Quintiles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for all 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated is excluded). Boundaries are determined in order to derive quintiles from the total weighted number of cases for which derived variables are calculated.

The Territories are excluded from this derived variable.

Specifications			
Value	Condition(s)	Description	Notes
6	INCDVADR = 9.999999996	Not applicable	NA
9	INCDVADR = 9.999999999	Not stated	NS
1	First 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 1	
2	Second 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 2	
3	Third 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 3	

4	Fourth 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 4
5	Fifth 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 5

3) Distribution of household income - Provincial level (excluding Territories) - Grouped

Variable name: INCDGRPR

Based on: GEO_PRV, INCDVADR

Description: This derived variable is a distribution of residents of each province in quintiles (five categories including approximately the same percentage of residents for each province) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same province.

Note: Quintiles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the 10 provinces irrespective of household and community size. Derived variables are calculated only for valid responses (not stated is excluded). Boundaries are determined in order to derive quintiles from the total weighted number of cases for which derived variables are calculated.

The INCDGRPR values are based on a distribution of adjusted ratios for the residents of each of the 10 provinces. This variable should therefore be used in conjunction with the variable for the province of residence (GEO_PRV).

The Territories are excluded from this derived variable.

Specifications

Value	Condition(s)	Description	Notes
6	INCDVADR = 9.999999996	Not applicable	NA
9	INCDVADR = 9.999999999	Not stated	NS
1	First 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 1	
2	Second 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 2	
3	Third 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 3	
4	Fourth 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 4	
5	Fifth 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 5	

4) Distribution of household income - Health region level (excluding Territories) - Grouped

Variable name: INCDGRRS

Based on: GEO_PRV, GEODVHR4, INCDVADR

Description: This derived variable is a distribution of residents of each health region in quintiles (five categories including approximately the same percentage of residents for each health region) based on their value for INCDVADR, i.e., the adjusted ratio of their total household income to the low income cut-off corresponding to their household and community size. It provides, for each respondent, a relative measure of their household income to the household incomes of all other respondents in the same health region.

Note: Quintiles are generated using weighted data. Adjusted ratios are presented in increasing order, from smallest to largest, for each of the health regions irrespective of household and community size. Derived variables are calculated only for valid

responses (not stated is excluded). Boundaries are determined in order to derive quintiles from the total weighted number of cases for which derived variables are calculated.

The INCDVRRS values are based on a distribution of adjusted ratios for the residents of each of the health regions. This variable should therefore be used in conjunction with the variable for the health region province of residence (GEODVHR4).

The Territories are excluded from this derived variable.

Specifications			
Value	Condition(s)	Description	Notes
6	INCDVADR = 9.999999996	Not applicable	NA
9	INCDVADR = 9.999999999	Not stated	NS
1	First 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 1	
2	Second 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 2	
3	Third 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 3	
4	Fourth 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 4	
5	Fifth 20% of respondents from the ascending list of adjusted ratios (INCDVADR)	Quintile 5	

Labour force (3 DVs)

1) Total usual hours worked per week - Grouped

Variable name: LBFDGHPW

Based on: AWCAGE, LMA6_01, LBF_12

Description: This continuous variable indicates the total number of hours the respondent worked per week.

Note: Respondents aged less than 18 years or more than 64 years old or who did not work in the week prior to the interview have been excluded from the population. This variable has been capped at 50 as a form of disclosure control.

Specifications

Value	Condition(s)	Description	Notes
996	AWCAGE > 64 or AWCAGE < 18 or LMA6_01 = 999.6	Population exclusions	NA
999	LMA6_01 = 999.9 or LBF_12 = 999	At least one required question was not answered (not stated)	NS
LMA6_01	LMA6_01 < 50 and LBF_12 = 996	Number of hours usually worked per week for respondents with one job	(rounded to an integer value)
50	LMA6_01 >= 50 and LBF_12 = 996	Number of hours usually worked per week for respondents with one job	
LMA6_01 + LBF_12	(LMA6_01 + LBF_12) < 50	Number of total hours usually worked per week for respondents with more than one job	(rounded to an integer value)
50	(LMA6_01 + LBF_12) >= 50	Number of total hours usually worked per week for respondents with more than one job	

2) Full-time/part-time working status (for total usual hours)

Variable name: LBFDVPFT

Based on: LBFDVHPW

Description: This variable indicates if the respondent works full-time or part-time.

Note: Respondents aged less than 15 years or more than 64 years old or who did not work in the week prior to the interview have been excluded from the population. Also excluded are respondents who indicated they had a job in the previous week, but were absent due to a temporary layoff, seasonal layoff, or because their job was casual, for which there were no hours. Respondents who indicated any other reason for their absence are included. For more information, please consult the CCHS questionnaire and see condition LMA6_C01.

Specifications

Value	Condition(s)	Description	Notes
6	LBFDVHPW = NA	Population exclusions	NA
9	LBFDVHPW = NS	At least one required question was not answered (not stated)	NS
1	LBFDVHPW >= 30	Full-time	
2	LBFDVHPW < 30	Part-time	

3) Working status last week - Grouped

Variable name: LBFDGWSS

Based on: AWCAGE, LMAM_01, LMAM_02

Description: This variable classifies the respondent based on their working status in the week prior to the interview.

Note: Respondents aged less than 18 or more than 64 years old have been excluded from the population.

Specifications			
Value	Condition(s)	Description	Notes
6	AWCAGE < 18 or AWCAGE > 64	Population exclusions	NA
9	LMAM_02 = 9 or LMAM_01 = 9	At least one required question was not answered (not stated)	NS
1	LMAM_01 = 1 or LMAM_02 = 1	Worked at a job or business or had a job but did not work (absent)	
2	LMAM_02 = 2 or LMAM_01=3	Did not have a job	

Life satisfaction measure (1 DV)

1) Satisfaction with life in general

Variable name: LSMDVSWL

Based on: PROXYSEX, LSM_01

Description: This variable groups the 11-point scale used in LSM_01 to rate a respondent's satisfaction with life into 5 categories.

Specifications			
Value	Condition(s)	Description	Notes
6	DOLSM = 0	Module not selected	NA
9	PROXYSEX = (3 or 4)	Question not asked - proxy interview	NS
9	LSM_01 = NS	At least one required question was not answered (not stated)	NS
1	(LSM_01 >= 9 and LSM_01 <= 10)	Very Satisfied	
2	(LSM_01 >= 6 and LSM_01 <= 8)	Satisfied	
3	LSM_01 = 5	Neither satisfied nor dissatisfied	
4	(LSM_01 >= 2 and LSM_01 <= 4)	Dissatisfied	
5	(LSM_01 >= 0 and LSM_01 <= 1)	Very Dissatisfied	

Oral health 3 (1 DV)

1) Type of dental insurance - private plan (G)

Variable name: OHM3G50A

Based on: OHM3_50A, OHM3_50B, OHM3_50D

Description: This variable groups the type of dental insurance that the respondent has, combining: employer, private, and college/university plans.

Note: This variable is part of the 'mark all that apply' question OHM3_Q50 and uses a yes/no type format.

Specifications

Value	Condition(s)	Description	Notes
6	OHM3_50A = 6	Module not selected or population exclusions	NA
9	OHM3_50A = 9	At least one required question was not answered (not stated)	NS
1	OHM3_50A = 1 or OHM3_50B = 1 or OHM3_50D = 1	Type of dental insurance - employer, private, or college/university	
2	OHM3_50A = 2 and OHM3_50B = 2 and OHM3_50D = 2	Type of dental insurance not part of a private plan	

Physical activities - adults 18 years and older (6 DVs)

1) Total number of minutes of moderate to vigorous physical activities - last 7 days

Variable name: PAADVMVA

Based on: AWCAGE, PAA_05, PAA_15A, PAA_15B, PAA_30, PAA_35, PAA_45A, PAA_45B, PAA_60, PAA_65, PAA_75A, PAA_75B

Description: This derived variable represents the total number of minutes a respondent engaged in active transportation and moderate to vigorous recreational and other physical activities.

Note: * Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications			
Value	Condition(s)	Description	Notes
99996	DOPAA = 0	Module not selected	NA
99996	AWCAGE < 18	Population exclusions	NA
99999	PAA_05 = NS or PAA_15A = NS or PAA_15B = NS or PAA_30 = NS or PAA_35 = NS or PAA_45A = NS or PAA_45B = NS or PAA_60 = NS or PAA_65 = NS or PAA_75A = NS or PAA_75B = NS	At least one required question was not answered (not stated)	NS
0	PAA_05 = 2 and (PAA_30 = 2 or PAA_35 = 2) and (PAA_60 = 2 or PAA_65 = 2)	Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days	
PAA_15A*60 + PAA_15B + PAA_45A*60 + PAA_45B + PAA_75A*60 + PAA_75B	PAA_15A = (0:168) and PAA_15B = (0:9995) and PAA_45A = (0:168) and PAA_45B = (0:9995) and PAA_75A = (0:168) and PAA_75B = (0:9995)	Total number of minutes of active transportation OR recreational and other* physical activities done at moderate to vigorous intensity in the last 7 days	Min: 0; Max: 10080

2) Physical activity indicator

Variable name: PAADVACV

Based on: AWCAGE, PAADVMVA

Description: This derived variable indicates whether a respondent is physically active according to the Canadian Physical Activity Guidelines (CPAG).

Note: Physically active is defined by the Canadian Physical Activity Guidelines as having at least 150 minutes of moderate- to vigorous-intensity aerobic physical activity per week.

Specifications			
Value	Condition(s)	Description	Notes
6	DOPAA = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
9	PAADVMVA = NS	At least one required question was not answered (not stated)	NS
1	PAADVMVA => 150	Physically active at or above recommended level from CPAG	

2	1 <= PAADVMVA <=149	Physically active below recommended level from CPAG
3	PAADVMVA = 0	No physical activity minutes reported

3) Alternate physical activity indicator

Variable name: PAADVAC2

Based on: AWCAGE, PAADVMVA

Description: This derived variable represents an alternate classification of physical activity for adults, based on the number of minutes of moderate to vigorous activity done in a week. This variable is similar to PAADVACV, but it breaks down those who were not above the threshold of 150 minutes per week into subcategories of their activity level.

Note: Some might prefer this derived variable (4 levels), instead of PAADVACV (3 levels), to do more detailed analysis. Please note that the four levels in this variable are not the same as the levels in PAADVWHO, so results will not be comparable.
* Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications			
Value	Condition(s)	Description	Notes
6	DOPAA = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
9	PAADVMVA = NS	At least one required question was not answered (not stated)	NS
1	PAADVMVA => 150	Level 1 (Duration equal or greater than that recommended by the CPAG)	
2	75 <= PAADVMVA < 150	Level 2 (Duration ≥ 50% and < 100% of that recommended by the CPAG)	
3	0 < PAADVMVA < 75	Level 3 (Duration > 0% and < 50% of that recommended by the CPAG)	
4	PAADVMVA = 0	Level 4 (Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

4) Total number of minutes of vigorous physical activities - last 7 days

Variable name: PAADVIG

Based on: AWCAGE, PAA_95, PAA_100A, PAA_100B, PAADVMVA

Description: This derived variable represents the total number of minutes a respondent engaged in vigorous physical activities in the last 7 days.

Note: Vigorous exercise is defined in the Canadian Physical Activity Guidelines as a physical activity that causes a person to be out of breath.

Inconsistencies with PAADVMVA (when PAADVIG > PAADVMVA) were corrected by setting PAADVIG to "Not stated".

Specifications			
Value	Condition(s)	Description	Notes
99996	DOPAA = 0	Module not selected	NA

99996	AWCAGE < 18	Population exclusions	NA
99999	PAA_95 = NS or PAA_100A = NS or PAA_100B = NS or PAADVMVA = NS	At least one required question was not answered (not stated)	NS
0	PAA_95 = 2	No vigorous physical activity in last 7 days	
0	PAADVMVA = 0	No minutes of vigorous physical activity in last 7 days	
PAA_100A*60 + PAA_100B	PAA_95 = 1	Total number of minutes of vigorous physical activity (Min:1, Max: 10080) in last 7 days.	

5) Volume of weekly activity done in the past 7 days (METs*minutes/week)

Variable name: PAADVOL

Based on: AWCAGE, PAADVMVA, PAADVIG

Description: This derived variable represents the volume of physical activity performed in the last seven days. It is measured in METs*minutes/week. A MET is a conceptual value that represents energy expended during physical activity. The volume of activity is calculated by multiplying the amount of minutes of activity (by level of intensity) by the MET value associated with that intensity.

Note: Physical activity at the moderate level is assumed to be 3 METs, while vigorous activity is 6 METs. A MET (metabolic equivalent) is the energy cost of activity expressed as kilocalories expended per kilogram of body weight per hour of activity.

Source: B.Nolin (2014). "ESCC 2015, VD globales, Adultes, Propositions", Institut national de santé publique du Québec.

Specifications

Value	Condition(s)	Description	Notes
99996	DOPAA = 0	Module not selected	NA
99996	AWCAGE < 18	Population exclusions	NA
99999	PAADVMVA = NS or PAADVIG = NS	At least one required question was not answered (not stated)	NS
0	PAADVMVA = 0	Total weekly volume of activity was 0	No minutes of any activity
(PAADVMVA - PAADVIG)*3 + (PAADVIG)*6	(0 < PAADVMVA <= 10080) and (0 <= PAADVIG <= 10080)	Total weekly volume of activity	

6) Physically active, based on WHO guidelines

Variable name: PAADVWHO

Based on: AWCAGE, PAADVOL

Description: This derived variable classifies respondents according to the volume of physical activity they had performed in the past week (PAADVOL). This classification uses levels of activity volume recommended by the World Health Organization (WHO).

Note: * Other physical activities: physical activities done while at work, in or around home or while volunteering. The respondent provides an estimate for all three components in the same answer.

Specifications

Value	Condition(s)	Description	Notes
2025			

6	DOPAA = 0	Module not selected	NA
6	AWCAGE < 18	Population exclusions	NA
9	PAADVOL = NS	At least one required question was not answered (not stated)	NS
1	PAADVOL => 900	Level 1 (Volume equal to or greater than the WHO recommendation for health benefits)	
2	450 <= PAADVOL < 900	Level 2 (Volume meets the minimum WHO recommendation for being physically active)	
3	0 < PAADVOL < 450	Level 3 (Volume less than the minimum recommendation for being physically active)	
4	PAADVOL = 0	Level 4 (Recreational and other* physical activities done at less than moderate intensity OR no active transportation, recreational and other* physical activity in the last 7 days)	

Prescription cost (1 DV)

1) Prescription Medication - Cost related non-adherence - Grouped

Variable name: PCNDGCRA

Based on: PCN_10A, PCN_10B, PCN_10C, PCN_10D, PCN_10E

Description: This variable indicates if the respondent had a prescription that was not filled exactly how it was prescribed because of the cost of that prescription.

Specifications			
Value	Condition(s)	Description	Notes
6	PCN_10A=6 and PCN_10B=6 and PCN_10C=6 and PCN_10D=6 and PCN_10E=6	Population exclusions	NA
9	PCN_10A=9 and PCN_10B=9 and PCN_10C=9 and PCN_10D=9 and PCN_10E=9	At least one required question was not answered (not stated)	NS
1	PCN_10A=1 or PCN_10B=1 or PCN_10C=1 or PCN_10D=1 or PCN_10E=1	Cost related non-adherence	
2	PCN_10A>1 and PCN_10B>1 and PCN_10C>1 and PCN_10D>1 and PCN_10E>1	No cost related non-adherence	

Socio-demographic characteristics (3 DVs)

1) Immigrant flag - Grouped

Variable name: SDCDGIMM

Based on: SDCDVIMM

Description: This variable groups respondents in 2 categories: non-immigrant and immigrant or non-permanent resident.

Note: The non-immigrant category includes all those who are Canadian citizens by birth. The immigrant category includes persons who are, or who have ever been, landed immigrants or permanent residents. Such persons have been granted the right to live in Canada permanently by immigration authorities. Immigrants who have obtained Canadian citizenship by naturalization are included in this category. Non-permanent residents are those who are from another country with a usual place of residence in Canada and who have a work or study permit or who have claimed refugee status (asylum claimants).

Specifications

Value	Condition(s)	Description	Notes
9	SDCDVIMM=9	At least one required question was not answered (not stated)	NS
1	SDCDVIMM=1	Non-immigrant	
2	SDCDVIMM=2,3	Immigrant or non-permanent resident	

2) Indigenous identity

Variable name: SDCDVABT

Based on: ABM_01A, ABM_01B, ABM_01C, ABM_01D

Description: This derived variable indicates whether the respondent reported being an Indigenous person.

Specifications

Value	Condition(s)	Description	Notes
9	ABM_01A = NS	Required question was not answered (not stated)	NS
1	ABM_01B = 1 or ABM_01C = 1 or ABM_01D = 1	Indigenous identity (First Nations, Métis, Inuk/Inuit)	
2	ABM_01A = 1	Non-Indigenous identity	

3) Visible minority flag

Variable name: SDCDVFLA

Based on: SDCDVVM

Description: This variable indicates if the respondent is a visible minority by grouping all of the visible minority groups defined in SDCDVVM (including multiple visible minorities).

Specifications

Value	Condition(s)	Description	Notes
9	SDCDVVM = NS	At least one required question was not answered (not stated)	NS

1	SDCDVVM < 13	Visible minority
2	SDCDVVM = 13	Not a visible minority

Sleep (1 DV)

1) Number of hours spent sleeping per night - Grouped

Variable name: SLPG005

Based on: SLP_005

Description: This variable groups the number of hours spent sleeping per night.

Specifications			
Value	Condition(s)	Description	Notes
96	SLP_005 = 96	Module not selected or population exclusions	NA
99	SLP_005 = 99	At least one required question was not answered (not stated)	NS
1	SLP_005 = (1, 2)	Under 3 hours	
2	SLP_005 = 3	3 hours to less than 4 hours	
3	SLP_005 = 4	4 hours to less than 5 hours	
4	SLP_005 = 5	5 hours to less than 6 hours	
5	SLP_005 = 6	6 hours to less than 7 hours	
6	SLP_005 = 7	7 hours to less than 8 hours	
7	SLP_005 = 8	8 hours to less than 9 hours	
8	SLP_005 = 9	9 hours to less than 10 hours	
9	SLP_005 = 10	10 hours to less than 11 hours	
10	SLP_005 = 11	11 hours to less than 12 hours	
11	SLP_005 = 12	12 hours or more	

Smoking (3 DVs)

1) Smoking status (type 2) - traditional definition

Variable name: SMKDVSTY

Based on: CSS_05, CSS_15, CSS_20, SPU_05

Description: This variable indicates the type of smoker the respondent is, based on their smoking habits.

Note: This variable includes lifetime cigarette consumption.

Due to a change in the content and flows in 2022, the current smoking status cannot be identified for respondents who reported having smoked at least one whole cigarette (CSS_05 = 1) but less than 100 cigarettes in their lifetime (CSS_15 = 2). For the purpose of this DV, these respondents are categorized as 'Experimental smokers'. This may result in an undercounting for the other categories. In 2023, respondents who reported to have not smoked more than 100 cigarettes (CSS_15 = 2) are asked about their status for smoking in the past 30 days and may indicate daily smoking (CSS_20 = 1) or occasional smoking (CSS_20 = (2 or 3)) and will be categorized as either daily or occasional smokers in this variable. In 2022, respondents who have not smoked more than 100 cigarettes (CSS_15 = 2) skipped the question about past 30-day smoking habits (CSS_20) and instead, would go to the end of the CSS module and were coded as experimental smokers.

Specifications			
Value	Condition(s)	Description	Notes
6	DOCSS = 0 or DOSPU = 0	Modules were not selected	
9	CSS_05 = NS or CSS_15 = NS or CSS_20 = NS or SPU_05 = NS	At least one required question was not answered (not stated)	NS
1	CSS_20 = 1	Current daily smoker	
2	CSS_20 = (2 or 3)	Current occasional smoker	
3	CSS_15 = 1 and CSS_20 = 4 and SPU_05 = 1	Former daily smoker (non-smoker now)	
4	CSS_15 = 1 and CSS_20 = 4 and SPU_05 = 2	Former occasional smoker (non-smoker now)	
5	CSS_05 = 1 and CSS_15 = 2	Experimental smoker (at least 1 whole cigarette, less than 100 cigarettes)	
6	CSS_05 = 2	Lifetime abstainer (never smoked a whole cigarette)	

2) Number of years smoked daily (current daily smokers only) - Grouped

Variable name: SMKDGYS

Based on: CSS_20, SPU_15, AWCAGE

Description: This variable indicates the number of years the respondent has smoked daily.

Note: Respondents who are not daily smokers have been excluded from the population. This variable assumes that the respondent always smoked daily. It does not reflect the changes to the smoking status of the respondent throughout the years.

Specifications			
Value	Condition(s)	Description	Notes
6	CSS_20 = (2, 3, 4)	Module not selected or population exclusions	NA

9	CSS_20 = 9 or SPU_15 = 9	At least one required question was not answered (not stated)	NS
1	CSS_20 = 1 and (AWCAGE - SPU_15) <= 2	Respondent has smoked daily for 2 years or less	
2	CSS_20 = 1 and 3 <= (AWCAGE - SPU_15) <= 5	Respondent has smoked daily for 3 to 5 years	
3	CSS_20 = 1 and 6 <= (AWCAGE - SPU_15) <= 10	Respondent has smoked daily for 6 to 10 years	
4	CSS_20 = 1 and (AWCAGE - SPU_15) >= 11	Respondent has smoked daily for 11 years or more	

3) Number of years since stopping smoking completely - Grouped

Variable name: SMKDGSTP

Based on: SMKDVSTP

Description: This variable groups the number of years since former smokers completely quit smoking.

Note: Current smokers and respondents who have smoked less than 100 cigarettes in their lifetime were excluded from the population.

Specifications

Value	Condition(s)	Description	Notes
6	SMKDVSTP = 999.96	Module not selected or population exclusions	NA
9	SMKDVSTP=999.99	At least one required question was not answered (not stated)	NS
0	0 <= SMKDVSTP < 1	Less than 1 year	
1	1 <= SMKDVSTP < 3	1 year to less than 3 years	
2	3 <= SMKDVSTP < 6	3 years to less than 6 years	
3	6 <= SMKDVSTP < 11	6 years to less than 11 years	
4	SMKDVSTP >= 11	11 years or more	

Abilities (Washington Group Short Set) (1 DV)

1) Difficulty - Level of difficulty across domains - Grouped

Variable name: WDMDGDIF

Based on: DOWDM, WDM_05, WDM_10, WDM_15, WDM_20, WDM_25, WDM_30

Description: This variable groups the functional difficulties across six domains from the Washington Group - Short Set questionnaire on functioning. In the questionnaire, respondents are asked of their level of difficulty with:

- seeing, even if wearing glasses;
- hearing, even if using a hearing aid;
- walking or climbing steps;
- remembering or concentrating;
- self-care; and
- communicating when using usual language.

Respondents can indicate: no difficulty, some difficulty, a lot of difficulty, or that they cannot do at all/are unable to do.

This variable groups the six domains and indicates if there was no difficulty in any domain or if there was at least 'some difficulty' in at least one domain..

Note: This grouping aligns with the recommendations from the Washington Group on Disability Statistics DISABILITY1 indicator.

See: https://www.washingtongroup-disability.com/fileadmin/uploads/wg/Documents/WG_Document__5B_-_Analytic_Guidelines_for_the_WG-SS_SAS_.pdf for more details.

Specifications			
Value	Condition(s)	Description	Notes
6	DOWDM = 0	Module not selected	NA
9	WDM_05 = 9 or WDM_10 = 9 or WDM_15 = 9 or WDM_20 = 9 or WDM_25 = 9 or WDM_30 = 9	At least one required question was not answered (not stated)	NS
1	WDM_05 = 1 and WDM_10 = 1 and WDM_15 = 1 and WDM_20 = 1 and WDM_25 = 1 and WDM_30 = 1	No difficulty in any domain	
2	MAX (WDM_05, WDM_10, WDM_15, WDM_20, WDM_25, WDM_30) = (2, 3, 4)	At least 'some difficulty' in at least one domain	