
SAYAGAIN

NOBODY ON THE CHANNEL NOTICED. THE RADIO LOG DID.

Checks each read-back of a radioed safety order against the plant registry; wrong ones, and any it cannot check, reach the supervisor.




```
zsh · build/
$ jq -r '…' bench/results/text/llm-judge-r1-reaudit.json
llm_judge false-VERIFIED 2 false alarms 1/48
$ jq -r '…' bench/results/text/ladder-r1-reaudit.json
Gemma-4-31B-IT false-VERIFIED 0 false alarms 2/48
regex false-VERIFIED 0 false alarms 0/48
# 3 more rungs, false-VERIFIED 0 on each
```

CH-01 · HOW THE CHANNEL HEARS IT TODAY

TWO LINES. NOBODY FLAGS THEM.

OPERATOR — Close valve two-oh-three, line Bravo.

FIELD TECH — Copy, closing two-oh-eight, line Bravo.

no flag · no card · the crew walks to XV-208




In the registry the demo runs on, XV-203 is on line B at the press station; XV-208 is on line A, in clarification.

THREE-WAY COMMUNICATION

READ-BACK IS THE CHECK. NOTHING CHECKS IT.

WRONG READ-BACKS CAUGHT, OF EVERY 100 · AVIATION, HELMKE 2021




filled: caught by the controller · empty: went through

NO RATE

published for plant radio

Goodyear, Houston, 2008: a relief-path isolation valve left closed after maintenance, the other path then blocked. **1 killed, 6 injured** (US CSB).

THE SUPERVISOR GETS THE ONE WRONG WORD.



1. the diff, checked against the registry
2. the read-back word that differs
3. a human confirms or dismisses

ONE MODEL JOB · EVERYTHING ELSE IS CODE

THE MODEL POINTS. CODE DECIDES.

1 · THE EXCHANGE THE MODEL READ

ORDER

Close valve two-oh-three, line Bravo.

READ-BACK

Copy, closing two-oh-eight, line Bravo.

H-01 · written words, text·scripted

→

2 · WHAT GEMMA-4-31B-IT RETURNED


```
{
  "commands": [
    {
      "action_span": "closing",
      "line_span": "line Bravo",
      "state_span": null,
      "tag_span": "two-oh-eight"
    }
  ],
  "kind": "readback",
  "retracted_spans": []
}
```


AMD Token Factory · developer.amd.com.cn

median latency 4.304 s, first pass

cost USD 4.8937e-06

→

3 · WHAT CODE DECIDED

1. instruction: grounded + covered (1 command(s))
2. read-back: grounded + covered (1 command(s))
3. audio: no gate (no token probabilities, no unprompted pass)
4. instruction: XV-203 line B (registry ok)
5. compare: tag: XV-203 ≠ XV-208

○ MISMATCH

tag: XV-203 ≠ XV-208

speech-to-text: not run yet · **span extraction: AMD Token Factory** · referee: local, plain Python · queue: local

receipt, as stored · request_id c9647a04cfcc4eeaadbfa965a4d74c6d · model_served self-dploy/Gemma-4-31B-IT (sic, as served) · host developer.amd.com.cn · latency_s 35.4972 (a slow call; the first pass's median was 4.304 s) · cost_usd 4.8937e-06

XV-205 · NOT IN THE PLANT REGISTRY


JUDGING IS NOT THE MODEL'S JOB.

LLM-as-judge
DeepSeek-V4.1-Flash · no registry

~~VERIFIED~~

Order and read-back match; the valve does not exist.

It also passed **2** wrong read-backs that dropped the action word.



MODEL LADDER · AMD TOKEN FACTORY · 89 HELD-OUT · TEXT·SCRIPTED

2 → 0 WRONG READ-BACKS PASSED.

The LLM-as-judge baseline passed 2. Each of the five rungs passed 0.

rung	false-VERIFIED	false alarms on 48 correct read-backs · dashed: 5 % budget		rule
regex rung 0 · no model	0		0/48	meets
MiniCPM5-2B smallest on the ladder	0		48/48	all 48 to a human
Gemma-4-31B-IT thinking off · `re-audit`	0		2/48	meets
DeepSeek-V4-Flash thinking off · `re-audit`	0		4/48	over budget
Qwen3.8-27B thinking on · `re-audit`	0		4/48	over budget
LLM-as-judge baseline · DeepSeek-V4.1-Flash · no registry	2		1/48	passed XV-205

On written words, regex meets the rule too; audio decides.

WHO PAYS

PRICED PER CHANNEL. BOUGHT BY HSE.

1,318	mills, Indonesia 2022 (Trase)
× 30 %	addressable*
× 6	channels per mill*
× USD 2,400	per channel-year*
≈ USD 5.7 M	a year, mills only (estimate)

* assumption

WEDGE

FREE 30-DAY LISTEN-ONLY BASELINE

Why they buy: SMK3 audits (PP 50/2012, 100+ workers); this record is built for them. Next, unsized: Malaysian mills, refineries, mines, ports.

WHO ELSE LISTENS TO PLANT RADIO

LOGGERS TRANSCRIBE. NONE WE CHECKED COMPARES.

	TRANSCRIBES RADIO	COMPARES A READ-BACK	PLANT TAG REGISTRY
NICE Inform AI	yes	—	—
Eventide NexLog + Speech Factor AI	yes	—	—
Motorola Assist	yes	—	—
IntelliPERMIT	—	radioed codes, not speech	**yes**
HAAWAII (air-traffic research)	yes	**yes, aviation**	no
SayAgain	planned	**yes**	**yes**

— not in the public documentation we read, 2026-10-09 · sources: evidence/sources.json

README

WHAT WE ABSTAIN ON.

ABSTAIN

“No recorded speech has been measured.”

“The plant, its 120 tags and every exchange are fictional…”

“…what a language model adds is unproven until the audio rows exist.”

FAILURE CASE TODAY

A2-050: one line spoken for two pumps → a false alarm, sent to a human (1 of Gemma’s 2/48).

NO AUDIO EVALUATION IN THIS SUBMISSION

Audio row
the rule on recorded speech

Failure case
−6 dB look-alike tags

Kill test
English, Bahasa or auto

Blind auditor
by ear vs the queue

THE ASK

PUT IT ON ONE MILL'S RADIO.

THIRTY DAYS. LISTEN ONLY. FREE.

Q1 2027	paid pilot, one palm-oil mill
Q3 2027	DCS check: did it close?
Q4 2027	Malaysian palm belt

github.com/edycutjong/sayagain

Release v0.4.5

LIVE REPLAY

sayagain.edycu.dev/replay/ · press "Try the refused one"

EDY CU · JAKARTA