

DoesNotExist at /rew/8/

Gemotest matching query does not exist.

Request Method: GET

Request URL: http://89.223.71.86/rew/8/

Django Version: 3.2.8

Exception Type: DoesNotExist

Exception Value: Gemotest matching query does not exist.

Exception Location: /home/edzen/gemotest/env/lib/python3.8/site-packages/django/db/models/query.py, line 435, in get

Python Executable: /home/edzen/gemotest/env/bin/python

Python Version: 3.8.10

Python Path: ['/home/edzen/gemotest',
'/home/edzen/gemotest',
'/home/edzen/gemotest/env/bin',
'/usr/lib/python38.zip',
'/usr/lib/python3.8',
'/usr/lib/python3.8/lib-dynload',
'/home/edzen/gemotest/env/lib/python3.8/site-packages']

Server time: Sat, 09 Oct 2021 16:03:04 +0000

Traceback [Switch to copy-and-paste view](#)

/home/edzen/gemotest/env/lib/python3.8/site-packages/django/core/handlers/exception.py, line 47, in inner

47. response = get_response(request)...

► Local vars

/home/edzen/gemotest/env/lib/python3.8/site-packages/django/core/handlers/base.py, line 181, in _get_response

181. response = wrapped_callback(request, *callback_args, **callback_kwargs)...

► Local vars

/home/edzen/gemotest/main/views.py, line 45, in rew

45. obj = Gemotest.objects.get(id=id)...

► Local vars

/home/edzen/gemotest/env/lib/python3.8/site-packages/django/db/models/manager.py, line 85, in manager_method

85. return getattr(self.get_queryset(), name)(*args, **kwargs)...

► Local vars

/home/edzen/gemotest/env/lib/python3.8/site-packages/django/db/models/query.py, line 435, in get

435. raise self.model.DoesNotExist(

► Local vars

Request information

USER AnonymousUser

GET No GET data

POST No POST data

FILES No FILES data

COOKIES No cookie data

META

Variable	Value
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
HTTP_ACCEPT_ENCODING	'gzip, deflate'
HTTP_ACCEPT_LANGUAGE	'en-US,*'
HTTP_CONNECTION	'close'
HTTP_HOST	'89.223.71.86'
HTTP_USER_AGENT	('Mozilla/5.0 (Unknown; Linux x86_64) AppleWebKit/602.1 (KHTML, like Gecko) ' 'wkhtmltopdf Version/10.0 Safari/602.1')
HTTP_X_FORWARDED_FOR	'212.241.20.21'
HTTP_X_FORWARDED_PROTO	'http'
HTTP_X_REAL_IP	'212.241.20.21'
PATH_INFO	'/rew/8/'
QUERY_STRING	''
RAW_URI	'/rew/8/'
REMOTE_ADDR	''
REQUEST_METHOD	'GET'

SCRIPT_NAME	' '
SERVER_NAME	'89.223.71.86'
SERVER_PORT	'80'
SERVER_PROTOCOL	'HTTP/1.0'
SERVER_SOFTWARE	'gunicorn/20.1.0'
gunicorn.socket	<socket.socket fd=9, family=AddressFamily.AF_UNIX, type=SocketKind.SOCK_STREAM, proto=0, laddr=/run/gunicorn.sock>
wsgi.errors	<gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7f57723c1ee0>
wsgi.file_wrapper	<class 'gunicorn.http.wsgi.FileWrapper'>
wsgi.input	<gunicorn.http.body.Body object at 0x7f5770aeb3a0>
wsgi.input_terminated	True
wsgi.multiprocess	True
wsgi.multithread	False
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module gemotest.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	['localhost', '127.0.0.1', '89.223.71.86']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	['*****']
AUTH_USER_MODEL	'auth.User'
BASE_DIR	PosixPath('/home/edzen/gemotest')
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	['*****']
CACHE_MIDDLEWARE_SECONDS	600
CELERY_ACCEPT_CONTENT	['application/json']
CELERY_BROKER_TRANSPORT_OPTION	{'visibility_timeout': 3600}
CELERY_BROKER_URL	'redis://0.0.0.0:6379/0'
CELERY_RESULT_BROKER	'redis://0.0.0.0:6379/0'
CELERY_RESULT_SERIALIZER	'json'
CELERY_TASK_SERIALIZER	'json'
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	['/']
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]
CSRF_USE_SESSIONS	False
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.sqlite3', 'HOST': '', 'NAME': '/home/edzen/gemotest/db.sqlite3', 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIGRATE': True, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATETIME_FORMAT	'N j, Y, P'
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M']
DATE_FORMAT	'N j, Y'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y',

```

        '%m/%d/%y',
        '%b %d %Y',
        '%b %d, %Y',
        '%d %b %Y',
        '%d %b, %Y',
        '%B %d %Y',
        '%B %d, %Y',
        '%d %B %Y',
        '%d %B, %Y']
DEBUG True
DEBUG_PROPAGATE_EXCEPTIONS False
DECIMAL_SEPARATOR '.'
DEFAULT_AUTO_FIELD 'django.db.models.BigAutoField'
DEFAULT_CHARSET 'utf-8'
DEFAULT_EXCEPTION_REPORTER 'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE 'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL 'webmaster@localhost'
DEFAULT_HASHING_ALGORITHM 'sha256'
DEFAULT_INDEX_TABLESPACE ''
DEFAULT_TABLESPACE ''
DISALLOWED_USER_AGENTS []
EMAIL_BACKEND 'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST 'smtp.gmail.com'
EMAIL_HOST_PASSWORD '*****'
EMAIL_HOST_USER 'gemotest.info.result@gmail.com'
EMAIL_PORT 587
EMAIL_SSL_CERTFILE None
EMAIL_SSL_KEYFILE '*****'
EMAIL_SUBJECT_PREFIX '[Django] '
EMAIL_TIMEOUT None
EMAIL_USE_LOCALTIME False
EMAIL_USE_SSL False
EMAIL_USE_TLS True
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE_UPLOAD_HANDLERS ['django.core.files.uploadhandler.MemoryFileUploadHandler',
                       'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE 2621440
FILE_UPLOAD_PERMISSIONS 420
FILE_UPLOAD_TEMP_DIR None
FIRST_DAY_OF_WEEK 0
FIXTURE_DIRS []
FORCE_SCRIPT_NAME None
FORMAT_MODULE_PATH None
FORM_RENDERER 'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS []
INSTALLED_APPS ['django.contrib.admin',
                 'django.contrib.auth',
                 'django.contrib.contenttypes',
                 'django.contrib.sessions',
                 'django.contrib.messages',
                 'django.contrib.staticfiles',
                 'main']
INTERNAL_IPS []
LANGUAGES [('af', 'Afrikaans'),
            ('ar', 'Arabic'),
            ('ar-dz', 'Algerian Arabic'),
            ('ast', 'Asturian'),
            ('az', 'Azerbaijani'),
            ('bg', 'Bulgarian'),
            ('be', 'Belarusian'),
            ('bn', 'Bengali'),
            ('br', 'Breton'),
            ('bs', 'Bosnian'),
            ('ca', 'Catalan'),
            ('cs', 'Czech'),
            ('cy', 'Welsh'),
            ('da', 'Danish'),
            ('de', 'German'),
            ('dsb', 'Lower Sorbian'),
            ('el', 'Greek'),
            ('en', 'English'),
            ('en-au', 'Australian English'),
            ('en-gb', 'British English'),
            ('eo', 'Esperanto'),
            ('es', 'Spanish'),
            ('es-ar', 'Argentinian Spanish'),
            ('es-co', 'Colombian Spanish'),
            ('es-mx', 'Mexican Spanish'),
            ('es-ni', 'Nicaraguan Spanish'),
            ('es-ve', 'Venezuelan Spanish'),
            ('et', 'Estonian'),
            ('eu', 'Basque'),
            ('fa', 'Persian'),

```

	('fi', 'Finnish'),
	('fr', 'French'),
	('fy', 'Frisian'),
	('ga', 'Irish'),
	('gd', 'Scottish Gaelic'),
	('gl', 'Galician'),
	('he', 'Hebrew'),
	('hi', 'Hindi'),
	('hr', 'Croatian'),
	('hsb', 'Upper Sorbian'),
	('hu', 'Hungarian'),
	('hy', 'Armenian'),
	('ia', 'Interlingua'),
	('id', 'Indonesian'),
	('ig', 'Igbo'),
	('io', 'Ido'),
	('is', 'Icelandic'),
	('it', 'Italian'),
	('ja', 'Japanese'),
	('ka', 'Georgian'),
	('kab', 'Kabyle'),
	('kk', 'Kazakh'),
	('km', 'Khmer'),
	('kn', 'Kannada'),
	('ko', 'Korean'),
	('ky', 'Kyrgyz'),
	('lb', 'Luxembourgish'),
	('lt', 'Lithuanian'),
	('lv', 'Latvian'),
	('mk', 'Macedonian'),
	('ml', 'Malayalam'),
	('mn', 'Mongolian'),
	('mr', 'Marathi'),
	('my', 'Burmese'),
	('nb', 'Norwegian Bokmål'),
	('ne', 'Nepali'),
	('nl', 'Dutch'),
	('nn', 'Norwegian Nynorsk'),
	('os', 'Ossetic'),
	('pa', 'Punjabi'),
	('pl', 'Polish'),
	('pt', 'Portuguese'),
	('pt-br', 'Brazilian Portuguese'),
	('ro', 'Romanian'),
	('ru', 'Russian'),
	('sk', 'Slovak'),
	('sl', 'Slovenian'),
	('sq', 'Albanian'),
	('sr', 'Serbian'),
	('sr-latn', 'Serbian Latin'),
	('sv', 'Swedish'),
	('sw', 'Swahili'),
	('ta', 'Tamil'),
	('te', 'Telugu'),
	('tg', 'Tajik'),
	('th', 'Thai'),
	('tk', 'Turkmen'),
	('tr', 'Turkish'),
	('tt', 'Tatar'),
	('udm', 'Udmurt'),
	('uk', 'Ukrainian'),
	('ur', 'Urdu'),
	('uz', 'Uzbek'),
	('vi', 'Vietnamese'),
	('zh-hans', 'Simplified Chinese'),
	('zh-hant', 'Traditional Chinese')]
LANGUAGES_BIDI	['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	'/'
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LOCALE_PATHS	[]
LOGGING	{}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'/accounts/profile/'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None
MANAGERS	[]
MEDIA_ROOT	PosixPath('/home/edzen/gemotest/media')
MEDIA_URL	'/media/'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware',

	'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT	'*****'
PASSWORD_RESET_TIMEOUT_DAYS	'*****'
PREPEND_WWW	False
REDIS_HOST	'0.0.0.0'
REDIS_PORT	'6379'
ROOT_URLCONF	'gemotest.urls'
SECRET_KEY	'*****'
SECURE_BROWSER_XSS_FILTER	False
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'gemotest.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	['/home/edzen/gemotest/static']
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	PosixPath('/home/edzen/gemotest/staticfiles')
STATIC_URL	'/static/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [PosixPath('/home/edzen/gemotest/templates')], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'gemotest.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.