# DoesNotExist at /rew/6/

Gemotest matching query does not exist.

**Request Method: GET** 

Request URL: http://89.223.71.86/rew/6/

**Django Version:** 3.2.8 **Exception Type:** DoesNotExist

Exception Value: Gemotest matching query does not exist.

Exception Location: /home/edzen/gemotest/env/lib/python3.8/site-packages/django/db/models/query.py, line 435, in get

Python Executable: /home/edzen/gemotest/env/bin/python

Python Version: 3.8.10

Python Path: ['/home/edzen/gemotest',

'/home/edzen/gemotest',
'/home/edzen/gemotest/env/bin',
'/usr/lib/python38.zip',
'/usr/lib/python3.8',
'/usr/lib/python3.8/lib-dynload',

'/home/edzen/gemotest/env/lib/python3.8/site-packages']

**Server time:** Sat, 09 Oct 2021 14:31:44 +0000

### Traceback Switch to copy-and-paste view

 $/home/edzen/gemotest/env/lib/python 3.8/s ite-packages/django/core/handlers/exception.py, \\ line 47, in inner 2002 and 1000 and$ 

47. response = get\_response(request)

▶ Local vars

 $/home/edzen/gemotest/env/lib/python3.8/s ite-packages/django/core/handlers/base.py, line~181, in \_get\_response.put for the packages and the packages are also between the packages and the packages are also between t$ 

181. response = wrapped\_callback(request, \*callback\_args, \*\*callback\_kwargs)

► Local vars

/home/edzen/gemotest/main/views.py, line 45, in rew

45. obj = Gemotest.objects.get(id=id)

► Local vars

/home/edzen/gemotest/env/lib/python3.8/site-packages/django/db/models/manager.py, line 85, in manager\_method

return getattr(self.get\_queryset(), name)(\*args, \*\*kwargs)

► Local vars

/home/edzen/gemotest/env/lib/python3.8/site-packages/django/db/models/query.py, line 435, in get

435. raise self.model.DoesNotExist(

▶ Local vars

## **Request information**

**USER** AnonymousUser

**GET** No GET data

POST No POST data

FILES No FILES data

**COOKIES** No cookie data

#### **META**

| Variable               | Value  |
|------------------------|--|
| HTTP_ACCEPT            | 'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'  |
| HTTP_ACCEPT_ENCODING   | 'gzip, deflate'  |
| HTTP_ACCEPT_LANGUAGE   | 'en-US,*'  |
| HTTP_CONNECTION        | 'close'  |
| HTTP_H0ST              | '89.223.71.86'   |
| HTTP_USER_AGENT        | ('Mozilla/5.0 (Unknown; Linux x86_64) AppleWebKit/602.1 (KHTML, like Gecko) ' 'wkhtmltopdf Version/10.0 Safari/602.1') |
| HTTP_X_FORWARDED_FOR   | '212.241.20.21'  |
| HTTP_X_FORWARDED_PROTO | 'http'   |
| HTTP_X_REAL_IP         | '212.241.20.21'  |
| PATH_INFO              | '/rew/6/'  |
| QUERY_STRING           | 11   |
| RAW_URI                | '/rew/6/'  |
| REMOTE_ADDR            | 11   |
| REQUEST_METHOD         | 'GET'  |
|                        |  |

```
SCRIPT_NAME
                       '89.223.71.86'
SERVER_NAME
                       '80'
SERVER_PORT
                        'HTTP/1.0'
SERVER_PROTOCOL
SERVER_SOFTWARE
                        'gunicorn/20.1.0'
                        <socket.socket fd=9, family=AddressFamily.AF_UNIX, type=SocketKind.SOCK_STREAM, proto=0,</pre>
gunicorn.socket
                       laddr=/run/gunicorn.sock>
wsgi.errors
                       <gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7f57705d6f10>
                       <class 'gunicorn.http.wsgi.FileWrapper'>
wsgi.file_wrapper
wsgi.input
                       <gunicorn.http.body.Body object at 0x7f57705d63d0>
wsgi.input_terminated True
wsgi.multiprocess
                       True
wsgi.multithread
                        False
wsgi.run_once
                       False
wsgi.url_scheme
                        'http'
wsgi.version
                        (1, 0)
```

### **Settings**

#### Using settings module gemotest.settings

```
ABSOLUTE_URL_OVERRIDES
                                  {}
ADMINS
                                  []
ALLOWED_HOSTS
                                  ['localhost', '127.0.0.1', '89.223.71.86']
APPEND_SLASH
                                  True
AUTHENTICATION_BACKENDS
                                  ['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS
                                  AUTH_USER_MODEL
                                  'auth.User'
BASE DIR
                                  PosixPath('/home/edzen/gemotest')
CACHES
                                  {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
                                  CACHE_MIDDLEWARE_KEY_PREFIX
CACHE_MIDDLEWARE_SECONDS
                                  600
CELERY_ACCEPT_CONTENT
                                  ['application/json']
CELERY_BROKER_TRANSPORT_OPTION
                                  {'visibility_timeout': 3600}
                                  'redis://0.0.0.0:6379/0'
CELERY_BROKER_URL
CELERY_RESULT_BROKER
                                  'redis://0.0.0.0:6379/0'
CELERY_RESULT_SERIALIZER
                                  'json'
CELERY_TASK_SERIALIZER
                                  'ison'
CSRF COOKIE AGE
                                 31449600
CSRF_COOKIE_DOMAIN
                                 None
CSRF_COOKIE_HTTPONLY
                                 False
CSRF_COOKIE_NAME
                                  'csrftoken'
CSRF_COOKIE_PATH
                                  '/'
                                  'Lax'
CSRF_COOKIE_SAMESITE
CSRF_COOKIE_SECURE
                                  False
CSRF_FAILURE_VIEW
                                  'django.views.csrf.csrf_failure'
CSRF HEADER_NAME
                                  'HTTP_X_CSRFT0KEN'
CSRF_TRUSTED_ORIGINS
                                  []
CSRF USE SESSIONS
                                 False
DATABASES
                                  {'default': {'ATOMIC_REQUESTS': False,
                                               'AUTOCOMMIT': True,
                                               CONN_MAX_AGE': 0,
                                               'ENGINE': 'django.db.backends.sqlite3',
'HOST': '',
                                               'NAME': '/home/edzen/gemotest/db.sqlite3',
                                               'P0RT': '
                                               'TEST': {'CHARSET': None,
                                                         'COLLATION': None,
                                                        'MIGRATE': True,
                                                        'MIRROR': None,
                                                        'NAME': None},
                                               'TIME ZONE': None,
                                               'USER': ''}}
DATABASE ROUTERS
                                  []
DATA UPLOAD MAX MEMORY SIZE
                                  2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
DATETIME_FORMAT
                                  'N j, Y, P'
DATETIME_INPUT_FORMATS
                                  ['%Y-%m-%d %H:%M:%S'
                                    %Y-%m-%d %H:%M:%S.%f',
                                   '%Y-%m-%d %H:%M',
                                   '%m/%d/%Y %H:%M:%S
                                   '%m/%d/%Y %H:%M:%S.%f',
                                   '%m/%d/%Y %H:%M'
                                   '%m/%d/%y %H:%M:%S'
                                   '%m/%d/%y %H:%M:%S.%f',
'%m/%d/%y %H:%M']
DATE FORMAT
                                  'N j, Y'
DATE INPUT FORMATS
                                  ['%Y-%m-%d',
                                   '%m/%d/%Y'.
```

```
'%m/%d/%y',
                                              '%b %d %Y'
                                              '%b %d, %Y'
                                              '%d %b %Y'
                                              '%d %b, %Y',
                                             '%B %d %Y'
                                              '%B %d, %Y',
                                             '%d %B %Y'
                                             '%d %B, %Y']
DEBUG
                                            True
DEBUG PROPAGATE EXCEPTIONS
                                            False
DECIMAL SEPARATOR
                                            1.1
DEFAULT AUTO FIELD
                                            'django.db.models.BigAutoField'
DEFAULT CHARSET
                                            'utf-8'
DEFAULT_EXCEPTION_REPORTER
                                            'django.views.debug.ExceptionReporter'
DEFAULT EXCEPTION REPORTER FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT FILE STORAGE
                                            'django.core.files.storage.FileSystemStorage'
DEFAULT FROM EMAIL
                                            'webmaster@localhost'
                                            'sha256'
DEFAULT HASHING ALGORITHM
DEFAULT_INDEX_TABLESPACE
DEFAULT_TABLESPACE
                                            . .
DISALLOWED USER AGENTS
                                            []
EMAIL BACKEND
                                            'django.core.mail.backends.smtp.EmailBackend'
EMAIL HOST
                                            'smtp.gmail.com'
EMAIL_HOST_PASSWORD
                                            EMAIL HOST USER
                                            'gemotest.info.result@gmail.com'
EMAIL PORT
                                            587
EMAIL SSL CERTFILE
                                           None
                                            EMAIL SSL KEYFILE
EMAIL_SUBJECT_PREFIX
                                            '[Django] '
EMAIL TIMEOUT
                                           None
EMAIL USE LOCALTIME
                                            False
EMAIL USE SSL
                                            False
                                            True
EMAIL USE TLS
FILE UPLOAD DIRECTORY PERMISSIONS None
                                            ['django.core.files.uploadhandler.MemoryFileUploadHandler',
FILE UPLOAD HANDLERS
                                             'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE
                                            2621440
FILE_UPLOAD_PERMISSIONS
                                            420
FILE_UPLOAD_TEMP_DIR
                                            None
FIRST_DAY_OF_WEEK
                                            0
FIXTURE_DIRS
                                            []
{\tt FORCE\_SCRIPT\_NAME}
                                           None
FORMAT MODULE_PATH
                                            None
FORM RENDERER
                                            'django.forms.renderers.DjangoTemplates'
IGNORABLE 404 URLS
INSTALLED APPS
                                            ['django.contrib.admin',
                                              'diango.contrib.auth'.
                                              'django.contrib.contenttypes',
                                              'django.contrib.sessions'
                                              'django.contrib.messages'
                                             'django.contrib.staticfiles',
                                              'main']
INTERNAL IPS
                                            []
                                            [('af', 'Afrikaans'),
  ('ar', 'Arabic'),
LANGUAGES
                                             ('ar-dz', 'Algerian Arabic'),
('ast', 'Asturian'),
('az', 'Azerbaijani'),
('bg', 'Bulgarian'),
('be', 'Belarusian'),
                                             ('bn', 'Bengali'),
('br', 'Breton'),
('bs', 'Bosnian'),
                                             ('ca', 'Catalan'),
('cs', 'Czech'),
                                             ('cy', 'Welsh'),
('da', 'Danish'),
                                             ('de', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
                                             ('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
                                             ('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-ni', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Porcian')
                                             ('fa', 'Persian'),
```

```
('fi', 'Finnish'),
('fr', 'French'),
('fy', 'Frisian'),
('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
                                              ('gl', 'Galician'),
                                              ('he', 'Hebrew'),
('hi', 'Hindi'),
                                              ('hr'
                                                     , 'Croatian')
                                              ('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
                                              ('hy', 'Armenian'),
                                              ('ia', 'Interlingua')
('id', 'Indonesian'),
                                                       'Interlingua'),
                                              ('ig', 'Igbo'),
('io', 'Ido'),
                                              ('is', 'Icelandic'),
('it', 'Italian'),
                                              ('ja', 'Japanese<sup>'</sup>),
                                              ('ka', 'Georgian'),
                                              ('kab',
                                                        'Kabyle'),
                                                       'Kazakh'),
                                              ('kk',
                                              ('km', 'Khmer'),
                                              ('kn', 'Kannada'),
                                              ('ko', 'Korean'),
                                              ('ky', 'Kyrgyz'),
                                              ('lb', 'Luxembourgish'),
                                              ('lt', 'Lithuanian'),
                                              ('lv', 'Latvian')
                                              ('mk', 'Macedonian'), ('ml', 'Malayalam'),
                                              ('mn', 'Mongolian'),
                                              ('mr', 'Marathi'),
('my', 'Burmese'),
                                              ('nb', 'Norwegian Bokmål'),
                                              ('ne', 'Nepali'),
('nl', 'Dutch'),
('nn', 'Norwegian Nynorsk'),
                                              ('os', 'Ossetic'),
                                              ('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                              ('pt-br', 'Brazilian Portuguese'),
                                              ('ro', 'Romanian'),
                                              ('ru', 'Russian'),
                                              ('sk', 'Slovak'),
('sl', 'Slovenian'),
                                              ('sq', 'Albanian'),
('sr', 'Serbian'),
                                              ('sr-latn', 'Serbian Latin'),
                                              ('sv', 'Swedish'),
                                              ('sw', 'Swahili'),
                                              ('sw', Swailtl')
('ta', 'Tamil'),
('te', 'Telugu'),
('tg', 'Tajik'),
('th', 'Thai'),
                                              ('tk', 'Turkmen'),
                                              ('tr', 'Turkish'),
                                              ('tt'
                                                     , 'Tatar'),
                                              ('udm', 'Udmurt'),
('uk', 'Ukrainian'),
                                              ('ur', 'Urdu'),
                                              ('uz', 'Uzbek'),
('vi', 'Vietnamese'),
                                              ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
LANGUAGES BIDI
                                             ['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGE_CODE
                                             'en-us
LANGUAGE_COOKIE_AGE
                                             None
LANGUAGE COOKIE DOMAIN
                                            None
LANGUAGE COOKIE HTTPONLY
                                            False
LANGUAGE COOKIE NAME
                                             'django_language'
                                             '/'
LANGUAGE COOKIE PATH
LANGUAGE COOKIE SAMESITE
                                            None
                                             False
LANGUAGE COOKIE SECURE
LOCALE_PATHS
                                             []
LOGGING
LOGGING_CONFIG
                                             'logging.config.dictConfig'
                                             '/accounts/profile/'
LOGIN_REDIRECT_URL
                                             '/accounts/login/'
LOGIN URL
LOGOUT REDIRECT URL
                                            None
MANAGERS
                                             []
MEDIA ROOT
                                             PosixPath('/home/edzen/gemotest/media')
MEDIA URL
MESSAGE STORAGE
                                             'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE
                                             ['django.middleware.security.SecurityMiddleware'
                                              'django.contrib.sessions.middleware.SessionMiddleware',
                                              'django.middleware.common.CommonMiddleware',
                                              'django.middleware.csrf.CsrfViewMiddleware',
```

```
'django.contrib.auth.middleware.AuthenticationMiddleware',
                                    'django.contrib.messages.middleware.MessageMiddleware'
                                    'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION MODULES
                                   {}
                                   'F j'
MONTH DAY FORMAT
NUMBER GROUPING
                                   0
PASSWORD HASHERS
                                   PASSWORD RESET TIMEOUT
PASSWORD_RESET_TIMEOUT_DAYS
PREPEND WWW
                                   False
REDIS HOST
                                   0.0.0.0
REDIS PORT
                                   '6379'
ROOT URLCONF
                                   'aemotest.urls'
SECRET KEY
SECURE BROWSER XSS FILTER
                                   False
SECURE_CONTENT_TYPE_NOSNIFF
                                   True
SECURE HSTS INCLUDE SUBDOMAINS
                                   False
SECURE HSTS PRELOAD
                                   False
SECURE_HSTS_SECONDS
                                   Θ
SECURE PROXY SSL HEADER
                                   None
SECURE REDIRECT EXEMPT
                                   []
SECURE REFERRER POLICY
                                   'same-origin'
SECURE SSL HOST
                                   None
SECURE SSL REDIRECT
                                   False
SERVER EMAIL
                                   'root@localhost'
SESSION CACHE ALIAS
                                   'default'
SESSION COOKIE AGE
                                   1209600
SESSION COOKIE DOMAIN
                                   None
SESSION_COOKIE_HTTPONLY
                                   True
SESSION COOKIE NAME
                                   'sessionid'
SESSION COOKIE PATH
SESSION COOKIE SAMESITE
                                   'Lax
SESSION COOKIE SECURE
                                   False
SESSION ENGINE
                                   'diango.contrib.sessions.backends.db'
SESSION EXPIRE AT BROWSER CLOSE
SESSION_FILE_PATH
SESSION_SAVE_EVERY_REQUEST
SESSION SERIALIZER
                                   'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE
                                   'gemotest.settings'
SHORT_DATETIME_FORMAT
                                   'm/d/Y P'
SHORT DATE FORMAT
                                   'm/d/Y'
                                   'django.core.signing.TimestampSigner'
SIGNING BACKEND
SILENCED SYSTEM CHECKS
                                   []
STATICFILES DIRS
                                   ['/home/edzen/gemotest/static']
                                   ['django.contrib.staticfiles.finders.FileSystemFinder',
STATICFILES FINDERS
                                    'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES STORAGE
                                   'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC ROOT
                                   PosixPath('/home/edzen/gemotest/staticfiles')
STATIC URL
                                   '/static/
                                   [{'APP DIRS': True,
TEMPLATES
                                     'BACKEND': 'django.template.backends.django.DjangoTemplates',
                                     'DIRS': [PosixPath('/home/edzen/gemotest/templates')],
                                     'OPTIONS': {'context_processors': ['django.template.context_processors.debug',
                                                                         'django.template.context processors.request
                                                                         'django.contrib.auth.context_processors.auth',
                                   \verb|'django.contrib.messages.context_processors.messages']\}||
TEST NON SERIALIZED APPS
                                   []
TEST RUNNER
                                   'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR
                                   ' P '
TIME FORMAT
TIME INPUT FORMATS
                                   ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE
                                   'UTC'
USE_I18N
                                   True
USE L10N
                                   True
USE_THOUSAND_SEPARATOR
                                   False
USE\_TZ
                                   True
USE_X_FORWARDED_HOST
                                   False
USE X FORWARDED PORT
                                   False
WSGI_APPLICATION
                                   'gemotest.wsgi.application'
                                   'DENY'
X FRAME OPTIONS
YEAR MONTH FORMAT
                                   'F Y'
```