


Security report

Ransomware report

# Security Report

## Infection Monkey



### Overview

⚠ Critical security issues were detected!

The first Infection Monkey Agent ran on

5/23/2026, 7:11:28 AM

. After 17 minutes and 55 seconds, all Agents finished propagation attempts.

Infection Monkey started propagating from the following machines where it was manually installed:

- Windows\_11\_targ

Username available for brute-forcing:

- ubuntu

- debian1
- Windows\_11\_target
- IT\_Lietotajs\_APP

Credentials available for brute-forcing:

- Clear Password: 123\*\*\*\*\*
- Clear Password: bak\*\*\*\*\*

Configured exploitation methods:

- Hadoop/YARN Exploiter
- Log4Shell Exploiter
- MSSQL Exploiter
- PowerShell Exploiter
- RDP Exploiter
- SMB Exploiter
- SNMP Exploiter
- SSH Exploiter
- WMI Exploiter

Configured IPs to scan:

- 192.168.56.1-192.168.56.90

## Machine-related Recommendations

- MAJASLAPAsrv (192.168.56.21)

1. Change user passwords to complex one-use passwords that are not shared with other computers on the network. Protect private keys with a pass phrase.

The machine is vulnerable to an SSH attack. An Infection Monkey Agent authenticated over the SSH protocol using stolen/configured credentials.

Attempts a brute-force attack against SSH using known credentials, including SSH keys.

- DATUBAZEsrv02 (192.168.56.22)


1. Change user passwords to complex one-use passwords that are not shared with other computers on the network. Protect private keys with a pass phrase.

The machine is vulnerable to an SSH attack. An Infection Monkey Agent authenticated over the SSH protocol using stolen/configured credentials.

Attempts a brute-force attack against SSH using known credentials, including SSH keys.

## The Network from Infection Monkey's Eyes

Infection Monkey discovered  machines and successfully breached  of them.



Infection Monkey discovered  open services on  machines:

### Scanned Servers

Infection Monkey successfully breached 2 machines:

| Machine                |  | Services found              |               |
|------------------------|--|-----------------------------|---------------|
|                        |  | Breached Servers            |               |
| kali(192.168.56.10/24) |  |                             |               |
|                        |  | 192.168.56.1:135 - unknown  |               |
|                        |  | 192.168.56.1:445 - unknown  |               |
|                        |  | 192.168.56.1:3306 - unknown |               |
|                        |  | 192.168.56.21:22 - ssh      | SSH Exploiter |
|                        |  | 192.168.56.21:445 - smb     | SSH Exploiter |
|                        |  | 192.168.56.21:8080 - https  |               |

Infection Monkey stole the following credentials:

| Machine                           |  | IP Addresses               |  | Exploits |  |
|-----------------------------------|--|----------------------------|--|----------|--|
| DATUBAZEsrv02(192.168.56.22/24)   |  |                            |  |          |  |
|                                   |  | 192.168.56.22:445 - smb    |  |          |  |
|                                   |  | 192.168.56.22:8080 - https |  |          |  |
| Windows_11_targ(192.168.56.20/24) |  |                            |  |          |  |
|                                   |  | 192.168.56.20:8080 - https |  |          |  |

For questions, suggestions, or any other feedback, contact [support@infectionmonkey.com](mailto:support@infectionmonkey.com)



