

EE 102: Signal Processing and Linear Systems

Problem Set #2: Properties of Signals**Name:** _____**Submission Date:** _____

Problem 1 Use the unit step $u(t)$ and unit impulse $\delta(t)$ function definitions discussed in class to answer the following questions.

(a) [5 points] Show that

$$\int_{-\infty}^t u(\tau) d\tau = t u(t) \quad (\text{the ramp } r(t)).$$

(b) [5 points] Show that

$$\int_{-\infty}^t \delta(\tau) d\tau = u(t).$$

(c) [10 points] Prove in the sense of distributions that

$$\frac{d}{dt} u(t) = \delta(t), \quad \frac{d}{dt} [t u(t)] = u(t) + t \delta(t).$$

(d) [10 points] For the finite pulse

$$p(t) = A \operatorname{rect}\left(\frac{t - t_0}{T}\right),$$

compute $E_{\infty}(p)$ and $P_{\infty}(p)$ and state when each is finite/nonzero.

[use more pages if needed]

Problem 2 For each signal below, state whether it is periodic. If periodic, find the fundamental period (T_0 for continuous time, N_0 for discrete time). If it is not periodic, justify your answer.

(a) [10 points] $x(t) = 5 \sin(10t - 0.5) + \cos(5t)$

(b) [10 points] $x(t) = j e^{j10t}$

(c) [10 points] $x(t) = e^{(-0.5+j)(t+0.5)}$

(d) [10 points] $x[n] = e^{j12\pi n}$

(e) [10 points] $x[n] = 1 + e^{j\frac{4\pi}{7}n} - e^{j\frac{2\pi}{3}n}$

[use more pages if needed]

Problem 3 [Adapted from Vierinen Ch.5 P7] Practice with real audio signals. The file `amplifier.ipynb` (on [GitHub](#)) implements the linear amplifier system. The amplified signal is

$$y(t) = \alpha x(t).$$

The code reads `guitar_clean.wav` (file on [GitHub](#)), plots original vs. amplified, normalizes the output to 0.9 peak, and writes `guitar_amp.wav`.

(a) [2.5 points] Run the script, and produce a figure showing the original $x(t)$ and $\alpha x(t)$ on the same axes. Experiment with different amplification factors α (e.g., 1, 2, 5, 10) and plot each amplified signal on a separate graph.

(b) [10 points] Using the discrete-time samples $x[n]$ from the WAV file, estimate $P_\infty(x)$ and $P_\infty(\alpha x)$ via

$$\hat{P} = \frac{1}{N} \sum_{n=0}^{N-1} |x[n]|^2.$$

Verify the relationship between the powers of the original and the amplified signal.

(c) [5 points] Modify the script to *hard-clip* the amplified signal to $[-1, 1]$ before saving (no renormalization). Experiment with at least three different values of β and present your results by plotting the waveforms (slice your arrays so that the signal clipping is clearly visible). Discuss how clipping affects the spectrum qualitatively.

(d) [2.5 points] Is $y(t) = \alpha x(t)$ linear? time-invariant? Is the *clipper* system that we discussed during lecture linear? time-invariant? Briefly justify each of the four properties of the systems.

[use more pages if needed]