Probability and Random Processes

Gude Pravarsh EE22BTECH11023*

Q) Verify that

$$\frac{BG}{GE} = \frac{CG}{GF} = \frac{AG}{GD} = 2$$

Solution: Three vertices of the triangle are:

$$\mathbf{A} = \begin{pmatrix} 1 \\ -1 \end{pmatrix}, \ \mathbf{B} = \begin{pmatrix} -4 \\ 6 \end{pmatrix}, \ \mathbf{C} = \begin{pmatrix} -3 \\ -5 \end{pmatrix}, \ \mathbf{D} = \begin{pmatrix} -3.5 \\ 0.5 \end{pmatrix}$$
$$\mathbf{E} = \begin{pmatrix} -1 \\ -3 \end{pmatrix}, \ \mathbf{F} = \begin{pmatrix} -1.5 \\ 2.5 \end{pmatrix}, \ \mathbf{G} = \begin{pmatrix} -2 \\ 0 \end{pmatrix}$$

We have to find AG' and GD.

$$\|\mathbf{A}\mathbf{G}\| = \|\mathbf{G} - \mathbf{A}\| \tag{1}$$

$$= \left\| \begin{pmatrix} -2\\0 \end{pmatrix} - \begin{pmatrix} 1\\-1 \end{pmatrix} \right\| \tag{2}$$

$$= \left\| \begin{pmatrix} -3\\1 \end{pmatrix} \right\| = \sqrt{10} \tag{3}$$

$$\|\mathbf{G}\mathbf{D}\| = \|\mathbf{D} - \mathbf{G}\| \tag{4}$$

$$= \left\| \begin{pmatrix} -3.5 \\ 0.5 \end{pmatrix} - \begin{pmatrix} -2 \\ 0 \end{pmatrix} \right\| \tag{5}$$

$$= \left\| \begin{pmatrix} -1.5 \\ 0.5 \end{pmatrix} \right\| = \sqrt{2.5} \tag{6}$$

The ratio of $AG: GD = \frac{\sqrt{10}}{\sqrt{2.5}} = 2:1$ We have to find BG and GE.

$$\|\mathbf{B}\mathbf{G}\| = \|\mathbf{G} - \mathbf{B}\| \tag{7}$$

$$= \left\| \begin{pmatrix} -2\\0 \end{pmatrix} - \begin{pmatrix} -4\\6 \end{pmatrix} \right\| \tag{8}$$

$$= \left\| \begin{pmatrix} 2 \\ -6 \end{pmatrix} \right\| = \sqrt{40} \tag{9}$$

$$\|\mathbf{G}\mathbf{E}\| = \|\mathbf{E} - \mathbf{G}\| \tag{10}$$

$$= \left\| \begin{pmatrix} -1 \\ -3 \end{pmatrix} - \begin{pmatrix} -2 \\ 0 \end{pmatrix} \right\| \tag{11}$$

$$= \left\| \begin{pmatrix} 1 \\ -3 \end{pmatrix} \right\| = \sqrt{10} \tag{12}$$

The ratio of $BG: GE = \frac{\sqrt{40}}{\sqrt{10}} = 2:1$ We have to find CG and GF.

$$\|\mathbf{C}\mathbf{G}\| = \|\mathbf{G} - \mathbf{C}\| \tag{13}$$

$$= \left\| \begin{pmatrix} -2\\0 \end{pmatrix} - \begin{pmatrix} -3\\-5 \end{pmatrix} \right\| \tag{14}$$

$$= \left\| \begin{pmatrix} 1 \\ 5 \end{pmatrix} \right\| = \sqrt{26} \tag{15}$$

$$\|\mathbf{G}\mathbf{F}\| = \|\mathbf{F} - \mathbf{G}\| \tag{16}$$

$$= \left\| \begin{pmatrix} -1.5 \\ 2.5 \end{pmatrix} - \begin{pmatrix} -2 \\ 0 \end{pmatrix} \right\| \tag{17}$$

$$= \left\| \begin{pmatrix} 0.5 \\ 2.5 \end{pmatrix} \right\| = \sqrt{6.5} \tag{18}$$

The ratio of $CG: GF = \frac{\sqrt{26}}{\sqrt{6.5}} = 2:1$

Therefore $\frac{BG}{GE} = \frac{CG}{GF} = \frac{AG}{GD} = 2$