5.9.10

ee25btech11056 - Suraj.N

Question : A fraction becomes $\frac{1}{3}$ when 2 is subtracted from the numerator and it becomes $\frac{1}{2}$ when 1 is subtracted from the denominator. Find the fraction.

Solution :

Name	Equation
Equation 1	$3x - y = 6$
Equation 2	$2x - y = -1$

Table : Equations

Let the fraction be $\dfrac{x}{y}$, using the given conditions we get ,

$$\frac{x-2}{y} = \frac{1}{3} \tag{1}$$

$$3x - y = 6 \tag{2}$$

$$\frac{x}{y-1} = \frac{1}{2} \tag{3}$$

$$2x - y = -1 \tag{4}$$

The system of equations formed is :

$$3x - y = 6 \tag{5}$$

$$2x - y = -1 \tag{6}$$

Writing it in the matrix form,

$$\begin{pmatrix} 3 & -1 \\ 2 & -1 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 6 \\ -1 \end{pmatrix} \tag{7}$$

Forming the augmented matrix to solve the system of equations,

$$\left(\begin{array}{cc|c} 3 & -1 & 6 \\ 2 & -1 & -1 \end{array} \right) \tag{8}$$

Using Gaussian Elimination,

$$\left(\begin{array}{cc|c} 3 & -1 & 6 \\ 2 & -1 & -1 \end{array} \right) \xleftarrow{R_2 \to R_2 - \frac{2}{3}R_1} \left(\begin{array}{cc|c} 3 & -1 & 6 \\ 0 & -\frac{1}{3} & -5 \end{array} \right) \tag{9}$$

Using back substitution we get,

$$-\frac{y}{3} = -5 \tag{10}$$

$$y = 15 \tag{11}$$

$$3x - y = 6 \tag{12}$$

$$3x = 6 + 15 \tag{13}$$

$$x = 7 \tag{14}$$

The solution for the system of equations is :

$$\begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 7 \\ 15 \end{pmatrix} \tag{15}$$

Therefore the fraction is

$$\frac{x}{y} = \frac{7}{15} \tag{16}$$

Fig : Lines