ANNEX IV: IT Architecture Principles and Implementation Guidelines

Copernicus Land Monitoring Service

European Environment Agency (EEA)

2024-11-08

Index

1	Preface	2
2	Introduction	2
3	Scope and key terms	2
4	Principles	5
	4.1 Reproducibility	5
	4.2 Reusability	8
	4.3 Transparency	9
	4.4 Scalability	11
	4.5 Maintainability	11
	4.6 IT security	13
	4.7 Resilience	14

1 Preface

The EEA (European Environment Agency) CLMS IT architecture principles are indicative and must be evaluated in all IT deliverables.

2 Introduction

The IT architecture principles set the overall framework for the EEA CLMS IT landscape. The principles are designed to ensure a consistency in deliverables and at the same time support the CLMS program's IT vision and -strategy. The principles are designed to ensure that IT solutions are coherent, can be further developed and operated efficiently, that they support business needs and security requirements, etc.

A uniform approach is required to ensure the coherency goal. The EEA CLMS programs IT applications may depend on and interact with each other. It is therefore important that IT solutions focus on connectivity and potential synergy effects to ensure continued coherence in the IT landscape.

Any application provided may be developed, operated, maintained, and further developed by a supplier different from the supplier who delivered the initial application. Therefore, efforts must always be made to be supplier independent. Other suppliers must be able to continue working from where the previous supplier left off.

3 Scope and key terms

The scope of the EEA CLMS IT architecture principles is IT solutions to be delivered to the CLMS. The solutions delivered will include functionalities required to support the program (for Example, maintain and operate CLC+ Core multi-use grid-based Land Cover/Land Use hybrid data repository). This includes also the dependencies of these IT solutions to other internal or external systems.

Definition of the key terms used within this document:

- Application Programming Interface (API) is a set of protocols, tools, and definitions that allow different software applications to communicate with each other. It defines the methods and data structures that developers can use to interact with a service or application, facilitating the exchange of data and functionality.
- Automation scripts refers to sets of instructions, written in scripting languages designed to automate repetitive tasks and processes. These scripts streamline workflows, reduce the need for manual intervention and ensure consistency and efficiency in performing tasks.

- Client specific software/IT solution is a custom-designed software/solution that is tailored to meet the unique needs, requirements, and preferences of a particular client or organization.
- Commercial software software products that are developed, marketed, and sold for profit by software companies or developers. Commercial software is typically licensed to end-users, who must purchase it or pay a subscription fee.
- Continuous Integration and Continuous Deployment (CI/CD) are closely related methodologies designed to streamline and automate software development. Together, they ensure that code changes are continuously tested, integrated, and deployed to production environments, enabling teams to deliver updates more rapidly, reliably, and with minimal manual intervention.
- **Deliverables** specific outputs, products, or results provided as part of the contract or a contractual agreement.
- End of life (EOL) refers to the date after which a product will no longer be sold or renewed (though still might receive some form of support, such as security patches).
- End of support (EOS) refers to the date of complete cessation of all support services for the product, including new patches, updates or fixes.
- Infrastructure-as-a-code is an IT practice that involves managing and provisioning computing infrastructure through machine-readable definition files, rather than physical hardware configuration or interactive configuration tools.
- IT ecosystem is a network of interconnected technologies, software, hardware, and services that work together to support an organization's digital operations. It includes applications, infrastructure, cloud services, and networks, all integrated to ensure seamless communication, scalability, security, and efficiency.
- IT solution continuity involves a collection of strategies and plans focused on maintaining an organization's essential operations during and after disruptions. The goal is to minimize downtime, limit financial losses, and safeguard the organization's reputation when faced with interruptions.
- IT solutions services, products and processes that use information technology to solve business problems, improve operational efficiency, and enhance overall performance. IT solutions are typically composed by various parts. For Example, the codebase, CI/CD routines, documentation etc.
- **Open-ended** refers to components or features that are flexible, adaptable, and capable of evolving over time to meet a wide range of needs and requirements.
- **Pre-processing** refers to the series of operations performed on raw data to prepare it for further analysis and processing.

- REST API service is a type of web service that allows systems to communicate over HTTP by accessing and manipulating resources using standard methods such as GET, POST, PUT, and DELETE. RESTful APIs are stateless, meaning each request from a client to the server must contain all the necessary information, and they typically return data in formats like JSON or XML. This approach is widely used for building scalable, lightweight web services and enabling seamless integration between different systems.
- Software development tools applications, frameworks, and utilities that software developers use to create, debug, maintain, or support software.
- Software product a collection of computer programs, procedures, and documentation that performs a specific task or function or provides a comprehensive solution to a particular problem.
- Source code a set of instructions and statements written by a programmer using human-readable programming language. It is the original code written and saved in files before being compiled or interpreted into executable programs. Source code serves as the blueprint for creating software applications.
- Workflow systematic sequence of processes and activities.

4 Principles

The principles are grouped into 6 overarching IT architectural themes:

- 1. **Reproducibility** the overarching goal is to ensure that any deliverable in the form of an IT solution may be reproduced given sufficient time.
- 2. **Reusability** the services and products provided through the EEA CLMS are to be reused by the end users as the foundation of their further work.
- 3. **Transparency** the EEA CLMS program is funded by the EU and supports its community with data and products. These products are to be part of the foundation for further work in the field and hence transparency is key to ensuring that extended work can be carried out.
- 4. **Scalability** the delivered IT solutions must be scalable to ensure future enhancements can fulfil coming demands and requirements.
- 5. **Maintainability** the EEA aims in the CLMS program to be able to provide updated products when new data becomes available e.g. on yearly basis. To reduce the time to market the principle of maintainability is to be followed.
- 6. **IT** security IT solutions of the EEA CLMS are utilized by multiple stakeholders and thus IT security is paramount. This is especially critical for the open-ended aspects such as the use of APIs and outward facing web solutions.
- 7. **Resilience** IT solutions of the EEA CLMS are designed to withstand and recover from disruptions by remaining operational during unforeseen events.

Together, these principles guide design, development, and evolution of the IT solutions in the EEA CLMS program. The principles should be periodically reviewed and updated to ensure alignment with the latest technological advancements and emerging best practices. This ongoing evaluation will help maintaining the relevance, effectiveness, and security of the IT solutions.

4.1 Reproducibility

The overarching principle of reproducibility is further unfolded below in the following subprinciples:

Reproducibility 1:	Description of workflows must be provided
What:	Deliverables which are a result of pre-processing of data must be provided with a description of the workflow for the
	pre-processing

Reproducibility 1:	Description of workflows must be provided
Why:	To ensure that the deliverable can be re-produced, details
	must be provided on how this can be achieved
Consequence:	Descriptions of pre-processing workflow steps are to be
	provided with deliverables. Ideally the workflows delivered as
	scripts or similar. At a minimum documentation of how the
	workflows are to be set up is to be provided
Example:	A delivery that includes a web application, shall include
	description of the build process, such as the compilation of
	source code, packaging of the application, and deployment
	steps. This for instance could include details on the specific
	versions of tools used (e.g. Node.js, Docker etc.)

Reproducibility 2:	Data sources to be supplied with deliverables
What:	IT solutions which utilize data sources must supply the data
	sources
Why:	To ensure that the deliverable can be re-produced details are
	required on data sources used along with any enrichment
	which have been applied to the data source
Consequence:	Data source location must be provided if data are publicly
	available. If data are not accessible to the CLMS, the data are
	to be provided as part of the deliverable
Example:	If the software relies on a proprietary weather data API that is
	not publicly accessible, the data, or at least a sample dataset,
	should be provided with the delivery. If the API is publicly
	available, detailed instructions on how to access it (e.g., API
	keys, endpoint URLs) must be included

Reproducibility 3:	List of software used in development of IT solution to be provided
What:	The software products which have been used in the
	development of the software are to be listed as part of the
	deliverable
Why:	To ensure that the IT solution can be further developed details
	are required of the software components/products that were
	used in the development
Consequence:	List of software development tools used in the production to
	be provided. Further for client specific developments the
	source code must also be provided

Reproducibility 3:	List of software used in development of IT solution to be provided
Example:	A system consisting of several building blocks, such as User Interface, backend, importer, and exporter modules, shall be provided with a list of software development tools, used for production of these building blocks and modules
Reproducibility 4:	Automation tool/scripts used in the production of the IT solution must be provided
What:	IT solutions which include automation scripts/workflows in the development must supply these scripts as part of the deliverable
Why:	Automation scripts used in development are viewed as part of the deliverable and are required for reproduction of the solution
Consequence:	Automation scripts whether as stand-alone scripts or as a configuration of standard/commercial software must be provided as part of the deliverable
Example:	If the IT deliverable includes an automatic backup that generates full backups in certain increments, then the automation scripts behind the backup generation must be provided as part of the deliverable, so that they could be recreated
Reproducibility 5:	If a solution includes outcomes of pre-executed algorithms the prerequisites for running the algorithms must be provided
What:	To ensure reproducibility, the algorithms must be provided
Why:	either as pseudo code or as source code The foundation of the IT solution must be re-producible to ensure future enhancements are possible say if new insights/data become available also after the end of the contractual agreement
Consequence:	Supplier must as part of the deliverable also detail any algorithms which form the basis of the solution

	If a solution includes outcomes of pre-executed algorithms the prerequisites for running the
Reproducibility 5:	algorithms must be provided
Example:	A spatial product, providing a detailed pan-European wall to wall 10-meter spatial resolution raster product, that is based on a supervised classification of satellite image time-series. The supplier must provide a detailed description of the algorithm that was used for classifying satellite-imagery time-series

4.2 Reusability

The principle of reusability is detailed in the following sub-principles:

Reusability 1:	IT solutions should be open-ended equipped with APIs
What:	IT solutions should be open-ended equipped with APIs through which functionality or data key for the end user may be accessed
Why:	To ensure that further work benefit from existing solutions it is paramount that systems delivered are open ended. Future work can hereby utilize and benefit from previous work. Delivered IT solutions should form part of the overall IT ecosystem of the EEA CLMS program so that the "whole is greater than the sum"
Consequence:	IT solutions should be provided with APIs which access key functionality of the IT solutions
Example:	A webservice provided, which publishes geospatial data, has an API Rest service, which grants users direct access to the data
	Scripts used in production must be delivered as part of
Reusability 2:	IT solutions
What:	Scripts should be delivered with code so that they may be used as templates for the end user for further development
Why:	Data, conditions, or requirements may change for an IT solution. To ensure that such changes can be accommodated the underlying script must be possible to modify to reflect and support such changes
Consequence:	Scripts used in the productions form part of the final deliverable

Reusability 2:	Scripts used in production must be delivered as part of IT solutions
Example:	IT delivery, consisting of several building blocks, shall be provided with scripts, included with the final delivery of the code, so that the end users of the system could modify, expand, or adopt the building blocks/modules to suit specific needs or adonew features

Reusability 3:	Documentation of IT solutions are to be provided
What:	Documentation of the developed IT solutions must be provided. The requested documentation shall also be provided in quarto markdown format on the dedicated EEA GitHub repository
Why:	For the further use and improvements of the IT solution, technical documentation is paramount.
Consequence:	Documentation including but not limited to System Description Document (SDD), System Deployment Document and Examples must be provided with IT solution deliverables. The requested documents shall also be provided in the quarto markdown format.
Example:	An IT delivery, consisting of several building blocks, shall be provided with SDD, user guidelines, and detailed documentation of system deployment, including, but not limited to system and storage architecture, infrastructure setup, provisioning, monitoring, disaster recovery, accessibility, scalability options and performance. If requested, this documentation shall be provided in quarto markdown format on the dedicated EEA GitHub repository

4.3 Transparency

The CLMS is funded by the EU and supports its community with data and services. As such, these products and services are to be part of the foundation for further work in the field and accessible to the community. To support this, the principle of transparency is detailed in the following subprinciples:

Transparency 1:	Source code of client specific software to be supplied with IT solution
What:	Source code including deployment and integration scripts of client specific IT solution is
Why:	To ensure transparency, it is essential to have clear insights into the client-specific softwa
Consequence:	Source code of client specific software must be delivered with IT solution. The source code

Transparency 1:	Source code of client specific software to be supplied with IT solution
Example:	Source code of all the components of the specific IT solution must be delivered. Any updat

Transparency 2: Inline documentation of the source code What: Source code of client specific IT solution must be documented in-line Why: To effectuate the handover from one developer to the next inline documentation are to be included to guide the developer on the job Consequence: Source code must have inline documentation. Inline code should be formatted so that it may be easily extracted to generate online documentation Source code of all the components of the IT solution must have Example: inline documentation. The documentation shall be structured, following common conventions, and kept at a minimal, but comprehensive level Commercial software used in the production/development must be attainable by the Transparency 3: EEA or a third-party provider What: Commercial software which are prerequisites must be attainable on comparable terms. Such software is justified only

if no open alternative exists

Consequence: Generally attainable commercial software used in production must be listed when delivering an IT solution. Name of software, version, EOL and EOS to be supplied

Example: An IT solution is deploying various components and the set-u

To ensure that further work may be carried out any

An IT solution is deploying various components and the set-up of the virtual machines that houses the components is done by means of an infrastructure as-a-code-tool. All the capabilities of the infrastructure as-a-code-tool, that require purchasing must be listed when delivering the IT solution

prerequisites in the form of software must be attainable by the

Why:

¹European Union Public Licence - European Commission (europa.eu)

4.4 Scalability

The delivered IT Solutions must be scalable to ensure future enhancements and demands. Scalability in this sense covers both scalability in functionality as well as scalability in terms of being able to handle an increased load/traffic. To this end the following scalability principles apply

	Client specific IT solutions should have a modular
Scalability 1:	structure
What:	Modular structure of client specific IT solutions is a
Why:	requirement. This may be achieved using e.g. microservices A modular structure is sought to ensure further development, and updates are possible. The possibility of substituting or adding modules in an IT solution will increase the lifespan of a solution
Consequence:	Modular architecture of IT solutions is a requisite
Example:	If the client specific IT solution has, for Example, grown its user base since the launch of the solution, then scaling up shall be possible at any time – both vertically (more CPUs, RAM) and horizontally (more VMs)
Scalability 2:	Client specific IT solutions must be able to interface with other IT solutions
What:	The IT deliverable must be able to be used in conjunction with other deliverables to form a composite solution
Why:	To make the most of the funds available the developed solutions should form part of an IT ecosystem making up a whole
Consequence:	IT deliverables must be equipped with documented APIs for interfacing with other IT applications
Example:	A client specific product, which can be used for extracting and manipulating data, should be accessible programmatically

4.5 Maintainability

The EEA aims in the CLMS program to be able to provide updated products when new data becomes available. To reduce the time to market the principle of maintainability is to be followed.

through e.g. well documented REST services

Maintainability 1:	IT solutions are to be delivered on a principle of CI/CD
What:	The launch of new releases of IT deliverables are to be configured and managed so that new functionality is available as soon as possible. The principle of CI/CD are to be adhered to
Why:	Time to market is to be reduced through an approach of maintainability of deployments as soon as possible
Consequence:	IT deliverables are to be supplied with a dev-ops set-up which supports CI/CD
Example:	A delivered IT solution is organized with a test server environment potentially a pre-production environment, used for quality assurance and continuous development, so that deployment to production can be initiated smoothly

Maintainability 2:	IT solutions are to be Dockerized or similar
What: Why:	The use of container technology is encouraged Container technology eases the work of moving IT solutions around the IT infrastructure making deployment easier to
Consequence: Example:	automate IT solutions are to be deployed using Dockerization or similar Software components of the client specific IT solution shall be provided as docker images so that deployment is flexible with respect to hardware

Maintainability 3:	Tests are to be organised so that they may be automated
What:	Tests are to be structured so that they may be easily automated
Why:	To ensure that the CI/CD process does not introduce bugs or deployment failures, tests are to be automated so that they can continuously be run to ensure the quality of the solution and its possible enhancements
Consequence: Example:	Tests are to be delivered so that they can be automated The delivered solution has in the test phase run through a number of tests e.g. unit tests and result verification tests. These will be the basis for automated regression tests

Maintainability 4:	IT solutions are to be regularly assessed
What:	IT solutions are to be automatically monitored with a
	notification service, and their performance routinely evaluated to ensure optimal functioning
Why:	Regular assessments ensure that IT solutions can be
	maintained so as to meet emerging needs, threats and
	technological advancements
Consequence:	IT solution's scalability, security, and overall performance are
	continuously monitored and evaluated to address performance
	and or security issues
Example:	The delivered IT solution and its associated dependencies are
	regularly assessed and evaluated. The evaluation process should
	also account for advancements in technology and track
	developments to ensure the solution remains relevant and
	effective

4.6 IT security

The IT solutions of the CLMS program shall ensure system integrity against various security threats, protection of the data, and maintenance of privacy. The following sub-principals are to be followed:

ongoing security reviews and testing		
development lifecycle, from planning to deployment Why: Early integration of security measures reduces vulnerabilities lowers costs associated with late-stage fixes, and ensures robust protection against threats Consequence: Threat modelling and security assessments need to be conducted from the start, as well as allocation of resources ongoing security reviews and testing Example: Standard aspects such as two factor authentication, protection against SQL injection, encryption of sensitive data, etc.	IT security 1:	- · · · · · · · · · · · · · · · · · · ·
Why: Early integration of security measures reduces vulnerabilities lowers costs associated with late-stage fixes, and ensures robust protection against threats Consequence: Threat modelling and security assessments need to be conducted from the start, as well as allocation of resources ongoing security reviews and testing Example: Standard aspects such as two factor authentication, protection against SQL injection, encryption of sensitive data, etc.	What:	· · · · · · · · · · · · · · · · · · ·
lowers costs associated with late-stage fixes, and ensures robust protection against threats Consequence: Threat modelling and security assessments need to be conducted from the start, as well as allocation of resources ongoing security reviews and testing Example: Standard aspects such as two factor authentication, protection against SQL injection, encryption of sensitive data, etc.	11 7b	
Consequence: Threat modelling and security assessments need to be conducted from the start, as well as allocation of resources ongoing security reviews and testing Example: Standard aspects such as two factor authentication, protection against SQL injection, encryption of sensitive data, etc.	wny:	· ·
conducted from the start, as well as allocation of resources ongoing security reviews and testing Example: Standard aspects such as two factor authentication, protection against SQL injection, encryption of sensitive data, etc.		9 ,
ongoing security reviews and testing Example: Standard aspects such as two factor authentication, protecti against SQL injection, encryption of sensitive data, etc.	Consequence:	Threat modelling and security assessments need to be
Example: Standard aspects such as two factor authentication, protection against SQL injection, encryption of sensitive data, etc.		conducted from the start, as well as allocation of resources for
against SQL injection, encryption of sensitive data, etc.		ongoing security reviews and testing
Compliance with relevant laws, regulations and	Example:	Standard aspects such as two factor authentication, protection against SQL injection, encryption of sensitive data, etc.
Compliance with relevant laws, regulations and		
		Compliance with relevant laws, regulations and
IT security 2: industry standards	IT security 2:	industry standards
What: IT-solutions must adhere to legal requirements, industry standards, and regulations e.g. EUDPR, ISO	What:	

IT security 2:	Compliance with relevant laws, regulations and industry standards
Why: Consequence:	Compliance ensures legal and regulatory adherence, builds trust, protects sensitive data, and mitigates risk of legal penalties and breaches IT deliverables need to incorporate robust security measures,
1	include documentation of compliance efforts, and ensure features and processes aligned with legal and industry measures
Example:	Data handling agreements must be in place, consideration of server location in EU, etc.

IT security 3:	Ensuring that users and systems have appropriate permissions based on their roles and responsibilities
What:	Implement role-based access control (RBAC) to manage user and system permissions according to their roles
Why:	It prevents unauthorized access, minimizes the risk of data breaches, and ensures that users only have access to the information necessary for their roles
Consequence:	The provider will need to define clear roles and responsibilities, implement RBAC policies, regularly review and update access controls
Example:	A delivered IT solution has role-based accesses, which ensures that only Admin-Users are allowed to manage (add, edit, activate, inactivate) users and organisations. Also, only administrator can view and edit any ingestion and extraction within the system to support users if they need any help

4.7 Resilience

Resilience 1:	IT solution should have a disaster recovery plan
What:	IT solution should have a well-defined process of restoring IT
	systems, data, and operations following a disruption
Why:	To ensure that the IT solution and data are recoverable after
	an unforeseen event
Consequence:	IT deliverables will be provided with well-prepared disaster
	recovery plan that will ensure a rapid restoration of services
	and data integrity, and minimize damage

Resilience 1:	IT solution should have a disaster recovery plan
Example:	A delivered IT solution has a disaster recovery plan that includes backup protocols, data replication, and recovery timelines
Resilience 2:	Ensuring IT solution continuity
What:	IT solution is designed and implemented in a way that ensures
	continuous operation during a disruption
Why:	To maintain critical operations with a minimal downtime, even when confronted with unforeseen events
Consequence:	IT deliverables are designed for high availability, incorporating redundancy so that in case of a disruption/failure, restore service can immediately take over, minimizing downtime and ensuring continuous operation
Example:	In the event of a system failure or disruption of the delivered IT solution, restore service automatically take over to maintain service continuity. For instance, if a primary system goes down, a secondary system activates, ensuring that users experience no downtime.