

High Resolution Layer Small Landscape Features 2021 – Product User Manual

Copernicus Land Monitoring Service



Author: **European Environment Agency (EEA)**

Date: **2026-04-09**

Version: **1.0.0**

Table of contents

1. Non-technical summary	1
2. Executive summary	1
3. Scope of the document	2
3.1 Scope	2
3.2 Content and structure	2
4. Lineage of product	2
4.1 Initial release in 2015	2
4.2 Product update 2018	3
4.3 Product update 2021	3
5. User requirements	4
6. Product application areas and use case examples	5
6.1 Use case: Carbon storage assessment in agroforestry systems	5
6.2 Use case: CAP Indicator for preservation of biodiversity and farmed landscape features	5
7. Product description	6
7.1 Overview of the product and contained layers	6
7.2 Product characteristics	7
7.2.1 Woody Vegetation Layer	7
7.2.2 Small Woody Features Layer	8
7.2.3 Street Tree Layer	8
7.2.4 Change Layer	9
7.2.5 Auxiliary Layers	9
7.2.6 Reference Data	9
7.3 Product specifications	9
7.3.1 Primary Layers	9
7.3.2 Aggregated Layers	12
7.3.3 Auxiliary Layers	13
7.4 Reference Data	15
7.5 Known thematic overlaps of the product	17
7.5.1 Woody Vegetation Layer	17
7.5.2 Small Woody Features layers	17
7.5.3 Street Tree Layer	17
8. Production methodology and workflow overview	17
8.1 Preprocessing of EO data	17
8.2 WVL 2021 processing	18
8.3 SWF and derived products processing	18
8.4 Change Layer production	19
9. Terms of use and product technical support	19
9.1 Terms of use	19

9.2 Citation	19
9.3 Product Technical support	19
10. List of abbreviations & acronyms	20
11. References	21
12. Annexes	21
13. Document history	22
14. Change Log	22

Contact:

European Environment Agency (EEA)
Kongens Nytorv 6
1050 Copenhagen K
Denmark
<https://land.copernicus.eu/>

1. Non-technical summary

The **Copernicus High-Resolution Layer Small Landscape Features 2021** is a product developed to map and monitor small woody features across Europe and it is part of the European Union's Earth observation program. This product uses satellite data to map small woody features and detect changes between 2018 and 2021. It plays a critical role in environmental monitoring, policymaking, and landscape management.

Product key Features:

- **Woody Vegetation Layer:** A map providing information about the presence or absence of trees of any type across Europe. Contrary to the Woody Vegetation Mask that was part of HRL SWF 2018 product suite, this product is not masked nor have geometric rules applied. This helps users understand the distribution of these features across different regions and provide a “all tree layer” that user can use to derive their own application.
- **Small Woody Features:** Derived from Woody Vegetation Layer, this dataset identifies small woody features based on their morphological specifications. This helps in understanding woody vegetation outside of forested areas or plantation areas and its environmental impacts.
- **Street Tree Layer:** Derived from Woody Vegetation Layer and CLMS Urban Atlas 2021, this dataset categorizes woody vegetation within urban areas across Europe.
- **Change Detection:** A map that shows where small woody features have increased or decreased between 2018 and 2021. This helps identify landscape changes, including habitat loss or restoration.

Why is this product important? It provides detailed data for environmental research, landscape management, and policymaking. It is especially useful for monitoring biodiversity and climate change impacts. This product also supports reports required by international organizations, including the United Nations and the European Union. It helps governments and organizations make informed decisions to protect ecosystems.

Who can use it? This information is available to a wide range of users, including environmental agencies, scientists, policymakers, and conservationists. The data is openly accessible and can be used for research, policy reporting, and practical landscape management tasks, like planning conservation efforts or protecting small woody features from degradation.

2. Executive summary

The Copernicus Land Monitoring Service (CLMS) provides geographical information on land cover and its changes, land use, vegetation state, water cycle and earth surface energy variables to a broad range of users in Europe and across the world for various domains and applications. CLMS is jointly implemented by the European Environment Agency (EEA) and the European Commission's Directorate-General Joint Research Centre (JRC).

This Product User Manual (PUM) aims to guide users with the usage of the High-Resolution Layer Small Landscape Features (SLF) for the 2021 reference year and captures detailed definitions and product specifications. The SLF portfolio currently comprises raster and vector layers dedicated to woody vegetation mapping, including forested areas, trees outside forest and urban trees. This 2021 release of HRL SLF covers the area of 38 EEA members and cooperating countries and UK at spatial resolutions of 5m and 100 m. It is compliant with the established specifications of the existing time series of the product, previously known as Small Woody Features (SWF). The product and its contained layers have been updated following the regular three-year cycle and additionally contain new Woody Vegetation Layer,

Street Tree Layer (previously part of the CLMS Urban Atlas product) and the change layer between 2018 and 2021.

All layers contained here are derived from automatic image processing methods of Very High Resolution Earth Observation Imagery and high-resolution optical satellite image time series (Sentinel-2). They provide dedicated information on woody vegetation during the reference year 2021 (i.e. status) and detected dynamics between 2018 and 2021 (i.e. change). The aim of these layers is to provide reliable status and frequent updates on these land cover characteristics to facilitate environmental monitoring applications, regional and transnational analyses and, generally, to support decision-making that is based on spatial evidence.

3. Scope of the document

3.1 Scope

The Product User Manual (PUM) is designed for a broad audience of users who seek to understand and utilize the product effectively. It is intended primarily for end-users who require an overview of the product's features, quality, and usage guidelines without needing deep technical expertise. This includes operational users, decision-makers, and general users who need to assess the product's suitability for their applications.

The PUM provides essential information on product characteristics, quality indicators, terms of use, and available technical support. However, it is not intended as a technical document.

3.2 Content and structure

The document is structured as follows:

Chapter 4 summarizes the evolution of the product portfolio over time.

Chapter 5 recalls the user requirements.

Chapter 6 presents potential application areas and/or example use cases.

Chapter 7 presents the product description (product file naming convention and format(s), product content and characteristics).

Chapter 8 provides information about the methodology used to derive HRL SLF products.

Chapter 9 presents terms of use and product technical support.

4. Lineage of product

4.1 Initial release in 2015

The Copernicus High-Resolution Layer Small Woody Features was first introduced in 2015 as part of the European Union's Earth observation program. This initial release provided pan-European information on linear structures such as hedgerows and patches of woody features outside of forested areas, excluding also agricultural tree plantations such as orchards or vineyards. The data were available in both vector format and raster files with a spatial resolution of 5 meters and aggregated 100 meters.

To ensure continuity between mapped features (linear or patchy features) and reflects ground reality, an additional class (additional woody features: AWF) was added to include in the product elements that

were measured as out of the technical specifications (e.g.: too wide) but which connected valid linear or patchy features together.

This product aimed to enhance the understanding of landscapes, support biodiversity assessments, and inform sustainable land management practices.

4.2 Product update 2018

In 2018, the Copernicus High-Resolution Layer Small Woody Features was updated to include more refined data and improved detection capabilities. The 2018 version continued to provide detailed information on small woody features, including linear and patchy elements, but did not differentiate further into specific types like linear, patchy or additional woody features.

The update leveraged advancements in data processing techniques and Very High Resolution (VHR) satellite imagery to offer more accurate and comprehensive datasets.

This update included new layers:

- Woody Vegetation Mask (WVM) which aimed at mapping woody vegetation outside of forested areas without any geometrical rules applied,
- Forest mask which aimed at ensuring better understanding of the SWF products (i.e. area considered as forest and therefore excluded from the SWF products),
- Change Layer 2015-2018 at 100m spatial resolution, mapping increase or decrease of SWF.

4.3 Product update 2021

The 2021 update of Copernicus High-Resolution Layer Small Landscape Features builds on lessons learned from previous production while taking advantage of latest development in Earth Observation processing technology to improve accuracy of the product. The data processing still relies on VHR data but also implement time-series of Sentinel-2, using Super Resolution algorithms.

The product suite ensure continuity with previous production by including existing SWF layers, but also includes new products:

- Woody Vegetation Layer, which replaces the previous Woody Vegetation Mask. This layer aims at mapping, at 5m resolution, woody vegetation without any differentiation of height, size or nature without masking forested areas.
- Street Tree Layer (STL): previously part of the Urban Atlas suite, this layer aims at mapping woody vegetation within artificial areas of Urban Atlas Functional Urban Areas (FUA)
- Crop Mask: Derived from HRL NVLCC, this layer provides information about crops location and areas where geometrical rules are applied differently to derive valid SWF.

Table 1: SWF key features through the years

Product reference year	2015	2018	2021
New Key Features (unless stated otherwise, key features from previous reference years apply to current product)	• Initial release - Derived from VHR analysis - Contains SWF and AWF	• AWF and SWF are merged in one unique class of SWF - Introduction of WVM - Introduction of Change Layer 100m - Forest Mask included in product suite	• WVM is replaced by WVL - STL is now part of SLF suite - Introduction of Crop Mask - Sentinel-2 introduced as input data together with VHR

5. User requirements

Small woody landscape features are important vectors of biodiversity and provide information on the fragmentation and connectivity of habitats, especially considering the importance of Green Infrastructure and hazard protection. Moreover, the HRL Small Woody Features contributes to monitor and evaluate the United Nations (UN) Sustainable Development Goals (SDGs). It can specifically support the Ecosystem assessment and land accounting in the context of SDG 15 "Life on Land".

In the frame of the Horizon 2020 (H2020) project EcoLaSS, a survey¹ of key stakeholders has been performed in order to evaluate the user requirements towards the evolution of existing and future Copernicus products. This survey also made use of the results from the Nextspace User Study² and revealed that High Resolution Layers (HRL) users (such as European institutions, service industry, research and academia, national agencies, regional administrations, NGOs or private users) would in general appreciate:

- High accuracy of the products
- No data gaps - due to enhanced cloud gap mitigation
- Extensive coverage of the product
- Sufficient spatial and timely resolution concerning both, status layer and change layer
- Short update cycles
- Change monitoring
- Free and open access
- High technical quality
- High thematic quality/meaningful and application-oriented product definitions
- Standardised and comparable nomenclature
- Transparent and scientific workflows and state-of-the-art methodology
- Detailed documentation of these workflows and the respective methodology
- Consistency of the pan-European products enabling synergistic use of all products
- Streamlining the pan-European product with global ones
- Availability of historic data and compatibility of time series
- Open access to the original Copernicus Sentinel data
- Sophisticated product presentation and visualisation possibilities in an online viewer on the Copernicus platform
- IPCC conformity

It is the strength of the HRL products that many of the mentioned requirements are already satisfied or at least considered in current or upcoming implementations.

Frequently updated reliable data about forests and woodlands in general, and specifically linear and patchy woody elements in Europe is crucial to many key Copernicus users and stakeholders. A wall-to-wall detailed mapping of small woody features across EEA38 + UK already serves several purposes, such as a meaningful spatial location of a pan-European green corridor ecological network connecting natural and semi-natural habitats, reservoir of biodiversity, and preserving protected areas. It also reflects the regional

¹H2020 ECoLaSS User Requirement Analysis: [Deliverable D3.2 – Service Evolution Requirements Report Vol. 2](#)

²[Nextspace User Study: Nextspace database for user requirements](#)

variety and identity of old Europe's rural and agricultural landscapes and its modern transformation, along with the increase of urbanisation and artificial surfaces. Even though SWF usually represents stable landscape markers across time, the Small Woody Features Change product 2018-2021 at 100m spatial resolution is an indicator of the European territory's profound mutation in recent years. However, key Copernicus users and stakeholders would appreciate a more precise delineation of these changes which are currently difficult to capture mainly due, to difference of methodological approach between SWF 2018 and SWF 2021 and to EO data current limitations (e.g., still insufficient VHR spatial resolution ≤ 2 m, geographical misregistration between 2 monitoring cycles, etc.). Ultimately, the interlocking between SWF and HRL VLCC Forest Tree Cover Density (TCD) product, and in general with other HRL products, still needs improvement, as SWF somehow fills the gaps of the VLCC products while the coarser spatial 10m resolution of the latter can mask out significant SWF.

6. Product application areas and use case examples

Compared to the other HRLs, the HRL SLF is a relatively new product. However, few use case have already been documented.

6.1 Use case: Carbon storage assessment in agroforestry systems


In 2021, a multi-disciplinary team working in fields (such as landscape ecology and planning, agricultural landscape research, agronomy, organic farming and environmental science), led an interesting piece of research work on the role of small woody landscape features and agroforestry systems for national carbon budgeting in Germany (Golicz et al., 2021). This showed that the intensification of food production systems has resulted in landscape simplification, with trees and hedges disappearing from agricultural land, principally in industrialised countries. In recent years, the potential of agroforestry systems and small woody landscape features to sequester carbon was highlighted as one of the strategies to combat global climate change. The Federal Republic of Germany was one of the first countries to develop a long-term action plan for a low carbon economy and is considered a pioneer in this transition. Limited information exists on the carbon storage potential of emerging land use system such as agroforestry. The SWF 2015 dataset was used in conjunction with CLC 2012 in order to define several agricultural system types. Overall, this study showed that the implementation of agroforestry is promising for reducing agricultural Green House Gas emissions.

6.2 Use case: CAP Indicator for preservation of biodiversity and farmed landscape features

The Common Agricultural Policy (CAP) comprises 9 key objectives for the period 2021-2027, among which the preservation of biodiversity and farmed landscapes as explained in *Brief no 6*³. The disappearing of landscape features and semi-natural vegetation in agricultural land over the past decades, being a pressure on biodiversity and the environment has become a concern. Landscape features play an important role as a support to biodiversity and ecosystem services (e.g., habitat provision, mitigation of soil erosion, improvement of soil fertility), and also have aesthetic and cultural values attached. Thus, the importance to develop a stable and consistent indicator based on a sustainable and reproducible data source for monitoring changes and to track changes of landscape features in European agricultural landscapes. The CAP Indicator I.21 aims to assess the area covered by landscape features in the agricultural

³https://ec.europa.eu/info/sites/default/files/food-farming-fisheries/key_policies/documents/cap-specific-objectives-brief-6-biodiversity_en.pdf

land. The Copernicus Small Woody Features products are proposed as one of the information sources for the creation of the CAP I.21 indicator on landscape features (Figure 1). The agricultural area is derived with the help of Corine Land Cover (CLC) data which is spatially refined with Copernicus High Resolution Layers (HRL).



Share of agricultural area (AA) covered with woody landscape features at different NUTS levels based on SWF 2015 (Kleeschulte, 2020)

7. Product description

7.1 Overview of the product and contained layers

The HRL Small Landscape Features portfolio comprises four main primary status layers, provided in panEuropean LAEA projection (EPSG:3035):

- Woody Vegetation Layer at 5m spatial resolution
- SWF vector

- SWF raster at 5m spatial resolution
- Street Tree Layer vector

Aggregated products (spatial resolution 100m) are also provided:

- SWF Density raster at 100m spatial resolution (in pan-European LAEA)
- Mosaic of Small Woody Features Change for the 2018-2021 period at 100m spatial resolution

Furthermore, other ancillary data and reference data are provided:

- Mosaic of Confidence Layer for WVL at 5m spatial resolution
- Parent Scene Identification Layer (PSIL) in vector format
- Forest Mask 2021 and Crop Mask 2021 at 5m spatial resolution
- Reference data used for training
- Reference data used for internal quality control




Figure 2: HRL SLF 2021 product suite

All layers are distributed in tiles corresponding to 100km LAEA grid cells.

7.2 Product characteristics

7.2.1 Woody Vegetation Layer

Woody Vegetation Layer is a newly introduced layer that contains information about woody vegetation without height, size, or shape differentiation. Objective of this layer is to provide an “all trees” layer (with the exception of vineyards) which allows the user to flexibly apply their own rules to derive any type of features they specifically require for their topic of interest. The layer is available as a raster layer at 5m spatial resolution.

7.2.2 Small Woody Features Layer

Derived from WV2, Small Woody Features layers contain information about linear and patchy woody vegetation outside forest, with the exception of artificial tree rows like orchards, tree plantation or vineyards.

- Linear structures include:
 - Hedgerows
 - Tree alignments or scrubs along field margins
 - Tree alignments or scrubs along roads
 - Riparian woody vegetation along waterways and streams
- Patchy structures include:
 - Scattered group of trees/scrubs
 - Isolated trees/scrubs

No height differentiation (trees vs. scrubs/bushes) is applied.

Elements to be included or excluded in Small Woody Features 2021 are summarised in Table 2.

Table 2: Thematic definition of SWF 2021

Elements included in small woody features	Elements excluded from small woody features
• linear hedgerows and scrubs - tree rows (along field boundaries) - isolated/scattered patches of trees areas, storm damages, insect-infested damages, etc.)	• stone walls - drainage ditches - grass margins - field boundaries without hedgerows or trees - any kind of "grey" infrastructure such as roads - artificial tree rows like olive tree plantations, vineyards, and orchards

To ensure connectivity between mapped linear and patchy elements, features that are outside of the geometric specification can be included in the product if they are:

- Connected to a valid (e.g., geometrically compliant) linear or patch, with no min/max criterion;
- Isolated and with an area comprised between 0.15 and 5 ha.

Furthermore, SWF 2021 includes a forest masking, preventing any mapping of SWF in forested areas. These forested areas are aligned with canopy cover criteria of the FAO forest definition⁴ and are derived from HRL VLCC TCD 2021 and HRL VLCC CTY 2021 products (cf. section 0).

The small woody feature information is provided in 3 different layers:

- Small Woody Features 5m raster layer
- Small Woody Features vector layer
- Small Woody Features 100m raster layer (density of SWF)

7.2.3 Street Tree Layer

Street Tree Layer provides information about presence of trees within urban areas as defined by CLMS Urban Atlas Functional Urban Areas (FUA).

⁴In Forest Resources Assessment 2020 terms and definitions, the forest is described as "Land spanning more than 0.5 hectares with trees higher than 5 meters and a canopy cover of more than 10 percent, or trees able to reach these thresholds in situ. It does not include land that is predominantly under agricultural or urban land use." <https://www.fao.org/3/I8661EN/i8661en.pdf>

It includes contiguous rows or patches of trees covering 500m² or more and with a minimum width (MMW) of 10m over Artificial surfaces (nomenclature class 1) inside each FUA covered by Urban Atlas 2021, without including trees along road or railway networks connecting cities and villages.

This layer is provided as a vector layer.

7.2.4 Change Layer

Small Woody Features Change 2018-2021 product aims to map, at 100m only, SWF increase, decrease or stable levels. It is based on difference between status products of the corresponding reference years with additional filtering and decision trees to discriminate real changes from technical changes.

7.2.5 Auxiliary Layers

7.2.5.1 Parent Scene Identification Layer (PSIL)

This vector layer includes the reference to any data source which was used as a direct input for the classification process and therefore allows to precisely trace which data from which period was used to derive the final products.

7.2.5.2 WVL confidence layer

This layer provides useful supplemental information about the product's quality and reliance of mapped features. It allows users to take into account the different reliability of the SWF product, e.g., caused by input data quality, and e.g., exclude information with high uncertainty from further analysis.

7.2.5.3 Forest Mask

To limit overlaps of SWF with large and densely tree covered areas, the production workflow for the 2021 update includes a masking approach using the HRL 2021 VLCC TCD layer. This mask follows as much as possible the FAO forest definition while considering landscape specifications to exclude from the forest mask valid SWF.

7.2.5.4 Crop Mask

To limit overlaps of SWF with crop areas, and especially permanent crops which are excluded from the SWF definition, a crop mask is derived to apply a dedicated post-processing over crop areas. This layer is derived from HRL VLCC CTY 2021 and consists of CTY classes converted into a binary layer crop/non-crop.

7.2.6 Reference Data

7.2.6.1 Reference data for training and calibration

This database contains reference data used for training and calibrate classification algorithms across European landscapes. It consists of areas of 2.5x2.5km labelled as woody / non-woody landcover.

7.2.6.2 Reference data for validation

This database contains reference data used for internal verification of SWF layers thematic accuracy. It consists of areas of 100x100m labelled as SWF/non-SWF.

7.3 Product specifications

7.3.1 Primary Layers

Small Woody Features 2021 vector

Layer name: Small Woody Features 2021 vector

Acronym: SWF VEC

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Woody features outside forested areas, provided in vector format, using specifications described in section 7.2

Reference year/cycle/period: 2021

Geometric resolution: Equivalent 1:5 000

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: 93.97% Producer Accuracy and 81.28% user accuracy for the SWF class, according to internal verification

Minimum Mapping Unit: No MMU for the linear elements. MMU for Patchy structures of trees and scrub: 200m² (size limit of 5000m²)

Minimum Mapping Width: Linear structures/elements: >= 30m length. No MML for Patchy structures

Vector classes: 1: *Small structures of trees, hedges, bushes and scrub*

Attribute information associated with vector features, including the following minimum fields:

Field	Description	Type	Value(s)	NoData value
Shape	Polygon	Geometry	Polygon	NA
Area	Area	Double	0.001 to 1.8E308	NA
Class Name	Class Name	Text	Small structures of trees, hedges, bushes and scrub	NA
Code	Numeric code	Integer	1	NA

Metadata: XML metadata files according to INSPIRE metadata standards

Delivery format: Geopackage

Quality – Production verification: Layer thematic accuracy reached/exceed the 80% producer's and user's target

Street Tree Layer 2021 vector

Layer name: Street Tree Layer 2021 vector

Acronym: STL

Product (group/family): Priority Area Monitoring

Dataset category: Status

Summary: Urban woody vegetation within Urban Atlas FUA

Reference year/cycle/period: 2021

Geometric resolution: Equivalent 1:5 000

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: Urban Atlas FUAs

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit: 500m²

Minimum Mapping Width: 10m

Vector classes: 1: *Street Tree Layer*

Attribute information associated with vector features, including the following minimum fields:

Field	Description	Type	Value(s)	NoData value
Shape	Polygon	Geometry	Polygon	NA
Area	Area	Double	0.001 to 1.8E308	NA
Class Name	Class Name	Text	Street Trees	NA
Code	Numeric code	Integer	1	NA

Metadata: XML metadata files compliant with INSPIRE metadata standards

Delivery format: Geopackage

Quality – Production verification: Layer thematic accuracy reached/exceed the 80% producer's and user's target

Woody vegetation layer 5m raster

Layer name: Woody Vegetation Layer 2021 5m

Acronym: WVL

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Woody vegetation for reference year 2021, based on specification described in section 7.2

Reference year/cycle/period: 2021

Geometric resolution: Pixel resolution 5m x 5m, conform with the EEA reference grid

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit (MMU): NA

Raster coding: 0: *All non-tree covered areas* 1: *Tree covered areas* 255: *Outside area*

Metadata: XML metadata files according to INSPIRE metadata standards and GDAL-style Permanent Auxiliary Metadata (PAM)*.aux.xml including statistics and Raster Attribute Table

Delivery format: GeoTiff

Quality – Production Verification: NA

Small Woody Features 5m raster

Layer name: Small Woody Feature 2021 5m raster

Acronym: SWF 5m

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Woody features outside forested areas, provided in raster format, using specifications described in section 7.2

Reference year/cycle/period: 2021

Geometric resolution: Pixel resolution 5m x 5m, conform with the EEA reference grid

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: 80%

Minimum Mapping Unit (MMU): No MMU for the linear elements. MMU for Patchy structures of trees and scrub: 200m² (size limit of 5000m²)

Raster coding: 0: All non SWF covered areas 1: SWF covered areas 255: Outside area

Metadata: XML metadata files according to INSPIRE metadata standards and GDAL-style Permanent Auxiliary Metadata (PAM)*.aux.xml including statistics and Raster Attribute Table

Delivery format: GeoTiff

Quality – Production Verification: NA

7.3.2 Aggregated Layers

Small woody features 100m raster

Layer name: Small Woody Feature 2021 100m raster

Acronym: SWF 100m

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Density of Small Woody Features outside forested areas, provided in rasterformat, using specifications described in section 7.2

Reference year/cycle/period: 2021

Geometric resolution: Pixel resolution 100m x 100m, conform with the EEA reference grid

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit (MMU): NA

Raster coding: 0: All non-SWF covered areas 1-100: SWF density % 255: Outside area

Metadata: XML metadata files according to INSPIRE metadata standards and GDAL-style Permanent Auxiliary Metadata (PAM)*.aux.xml including statistics and Raster Attribute Table

Delivery format: GeoTiff

Quality – Production Verification: NA

Small Woody Features changes raster

Layer name: Small Woody Feature Change 2018-2021 100m raster

Acronym: SWFC

Product (group/family): High Resolution Layer

Dataset category: Change

Summary: Increase / Decrease of Small Woody Features outside forested areas, provided in raster format, using specifications described in section 7.2

Reference year/cycle/period: 2018-2021

Geometric resolution: Pixel resolution 100m x 100m, conform with the EEA reference grid

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit (MMU): NA

Raster coding: 0: All stable areas 1: Increase in SWF density 2: Decrease in SWF density 201: Area covered by Forest Mask in 2018 202: Area covered by Forest Mask in 2021 203: Area covered by Forest Mask in 2018 & 2021 255: Outside area

Metadata: XML metadata files according to INSPIRE metadata standards and GDAL-style Permanent Auxiliary Metadata (PAM)*.aux.xml including statistics and Raster Attribute Table

Delivery format: GeoTiff

Quality – Production Verification: NA

7.3.3 Auxiliary Layers

Parent Scene Identification layer

Layer name: Parent Scene Identification Layer

Acronym: PSIL

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Earth Observation image used for SLF 2021 production

Reference year/cycle/period: 2021

Geometric resolution: Equivalent 1:5 000

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit: NA

Minimum Mapping Width: NA

Vector classes: Cf Annex I

Attributes: Cf Annex I

Metadata: XML metadata files according to INSPIRE metadata standards

Delivery format: Geopackage

Quality – Production verification: NA

Woody Vegetation confidence layer

Layer name: Woody Vegetation Confidence Layer 2021 5m

Acronym: WVCL

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Supplemental information about the product's quality and reliance of mapped woody features (cf. section 7.2)

Reference year/cycle/period: 2021

Geometric resolution: Pixel resolution 5m x 5m, conform with the EEA reference grid

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit (MMU): NA

Raster coding: 0-100: *Confidence in WVL classification* 255: *Outside area*

Metadata: XML metadata files according to INSPIRE metadata standards and GDAL-style Permanent Auxiliary Metadata (PAM)*.aux.xml including statistics and Raster Attribute Table

Delivery format: GeoTiff

Quality – Production Verification: NA

Forest Mask

Layer name: Forest Mask 2021

Acronym: FM

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Forest mask 2021 for exclusion of forested areas, based on specification described in section 7.2

Reference year/cycle/period: 2021

Geometric resolution: Pixel resolution 5m x 5m, conform with the EEA reference grid

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the Sentinel-2 satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit (MMU): 5 ha

Raster coding: 0: *All non-forested covered areas* 1: *Forest covered areas* 255: *Outside area*

Metadata: XML metadata files according to INSPIRE metadata standards and GDAL-style Permanent Auxiliary Metadata (PAM)*.aux.xml including statistics and Raster Attribute Table

Delivery format: GeoTiff

Quality – Production Verification: NA

Crop Mask

Layer name: Crop Mask 2021

Acronym: CM

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Crop mask 2021 for identification of crop areas, based on specification described in section 7.2

Reference year/cycle/period: 2021

Geometric resolution: Pixel resolution 5m x 5m, conform with the EEA reference grid

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit (MMU): NA

Raster coding: 0: *All non-crop covered areas* 1: *Crop covered areas* 255: *Outside area*

Metadata: XML metadata files according to INSPIRE metadata standards and GDAL-style Permanent Auxiliary Metadata (PAM)*.aux.xml including statistics and Raster Attribute Table

Delivery format: GeoTiff

Quality – Production Verification: NA

7.4 Reference Data

Training dataset (vector)

Layer name: Small Landscape Features 2021 Reference Database for Training

Acronym: SLFRefDBT

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Reference dataset used for training and calibration of classification algorithms

Reference year/cycle/period: 2021

Geometric resolution: Equivalent 1:5 000

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit: NA

Minimum Mapping Width: NA

Vector classes: 0: *Non-tree covered areas* 1: *Tree covered areas*

Attribute information associated with vector features, including the following minimum fields:

Field	Description	Type	Value(s)	NoData value
Shape	Polygon	Geometry	Polygon	NA
Area	Area	Double	0.001 to 1.8E308	NA
Code	Numeric code	Integer	0-1	NA

Metadata: XML metadata files according to INSPIRE metadata standards

Delivery format: Geopackage

Quality – Production verification: NA

Validation dataset (vector)

Layer name: Small Landscape Features 2021 Reference Database for Validation

Acronym: SLFRefDBV

Product (group/family): High Resolution Layer

Dataset category: Status

Summary: Reference dataset used for validation of classification algorithms

Reference year/cycle/period: 2021

Geometric resolution: Equivalent 1:5 000

Coordinate Reference System: European ETRS89 LAEA projection

Coverage: EEA-38 + UK

Geometric accuracy: Based on the ortho-rectified satellite imagery provided by ESA

Thematic accuracy: NA

Minimum Mapping Unit: NA

Minimum Mapping Width: NA

Vector classes: 0: *Non-tree covered areas* 1: *Tree covered areas*

Attribute information associated with vector features, including the following minimum fields:

Field	Description	Type	Value(s)	NoData value
Shape	Polygon	Geometry	Polygon	NA
Area	Area	Double	0.001 to 1.8E308	NA
Code	Numeric code	Integer	0-1	NA

Metadata: XML metadata files according to INSPIRE metadata standards

Delivery format: Geopackage

Quality – Production verification: NA

7.5 Known thematic overlaps of the product

HRL SLF products present few thematic overlaps with other CLMS products.

7.5.1 Woody Vegetation Layer

HRL SLF WVL, by mapping trees across Europe, overlaps with the HRL VLCC Forest and HRL VLCC Crop Type layers. While WVL presents more detailed spatial resolution, the HRL VLCC layers are theme-specific and present additional information about tree density, leaf type or crop types. The HRL SLF Forest and Crop Masks allow users to identify precisely areas where these CLMS products overlaps with the HRL WVL.

7.5.2 Small Woody Features layers

HRL SLF SWF partially overlaps with the HRL VLCC Forest layers, due to its very nature: mapping trees outside forested areas. Although forested areas are excluded from SWF based on the HRL VLCC Forest, the applied definition of the Forest Mask (cf. section 7.2) implies an overlap between the SWF layers and the HRL VLCC Forest layers. While SWF provides a more detailed mapping of trees outside forests due to its 5m spatial resolution, the HRL VLCC layers provide annual updates and more detailed thematic information about their respective topics.

7.5.3 Street Tree Layer

Focused on urban areas mapped by CLMS Urban Atlas, STL overlaps UA LULC product and provide additional information about presence of trees within cities.

8. Production methodology and workflow overview

This section provides an overview of the methods and workflow used for production of SLF 2021 products. Details, illustrations and more advanced concepts are described in the HRL SLF ATBD document. Details about internal verification (accuracy assessment) can be found in the Product Delivery and Quality Control Report. Details about external validation can be found in the Validation Report.

8.1 Preprocessing of EO data

The EO data processing involves two datasets: VHR_IMAGE_2021 and Sentinel-2. The VHR_IMAGE_2021 dataset, collected from ESA's DWH, was resampled to 2m spatial resolution and converted to 8-bit COG format for bulk automated image processing.

The Sentinel-2 processing workflow began with time-series data of Sentinel-2 L2A products, organized per tile in the UTM projection, and made accessible through various cloud providers. The analysis included all 10m and 20m spectral bands, as well as the Scene Classification Layer (SCL) for cloud weighting. Within a standard year, all available scenes were composited into cloud-free images, one per band, by calculating the 20th percentile for each tile and band. Additionally, a 90th-percentile NDVI layer was generated and used as input for training and classification. The time-series observations capture intra-annual land cover variations, which were extracted using an ordinary least squares fit to a sinusoidal function. This methodology was optimized for robustness and resource efficiency, generating key layers that served as input for the deep learning algorithm.

8.2 WVL 2021 processing

For the production of WVL 2021, a reference database for calibration was essential for supervised land cover classification from optical satellite imagery. The reference dataset, representative of the LC of interest and covering the whole EEA38 territory, was selected automatically based on a stratified approach. Each reference sample consists of a 2560x2560m cell containing woody vs non-woody information. The geographic distribution of the reference training samples included the UK, ensuring consistency between the reference dataset and EO dataset.

The model training and prediction involved two classification steps: VHR and Sentinel-2. For VHR imagery classification, a pre-trained foundation model for remote sensing analysis was adapted for segmentation of trees from the EO data. The model, based on a Swin Transformer with a U-Net segmentation head, was fine-tuned using VHR_IMAGE_2021 and the reference database.

The Sentinel-2 classification leveraged a modified U-Net architecture. Despite its lower spatial resolution compared to VHR datasets, Sentinel-2's higher acquisition frequency and higher spectral resolution enhanced the classification process. The U-Net architecture can produce outputs at finer resolutions, a process known as "super resolution," which has been used to generate high-resolution delineations of tree lines and single trees. For SWF production, this technique predicted woody vegetation probabilities at 5m resolution, facilitating a seamless comparison of maps generated from both VHR and Sentinel-2 datasets.

The combination of VHR and HR classification steps involved combining probability maps from respective VHR and Sentinel-2 classification through a set of decision rules to obtain the WVL 2021.

8.3 SWF and derived products processing

The merged result from the previous step was used as input for producing the final output, which includes raster products at 5m and 10m resolutions, as well as a vector product. The process involved several steps:

First, a Forest Mask was created from HRL VLCC TCD 2021, applying a 10% canopy cover threshold to meet the FAO forest definition. A morphological filter removed linear elements, and a minimal mapping unit of 5 ha was applied to exclude small forest areas. A 10m external buffer prevents wrongly detected SWF at forest boundaries, and areas covered by the crop mask are excluded.

Next, a Crop Mask was created from the HRL VLCC CTY 2021 product, representing crop areas in a binary format. This mask excludes crop areas, ensuring only non-agricultural woody vegetation is included in the analysis.

Raster Property Extraction involved calculating geometric and spatial properties to distinguish linear and patchy features. Distance transform calculation, erosion and dilation operations, and connected component analysis were performed. Properties such as width, area, and agricultural coverage percentage were calculated for each component.

Raster to Vector Conversion transformed the raster data into a spatial database, where key properties were calculated for each feature. Features were classified and simplified based on their properties, and

those not meeting specifications were filtered out. Connected features not covered by the crop mask were reintroduced.

Finally, the remaining features were simplified using the Douglas-Peucker algorithm and converted back into raster format. The primary raster product was generated at 5m resolution, with a 100m version created using mean aggregation. The final geometries are stored in a Geopackage format. The final outputs of this steps include SWF 5m raster, SWF vector and SWF 100m raster. The same approach was applied, with corresponding specifications, to derive STL from WVL over the extent of urban areas extracted from Urban Atlas 2021.

8.4 Change Layer production

In progress.

9. Terms of use and product technical support

9.1 Terms of use

The product(s) described in this document is/are created in the frame of the Copernicus programme of the European Union by the European Environment Agency (product custodian) and is/are owned by the European Union. The product(s) can be used following Copernicus full free and open data policy, which allows the use of the product(s) also for any commercial purpose. Derived products created by end users from the product(s) described in this document are owned by the end users, who have all intellectual rights to the derived products.

9.2 Citation

When **planning to publish a publication (scientific, commercial, etc.)**, it should be explicitly mentioned:

“This publication has been prepared using European Union’s Copernicus Land Monitoring Service information; <insert all relevant DOI links here, if applicable>”

When developing a **product or service using the products or services of the Copernicus Land Monitoring Service**, it should explicitly mentioned:

“Generated using European Union’s Copernicus Land Monitoring Service information; <insert all relevant DOI links here, if applicable>⁵”

When **redistributing a part of the Copernicus Land Monitoring Service (product, dataset, documentation, picture, web service, etc.)**, it should explicitly mentioned:

“European Union’s Copernicus Land Monitoring Service information; <insert all relevant DOI links here, if applicable>”

9.3 Product Technical support

Product technical support is provided by the product custodian through Copernicus Land Monitoring Service desk⁶. Product technical support does not include software specific user support or general GIS or remote sensing support.

More information on the products can be found on the Copernicus Land Monitoring Service website (<https://land.copernicus.eu/>)

⁵Copernicus Land Monitoring Service – Data Policy

⁶Copernicus Land Monitoring Service – Service desk

10. List of abbreviations & acronyms

Abbreviation	Name	Reference
ATBD	Algorithm Theoretical Basis Document	
CAP	Common Agricultural Policy	
CLC	Corine Land Cover	
CLMS	Copernicus Land Monitoring Services	land.copernicus.eu
COG	Cloud Optimized Geotiff	
CTY	Crop Type	
DOI	Digital Object Identifier	
DWH	Data WareHouse	
EEA	European Environment Agency	www.eea.europa.eu
EO	Earth Observation	
EPSG	European Petroleum Survey Group	
ESA	European Space Agency	
FAO	Food and Agriculture Organization	
FUA	Functional Urban Areas	
GIS	Geographic Information System	
HR	High Resolution	
HRL	High Resolution Layer	
IPCC	Intergovernmental Panel on Climate Change	
JRC	Joint Research Centre	
LAEA	Lambert azimuthal equal-area	
LC	Land Cover	
LULC	Land Use Land Cover	
MML	Minimum Mapping Length	
MMU	Minimum Mapping Unit	
MMW	Minimum Mapping Width	
NDVI	Normalized Difference Vegetation Index	
NUTS	Nomenclature of territorial units for statistics	
NVLCC	Non Vegetated Land Cover Characteristics	
PSIL	Parent Scene Identification Layer	
PUM	Product User Manual	
SCL	Scene Classification Layer	
SDG	Sustainable Development Goal	
SLF	Small Landscape Features	

Abbreviation	Name	Reference
STL	Street Tree Layer	
SWF	Small Woody Features	
TCD	Tree Cover Density	
UA	Urban Atlas	
UK	United Kingdom	
UN	United Nations	
UTM	Universal Transverse Mercator	
VHR	Very High Resolution	
VLCC	Vegetated Land Cover Characteristics	
WVL	Woody Vegetation Layer	

11. References

- Golicz, K., Ghazaryan, G., Niether, W., Wartenberg, A. C., Breuer, L., Gattinger, A., ... & Große-Stoltenberg, A. (2021). The role of small woody landscape features and agroforestry systems for national carbon budgeting in Germany. Land, 10(10), 1028. <https://doi.org/10.3390/land10101028>

12. Annexes

Table 3: Attribute table of the PSIL

Field	Description	Sample
id	Row unique identifier	48715
delunit	Delivery Unit	AL
product_id	Product unique identifier (EOP Identifier)	urn:eop:PHR:MULTISPECTRAL_2m:DS_PHR1A_202207200941593_FR1_PX_E019 N42_0811_03280_dc33
product_na	Product name	PH1A_PHR_MS__3_20220720T094159_20220720T094204_TOU_1234_dc33.DIMA.tar
crc	CRC code	dc33
prod_statu	Production status	delivered
subdat_id	Sub Dataset Identifier	VHR_IMAGE_2021/AL/Level_3
order_id	Order Identifier	DO#VHR_IMAGE_2021#PH00#0002
sun_glint	Encoding of Sun Glint	no
cqc_sun_gl	CQC value for Sun Glint (if disagreement)	
datastrip	Datastrip identifier	DS_PHR1A_202207200941593_FR1_PX_E019N42_0811_03280

Field	Description	Sample
acq_year	Acquisition year	2022
satellite	Satellite code	PH1A
mission	Mission Type	PHR
provider	Provider	AIRBUS
area_ref	Reference Cloud free Area skm	42.4011016
area_prod	Produced Area skm	76.08308192
cell_id_li	Cell id list	AL_08056,AL_08181
delivery_d	Delivery date	2023-01-31
ql_url	Reference to the Datastrip Quick Look	prod/QL/PH00/DS_PHR1A_202207200941593_FR1_PX_E019N42_0811_03280.tif https://storage.googleapis.com/bucket-vhr-public-
cov_step	Coverage Step	CCR2022

13. Document history

Record of changes made to the document over time after the initial published version, including version numbers, dates of revisions, and a summary of modifications. This table must be only included in the initial PUM published version and without the personal information ("Created by:" field must be removed).

Version	Date	Short description of changes
1.0	16.09.2025	Initial published issue

14. Change Log

Date	Version	Summary
2026-02-10	1.0.0	Initial release