CLC+ Core User Manual Annex

CLC+ Core production and provision of complementary consultancy

Author: **European Environment Agency (EEA)**

Date: **2026-09-28**

Version: **1.2.0**

Table of contents

1. Admin User only 2
    1.1 Organisations 2
    1.2 Users 3
        1.2.1 User Profile 3
        1.2.2 User Profile View 4
        1.2.3 Edit User Profile 5
    1.3 Add / upload new EAGLE Ontology 5
    1.4 Approval EAGLE barcoding 6
    1.5 10m processing toggle button 7
        1.5.1 Turn off the 10m processing toggle button 8
        1.5.2 10m functionality deactivated in the catalogue 9
        1.5.3 10m functionality deactivated in Add Ingestion/Extraction 9
        1.5.4 10
2. List of abbreviations 10
3. Change Log 13

Contact:

European Environment Agency (EEA)
Kongens Nytorv 6
1050 Copenhagen K
Denmark
https://land.copernicus.eu/

Date: 2026-09-28

Doc. Version : Issue 5.0

Content ID: /

Document Control Information

Document Title	CLC+ Core User Guideline
Project Title	Operational maintenance of the CLCplus Core platform and infrastructure
Document Author	Xabier Diego, Manuel Martínez, Arantza Echevarria
Project Owner	Massimiliano Rossi (EEA)
Project Manager	Massimiliano Rossi (EEA)
Document Code	/
Document Version	Issue 5.0
Distribution	
Date	2026-09-28

Document Approver(s) and Reviewer(s):

Name	Role	Action	Date
Tim Wiltzius (CLF)	Reviewer	Document review	2023-12-20
Johannes Vass (CLF)	Reviewer	Document review	

Document history

Revision	Date	Created by	Short description of changes
1.0	2022-04-08	CLC+ Core consortium (CLF, GV, GAF)	Initial document creation
2.0	2022-06-10	CLC+ Core consortium (CLF, GV, GAF)	Restructure of entire document, extension of Extraction chapter and Admin User section
3.0	2023-06-06	CLC+ Core consortium (CLF, GV, GAF)	Adaption of rule 3 in the current version of the CLC+ Core system
4.0	2023-12-22	CLC+ Core consortium (CLF, GV, GAF)	Update of the entire document with all newly implemented features and improvements of the system (within SC8)
5.0	2026-09-28	Bilbomática, an Altia company	Update with the new 10m resolution feature

Applicable Documents (AD)

ID	Document Name / Content
AD01	Tender Specifications – EEA/DIS/R0/20/019 – Copernicus Land Monitoring Service – Production of the CLC+ Core and Provision of Complementary Consultancy Services

ID	Document Name / Content
AD02	Consortium's Technical Proposal – in response to Call for tenders EEA/DIS/R0/20/019 – CLC+CORE Technical Proposal - v2.0
AD03	Specific Contract No 3436/R0-COPERNICUS/EEA.58286
AD04	Minutes of the KOM (CLC+Core_KOM_Minutes.docx)
AD05	PM1 - Project Management and Governance Plan (CLC+Core_Deliverable_PM1_Project_Management_Plan_V1.0.pdf)
AD06	Implementation of CLC+ based on the EAGLE concept –Additional support for further development of CLC+databases (CLC+ and CLC+ instances, namely CLC+ LULUCF instance and CLC+ Legacy instance) - Task 4: From CLC+ Core to CLC+ Legacy - 3436/R0-Copernicus/EEA.57755
AD07	PM2 - 1st Project Management and Status Report (CLC+Core_Deliverable_PM2_1st-Project-Management-Status-Report_V1.0.pdf)
AD08	CLC+ Core Decision Log_V1.4 (CLC+Core_Decision_log_V1.4.pdf)
AD09	D1 - Software Design (CLC+Core_D1_Software _Design_V1.0.pdf)
AD10	D3.2.1 - Demonstration and documentation of ingested CLMS datasets, under this Service Contract (CLC+Core_Deliverable_D3.2.1_Demonstration-and-documentation-of-ingested-CLMS-datasets_V01.pdf)
AD11	D3.1 - Documentation of deployment of CLC+ Core products to DIAS – cloud service (CLC+Core_Deliverable_D3.1_Documentation of deployment of CLC+ Core products to DIAS_V1.0.pdf)
AD12	LULUCF_classes_simplified_EAGLE_query_rules_20210325.xlsx (Provided by EAGLE Group)
AD13	Specific contract no 3506_R0-COPERNCA_EEA.59433

1. Admin User only

In this section information is given which is relevant for **Admin Users only**. This mainly concerns the categories Organisations and Users, where the Admin User has additional rights compared to a normal System User. An important task given to the admin user is the possibility to upload a new EAGLE ontology into the system.

1.1 Organisations

This navigation menu tab provides an overview of the registered **Organisations** of the CLC+ Core system.

Organisations are taken over by default from EIONET on your first login to CLC+ Core. Organisations play an important role when you define the visibility of your Ingestion or Extraction for publishing it. The visibility can be limited to users from your organisations only or for the country of the selected Organisation. Further, the Admin User has rights to add or remove Organisations (see Figure 6-1).

As an **Admin User** your account has certain authorizations, i.e. you are able to add new Organisations.

Search function, to **search for an organisation** within the system.




Figure 6-1: Menu item – Organisations

1.2 Users

This navigation menu tab provides an overview of the registered User of the CLC+ Core system.

Users are taken over by default from EIONET on your first login to CLC+ Core. Depending on your role assigned, you have more or less rights. The Admin User has rights to add or remove Users from the system or change their status. To open your Profile, click on your name (see Figure 6-2). Now you will be forwarded to the Profile view (section 1.5.1 in User Manual).

As an Admin User your account has certain authorizations, i.e. you are able to add new Users.

Further, you have the possibility to **search for a User.**




Figure 6-2: Menu item – Users.

1.2.1 User Profile

To open the **User Profile** you can either click on the User Profile Icon in the Header, which opens a context menu with the actions 'My Profile' and 'Logout' (Figure 6-3) or in the Users tab by clicking on your name (Figure 6-3). You will then be forwarded to the Profile view.




Figure 6-3: User Profile – Actions.

1.2.2 User Profile View

When you click on the context menu action 'My Profile' of the User Profile Icon you will find yourself within the User Profile view. Thus, a profile can only be changed by a person with the role 'User Administration / support'. Within your Profile you can see several information (see Figure 6-4) such as:

General Information: In this area the most important information from your user profile is shown which is username, first and last name, which organisation you are part of and your current status. The EIONET button guides you to the Eionet Portal.

Roles: In this area it is displayed what roles are assigned to you. Roles define what you as a user are allowed to do within the CLC+ Core system from a functional point of view. Typically, roles are for only Users which administer the application.

As an Admin User can deactivated by a person with the role 'User Administration / support'. "Inactive" Users do not have access to the application.




Figure 6-4: View User Profile (User Administrator).

1.2.3 Edit User Profile

Editing your profile will only affect / edit the user profile in the CLC+ Core system and not the EIONET account. **General:** Changing your first- and last name and the organisation can only be done by a person with the role 'User Administration / support'.

Roles can only be changed by a person with the role 'User Administration / support'.

By clicking on 'Save' your entered information will be saved. If you do not want to save the changed information, then you have the possibility to click on 'Cancel' (see Figure 6-5).




Figure 6-5: Edit User Profile.

1.3 Add / upload new EAGLE Ontology

In the "**Add new version**" dialog a call is made to the EIONET data dictionary. This feature is for expert user only. The dictionary is immediately compared to the previous version and differences will be updated. For example, as in the figure below, there are no differences, which is why you get this view (Figure 6-6).

By clicking on the **EIONET Data Dictionary** link you will be redirected to the EIONET data dictionary. Data Dictionary[1] holds definitions of datasets, tables and data elements (see Figure 6-7). Each of these three levels is defined by a set of attributes, the core set of which corresponds to ISO 11179 standard for describing data elements. The whole attribute set is flexible, and attributes can be added / removed from/to the system.




Figure 6-6: Add new EAGLE Ontology Version.

[1] https://dd.eionet.europa.eu/documentation/doc1




Figure 6-7: EIONET data dictionary.

Once a new EAGLE ontology version is published all users get a notification (see section 1.7.3 in User Manual).

1.4 Approval EAGLE barcoding

The EAGLE barcoding of an Ingestion can be approved for being **EAGLE compliant** by any user with the additional role of being an "EAGLE Maintainer/Approver". When opening an Ingestion, the button "Approve EAGLE Compliance" can only by seen by users with that role (see Figure 6-8). The User gets notified once the EAGLE barcoding for the Ingestion is approved by an EAGLE Maintainer.




Figure 6-8:Approval of EAGLE compliance for an Ingestion.

The Ingestion gets than a quality stamp in the Data Catalogue (first column) and when opening the Ingestion next to the status. Please note that for now it is only planned to go through the approval process for the CLMS products.

The **EAGLE approval** for an Ingestion can also be revoked again by the EAGLE Maintainer (see Figure 6-9). Each approval change is saved and displayed in the history of an Ingestion.




Figure 6-9:Approval and possibility to revoke the EAGLE approval again.

1.5 10m processing toggle button

The 10m processing toggle button serves as a global administrative safety feature designed to enable or disable high-resolution (10m) operations.

Activated State (10m available):

- The platform operates without restriction, allowing the addition of new ingestions and extractions at both 10m and 100m resolutions (see sections 3.2 and 4.2 in User Manual).
- All UI controls and filters related to 10m resolution remain active and interactive (sections 1.6 and 1.7.1 in User Manual).

Deactivated (10m disabled):

- Add forms: 10m selection options within the Ingestion and Extraction wizards are disabled and locked, automatically defaulting the selection to 100m or rejecting explicit 10m requests.
- Data Catalogue & Tables: Existing catalogue entries generated at 10m are visually greyed out.
- Action Restrictions: For greyed-out 10m records, the user interface blocks action triggers such as Open Detail and configuration Reuse.
- Server-Side Protection: If a user attempts to dispatch a 10m operation via direct API calls while the toggle is locked, the backend rejects the request and returns an explicit message stating that 10m processing has been disabled by system configuration.

1.5.1 Turn off the 10m processing toggle button

The 10m processing toggle button activated in the 'Advanced options' section is green indicating that the functionality is operative

Roles can only be changed by a user with the role 'System Administrator'.

By clicking on the '10 m processing' toggle button, in the Advanced options section, an information window will appear explaining the consequences of disabling the 10m option in the app. To proceed, click the 'Deactivate' button; otherwise, click the 'Close' button. Once the feature has been disabled, the toggle button will appear greyed out, indicating that the option is disabled.




Figure 6-10: 10 m toggle button activation/deactivation.




Figure 6-11: Confirmation window to deactivate 10 m functionality.




Figure 6-12: 10 m toggle button deactivated

1.5.2 10m functionality deactivated in the catalogue

When the 10-metre resolution processing functionality is deactivated, all ingestions or extractions at 10-metre resolution automatically appear as disabled in the data catalogue. A tooltip indicates that the feature has been disabled by the administrator.

Therefore, any action relating to ingestions or extractions may only be carried out on those with a resolution of 100 metres.




Figure 6-13: 10 m deactivated in the Data Catalogue section

1.5.3 10m functionality deactivated in Add Ingestion/Extraction

In the wizard for adding Ingestions or Extractions, the resolution option will not be editable. The 100m option will be selected by default and indicating that the 10m option is deactivated.




Figure 6-14: 10 m deactivated in Add Ingestion




Figure 6-15: 10 m deactivated in Add Extraction

1.5.4

2. List of abbreviations

Abbreviation	Name	Reference
ADs	Applicable Documents	
AI	Action Item	

Abbreviation	Name	Reference
API	Application Programming Interface	
CLC	CORINE Land Cover	https://land.copernicus.eu/en/products/corine-land-cover
CLC+	CORINE Land Cover +	https://land.copernicus.eu/en/products/clc-a-new-generation-land-information-system-for-europe
CLMS	Copernicus Land Monitoring Service	https://land.copernicus.eu/en
COG	Cloud-optimized GIF	
CORINE	Coordination of information on the environment	
CZ	Coastal Zones	
DB	Database	
DIAS	Copernicus Data and Information Access Services	
EAGLE	Eionet Action Group on Land monitoring in Europe	https://land.copernicus.eu/en/eagle
EC	European Commission	https://commission.europa.eu/
EEA	European Environment Agency	https://www.eea.europa.eu
EEA39	The 33 member and 6 cooperating countries of the EEA	
EEA38+UK	The 32 member and 6 cooperating countries of the EEA + United Kingdom	
EO	Earth Observation	
ESA	European Space Agency	https://www.esa.int
ETC	European Topic Centre	https://www.eionet.europa.eu/etcs
EU	European Union	
EU27	The 27 Member States of the European Union	
FM	Final Meeting	
FWC	Framework Contract	
GDAL	Geospatial Data Abstraction Library	
GDB	Geodatabase	
GIO	GMES Initial Operations	
GPKG	GeoPackage	
HDF5	Hierarchical Data Format	
HRL / HRLs	High Resolution Layer / High Resolution Layers	
IaaS	Infrastructure-as-a-Service	
ID	Identification Number	

Abbreviation	Name	Reference
INSPIRE	Infrastructure for Spatial Information in Europe	https://knowledge-base.inspire.ec.europa.eu/index_en
ISO	International Organisation for Standardization	
ITT	Invitation to Tender	
JDBC	Java Database Connectivity	
JWT	JSON Web Token	
KOM	Kick-Off Meeting	
LC	Land Cover	
LCC	Land Cover Component	
LCH	Land Characteristics	
LC/LU	Land Cover / Land Use	
LCC	Land Cover Component	
LU	Land Use	
LUA	Land Use Attribute	
LULUCF	Land Use, Land Use Change and Forestry	
LYR	ArcGIS Layer File	
MMU	Minimum Mapping Unit	
MS	Member States	
NFRs	Non-Functional-Requirements	
NRC	National Reference Centre	
NUTS	Nomenclature of Territorial Units for Statistics	
N2K	Natura 2000	
OBDC	Open Database Connectivity	
PDF	Portable Document Format	
PM	Progress Meeting	
PMP	Project Management Plan	
PoC	Proof of Concept	
QA	Quality Assurance	
QC	Quality Control	
QM	Quality Management	
QML	QGIS Style file	
REST	Representational State Transfer	
RZ	Riparian Zones	
SC	Specific Contract	
SHP	ESRI Shapefile	

Abbreviation	Name	Reference
SLD	Styled Layer Descriptor	
SQL	Structured Query Language	
UA	Urban Atlas	
UI	User Interface	
URI	Uniform Resource Identifier	
URL	Uniform Resource Locator	
UUID	Universally Unique Identifier	
VM	Virtual Machine	
WBS	Work Breakdown Structure	
WEkEO	Copernicus DIAS reference service for environmental data, virtual environments for data processing	https://www.wekeo.eu/
WP	Work Package	
ZIP	ZIP Format	

3. Change Log

Date	Version	Summary
2026-10-29	1.2.0	Initial publication of the CLC+ Core User Manual Annex for Admin Users, covering organisation and user management, EAGLE Ontology uploads, approval processes, and 10m processing toggle functionality.