



European
Environment
Agency

European Environment Agency
European Topic Centre
Biodiversity and ecosystems



EUROPEAN COMMISSION

DIRECTORATE-GENERAL
ENVIRONMENT
Directorate C – Zero Pollution

GUIDANCE DOCUMENT ON REPORTING UNDER THE RECAST DRINKING WATER DIRECTIVE 2020/2184/EC

**Data sets on risk assessment and risk management
of the catchment areas for abstraction points of
water intended for human consumption**

Date: 04.09.2026

Version: 0.2 (DRAFT)

Table of Contents

1.	Introduction.....	4
1.1.	Purpose and structure of the document	4
1.2.	Legal context and general approach of the recast DWD reporting.....	5
1.3.	General rules for the reporting	5
1.4.	Components of the reporting.....	6
1.4.1.	The data model.....	6
1.4.2.	Data model classes	7
1.4.3.	Data model relationships	9
1.5.	How the European Commission and the EEA will use the information.....	11
2.	Descriptive data	13
2.1.	Table: RiskAssessmentRiskManagement.....	13
2.2.	Table: WaterSupplyLink.....	18
3.	Documents and metadata.....	20
3.1.	Table: dcMetadata.....	20
3.2.	Table: Document.....	25
3.3.	Table: DocumentReference.....	27
4.	Spatial data	29
4.1.	Table: CatchmentArea.....	30
5.	Alignment with other dataflows.....	38
5.1.	WaterSupplyZone	38
5.1.	WaterBody.....	38
5.2.	MonitoringSite	39
5.3.	MonitoringResults	39
5.4.	Land-use, runoff and recharge processes	40
5.5.	Protected Area	41
5.5.1.	Table: ProtectedArea	43
5.5.2.	Table: dcMetadata	55
5.5.3.	Table: Document.....	59

Document History

Version	Date	Comment
0.1	23/07/2026	First Draft: ETC BE – content and structure of chapter 1-5; Tracasa class diagrams and fields within each table
0.2	04/09/2026	Distributed with test dataflow for country feedback

List of Acronyms

DWD	Drinking Water Directive
EEA	European Environment Agency
EU	European Union
WFD	Water Framework Directive
WSZ	Water Supply Zone
RA/RM	Risk assessment and risk mangement

1. INTRODUCTION

1.1. Purpose and structure of the document

The present document provides guidance to Member States in reporting the information required under article 18.1 (b) of the [recast Drinking Water Directive](#) 2020/2184/EC on the quality of water intended for human consumption. If you need further assistance, please contact dwd.helpdesk@eionet.europa.eu.

The document consists of three chapters.

- Chapter 1 gives information about the legal context, rules, components, and purpose of the reporting for the recast Drinking water Directive (DWD) six-yearly data sets on risk assessment and risk management (RA/RM) of the catchment areas for abstraction points.
- Chapter 2 describes the data content and structure that must be followed to report the DWD descriptive data sets. Member States must follow the reporting templates when submitting the data in the [Reportnet 3 platform](#).
- Chapter 3 describes supporting documentation in ancillary documents or in national websites which Member States may provide.
- Chapter 4 describes the data content and structure that must be followed to report the DWD reference spatial data sets. It refers to the WISE GIS Guidance which describes the structure of spatial data sets.
- Chapter 5 describes the alignment and consolidation with data already provided under different reporting dataflows and explains where the datasets may be updated, if needed, in preparation for DWD reporting. The reuse of data already reported facilitates the reporting processes both at national and at European level. Most of the spatial datasets related to DWD risk assessment reporting has already been reported under other reporting obligations.

1.2. Legal context and general approach of the recast DWD reporting

By 12 July 2027, pursuant to Article 18.1 (b) of the recast DWD, Member States have to set up data sets containing information related to RA/RM of the catchment areas for abstraction points carried out in accordance with Article 8. Member States must update these data sets every six years thereafter. Pursuant to Article 18.2 of the recast DWD, Member States must ensure that the European Commission, the European Environment Agency (EEA) and the European Centre for Disease Prevention and Control have access to the data sets.

To harmonise the Member States' data sets and the data transfer to the European Commission, whilst considering the technical reporting possibilities within the Member States, DG Environment has organised several expert group meetings, a written consultation, a testing phase (ongoing) as well as a workshop (forthcoming) on the recast DWD reporting in relation with RA/RM. Based on these exchanges with Member States, a reporting template and a reporting mechanism were defined. The reporting template will enable Member States to report the DWD six yearly data sets on RA/RM via the EEA [Reportnet 3 platform](#).

1.3. General rules for the reporting

The following general rules apply to the reporting under Article 18.1 (b) of the recast DWD 2020/2184/EC in accordance with Article 8:

- Reporting by Member States to the European Commission shall be made in electronic format to the EEA Reportnet 3 platform.
- The data to be submitted shall be in accordance with the Article 18 provisions of the recast DWD. Supportive information may be supplied by the Member States in the form of document files but that is not mandatory.
- The data shall be structured according to the reporting format (templates) and modalities described in this document.
- Descriptive data can be structured using an Excel reporting template, to facilitate the data transfer.¹

¹ System-to-system data transfer via the Reportnet 3 API is also possible – refer to the [technical guidance](#).

- Spatial reference data can be structured using a Geopackage template, to facilitate the data transfer.¹
- Member States shall be responsible for the annually updated data set reporting to the European Commission and for the accuracy of the reported data.

1.4. Components of the reporting

The reporting under Article 18.1 (b) of the recast DWD 2020/2184/EC in accordance with Article 8 contains descriptive data sets (Chapter 2), supporting documents with metadata (Chapter 3), spatial data sets (Chapter 4) and data sets aligned with other data flows (i.e. these can be updated by reporters within other data flows, Chapter 5). The linkage between these data sets is described in the following chapter.


1.4.1. The data model

The conceptual data model for the electronic reporting under Article 18.1 (b) of the recast DWD 2020/2184/EC in accordance with Article 8 is based on the following assumptions:

- Each drinking water abstraction point is located in one surface water body, or in one groundwater body. A monitoring site can be located in this water body and is the primary reporting unit for monitoring results.
- Each drinking water abstraction point has a physical catchment area or watershed.
- Each drinking water abstraction point provides water to one or more water supply zones.
- The primary reporting unit for the risk assessment and risk management is the catchment area. Catchment areas are defined by the Member States.

The following sections provide a brief narrative description of the classes and relationships of the class diagram (Figure 1-1).

Figure 1-1. Conceptual model for the electronic reporting – overview of reporting tables and main relationships between tables.



Notes:

wfd - reported under Water Framework Directive (WFD)

dwd – reported under Drinking Water Directive (DWD)

grey and blue box – spatial data set

white box – descriptive data set

1.4.2. Data model classes

- C1 – A **CatchmentArea** may include one or more abstraction points, in the same water body, if the risk profile is homogenous. A CatchmentArea is uniquely identified by a **catchmentAreaIdentifier**. The location of each CatchmentArea is reported using a polygon geometry.
- C2 – For the purposes on the electronic reporting, an **WaterAbstraction** is a logical node representing a withdrawal of water. It can represent a single physical abstraction point or a group of abstraction points within one WaterBody. Each WaterAbstraction is associated with a CatchmentArea. Each abstraction is uniquely identified by a **waterAbstractionIdentifier**. *Note: the concept implies a location but does not require the reporting of a geometry.*
- C3 – A **WaterSupplyZone** is the distribution area where the water is consumed. A water supply zone receives water from one or more water abstractions. *Note: The water supply zones are reported under the DWD exceedances, incidents and derogations - Article 18.1 (c, d, e) dataflow.*

- C4 – A **WaterBody** is the WFD management unit (groundwater or surface water) where the abstraction physically occurs. *Note: the WFD water bodies are reported under the WISE Spatial electronic reporting.*
- C5 – A **MonitoringSite** is a location in the WaterBody used to verify the quality of the water for the catchment area risk assessment. *Note: the WFD monitoring sites are reported under the WISE Spatial electronic reporting.*
- C6 – Within each CatchmentArea, Member States may define zero or more safeguard zones. Such drinking water protection zones may protect the water abstraction, one or more geographical areas in the catchment area (e.g. recharge zones), or even the entire catchment area. Each **ProtectedArea** is uniquely identified by a **protectedAreaidentifier**. The location of each ProtectedArea is reported using single or multipart geometries. Member States may restrict the publication of the location of safeguard zones for water abstractions, using a **confidentialityStatus** value.
- C7 – The synthesis of **RiskAssessmentRiskManagement** plan is provided for each CatchmentArea.

1.4.3. Data model relationships

The model is centred on the CatchmentArea as the main entity for the Risk AssessmentRiskManagement plan, and the concept of WaterAbstraction as the logical link between the resource (WaterBody) and the consumer (WaterSupplyZone).

R1 – CatchmentArea [1] ↔ [1] WaterAbstraction

- *Logic:* A Member State defines a CatchmentArea for the purpose of risk assessment. The catchment area must contain at least one abstraction point but may potentially contain various abstraction points. The identity and location of the physical abstraction points is not needed and is not requested. The set of abstraction points for which the catchment area riskassessment was performed is encapsulated in the concept of WaterAbstraction.
- *Note:* This satisfies the requirement that a CatchmentArea can cover multiple abstractions points and that the location of the abstraction points is not requested.

R2 – WaterBody [1] ↔ [1..n] WaterAbstraction

- *Logic:* Every WaterAbstraction must be assigned to exactly one WaterBody. A water body may have several physical abstraction points, aggregated into one or more WaterAbstraction.
- *Note:* If the risk profile is similar for all abstraction points in the water body, they may be aggregated into a single WaterAbstraction with a single CatchmentArea risk assessment. In other circumstances, the risk assessment may be done for different subsets of abstractions points in the waterbody (e.g. the subset of abstraction points supplying a densely populated water supply zone vs less critical abstraction points).
- *Note:* The WaterAbstraction has no geometry. Its location is logically defined by its parent WaterBody and the CatchmentArea it belongs to.

R3 – WaterAbstraction [m] ↔ [n] WaterSupplyZone

- *Logic:* This is a many-to-many relationship. Water from one WaterAbstraction (logical unit) can be distributed to multiple WaterSupplyZone. One WaterSupplyZone can receive water from multiple WaterAbstraction.

R4 – CatchmentArea [0..1] ↔ [0..n] ProtectedArea

- *Logic:* To manage risks found in the CatchmentArea, safeguard zones may be defined. There may be zero (if no significant risks) or many protected areas. The ProtectedArea geometry is reported using single or multipart geometries.
- *Technical note:* If more than one CatchmentArea exists per WaterBody, the ProtectedArea should be linked to a specific CatchmentArea. That will be denoted by `relateZonIdentifier = CatchmentAreaIdentifier.thematicIdentifier` AND `relatedZonIdentifierScheme = CatchmentAreaIdentifier.thematicIdentifierScheme`.
- *Special case:* If the safeguard zone encompasses the entire catchment area, that will be denoted by the value `specialisedZoneType = 'catchmentArea'`.

R5 – WaterBody [0..1] ↔ [0..n] ProtectedArea

- *Technical note:* If only one CatchmentArea exists per WaterBody, the ProtectedArea should be linked directly to the water body. That will be denoted by `relateZonIdentifier = WaterBody.thematicIdentifier` AND `relatedZonIdentifierScheme = WaterBody.thematicIdentifierScheme`.
- *Special case:* If the safeguard zone encompasses the entire water body, that will be denoted by the value `specialisedZoneType = 'waterBody'`.

R6 – WaterAbstraction [0..1] ↔ [0..n] ProtectedArea

- *Technical note:* There will be no direct link between the ProtectedArea and the WaterAbstraction. Instead, the approach defined before should be followed: 1) if only one CatchmentArea exists per WaterBody, the ProtectedArea should be linked directly to the water body; 2) if more than one CatchmentArea exists per WaterBody, the ProtectedArea should be linked to a specific CatchmentArea.

- *Special case:* If the safeguard zone is designed to directly protect the abstraction points (e.g. protection perimeters around groundwater abstraction points), that will be denoted by the value `specialisedZoneType = 'waterAbstractionSafeguardZone'`.
- *Special case:* Member States may limit public access to spatial data sets where such access would adversely affect *inter alia* the public security or the protection of the environment. The publication of the location of the safeguard zones may be prevented by specifying `confidentialityStatus = 'N'`. (Note that the same approach is already use for monitoring sites that are co-located with the abstraction points.)

R7 – **CatchmentArea [1] ↔ [1..n] MonitoringSite**

- *Logic:* While the monitoring site physically sits in a WaterBody, for this specific reporting flow, it provides data validation for the CatchmentArea risk assessment.
- *Technical note:* The relationship can be obtained via `CatchmentArea [1] ↔ [1] WaterAbstraction [1] → [1] WaterBody [1] ← [1..n] MonitoringSite` and the spatial condition `ST_Within(MonitoringSite.geometry, CatchmentArea.geometry) = TRUE`.
- *Note:* Optionally, Member States may wish to detail the subset of monitoring sites relevant for drinking water monitoring. That information is provided in the `MonitoringSite.purpose` attribute.

1.5. How the European Commission and the EEA will use the information

The information provided every six years by the Member States under Article 18.1 (b) of the recast DWD 2020/2184/EC in accordance with Article 8 will be used for the following purposes:

- To assess whether the implementation of the requirements of the recast DWD is sufficient in each Member State (i.e., compliance assessment).

- To enable the European Commission to monitor and assess the implementation of the recast DWD in relation to the objectives it pursues, to inform any future evaluation of this Directive in accordance with paragraph 22 of the Interinstitutional Agreement of 13 April 2016 on Better Law-Making.
- At EU and Member State level, for the assessment of risks in catchment areas and the corresponding measures, particularly with regard to critical pollutants that lead to exceedances of the parametric values in the water supply zone (annual reporting of exceedances).
- The data assessed by the European Commission can be presented at catchment area level, and as aggregated information at national and EU levels. The European Commission requires data at catchment area level to properly assess the DWD implementation.
- The EEA may use the information to supplement the data collected through other reporting streams when producing European, pan-European and regional integrated environmental data and indicator sets, assessments and thematic analyses.
- According to Article 18.3 of the recast DWD, the EEA shall publish and update a Union-wide overview using the data provided by the Member States on a regular basis or upon request from the European Commission.

2. DESCRIPTIVE DATA

This section presents the descriptive data relevant for the reporting under Article 18.1 (b) in accordance with Article 8 of the recast DWD, specifically the RiskAssessmentRiskManagement dataset and the WaterSupplyLink dataset (Figure 2-1).

Figure 2-1 Class diagram for the tables RiskAssessmentRiskManagement and WaterSupplyLink.



2.1. Table: RiskAssessmentRiskManagement

Description: The RiskAssessmentRiskManagement dataset provides an overview of the status of the risk assessment and risk management for each catchment area, for a given reference date. It is a simple questionnaire, allowing Member States to provide support documentation in ancillary documents or in national sites.

Uniqueness: catchmentAreaIdentifier

Quality Checks:

R004: If catchmentAreaRiskManagementSafeguardZones = 'yes', then the safeguard zones must have been reported under the ProtectedArea dataset.

XC003: There are identifiers reported in spatial catchmentArea dataset that are missing in this table

TU001: The field catchmentAreaIdentifier must be unique within table

Field	catchmentAreaIdentifier
Guidance on completion	European Persistent Unique Identifier of the CatchmentArea.
Field type	WiseIdentifier
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V005: The value must not be missing or empty V026: The value is not a valid member of the referenced list. XC001: catchmentAreaIdentifier must match a CatchmentArea thematicIdIdentifier in Spatial dataset where wiseEvolutionType != 'deletion'.

Field	catchmentAreaRiskAssessment
Guidance on completion	Has the catchment area risk assessment been completed in accordance with Article 8.2(b) of the DWD?
Field type	YesNo
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V006: The value must not be missing or empty V010: The value is not a valid member of the referenced list. V022: The value must be 'yes' or 'no'

Field	catchmentAreaRiskManagement
Guidance on completion	Has the catchment area risk management plan been completed in accordance with Article 8.4(b) of the DWD?
Field type	YesNo
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	R011: If catchmentAreaRiskManagement = 'yes', at least one of the following fields must have a value other than 'no': catchmentAreaRiskManagementMitigationMeasures, catchmentAreaRiskManagementPreventiveMeasures, catchmentAreaRiskManagementSafeguardZones, catchmentAreaRiskManagementAdditionalMonitoring. R012: If catchmentAreaRiskManagement = 'no', the following fields must remain empty/blank: catchmentAreaRiskManagementMitigationMeasures, catchmentAreaRiskManagementPreventiveMeasures, catchmentAreaRiskManagementSafeguardZones, catchmentAreaRiskManagementAdditionalMonitoring, catchmentAreaRiskManagementAdditionalMonitoringReference, catchmentAreaRiskManagementMitigationMeasuresReference, catchmentAreaRiskManagementPreventiveMeasuresReference, catchmentAreaRiskManagementSafeguardZonesReference. V007: The value must not be missing or empty

	V011: The value is not a valid member of the referenced list. V023: The value must be 'yes' or 'no'	
--	--	--

Field	catchmentAreaRiskManagementPreventiveMeasures	
Guidance on completion	Have preventive measures been defined in addition to the measures foreseen or taken in accordance with point (d) of Article 11(3) of Directive 2000/60/EC?	
Field type	YesNo	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	R009: If catchmentAreaRiskManagement = 'yes', the value of catchmentAreaRiskManagementPreventiveMeasures must not be missing or empty. R015: If catchmentAreaRiskManagementPreventiveMeasures = 'no', catchmentAreaRiskManagementPreventiveMeasuresReference should be left empty/blank. V012: The value is not a valid member of the referenced list.	

Field	catchmentAreaRiskManagementMitigationMeasures	
Guidance on completion	Have mitigation measures been defined in addition to the measures foreseen or taken in accordance with point (d) of Article 11(3) of Directive 2000/60/EC?	
Field type	YesNo	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	R008: If catchmentAreaRiskManagement = 'yes', the value of catchmentAreaRiskManagementMitigationMeasures must not be missing or empty. R014: If catchmentAreaRiskManagementMitigationMeasures = 'no', catchmentAreaRiskManagementMitigationMeasuresReference should be left empty/blank. V013: The value is not a valid member of the referenced list.	

Field	catchmentAreaRiskManagementAdditionalMonitoring	
Guidance on completion	Has additional monitoring been established for parameters, substances or pollutants that have not been taken into consideration in the monitoring performed in accordance with Articles 7 and 8 of Directive 2000/60/EC?	
Field type	YesNo	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	R007: If catchmentAreaRiskManagement = 'yes', the value of catchmentAreaRiskManagementAdditionalMonitoring must not be missing or empty. R013: If catchmentAreaRiskManagementAdditionalMonitoring = 'no', catchmentAreaRiskManagementAdditionalMonitoringReference should be left empty/blank. V014: The value is not a valid member of the referenced list.	

Field	catchmentAreaRiskManagementSafeguardZones	
Guidance on completion	Have safeguard zones been established or adapted for groundwater and surface water, as referred to in Article 7(3) of Directive 2000/60/EC?	
Field type	YesNo	

Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R010: If catchmentAreaRiskManagement = 'yes', the value of catchmentAreaRiskManagementSafeguardZones must not be missing or empty. R016: If catchmentAreaRiskManagementSafeguardZones = 'no', catchmentAreaRiskManagementSafeguardZonesReference should be left empty/blank. V015: The value is not a valid member of the referenced list.

Field	referenceDate
Guidance on completion	Reference date for the information provided (allowing for status updates, if and when available).
Field type	Text(10)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V001: referenceDate must contain a valid date (YYYY-MM-DD) V021: The value must not be missing or empty

Field	catchmentAreaRiskAssessmentReference
Guidance on completion	Document reference for the information required under Article 8.2(b) of the DWD: assessment of the risk that hazards and hazardous events could pose to the quality of water intended for human consumption.
Field type	referenceCode
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R006: If catchmentAreaRiskAssessment = 'no', catchmentAreaRiskAssessmentReference should be left empty/blank. V016: The value is not a valid member of the referenced list.

Field	catchmentAreaRiskManagementPreventiveMeasuresReference
Guidance on completion	Document reference for the information required under Article 8.4(a) of the DWD: defining and implementing preventive measures in the catchment areas for abstraction points in addition to the measures foreseen or taken in accordance with point (d) of Article 11(3) of Directive 2000/60/EC.
Field type	referenceCode
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V017: The value is not a valid member of the referenced list.

Field	catchmentAreaRiskManagementMitigationMeasuresReference
Guidance on completion	Document reference for the information required under Article 8.4(b) of the DWD: defining and implementing mitigation measures in the catchment areas for abstraction points in addition to the measures foreseen or taken in accordance with point (d) of Article 11(3) of Directive 2000/60/EC.
Field type	referenceCode
Properties	minOccurs: 0
	maxOccurs: 1

Quality Checks	V018: The value is not a valid member of the referenced list.
-----------------------	--

Field	catchmentAreaRiskManagementAdditionalMonitoringReference
Guidance on completion	Document reference for the information required under Article 8.4(c) of the DWD: ensuring appropriate monitoring of parameters, substances or pollutants in surface water or groundwater, or both, in the catchment areas for abstraction points, or in raw water, that could constitute a risk to human health through water consumption or lead to unacceptable deterioration of the quality of water intended for human consumption and that have not been taken into consideration in the monitoring performed in accordance with Articles 7 and 8 of Directive 2000/60/EC.
Field type	referenceCode
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V019: The value is not a valid member of the referenced list.

Field	catchmentAreaRiskManagementSafeguardZonesReference
Guidance on completion	Document reference for the information required under Article 8.4(d) of the DWD: evaluation of the need to establish or adapt safeguard zones for groundwater and surface water, as referred to in Article 7(3) of Directive 2000/60/EC, and any other relevant zones.
Field type	referenceCode
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V020: The value is not a valid member of the referenced list.

Field	remarks
Guidance on completion	
Field type	Text(1500)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V003: The length of the value must be <= 1500

2.2. Table: WaterSupplyLink

Description: The function of the **WaterSupplyLink** dataset is to resolve the many-to-many relationship that may exist between water abstractions and water supply zones. The waterAbstractionIdentifier and the waterAbstractionName are optional – these attributes are only included because they may facilitate the work of Member States when exporting the data from the national systems. The only mandatory attributes are the catchmentAreaIdentifier and the waterSupplyZoneIdentifier, the combination of which must be unique across the dataset.

Quality Checks:

XC004: There are catchmentAreaIdentifier reported in RiskAssessmentRiskManagement table that are missing in this table

RF004: There is one or more [thematicIdIdentifier] with [wiseevolutiontype] <> 'deletion' in the [watersupplylink] reference data which was not reported

Field	waterAbstractionIdentifier
Guidance on completion	Max length: 4000 characters. OPTIONAL. Unique identifier of an abstraction. It may be useful for some data providers, when preparing the data for reporting, and to avoid the need to summarise the national data.
Field type	WisIdentifier
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V004: The value of thematicIdIdentifier must follow the syntax of WISE identifiers

Field	waterAbstractionName
Guidance on completion	Max length: 4000 characters. OPTIONAL. It may be useful for some data providers, when preparing the data for reporting, and to avoid the need to summarise the national data.
Field type	Text(254)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R005: waterAbstractionName Must NOT be reported, if abstractionIdentifier is NULL.


Field	catchmentAreaIdentifier
Guidance on completion	Max length: 250 characters. European Persistent Unique Identifier of the CatchmentArea.
Field type	wisIdentifier
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V009: The value must not be missing or empty
	V024: The value is not a valid member of the referenced list.
	XC002: catchmentAreaIdentifier must match a CatchmentArea thematicIdIdentifier in RiskAssessmentRiskManagement table

Field	waterSupplyZoneIdentifier
Guidance on completion	Max length: 4000 characters. European Persistent Unique Identifiers of the WaterSupplyZone.
Field type	wisIdentifier
Properties	minOccurs: 1
	maxOccurs: *
Quality Checks	RF001: waterSupplyZoneIdentifier must match a WaterSupplyZone thematicIdIdentifier where wiseEvolutionType != 'deletion'. V008: The value must not be missing or empty V025: The value is not a valid member of the referenced list. V027: "waterSupplyZoneIdentifier" contains duplicate values.

3. DOCUMENTS AND METADATA

Member States may provide support documentation in ancillary documents or in national websites. The mechanism is identical to what is used in other WISE reporting dataflows, and includes a table for **dcMetadata**, **Document** and **DocumentReference**. These tables are described in the following sections (Figure 3-1).

Figure 3-1 Class diagram for the tables dcMetadata, Document and DocumentReference.



3.1. Table: dcMetadata

Description: The **dcMetadata** table contains a simplified set of [Dublin Core](#) metadata elements. Typically, the table will contain a single record per Member State – although in some dataflows (WFD, Floods) it may contain separate records for different units of management (RBDs, Floods Units of Management). In the DWD data model, an additional attribute was introduced as request by the European Commission: the total **numberOfCatchmentAreas** must be a non-negative integer that must match the total number of catchment areas being reported.

Quality Checks:

T100: Mandatory table has no records

T101: dcMetadata must have one record only.

Field	title
Guidance on completion	Max length: 4000 characters. Name given to the dataset.
Field type	Text(4000)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V116: The value must not be missing or empty V117: The length of the value must be <= 4000

Field	creatorOrganisationName
Guidance on completion	Max length: 4000 characters. Required. Organisation responsible for the dataset.
Field type	Text(4000)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V102: The value must not be missing or empty V145: The length of the value must be <= 4000.

Field	creatorElectronicMailAddress
Guidance on completion	Max length: 250 characters. Required. Email address of the point of contact in the organisation responsible for the dataset.
Field type	Email - Text(250)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V108: The value must not be missing or empty V109: The value does not follow the expected syntax for a valid email V130: The length of the value must be <= 250.

Field	description
Guidance on completion	Max length: 4000 characters. Optional description of the dataset.
Field type	Text(4000)
Properties	minOccurs: 0 maxOccurs: 1
Quality Checks	V140: The length of the value must be <= 4000.

Field	created
Guidance on completion	Optional. Date of creation of the dataset.
Field type	Text(10)
Properties	minOccurs: 0 maxOccurs: 1
Quality Checks	V138: created must contain a valid date in the ISO 8601 extended format value (YYYY-MM-DD)

Field	language
Guidance on completion	Required. Code of the language of the file.
Field type	Language
Properties	minOccurs: 1 maxOccurs: *
Quality Checks	V101: The value is not a valid member of the referenced list. V103: The value must not be missing or empty V141: "language" contains duplicate values

Field	license
Guidance on completion	Max length: 250 characters. Required. A legal document giving official permission to do something with the resource. Provide the URL to the licence text of a CC BY compatible license. Use a persistent identifier to an English or multilingual version of the licence agreement.
Field type	URL - Text(2100)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V104: The value does not follow the expected syntax for a valid URL V123: The value must not be missing or empty

Field	rights
Guidance on completion	Max length: 4000 characters. Optional. Information about rights held in and over the resource. If necessary, provide the attribution text required by the licence, or other relevant information.
Field type	Text(4000)
Properties	minOccurs: 0 maxOccurs: 1
Quality Checks	V144: The length of the value must be <= 4000

Field	rightsHolder
Guidance on completion	Max length: 4000 characters. Optional. A person or organization owning or managing rights over the resource. This element can be provided if the rights holder reserved rights (e.g. should to be contacted for specific uses), or if the rights holder is not the organisation responsible for the dataset.
Field type	Text(4000)
Properties	minOccurs: 0 maxOccurs: 1
Quality Checks	V139: The length of the value must be <= 4000

Field	numberOfCatchmentAreas
Guidance on completion	Required. Total number of catchment areas in the territory of the data provider. Used for quality control purposes.
Field type	int
Properties	minOccurs: 1 maxOccurs: 1

Quality Checks	V105: The value is not a valid whole number V106: The value must not be missing or empty XC101: numberOfCatchmentAreas must match the total number of records in the CatchmentAreaRiskAssessmentRiskManagement table AND must match the total number of records in the CatchmentArea table where wiseEvolutionType != 'deletion'
-----------------------	---

Field	updateSpatialData
Guidance on completion	
Field type	YesNo
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V107: The value is not a valid member of the referenced list. R102: If updateSpatialData = 'yes', then updateDescriptiveData must be set to 'yes' R103: Both updateSpatialData and updateDescriptiveData cannot be set to 'no' V124: The value must not be missing or empty V132: In first reporting cycle updateSpatialData must be set to 'yes' XC102: If updateSpatialData = 'yes', then CatchmentArea table in Spatial dataset cannot be empty XC103: If updateSpatialData = 'no', then CatchmentArea table in Spatial dataset must be empty

Field	updateDescriptiveData
Guidance on completion	
Field type	YesNo
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V110: The value must not be missing or empty V127: The value is not a valid member of the referenced list. V133: In first reporting cycle updateDescriptiveData must be set to 'yes' XC104: If updateDescriptiveData = 'yes', then CatchmentArea table in descriptive dataset cannot be empty XC105: If updateDescriptiveData = 'no', then CatchmentArea table in descriptive dataset must be empty

Field	licenseDocument
Guidance on completion	
Field type	documentCode
Properties	minOccurs: 0
	maxOccurs: *
Quality Checks	V125: The value is not a valid member of the referenced list. V142: "licenseDocument" contains duplicate values.

Field	metadataDocument
--------------	----------------------------------

Guidance on completion		
Field type	documentCode	
Properties	minOccurs: 0	
	maxOccurs: *	
Quality Checks	V126: The value is not a valid member of the referenced list. V143: "metadataDocument" contains duplicate values	

3.2. Table: Document

Description: This table contains information about reported documents. The concept of Document is generic: it can be a physical document (for example, an uploaded PDF) or a hyperlink to a persistent resolvable URL in a national site (for example, with an API call returning a page with up-to-date information with the measures implemented for a given catchment area). Each document must have a unique identifier, a name and it can be either an external link represented by URL or a local file uploaded.

Uniqueness: documentCode

Quality Checks:

TU101: The field documentCode must be unique within table

Field	documentCode
Guidance on completion	Max length: 4000 characters. Name of the document. Required.
Field type	WiseIdentifier
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V118: The value must not be missing or empty V122: The value of documentCode must follow the syntax of WISE identifiers

Field	documentName
Guidance on completion	Description of the dataset. Optional. Max length: 4000 characters.
Field type	Text(250)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V119: The value must not be missing or empty V121: The length of the value must be <= 250

Field	hyperlink
Guidance on completion	Max length: 250 characters. URL of the document if available on the internet.
Field type	URL. Text(2048)
Properties	minOccurs: 0 maxOccurs: 1
Quality Checks	R101: Either URL or documentFile must be reported, but not both or none V120: The value does not follow the expected syntax for a valid URL V131: The length of the value must be <= 2048

Field	documentFile
-------	--------------

Guidance on completion	Max length: 4000 characters. Document file as an attachment. The size of the file can be up to 100 MB and the valid file extensions are: 'xlsx' (Excel), 'docx' (Word) and 'pdf'. Either URL or documentFile must be reported, but not both.
Field type	Attachment
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	

3.3. Table: DocumentReference

Description: Each DocumentReference is basically a bookmark describing where further information about a given topic may be found in a **Document**.

Uniqueness: referenceCode

Quality Checks:

TU102: The field referenceCode must be unique within table

Field	referenceCode
Guidance on completion	Unique identifier of the reference to a document. Required.
Field type	Text(42)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V111: The value must not be missing or empty V135: The value of referenceCode must follow the syntax of WISE identifiers

Field	documentCode
Guidance on completion	Max length: 4000 characters. Link to the document the reference belongs to. Required.
Field type	Text(42)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V112: The value must not be missing or empty V113: The value is not a valid member of the referenced list.


Field	bookmark
Guidance on completion	Bookmark within the document. Required.
Field type	Text(500)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V114: The value must not be missing or empty V136: The length of the value must be <= 500

Field	subject
Guidance on completion	Max length: 4000 characters. Subject of the reference. Required.
Field type	Text(500)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V115: The value must not be missing or empty V137: The length of the value must be <= 500

4. SPATIAL DATA

This section presents the spatial CatchmentArea dataset with the delineation of each risk assessment unit (Figure 4-1).

Figure 4-1 Class diagram for the table CatchmentArea.



4.1. Table: CatchmentArea

Description: To simplify reporting, the structure of the CatchmentArea data model and the WaterSupplyZone data model that is used in the DWD Article 18.1 (c, d, e) reporting is nearly identical.

In the CatchmentArea dataset, the sizeValue and sizeUom attributes have been removed and will be derived from the mandatory polygon geometry. The relatedZoneIdentifier and relatedZoneIdentifierScheme attributes make explicit the link between each CatchmentArea and a WFD WaterBody. Part of the attributes have fixed values (thematicIdIdentifierScheme, predecessorsIdentifierScheme, successorsIdentifierScheme, zoneType, specialisedZoneType) but have been kept to maintain the structural alignment with other reporting obligations and facilitate interoperability. Other attributes have default values (legalBasisName, legalBasisLink, legalBasisLevel) but allow the data providers to use the specific national values if desired. To further simplify reporting, data providers may choose to use the same value between national and European identifiers, if the national identifier complies with the WISE requirements.

Uniqueness:

inspireIdLocalId + inspireIdNamespace

thematicIdIdentifier + thematicIdIdentifierScheme

Quality Checks:

S201: Only one EPSG is allowed in the table

TU200: The fields thematicIdIdentifier and thematicIdIdentifierScheme must be uniques within table

TU201: The fields inspireIdLocalId and inspireIdNamespace must be uniques within table

XC201: There are catchmentAreaIdentifier reported in RiskAssessmentRiskManagement table that are missing as thematicIdIdentifier in this table

Field	geometry_polygon
Guidance on completion	The geometry of spatial objects should be reported in the ETRS89-GRS80 geodetic coordinate system (urn:ogc:def:crs:EPSG::4258). For areas outside the scope of ETRS89, such as overseas territories, WGS 84 (urn:ogc:def:crs:EPSG::4326) must be used.
Field type	Multipolygon
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	RF201: The referenced waterBody (relatedZoneIdentifier) must be located within the related CatchmentArea geometry S202: The geometry must not have anomalous geometric points, such as self-intersections S203: The coordinate reference system (CRS) is not valid. (It must be one of the following: ETRS89-GRS80 (urn:ogc:def:crs:EPSG::4258), ETRS89-LAEA

	S204: The referenced waterBody (relatedZoneldentifier) must intersect within the related CatchmentArea geometry with a tolerance of 200 meters S205: The geometry must not be empty or degenerate (e.g. zero-length line or zero-area polygon). S206: The geometry of the CatchmentArea must not overlap each other (100 meters tolerance). V227: The value must not be missing or empty V228: Polygon geometry is not valid - polygon ring not closed V229: Unsupported SRID V230: Geometry is not valid. Reason: {%reason%}
--	---

Field	inspireIdLocalId
Guidance on completion	A local identifier, assigned by the data provider. The local identifier is unique within the namespace, that is no other spatial object carries the same unique identifier. It is the responsibility of the data provider to guarantee uniqueness of the local identifier within the namespace.
Field type	Text(254)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V201: The value must not be missing or empty
	V232: The length of the value must be <= 254

Field	inspireIdNamespace
Guidance on completion	Namespace uniquely identifying the data source of the spatial object. The namespace value will be owned by the data provider of the spatial object and will be registered in the INSPIRE External Object Identifier Namespaces Register.
Field type	Text(254)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V226: The value must not be missing or empty
	V233: The length of the value must be <= 254

Field	inspireIdVersionId
Guidance on completion	The identifier of the particular version of the spatial object, with a maximum length of 25 characters. If the specification of a spatial object type with an external object identifier includes life-cycle information, the version identifier is used to distinguish between the different versions of a spatial object. Within the set of all versions of a spatial object, the version identifier is unique.
Field type	Text(25)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V234: The length of the value must be <= 25

Field	thematicIdIdentifier
--------------	--------------------------------------

Guidance on completion	Unique identifier used to identify the spatial object within the specified identification scheme.
Field type	WisIdentifier. Text(42)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V223: The value must not be missing or empty V231: The thematicIdIdentifier value must be a string starting with the 2-letter country code. Upper case letters (A to Z) and digits (0 to 9) are allowed in the remaining part (the hyphen and the underscore can be used as non-consecutive separators) XC202: thematicIdIdentifier must match a catchmentAreaIdentifier in Descriptive dataset

Field	thematicIdIdentifierScheme
Guidance on completion	Identifier defining the scheme used to assign the identifier.
Field type	IdentifierScheme
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V224: The value must not be missing or empty V225: The value is not a valid member of the referenced list. V235: The value for thematicIdIdentifierScheme must be 'euDrinkingWaterReportingUnitCode'

Field	beginLifespanVersion
Guidance on completion	Date at which this version of the spatial object was inserted or changed in the spatial data set. It must follow the format YYYY-MM-DD
Field type	Text(10)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R202: The beginLifespanVersion date must not be after the endLifespanVersion R206: The beginLifespanVersion value must be reported, if the inspireVersionId value is reported. R212: The beginLifespanVersion value must be reported, if the endLifespanVersion value is reported. R213: beginLifespanVersion must be reported if inspireIdVersionId is reported. V236: beginLifespanVersion must contain a valid date (YYYY-MM-DD) V237: beginLifespanVersion must not be set in the future

Field	endLifespanVersion
Guidance on completion	Date at which this version of the spatial object was superseded or retired in the spatial data set. It must follow the format of YYYY-MM-DD.
Field type	Text(10)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R201: endLifespanVersion must be greater than beginLifespanVersion. R205: The endLifespanVersion has to be empty, if wiseevolution type is 'creation' V238: endLifespanVersion must contain a valid date (YYYY-MM-DD)

Field	predecessorsIdentifier
Guidance on completion	comma-separated list with the thematicIdIdentifier of the existing object(s) that were deactivated/replaced.
Field type	Text(500)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R209: The object must have zero predecessors, if the wiseEvolutionType value is 'creation' R211: predecessorsIdentifier and predecessorsIdentifierScheme must be empty in this first reporting.

Field	predecessorsIdentifierScheme
Guidance on completion	Identifier defining the scheme used to assign the identifier value(s) in the predecessorsIdentifier element.
Field type	IdentifierScheme
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V202: The value is not a valid member of the referenced list. V239: The value for predecessorsIdentifierScheme must be 'euDrinkingWaterReportingUnitCode'

Field	successorsIdentifier
Guidance on completion	
Field type	Text(500)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R210: successorsIdentifier and successorsIdentifierScheme must be empty.

Field	successorsIdentifierScheme
Guidance on completion	
Field type	Text(50)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	

Field	wiseEvolutionType
Guidance on completion	Type of event that produced or modified the version of the object being reported
Field type	WiseEvolutionType
Properties	minOccurs: 1
	maxOccurs: 1

Quality Checks	V203: The value must not be missing or empty V204: The value is not a valid member of the referenced list.
-----------------------	---

Field	nameTextInternational
Guidance on completion	Name, in English. English exonym, or understandable English version of the name of the geographical feature or spatial object.
Field type	Text(254)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V205: The value must not be missing or empty V240: The length of the value must be <= 254 V254: Upper case letters (A to Z) and digits (0 to 9) are allowed (spaces and hyphens can be used as separators)

Field	nameText
Guidance on completion	Name, in the national language. National language endonym, or national language version of the name of the geographical feature or spatial object.
Field type	Text(254)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V206: The value must not be missing or empty V241: The length of the value must be <= 254 V253: The used encoding is not correct. Strange characters in nameText field.

Field	nameLanguage
Guidance on completion	Language code of the language used in the nameText attribute value.
Field type	Language
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V207: The value must not be missing or empty V208: The value is not a valid member of the referenced list.

Field	designationPeriodBegin
Guidance on completion	Beginning of the time period defining when the management, restriction or regulation zone was legally designated or became effective in the real world.
Field type	Text(10)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	R203: The designationPeriodBegin date must not be after the designationPeriodEnd V209: The value must not be missing or empty V242: designationPeriodBegin must contain a valid date (YYYY-MM-DD) V244: designationPeriodBegin must not be set in the future

Field	designationPeriodEnd
Guidance on completion	End of the time period defining when the management, restriction or regulation zone was legally designated or became effective in the real world.
Field type	Text(10)
Properties	minOccurs: 0 maxOccurs: 1
Quality Checks	R204: The value designationPeriodEnd must be NULL if wiseEvolutionType = 'creation'. V243: designationPeriodEnd must contain a valid date (YYYY-MM-DD)

Field	zoneType
Guidance on completion	High-level classification defining the type of Management, Restriction or Regulation Zone.
Field type	ZoneType
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V212: The value must not be missing or empty V213: The value for zoneType must be 'drinkingWaterRiskAssessment'

Field	specialisedZoneType
Guidance on completion	Additional classification value which further specialises the type of management, regulation or restriction zone relevant to the domain.
Field type	SpecialisedZoneType
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V214: The value must not be missing or empty V215: The value for specialisedZoneType must be 'catchmentArea'

Field	legalBasisName
Guidance on completion	Name of the document
Field type	Text(254)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	R207: if legalBasisLevel = 'european' then legalBasisName must have the value 'Directive (EU) 2020/2184 of the European Parliament and of the Council of 16 December 2020 on the quality of water intended for human consumption (recast).' V216: The value must not be missing or empty V245: The length of the value must be <= 254

Field	legalBasisLink
Guidance on completion	Link to an online version of the document
Field type	URL. Text(254)
Properties	minOccurs: 1 maxOccurs: 1

Quality Checks	R208: if legalBasisLevel = 'european' then legalBasisLink must have the value 'https://eur-lex.europa.eu/eli/dir/2020/2184/oj' V210: The value does not follow the expected syntax for a valid URL V217: The value must not be missing or empty V246: The length of the value must be <= 254
-----------------------	---

Field	legalBasisLevel
Guidance on completion	The level at which the legislative instrument is adopted.
Field type	LegalBasisLevel
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V218: The value must not be missing or empty V219: The value is not a valid member of the referenced list.

Field	relatedZoneIdentifier
Guidance on completion	Reference to a related management, regulation or restriction zone.
Field type	WiseIdentifier. Text(42)
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	RF200: relatedZoneIdentifier and relatedzoneidentifierscheme must match a thematicIdIdentifier and thematicIdIdentifierScheme and in Spatial reference dataset where wiseEvolutionType != 'deletion'. V220: The value must not be missing or empty V247: The value of relatedZoneIdentifier must follow the syntax of WISE identifiers V252: The value is not a valid member of the referenced list.

Field	relatedZoneIdentifierScheme
Guidance on completion	Identifier defining the scheme used to assign the identifier value in the relatedZoneIdentifier element.
Field type	IdentifierScheme
Properties	minOccurs: 1 maxOccurs: 1
Quality Checks	V221: The value must not be missing or empty V222: The value is not a valid member of the referenced list. V248: The value for relatedZoneIdentifierScheme must be 'euSurfaceWaterBodyCode' or 'euGroundWaterBodyCode'

Field	link
Guidance on completion	Hyperlink to where additional information is available on the web, at national level.
Field type	URL. Text(254)
Properties	minOccurs: 0 maxOccurs: 1

Quality Checks	V211: The value does not follow the expected syntax for a valid URL V249: The length of the value must be <= 254	
----------------	---	--

5. ALIGNMENT WITH OTHER DATAFLOWS

Most of the spatial datasets related to DWD risk assessment reporting has already been reported under other reporting obligations. This section details the alignment and consolidation with data already provided under different reporting dataflows and explains where the datasets may be updated, if needed, in preparation for DWD reporting. The reuse of data already reported facilitates the reporting processes both at national and at European level.

5.1. WaterSupplyZone

The water supply zones are already reported under the "[DWD exceedances, incidents and derogations - Article 18.1 \(c, d, e\)](#)" reporting obligation. The dataset can be updated, if needed, under that annual dataflow. The consolidated list of water supply zone identifiers will be used in the quality control of the "DWD Risk assessment and risk management of the catchment areas for abstraction points of water intended for human consumption - Article 8".

5.1. WaterBody

The WISE European register of water bodies is available at <https://dd.eionet.europa.eu/vocabulary/wise/WaterBody>. The register will be used in the quality control of the DWD reporting – namely to validate the association between water bodies and catchment areas. The default reference data for the DWD reporting are the waterbodies reported in the 3rd cycle of reporting of the River Basin Management Plans (RBMPs) under the Water Framework Directive (WFD) and already in the WISE register.

DWD data providers can update, if needed, their datasets in preparation for both WFD RBMPs and the DWD risk assessment reporting annually in this newly established separate dataflow: XXXXXXXXXX

Commented [SA1]: @EEA or Tracasa, to be completed

In comparison to the previous reporting of waterbodies under the WFD 3rd RBMP reporting obligation, minor simplifications to the data model have been implemented (removal of seldom reported or seldom used attributes). The supported data format (for data providers not using the reporting platform API) changed from shapefile to geopackage. Data delivery moved from the Reportnet2 platform to the Reportnet3 platform.

5.2. MonitoringSite

The WISE European register of monitoring sites is available at <https://dd.eionet.europa.eu/vocabulary/wise/MonitoringSite>. The register will be used in the quality control of the DWD reporting. The default reference data for the DWD reporting are the monitoring sites reported in the 3rd cycle of reporting of the River Basin Management Plans (RBMPs) under the Water Framework Directive (WFD) and already in the WISE register.

DWD data providers can update, if needed, their datasets in preparation for both WFD RBMPs and the DWD risk assessment reporting annually in this newly established separate dataflow: XXXXXXXXXXXX

Commented [SA2]: @EEA or Tracasa, to be completed

In comparison to the previous reporting of monitoring sites under the WFD 3rd RBMP reporting obligation, minor simplifications to the data model have been implemented (removal of seldom reported or seldom used attributes). The supported data format (for data providers not using the reporting platform API) changed from shapefile to geopackage. Data delivery moved from the Reportnet2 platform to the Reportnet3 platform.


5.3. MonitoringResults

The [WISE SoE Water quality \(WISE-6\)](#) dataflow must be used by reporters for the reporting of monitoring results relevant for article 18.1 (b) of the recast DWD 2020/2184/EC.

The WISE-6 dataflow is used both for voluntary reporting and for reporting under EU obligations (for example the [Environmental Quality Standards Directive - Watch list](#) annual reporting). It is a well-established and well-known annual dataflow used by all Member States to report monitoring results (Figure 5-1).

Information about the reporting templates, guidance documents, and national data already reported in the 2025 **WISE 6 and Watchlist** data call is available in the Reportnet3 platform at <https://reportnet.europa.eu/public/dataflow/1610>.

Figure 5-1. Class diagram for the reporting of monitoring results under WISE SoE - Water quality (WISE-6).



5.4. Land-use, runoff and recharge processes

The "description of land-use, runoff, and recharge processes in the catchment areas for abstraction points" is a mandatory component of the initial characterisation of the catchment areas (Article 8(2)(a)(iv)) required for the risk assessment under the recast Drinking Water Directive (DWD).

To simplify electronic reporting requirements, the DWD reporting does not include these attributes for the characteristics of a catchment area. The EEA will derive characteristics of a catchment area from a GIS analysis of relevant Copernicus datasets using the Member State reported Catchment Areas. Attributes detailing the land-use categories present in each catchment area will be consistently derived at European level using Copernicus datasets ^[2]. Similar approaches will be used for other characteristics, e.g. slope ^[3], long-term potential groundwater recharge (mm/year) ^[4] or river discharge and surface run-off ^[5].

5.5. Protected Area

Drinking water protection areas were previously reported under the Water Framework Directive (WFD) reporting obligations. A separate dataflow has now been created exclusively for the reporting of the drinking water protection areas, decoupling it from the WFD reporting, and allowing data providers to update the previously reported data if and when needed.

² See for example <https://www.eea.europa.eu/en/analysis/publications/land-cover-accounts-an-approach-to-geospatial-environmental-accounting>: *The methods are flexible and may be applied to any categorical geospatial data, while statistics can be broken down to any reference region, e.g. administrative NUTS units, river basins, floodplains ([floodplains dashboard](#)) or Natura 2000 areas ([Natura2000 dashboard](#)).*

³ See for example: <https://dataspace.copernicus.eu/explore-data/data-collections/copernicus-contributing-missions/collections-description/COP-DEM>

⁴ See for example: <https://doi.org/10.1016/j.scitotenv.2022.153464> and the data available in the European Geological Data Infrastructure (<https://www.europe-geology.eu/>) at <https://maps.europe-geology.eu/?mapname=geoera#baslay=baseMapGEUS&layers=potentialgroundwaterrecharge>

⁵ See for example: The model-based hydrology Environmental Climate Variables (ECVs) from the Copernicus Emergency Management Service (CEMS) Hydrological Data Collection Centre (HDCC) gathers near real-time and historical hydrological data to support its European Flood Awareness System (EFAS) and Global Flood Awareness System (GloFAS).

The reporting of drinking water protection areas follows the model previously used for the WFD reporting and includes three tables: ProtectedArea, dcMetadata and Document (Figure 5-2). Only minor simplifications compared to the previous WFD data model have been implemented:


- 1) includes an optional confidentialityStatus attribute,
- 2) requires the specification of the type of zone and
- 3) requires the association of the protected zone with a water body or with a catchment area.

The supported data format (for data providers not using the reporting platform API) changed from shapefile to geopackage. Data delivery moved from the Reportnet2 platform to the Reportnet3 platform.

The data must be reported only once and be used both for the DWD and WFD reporting obligations.

Once a protected area is reported it is available in the WISE European register of WFD Protected Area, available at <https://dd.eionet.europa.eu/vocabulary/wise/WFDProtectedArea>. The register will be used in the quality control of the DWD reporting – namely to validate the association between safeguard zones and water bodies or catchment areas.

Figure 5-2 Class diagram for the tables ProtectedArea, dcMetadata and Document.



5.5.1. Table: ProtectedArea

Description: The default reference data for the DWD reporting are the drinking water protection areas reported in the 3rd cycle of reporting of the River Basin Management Plans (RBMPs) under the WFD and already in the WISE register.

DWD data providers can update, if needed, their datasets in preparation for the DWD risk assessment reporting in this dataflow.

Uniqueness:

uniqueness 1: inspireIdLocalId + inspireIdNamespace

uniqueness 2: thematicIdIdentifier + thematicIdIdentifierScheme

Quality Check:

TU001: When a table is marked as mandatory, checks at least one record is added [TU001] (BLOCKER)

TU003: The thematicIdIdentifier and thematicIdIdentifierScheme combination must be unique for any ProtectedArea (BLOCKER)

TU002: The inspireIdLocalId and inspireIdNamespace combination must be unique for each object. (BLOCKER)

Field	geometry	
Guidance on completion	The geometry of spatial objects should be reported in the ETRS89-GRS80 geodetic coordinate system (urn:ogc:def:crs:EPSG::4258). For areas outside the scope of ETRS89, such as overseas territories, WGS 84 (urn:ogc:def:crs:EPSG::4326) must be used.	
Field type	Multipolygon / MultiLine / MultiPoint	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks		

Field	inspireIdLocalId	
Guidance on completion	A local identifier, assigned by the data provider. The local identifier is unique within the namespace. It is recommended to use the same value used in the thematicIdIdentifier. Guidance: Reporting is required	
Field type	Text(254)	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V002: The inspireIdLocalId value must be a non-empty string with less than 255 characters (BLOCKER) V015: Checks if the field is missing or empty (BLOCKER)	

Field	inspireIdNamespace	
Guidance on completion	Namespace, assigned by the data provider, uniquely identifying the data source of the spatial object. Guidance: Reporting is required	
Field type	Text(254)	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V003: The inspireIdNamespace value must be a string with less than 255 characters [V003] (BLOCKER) V019: Checks if the field is missing or empty (BLOCKER)	

--	--

Field	inspireIdVersionId
Guidance on completion	Guidance: Reporting is optional
Field type	Text(25)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R022: The inspireIdVersionId value must be reported, if the wiseEvolutionType value is 'change'. (WARNING) V004: The inspireIdVersionId value must be a non-empty string with less than 25 characters [V004] (BLOCKER)

Field	thematicIdIdentifier
Guidance on completion	The identifier must follow the syntax rules set for the WISE identifiers (1). Guidance: Reporting is required
Field type	WiseIdentifier. Text(42)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	R017: An 'eu' thematic identifier must not be replaced by an 'eionet' thematic identifier. (BLOCKER) R023: The thematic identifier must be a valid identifier in the register, if the wiseEvolutionType value is 'deletion', 'noChange' or 'change'. (BLOCKER) RF001: A valid 'eu' thematic identifier exists in the register but was not reported in the spatial file (either as a spatial object or as a predecessor). (BLOCKER) RF004: The thematic identifier must not exist in the register, unless the wiseEvolutionType value is 'deletion', 'noChange' or 'change'. (BLOCKER) RF021: A thematic identifier cannot be equal to an existing thematic identifier for a different type of ProtectedArea. (BLOCKER) RF022: A ProtectedArea thematicIdIdentifier can not be the same as the thematicIdIdentifier of a waterbody. (BLOCKER) V005: The thematicIdIdentifier value must be a string starting with the 2-letter country code. Upper case letters (A to Z) and digits (0 to 9) are allowed in the remaining part (the hifen and the underscore can be used as non-consecutive separators) (BLOCKER)

	V024: Checks if the field is missing or empty (BLOCKER)	
--	--	--

Field	thematicIdIdentifierScheme	
Guidance on completion	The value of the thematicIdIdentifierScheme element is always 'euProtectedAreaCode'. Guidance: Reporting is required	
Field type	IdentifierScheme	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V016: Checks if the field is missing or empty (BLOCKER) V032: The thematicIdIdentifierScheme value is not valid (see http://dd.eionet.europa.eu/vocabulary/wise/IdentifierScheme). (BLOCKER) V052: WFD thematic identifiers must be used for all spatial objects (BLOCKER)	

Field	beginLifespanVersion	
Guidance on completion	This element is not required (but can be provided). Guidance: Reporting is optional	
Field type	Text(10)	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	R002: The beginLifespanVersion value must be reported, if the inspireVersionId value is reported. (BLOCKER) R003: The beginLifespanVersion date must not be after the endLifespanVersion. (BLOCKER) R013: The beginLifespanVersion value must be reported, if the endLifespanVersion value is reported [R013] (BLOCKER) R024: The beginLifespanVersion value must be reported, unless the wiseEvolutionType is 'creation' or 'noChange'. (WARNING) V069: The date must have the format YYYY-MM-dd (BLOCKER)	

Field	endLifespanVersion	
Guidance on completion	This element is not required (but can be provided). Guidance: Reporting is optional	

Field type	Text(10)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R025: The endLifespanVersion value must be reported, if and only if the wiseEvolutionType is 'deletion'. (WARNING) V070: The date must have the format YYYY-MM-dd (BLOCKER)

Field	predecessorsIdentifier
Guidance on completion	This value is only reported when the bathing water is replacing other(s) that where previously reported. The predecessor(s) identifier must exist in the WFDProtectedArea vocabulary. Guidance: Reporting is optional
Field type	Text(500)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R011: The object must have zero predecessors, if the wiseEvolutionType value is 'creation'. (BLOCKER) R014: The predecessorsIdentifier value must be reported, if the predecessorsIdentifierScheme value is reported. [R014] (BLOCKER) R015: The predecessorsIdentifier and predecessorsIdentifierScheme combination must not be equal to the thematicIdentifier and thematicIdentifierScheme combination (an identifier must not replace itself). (BLOCKER) R026: The object must have one and only one predecessor, if the wiseEvolutionType value is 'changeCode' or 'splitting'. (BLOCKER) R027: The object must have two or more predecessors, if the wiseEvolutionType value is 'aggregation' or 'changeBothAggregationAndSplitting'. (BLOCKER) R028: The object must have zero predecessors, if the wiseEvolutionType value is 'change' or 'noChange'. (BLOCKER) R029: If an identifier is the predecessor of 2 or more objects, then those objects must have wiseEvolution in ('splitting', 'changeBothAggregationAndSplitting') (BLOCKER) R031: The spatial object reported as predecessor, cannot be reported again. (BLOCKER) R032: At least one predecessor of an object with wiseEvolutionType value equal to 'splitting' or 'changeBothAggregationAndSplitting' must be reported as predecessor of another spatial object (BLOCKER)

	RF005: If an object is reported as 'deletion', it must have the same predecessors as before (BLOCKER) RF006: A spatial object with wiseEvolutionType value equal to 'changeCode' must not have the same predecessor of another spatial object of the registry table. (BLOCKER) RF008: The object has a predecessor that does not exist in the register (BLOCKER) RF011: A spatial object with wiseEvolutionType value equal to 'changeCode' must not have the same predecessor of another spatial object (BLOCKER) V040: The value does not match the pattern to be used for a WISE Identifier. Several identifiers can be reported separated by comma. (BLOCKER) V071: The predecessorIdentifier value must be a string with less than 501 characters. (BLOCKER)
--	---

Field	predecessorsIdentifierScheme
Guidance on completion	This value is only reported when the predecessorsIdentifier is reported. For BWD, the value of the thematicIdentifierScheme element is always 'euProtectedAreaCode'. Guidance: Reporting is optional
Field type	IdentifierScheme
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R016: The predecessorsIdentifierScheme value must be reported, if the predecessorsIdentifier value is reported. (BLOCKER) V044: The predecessorsIdentifierScheme value is not valid (see http://dd.eionet.europa.eu/vocabulary/wise/IdentifierScheme). (BLOCKER) V053: WFD thematic identifiers must be used for all spatial objects (BLOCKER)

Field	successorsIdentifier
Guidance on completion	This value is only reported when the wiseEvolutionType value is 'deletion' and the bathing water has been replaced by other(s). Guidance: Reporting is optional
Field type	Text(500)
Properties	minOccurs: 0
	maxOccurs: 1

Quality Checks	V065: successorsIdentifier must be empty. (BLOCKER)
-----------------------	--

Field	successorsIdentifierScheme
Guidance on completion	This value is only reported when the successorsIdentifier is reported. For BWD, the value of the thematicIdIdentifierScheme element is always 'euProtectedAreaCode'. Guidance: Reporting is optional
Field type	Text(50)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V066: successorsIdentifierScheme must be empty. (BLOCKER)

Field	wiseEvolutionType
Guidance on completion	The value of the wiseEvolutionType element is one of the following: 'creation', 'deletion', 'aggregation', 'splitting', 'change', 'changeCode', 'changeBothAggregationAndSplitting' and 'noChange'. Guidance: Reporting is required
Field type	WiseEvolutionType
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V017: Checks if the field is missing or empty (BLOCKER) V027: Checks if the record based on criteria is valid LINK (BLOCKER) V061: Invalid wiseEvolutionType value for this spatial object type. (BLOCKER)

Field	nameTextInternational
Guidance on completion	English exonym or an understandable English version of the bathing water name. Guidance: Reporting is required
Field type	Text(254)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V007: The nameTextInternational value must be a non-empty string with less than 255 characters. Upper case letters (A to Z) and digits (0 to 9) are allowed (spaces and hifens can be used as separators) (BLOCKER)

	V023: Checks if the field is missing or empty (BLOCKER)	
--	--	--

Field	nameText	
Guidance on completion	Name of the protected area in a national language. Guidance: Reporting is required	
Field type	Text(254)	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V001: The used encoding is not correct. Strange characters in nameText field. [V001] (ERROR) V008: The nameText value must be a string with less than 255 characters (BLOCKER) V022: Checks if the field is missing or empty (BLOCKER)	

Field	nameLanguage	
Guidance on completion	ISO 639-2/B code of the national language Guidance: Reporting is required	
Field type	Language	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V018: Checks if the field is missing or empty (BLOCKER) V028: Checks if the record based on criteria is valid LINK (BLOCKER)	

Field	designationPeriodBegin	
Guidance on completion	Beginning of the time period defining when the management, restriction or regulation zone was legally designated or became effective in the real world. Guidance: Reporting is required	
Field type	Text(10)	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	R004: The designationPeriodBegin date must not be after the designationPeriodEnd. (BLOCKER)	

	R035: Objects with the same predecessor must have the same designationPeriodBegin value.[R035] (BLOCKER) R047: If wiseEvolutionType in ('creation', 'splitting', 'aggregation', 'changeBothAggregationAndSplitting') then the designationPeriodBegin value must not be after @today. (ERROR) RF012: If wiseEvolutionType in ('deletion', 'change', 'noChange'), the designationPeriodBegin must be equal to the designationPeriodBegin of the object in the register.[RF012] (BLOCKER) RF013: If wiseEvolutionType in ('splitting', 'aggregation', 'changeBothAggregationAndSplitting', 'changeExtendedArea', 'changeExtendedDepth', 'changeExtendedAreaAndDepth', 'changeReducedArea', 'changeReducedDepth', 'changeReducedAreaAndDepth'), the designationPeriodBegin value must be higher than the designationPeriodBegin value of the predecessor.[RF013] (ERROR) RF014: If wiseEvolutionType = 'changeCode', the designationPeriodBegin value must be equal to the designationPeriodBegin value of the predecessor.[RF014] (BLOCKER) V021: Checks if the field is missing or empty (BLOCKER) V067: The date must have the format YYYY-MM-dd (BLOCKER)
--	---

Field	designationPeriodEnd
Guidance on completion	This value must be reported when the wiseEvolutionType value is 'deletion'. Guidance: Reporting is optional
Field type	Text(10)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	R030: The designationPeriodEnd date must be reported, if and only if, the wiseEvolutionType value is 'deletion'. (BLOCKER) R046: If wiseEvolutionType = 'deletion' then the designationPeriodEnd value must not be after @today (ERROR) V068: The date must have the format YYYY-MM-dd (BLOCKER)

Field	zoneType
Guidance on completion	A string to provide the name of the operator. Guidance: Reporting is required

Field type	ZoneType
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	RF007: The object has a predecessor with a different zone type. (BLOCKER) V020: Checks if the field is missing or empty (BLOCKER) V029: Checks if the record based on criteria is valid LINK (BLOCKER)

Field	specialisedZoneType
Guidance on completion	For DWD, the value of the specialisedZoneType element is one of the catchmentArea, abstractionPoint or waterbody Guidance: Reporting is required
Field type	SpecialisedZoneType
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	RF016: If the safeguard zone encompasses the entire water body, that will be denoted by the value specialisedZoneType = 'waterBody'. (BLOCKER) V046: Checks if the record based on criteria is valid LINK (BLOCKER) V073: Checks if the field is missing or empty (BLOCKER)

Field	legalBasisName
Guidance on completion	For DWD, the default value of the legalBasisName element is 'Directive (EU) 2020/2184 of the European Parliament and of the Council of 16 December 2020 on the quality of water intended for human consumption' Guidance: Reporting is required
Field type	Text(254)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V011: The legalBasisName value must be a string with less than 255 characters (BLOCKER) V036: Checks if the field is missing or empty (BLOCKER)

Field	legalBasisLink
--------------	-----------------------

Guidance on completion	For DWD, the default value of the legalBasisLink element is 'http://data.europa.eu/eli/dir/2020/2184/oj' Guidance: Reporting is required
Field type	URL. Text(254)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V012: Checks if the field is a valid URL (BLOCKER) V035: Checks if the field is missing or empty (BLOCKER) V064: The legalBasisLink value must be an URL with less than 255 characters (BLOCKER)

Field	legalBasisLevel
Guidance on completion	For DWD, the default value of the legalBasisLevel element is 'european'. Guidance: Reporting is required
Field type	LegalBasisLevel
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V033: Checks if the record based on criteria is valid LINK (BLOCKER) V034: Checks if the field is missing or empty (BLOCKER)

Field	relatedZoneIdentifier
Guidance on completion	The relatedZoneIdentifier should contain the identifier of the SurfaceWaterBody Guidance: Reporting is optional
Field type	WisIdentifier. Text(42)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	R043: The relatedZoneIdentifier value must be reported, if the relatedZoneIdentifierScheme value is reported. (BLOCKER) R045: relatedZoneIdentifier/relatedZoneIdentifierScheme is mandatory. (BLOCKER) RF009: The object has an 'eu' related zone that does not exist in the register (BLOCKER) RF017: The relatedZoneIdentifier is deprecated. (BLOCKER) V042: The relatedZoneIdentifier value must be a string starting with the 2-letter country code. Upper case letters (A to Z) and digits (0 to 9) are allowed in the remaining part (the hifen and the underscore can be used as non-consecutive separators) [V042] (BLOCKER)

--	--	--

Field	relatedZoneIdentifierScheme	
Guidance on completion	The relatedZoneIdentifierScheme value is defined by the related zone chosen above. Guidance: Reporting is optional	
Field type	IdentifierScheme	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	R038: A spatial object with an 'eu' thematicIdIdentifierScheme must be associated with a related zone with an 'eu' relatedZoneIdentifierScheme. (BLOCKER) R044: The relatedZoneIdentifierScheme value must be reported, if the relatedZoneIdentifier value is reported. (BLOCKER) V030: The relatedZoneIdentifierScheme value is not valid (see http://dd.eionet.europa.eu/vocabulary/wise/IdentifierScheme). (BLOCKER) V055: WFD thematic identifiers must be used for all spatial objects (BLOCKER)	

Field	confidentialityStatus	
Guidance on completion		
Field type	ConfidentialityStatus	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V072: Checks if the record based on criteria is valid LINK (BLOCKER)	

Field	link	
Guidance on completion	This element is not required (but can be provided). Guidance: Reporting is optional	
Field type	URL. Text(254)	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	V014: Checks if the field is a valid URL (BLOCKER) V043: The link value must be an URL with less than 255 characters (BLOCKER)	

5.5.2. [Table: dcMetadata](#)

Description: Metadata

Quality Check

TU100: dcMetadata must have one record only. (BLOCKER)

T100: When a table is marked as mandatory, checks at least one record is added (BLOCKER)

RF9999: There are reference tables that have to be updated (BLOCKER)

Field	title	
Guidance on completion	Name given to the dataset. Guidance:	
Field type	Text(4000)	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V100: Checks if the field is missing or empty (BLOCKER)	
	V117: The length of the value must be <= 4000 (BLOCKER)	

Field	creatorOrganisationName	
Guidance on completion	Required. Organisation responsible for the dataset. Guidance:	
Field type	Text(4000)	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V102: Checks if the field is missing or empty (BLOCKER)	
	V110: The length of the value must be <= 4000. (BLOCKER)	

Field	creatorElectronicMailAddress	
Guidance on completion	Required. Email address of the point of contact in the organisation responsible for the dataset.	
	Guidance:	

Field type	Email - Text(250)
Properties	minOccurs: 1
	maxOccurs: 1
Quality Checks	V108: Checks if the field is missing or empty (BLOCKER) V109: Checks if the field is a valid EMAIL (BLOCKER) V132: The length must be less than or equal to 250 (BLOCKER)

Field	description
Guidance on completion	Optional description of the dataset. Guidance:
Field type	Text(4000)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V111: The length of the value must be <= 4000. (BLOCKER)

Field	created
Guidance on completion	Optional. Date of creation of the dataset. Guidance:
Field type	Text(10)
Properties	minOccurs: 0
	maxOccurs: 1
Quality Checks	V107: created must contain a valid date in the ISO 8601 extended format value (YYYY-MM-DD) (BLOCKER)

Field	language
Guidance on completion	Required. Code of the language of the file. Guidance:
Field type	Language
Properties	minOccurs: 0
	maxOccurs: *
Quality Checks	V101: Checks if the record based on criteria is valid LINK (BLOCKER) V103: Checks if the field is missing or empty (BLOCKER)

	V112: "language" contains duplicate values (BLOCKER)	
--	---	--

Field	license	
Guidance on completion	Required. A legal document giving official permission to do something with the resource. Provide the URL to the licence text of a CC BY compatible license. Use a persistent identifier to an English or multilingual version of the licence agreement. Guidance:	
Field type	License	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V104: Checks if the record based on criteria is valid LINK (BLOCKER) V123: Checks if the field is missing or empty (BLOCKER)	

Field	rights	
Guidance on completion	Optional. Information about rights held in and over the resource. If necessary, provide the attribution text required by the licence, or other relevant information. Guidance:	
Field type	Text(4000)	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	V115: The length of the value must be <= 4000 (BLOCKER)	

Field	rightsHolder	
Guidance on completion	Optional. A person or organization owning or managing rights over the resource. This element can be provided if the rights holder reserved rights (e.g. should to be contacted for specific uses), or if the rights holder is not the organisation responsible for the dataset. Guidance:	
Field type	Text(4000)	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	V116: The length of the value must be <= 4000 (BLOCKER)	

Field	updateSpatialData	
Guidance on completion		
Field type	YesNo	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V124: Checks if the field is missing or empty (BLOCKER) V130: Checks if the record based on criteria is valid LINK (BLOCKER) XC102: If updateSpatialData = 'yes', then CatchmentArea table in Spatial dataset cannot be empty (BLOCKER)	

Field	updateDocument	
Guidance on completion		
Field type	YesNo	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V128: Checks if the field is missing or empty (BLOCKER) V129: Checks if the record based on criteria is valid LINK (BLOCKER) XC106: If updateDocument = 'yes', then Document table in Documents and metadata dataset cannot be empty (BLOCKER)	

Field	licenseDocument	
Guidance on completion		
Field type	documentCode	
Properties	minOccurs: 0	
	maxOccurs: *	
Quality Checks	R100: licenseDocument must be reported if license is 'exactMatch_CC_BY_4_0' or 'narrowMatch_CC_BY_4_0' (BLOCKER) V113: "licenseDocument" contains duplicate values. (BLOCKER) V125: Checks if the record based on criteria is valid LINK (BLOCKER)	

Field	metadataDocument	
Guidance on completion		
Field type	documentCode	
Properties	minOccurs: 0	
	maxOccurs: *	
Quality Checks	V114: "metadataDocument" contains duplicate values (BLOCKER) V126: Checks if the record based on criteria is valid LINK (BLOCKER)	

5.5.3. Table: Document

Description: This table contains information about reported documents. Each document must have a unique identifier, a name and it can be either an external link represented by URL or a local file uploaded.

Uniqueness: documentCode

Quality Check:

TU101: Checks if documentCode is unique within table (BLOCKER)

Field	documentCode	
Guidance on completion	Name of the document. Required. Guidance:	
Field type	WiselIdentifier	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V118: Checks if the field is missing or empty (BLOCKER) V122: The value of documentCode must follow the syntax of WISE identifiers (BLOCKER)	

Field	documentName	
Guidance on completion	Description of the dataset. Optional.	

	Max length: 4000 characters.	
Field type	Text(250)	
Properties	minOccurs: 1	
	maxOccurs: 1	
Quality Checks	V119: Checks if the field is missing or empty (BLOCKER) V121: The length of the value must be <= 50 (BLOCKER)	

Field	hyperlink	
Guidance on completion	URL of the document if available on the internet. Guidance:	
Field type	URL. Text(2048)	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	R101: Either hyperlink or documentFile must be reported, but not both (BLOCKER) V120: Checks if the field is a valid URL (BLOCKER) V131: The length must be less than or equal to 2100 (BLOCKER)	

Field	documentFile	
Guidance on completion	Document file as an attachment. The size of the file can be up to 100 MB and the valid file extensions are: 'xlsx' (Excel), 'docx' (Word) and 'pdf'. Either URL or documentFile must be reported, but not both. Guidance:	
Field type	Attachment	
Properties	minOccurs: 0	
	maxOccurs: 1	
Quality Checks	R101: Either hyperlink or documentFile must be reported, but not both (BLOCKER)	