




# **EuroBoundaryMap**

## **Data product specification**

Refers to production of 2020 product



## Change history

*Version*   *Date*                      *Changes by*

File name	EBM_2020_Specification		
Version	Author	Date	Comments
2020	Krystallo Grammenou	09.01.2020	Creation of final version, update of data model with exonyms table (see page 32)
2020	Jörgen Spradau	18.01.2019	Review of 2019
2019	Jörgen Spradau	08.01.2019	Creation of final version
13	Jörgen Spradau	01.03.2018	Creation of version for data production
12	Jörgen Spradau	15.01.2018	Creation of final version
12	Jörgen Spradau	10.02.2017	Creation of version for data production

## Contents

<b>1</b>	<b>Scope</b>	<b>5</b>
<b>2</b>	<b>Overview</b>	<b>5</b>
2.1	Name and acronyms	5
2.2	Information about the creation of the specification	5
2.3	Normative references	6
2.4	Terms and definitions	6
2.5	Abbreviations	6
2.6	Informal description of the data product	7
2.6.1	Content and purpose	7
2.6.2	Spatial and temporal extent	7
2.6.3	Data sources and maintenance	7
<b>3</b>	<b>Specification scopes</b>	<b>9</b>
3.1	Coverage and extent	9
3.2	Level description	9
<b>4</b>	<b>Data product identification</b>	<b>10</b>
4.1	Title and purpose	10
4.2	Geographic description	10
4.3	Spatial resolution	11
<b>5</b>	<b>Data content and structure</b>	<b>12</b>
5.1	Basic notions	12
5.1.1	Terminology	12
5.1.2	Core feature attribution	12
5.1.3	Missing attribute values	13
5.2	Data model	14
5.2.1	Narrative description	14
5.2.2	UML model	14
5.2.3	INSPIRE compliancy	15
5.2.4	Differences between administrative units and statistical regions	16
5.2.5	Distinction between land and water areas	17
5.3	Feature catalogue	18
5.3.1	Feature classes	18
5.3.1.1	Administrative areas	18
5.3.1.2	Administrative units	19
5.3.1.3	Administrative boundaries	20
5.3.1.4	Label points	21
5.3.1.5	Residence of Authority	22
5.3.1.6	NUTS regions	23
5.3.1.7	LAU regions	24
5.3.2	Related Tables	25
5.3.2.1	Names of administrative units	25
5.3.2.2	Designations of administrative hierarchical levels	27
5.3.2.3	Relation to LAU and NUTS classification	29
5.3.2.4	Languages and character sets	30
5.3.2.5	Co-administered units	30
5.3.2.6	Country Codes	31
5.3.2.7	Exonyms	32
5.3.3	Domains	33
5.3.4	Relationships	35
<b>6</b>	<b>Reference systems</b>	<b>37</b>
6.1	Spatial reference system	37
6.2	Temporal reference system	37
<b>7</b>	<b>Data quality</b>	<b>38</b>

<b>8</b>	<b>Data product delivery.....</b>	<b>38</b>
<b>9</b>	<b>Metadata.....</b>	<b>39</b>
	<b>Annex A: Country codes .....</b>	<b>40</b>
	<b>Annex B: Language codes .....</b>	<b>43</b>
	<b>Annex C: Detailed EBM data model .....</b>	<b>45</b>

# 1 Scope

This document defines the content and structure of EuroGeographics reference data base of administrative and statistical units and regions covering Europe. The product defined is referred to as EuroBoundaryMap. It is a seamless and harmonised dataset continuously maintained by the National Mapping and Cadastral Agencies, members of EuroGeographics.

## 2 Overview

### 2.1 Name and acronyms

The name of the specified product (version) is EuroBoundaryMap 2020 (EBM 2020).

### 2.2 Information about the creation of the specification

This document has been designed according to ISO 19131 to provide all information needed to use the EuroBoundaryMap product.

Document title:	EBM_2020_Specification
Topic category:	003 – boundaries (Administrative regions, vector data)
Reference date:	2018-12-31
Responsible party:	EuroGeographics, BKG, Germany
Language:	English
Distribution format:	PDF

The document has been checked before issuing it, and every effort has been made to ensure that the contents are accurate. If you find an error, omission, or have a suggestion about how it can be improved, please contact EuroGeographics at the address shown below.

If you have problems using EuroBoundaryMap or any questions related to the dataset or its use please contact EuroGeographics or BKG directly:

EuroGeographics's address is:

EuroGeographics  
rue du Nord 76 / Noordstraat 76  
  
1000 Brussels  
Belgium

Telephone: +32 484 663 345

E-mail: [angela.baker@eurogeographics.org](mailto:angela.baker@eurogeographics.org)

Web: [www.EuroGeographics.org](http://www.EuroGeographics.org)

EBM Production Manager's address is:

Federal Agency for Cartography and Geodesy  
Bundesamt für Kartographie und Geodäsie (BKG)  
Richard-Strauss-Allee 11  
60598 Frankfurt am Main  
Germany

Telephone: +49 (0)69 6333 410

E-mail: [ebm@bkg.bund.de](mailto:ebm@bkg.bund.de)

Web: [www.bkg.bund.de](http://www.bkg.bund.de)

## 2.3 Normative references

The following standards and specifications form a part of this document or have served as a reference for concepts defined in the EBM specification:

- ISO 19115: Geographic Information – Metadata
- ISO 19131: Geographic Information – Data product specifications
- ISO 19157: Geographic Information – Data quality
- ISO 3166, Codes for the Representation of Names of Countries
- ISO 639-2/B 3 character Language Code
- INSPIRE Data Specifications, especially D2.8.I.4 INSPIRE Data Specification on *Administrative units* – Guidelines v3.1
- EuroGeographics data product specifications, especially EuroRegionalMap 2020 Specification and Data Catalogue

## 2.4 Terms and definitions

Terms and definitions necessary for understanding this document are defined in ISO 19131, Geographic Information – Data product specifications.

## 2.5 Abbreviations

BKG	Bundesamt für Kartographie und Geodäsie (Germany)
EuroGeographics	Association representing nearly all European National Mapping and Cadastral Agencies (NMCAs)
Eurostat	Statistical Office of the European Communities
GISCO	Geographic Information System of the European Commission
EBM	EuroBoundaryMap (product of EuroGeographics)
EC	European Commission
EU	European Union
LAU	Local Administrative Unit
NMCA	National Mapping and Cadastral Agencies
NUTS	Nomenclature of Territorial Units for Statistics
SHN	Strictly hierarchical built codes (defined by BKG/EuroGeographics) being European-wide unique identifiers for administrative units
UNCLOS	United Nations Convention on the Law of the Sea (10 December 1982)

## 2.6 Informal description of the data product

### 2.6.1 Content and purpose

**EuroBoundaryMap** is the European reference database of administrative units and boundaries established within the framework of **EuroGeographics**. The dataset is compiled from data supplied by European **National Mapping and Cadastral Agencies (NMCAs)** and harmonized by means of a uniform specification developed and continuously improved according to user needs by **Bundesamt für Kartographie und Geodäsie (BKG)**.

The present EuroBoundaryMap product contains the administrative units of all national administrative levels, their names and unique codes of 54 countries (according to ISO country code and Kosovo) according to the administrative situation as it was on **31 December 2018** for an application scale of 1:100 000. The database includes relations between the European-wide unique identifiers (SHN) of administrative units on the lowest level for all 28 EU countries and their corresponding statistical codes (LAU) as defined by the National Statistical Institutes and also to the corresponding codes of the territorial units for statistics (NUTS) as defined in the framework of the following regulation maintained and published by Eurostat:

- Commission Regulation (EU) 2016/2066 on NUTS codes, released on 21 November 2016 and comes into force from 1 January 2018 → referred to as **NUTS 2016**

Therefore EuroBoundaryMap makes it possible to connect detailed and up-to-date data of administrative regions to European thematic/statistical information.

The product **EBM 2020** is a full update of all countries. Different product types (seamless FullEurope, specific regions) are deliverable as ESRI Geodatabase or Shapefiles. Names of administrative units and levels are stored with Unicode character set as well as standard ASCII. Considering the user requirements, it can also be distinguished between land and water parts of administrative units within EuroBoundaryMap.

**Territorial sea** areas are included for a number of countries as an optional feature. This comprises territorial waters assigned to administrative units on lowest national level as well as territorial waters, which are directly administered by the national government. The definition of the territorial sea strictly follows the United Nations Convention on the Law of the Sea. All territorial sea areas are attributed as coastal waters. Refer to section 5.2.5 for further details.

This new update represents a market oriented and user specific enhancement of the EuroBoundaryMap product and supports the interoperability between the EuroBoundaryMap product and various applications based on LAU and NUTS codes, which was a strong requirement of many customers.

### 2.6.2 Spatial and temporal extent

EuroBoundaryMap is the reference data of administrative and statistical regions at scale 1:100 000, that covers Europe and refers to the administrative situation as it was in each country on **31 December 2018** (reference date).

### 2.6.3 Data sources and maintenance

The source data, delivered by National Mapping and Cadastre Agencies, Members of EuroGeographics are of best available geometric and semantic quality produced according to the national specifications and quality control processes. Data required by EuroGeographics for maintenance of EuroBoundaryMap product are mainly derived from the national sources, and processed by the NMCAs to meet the specifications set up for the EBM product. EuroGeographics has made every effort to ensure that data supplied are free from errors and omissions.


EuroBoundaryMap data and metadata are copyright of EuroGeographics and the contributing National Mapping and Cadastral Agencies. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the explicit written permission of EuroGeographics.

EuroBoundaryMap data copyright is held by following European National Mapping and Cadastral Agencies, members of EuroGeographics:

Albania	© State Authority for Geospatial Information (ASIG)
Austria	© Bundesamt für Eich- und Vermessungswesen
Belgium	© Institut Géographique National (IGN-Belgium)
Bosnia and Herzegovina	© Federal Administration for Geodetic and Real Property Affairs
Bulgaria	© Geodesy, Cartography and Cadastre Agency (CA)
Croatia	© Državna Geodetska Uprava (DGU)
Cyprus	© Department of Lands and Surveys (DLS)
Czechia	© Český úřad zeměměřický a katastrální
Denmark	© Danish Ministry of the Environment, Danish Geodata Agency
Estonia	© Eesti Maa-amet
Finland	© Maanmittauslaitos (NLS)
France	© Institut Géographique National (IGN-France)
Germany	© Bundesamt für Kartographie und Geodäsie (BKG)
Great Britain	© Ordnance Survey (OS)
Greece	© Hellenic Mapping and Cadastral Organisation (HEMCO) © Hellenic Military Geographical Service (HMGS)
Hungary	© Institute of Geodesy, Cartography and Remote Sensing (FÖMI)
Iceland	© Landmælingar Íslands (National Land Survey of Iceland)
Ireland	© Ordnance Survey of Ireland (OSI)
Italy	© Istituto Geografico Militare Italiano © Istituto Nazionale di Statistica (ISTAT)
Latvia	© Valsts Zemes Dienests (The State Land Service)
Lithuania	© Nacionalinė žemės tarnyba prie Žemės ūkio ministerijos © AGI Institute of Aerial Geodesy
Luxembourg	© Administration du Cadastre et de la Topographie
Kosovo	© Kosova Cadastral Agency (KCA)
Malta	© Malta Environment and Planning Authority (MEPA)
FYROM	© Agency of Real Estate Cadastre
Moldova	© State Agency for Land Relations and Cadastre
Netherlands	© Kadaster en Openbare Registers
Northern Ireland	© Ordnance Survey of Northern Ireland (OSNI)
Norway	© Statens kartverk (Norwegian Mapping Authority)
Poland	© Główny Urząd Geodezji i Kartografii
Portugal	© Instituto Geográfico Português (IGP)
Romania	© National Agency for Cadastre and Land Registration (NACLAR)
Serbia	© Republički geodetski zavod
Slovakia	© Geodetický a kartografický ústav (Geodetic and Cartographic Institute)
Slovenia	© Geodetska uprava Republike Slovenije
Spain	© Instituto Geográfico Nacional
Sweden	© Lantmäteriet
Switzerland	© swisstopo, Federal Office of Topography
Ukraine	© Derzavna Sluzba Geodezii, kartografii ta kadastru

EuroBoundaryMap is owned by all National Mapping and Cadastral Agencies (NMCAs) above and collectively represented by © EuroGeographics.

For publications the following partial copyright statement applies:

	<p>This product includes data produced by European National Mapping and Cadastral Agencies</p> <p>© EuroGeographics.</p>
---	--

The way in which branding, copyright and trademarks should be dealt with is described in the License agreement.



## 3 Specification scopes

### 3.1 Coverage and extent

EuroBoundaryMap provides a European geographic database for administrative and statistical regions for applications at 1:100 000 scale. This reference dataset covers Europe, is seamless and harmonized and continuously maintained by National Mapping and Cadastral Agencies of Europe. The data base includes:

- Geometry of all European administrative units from most detailed local level to the country level
- Names (Unicode-UTF8, ASCII versions and transliterations) and unique codes of all European administrative units on each national level based on the national nomenclatures and representing the national administrative hierarchy
- Names and unique codes for all administrative levels of Europe and the relation between them
- Linkage to corresponding LAU- and NUTS-codes for all local administrative units of the 28 EU countries
- Geometry, names and codes of each national administrative level and the derived national statistical regions for the 28 EU countries
- Attributes allowing to distinguish between land and water parts of administrative units

The definition of administrative boundaries with regards to sea and inland waters differs from country to country. In some countries the administrative areas extend into the sea. In some cases the sea boundary is not defined or is defined to a different precision than the other administrative boundaries. The TAA (type of administrative area) attribute has been introduced to enable the users to distinguish between and select water and land parts of administrative units.

EuroBoundaryMap reference data is delivered as individual country files as well as a seamless and consistent full Europe database. The term consistent refers to the contents, to the structure, to geo-referencing, and time referencing of the data. The term seamless means that there are no gaps or overlaps between polygons initially derived from different sources.

### 3.2 Level description

The hierarchy level (MD\_ScopeCode) of EuroBoundaryMap product is 005 (see B.5.2.5 of ISO 19115 and EuroBoundaryMap 2020 Metadata). Metadata is provided for the EBM 2019 full Europe product as well as for each national contribution.

## 4 Data product identification

### 4.1 Title and purpose

The title of the specified data product (version) is EuroBoundaryMap 2020 (EBM 2020).

EuroBoundaryMap provides a European geographic database for administrative and statistical regions that will be maintained at the source level by the National Mapping and Cadastral Agencies (NMCAs). EuroGeographics provides harmonized access conditions for this geographic information within the framework of EuroGeographics. EBM (1:100 000) offers the combined strength of detailed European administrative units and the linkage to corresponding LAU- and NUTS-codes.


Especially this connection to the NUTS codes and to the national (statistical) LAU-codes for every individual administrative unit at local level is a market oriented and user specific enhancement of EuroBoundaryMap. The EuroBoundaryMap reference data is strong in applications like referencing statistical cross border data, linking (geo-) marketing and market analysis, asset management, geo-referencing demographic analysis, thematic planning and many others.

The main benefits are:

- Sources are official, updated national administrative data
- Seamless database with GIS ready geometry
- Unique data model implemented for all countries
- Linkage to the NUTS codes as published and maintained by Eurostat
- Metadata available for all national contributions
- Maintenance and technical support assured
- Single licensing framework for 43 incorporated countries

### 4.2 Geographic description

EBM covers all 28 EU countries, 3 EU candidate countries, all 4 EFTA countries and 8 other European countries. The geographic extent of EuroBoundaryMap 2020 can be split into five geographic bounding boxes:



**Figure 1 – Geographic extent of EBM (overview)**



Albania, Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark (including Faroe Islands), Estonia, Finland, France (including Monaco), Germany, Great Britain, Greece, Hungary, Ireland, Italy (including San Marino and Vatican), Kosovo, Latvia, Lithuania, Luxembourg, Malta, Moldova, The Former Yugoslav Republic Of Macedonia, The Netherlands, Northern Ireland, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain (including Andorra and Gibraltar), Sweden, Switzerland (including Liechtenstein), Ukraine.

The extent of some countries includes the territorial sea areas (displayed dark blue in the figure).

**Figure 2 – Geographic extent of EBM (core Europe)**

In EBM 2020 one country dataset were included:

- Bosnia and Herzegovina: This country consists of two entities. The dataset from the Federacija Bosne i Hercegovine, as one of the entities, is ready and compliant with the EBM specification.

For this country, it was not possible to clarify the integration into the full Europe seamless database. The presentation of the international boundaries with the neighbouring countries is still an open issue and will be clarified as soon as possible.

Additionally, EBM 2020 includes placeholders for potential EBM countries and territories: Armenia, Azerbaijan, Belarus, Georgia, Guernsey, Isle of Man, Jersey, Montenegro, Russia, Svalbard and Jan Mayen, Sint Maarten and Turkey. The outlines of these countries and territories have been adopted from freely available small scale data.

### 4.3 Spatial resolution

The EuroBoundaryMap 2020 product provides the geometry, names and codes for each administrative unit of all national administrative hierarchies in Europe, i.e. data from the most detailed local to the country level.

For processing of the data the following tolerances were applied:

- Minimum distance separating all nodes and vertices of all lines (weed and fuzzy tolerance) is 5 meters. Coordinates of nodes or vertices within 5 m are considered equal.
- Minimum length of linear features is 30 meters.
- Minimum size of polygon features is in general 4 ha. Exceptions are allowed:
  - For administrative units, where the main area is smaller 4 ha,
  - For small islands or exclaves which are of major importance for the national territory.

## 5 Data content and structure

### 5.1 Basic notions

#### 5.1.1 Terminology

The terminology used for EBM has been established over the lifetime of the EBM product. It is based on the conventions of geographic information systems. The following table lists a number of common synonyms and alias covering also the INSPIRE stereotypes.

Type	Description	Alias
<b>Feature</b>	Geographic entity related in some way to the Earth's surface.	object
<b>Geometry type</b>	Features may be either of Point, Line or Area type.	feature class type, area - polygon
<b>Single part / multipart</b>	Single part features consist of only one geometrical primitive. Multipart features are a collection of geometrical primitives of unique geometry type (either Area or Line).	
<b>Feature class</b>	Set of features with the same definition. All features share a homogeneous set of attributes.	featureType, data layer
<b>Related table</b>	Structured list of non-spatial information related to features. Related tables may contain additional attributive information or information to define relationships.	dataType, tabular data
<b>Domain</b>	List of legal values of an attribute.	codeList, enumeration
<b>Relationship</b>	Relationships define the associations between objects in one class (feature class or related table) and objects in another based on identifiers.	association, relation
<b>Feature Dataset</b>	Collection of feature classes.	thematic layer, package

#### 5.1.2 Core feature attribution

Each feature class will be composed of a two basic attributes defined by INSPIRE:

Attribute: <b>inspireId</b>		
Definition:	External identifier of the spatial object	
Description:	An external object identifier is a unique object identifier published by the responsible body, which may be used by external applications to reference the spatial object. The identifier is an identifier of the spatial object, not an identifier of the real-world phenomenon.	
Value type:	Identifier (text, 80 characters)	
Value example:	_EG.EBM:AU3.EE670213	Identifier of an Estonian object in feature class <i>AdministrativeUnit_3</i>
Attribute: <b>beginLifespanVersion</b>		
Definition:	Date at which this version of the spatial object was inserted or changed in the spatial data set	
Value type:	Date	
Value example:	20.03.2013	Date at which an object was inserted in a feature class.

The INSPIRE attribute *endLifespanVersion* is not used, because EBM doesn't contain outdated objects.

Each feature class and related table contains the following basic EBM attribute:

Attribute: <b>ICC</b>		
Definition:	Country code of EuroGeographics (see 5.3.2.6 Country Codes)	
Description:	<p>Country code of the country on which's territory the feature is located.</p> <p>Area features: In dispute areas claimed by two countries store the country code of both neighbouring countries in alphabetical order delimited by #.</p> <p>Line features: International boundaries store the country code of both neighbouring countries in alphabetical order delimited by #.</p> <p>Table EBM_CHR: Codes of those countries where the language is used in alphabetical order delimited by #.</p>	
Value type:	<a href="#">ICC</a>	
Value examples:	FI	Finland
	HR#RS	In dispute area claimed by Croatia and Serbia
	FI#SE	International boundary between Finland and Sweden

### 5.1.3 Missing attribute values

If feature attributes are not present in the dataset, but may be present or applicable in the real world, the attribute shall receive one of the following void characteristics:

- **Unknown** – This value is used when it is not possible to determine the value of an attribute for an object. Objects with missing attribute information have value 'Unknown' and other objects have actual values or classification code values to indicate the classification. 'Unknown' is used normally for a single attribute value of individual objects in a layer.
- **Unpopulated** – This value is used when this attribute information exists but the data producer doesn't have this attribute information and has left the attribute field empty. Value 'Unpopulated' indicates an empty attribute field for the whole class (feature class or related table) or a significant subset.
- **Not applicable** – This value is used in the case when the attribute is defined to be used for a certain feature but there are objects for which the attribute values do not apply. For example: if the geographical name of an administrative unit is unknown, then a transliteration to ASCII and the language code is not applicable.

Depending on the attribute type, the following attribute values are used for describing missing attribution:

Attribute type	Unknown	Unpopulated	Not applicable
Text	UNK	N_P	N_A
Integer, coded	0	997	998
Integer, actual value	-29999	-29997	-29998

The Feature Catalogue lists the allowed void characteristics for each attribute.

## 5.2 Data model

### 5.2.1 Narrative description

EBM data model includes two main themes (feature datasets): *Administrative Units* and *Statistical Units*. All feature classes within both themes can be derived from the basic geometry stored in feature class *EBM\_A*. The administrative areas in *EBM\_A* are the basic components on which administrative units of all hierarchical levels, as well as all statistical layers are composed. Administrative areas cover the whole territory of a country and distinguish between land and water parts.

The main feature class of theme *Administrative Units* are *AdministrativeUnit\_x* (up to 6 layers) and *AdministrativeBoundary*. *AdministrativeUnit\_x* includes core attribution. Detailed attributive information can be joined by the related tables *EBM\_NAM* (names of administrative units), *EBM\_ISN* (designations of administrative hierarchical levels) and the additional tables *EBM\_CHR* and *EBM\_coAdministered*. Feature class *ResidenceOfAuthority* contains the administrative centres of all administrative levels.

Theme *Statistical Units* contains territorial units for statistics defined by the National Statistical Institute and Eurostat: feature classes *LAU* and *NUTS\_x*. The link between the basic geometry in *EBM\_A* and the statistical layers is included in table *EBM\_NUTS*.

### 5.2.2 UML model





Figure 3 – EBM Feature Datasets (packages)



**Figure 4 – Overview of the EBM data model**

See also Annex C: Detailed EBM data model

### 5.2.3 INSPIRE compliancy

The feature classes *AdministrativeBoundary*, *AdministrativeUnit\_x*, *ResidenceOfAuthority* and *NUTS\_x* are compliant with the INSPIRE data specification on Administrative Units v3.1. The INSPIRE feature type *Condominium* is not relevant for EBM.

The nomenclature used for the EBM attributes is based on the DIGEST FACC (Digital Geographic Information Exchange Standard – Feature Attribute Coding Catalogue). All attribute concepts are matching the INSPIRE concepts.


## 5.2.4 Differences between administrative units and statistical regions

The Nomenclature of Territorial Units for Statistics (NUTS) was established in the framework of Commission Regulations (EU): 2016/2066 on NUTS codes, released on 21 November 2016 (**NUTS 2016**).

A particularly important goal of the regulation is to manage the inevitable process of change in the administrative structures of member states in the smoothest possible way, so as to minimise the impact of such changes on the availability and comparability of regional statistics. The NUTS nomenclature serves as a reference:

- For the collection, development and harmonization of Community regional statistics
- For the socio-economic analyses of the regions
- For the framing of Community regional policies for instance for the purposes of appraisal of eligibility for aid from the Structural Funds

However, not for all EU countries a complete conformance can be found between the NUTS1, NUTS2 and NUTS3 levels and corresponding national administrative hierarchical levels. Often the NUTS classification differs from the national administrative hierarchy, for example Austria:



**Figure 5 – Differences between administrative units and statistical regions**

Local Administrative Units (LAU), the basic national entities for statistics, are defined by the National Statistical Institutes. In general, LAU level refers to the lowest national administrative. For some countries with rather large basic administrative entities (communes or municipalities), LAU refers to units below the lowest national administrative, e.g. parishes or electoral divisions.

LAU level is defined only for those countries where a comparable administrative level is defined in the national administrative hierarchy.


See: <http://ec.europa.eu/eurostat/web/nuts/national-structures-eu>



## 5.2.5 Distinction between land and water areas

The status and administration of coastal water and main inland water bodies varies from country to country. In general, coastal water claimed as national territory can be provided with EBM if it is compliant with the United Nations Convention on the Law of the Sea (UNCLOS). Territorial sea must not exceed 12 nautical miles. There are three options how territorial sea is handled in national EBM contributions:

- A: Territorial sea is split and administered by the administrative units on lowest level which are linked to the sea.
- B: Territorial sea is one area directly administered by the national government.
- C: Territorial sea is not included in EBM.



**Figure 6 – Different options for territorial sea in EBM**

For inland water areas, e.g. lakes and major estuaries, there are two options:

- For all countries where the administrative units are derived from national cadastre, inland water areas are usually not part of the administrative units on lowest level. In this case, lakes are created as units with special status to get a complete national coverage for EBM.
- In most countries, inland water areas are part of the administrative units. In this case, the administrative units are intersected with shape of the major lakes larger 400 km<sup>2</sup> to distinguish between the land and water part of the administrative units.

Taking into account the variety of national definitions across Europe, all administrative units in EBM are provided with an explicit attribute TAA, allowing the distinction between land and water areas. This approach provides the possibility to meet different user demands:

- For users interested in the core landmass of administrative units → Delete all water areas (TAA=5 or TAA=7).
- For users interested in the landmass of administrative units without coastal water → Delete all coastal water (TAA=5). Merge inland water areas to land areas, for instance by deleting attribute TAA and dissolving all areas.
- For users interested in the real shape of administrative units as defined by the national authorities → Merge all water areas to land areas, for instance by deleting attribute TAA and dissolving all areas.

Statistical units do not include any coastal water areas, as NUTS regions are defined only for the main territory of a country without territorial sea. Major inland water areas are handled similar to the solution for administrative units.

## 5.3 Feature catalogue

### 5.3.1 Feature classes

#### 5.3.1.1 Administrative areas

EBM_A		Alias: AdministrativeArea
	Definition:	Area controlled by an administrative authority; basic component of administrative units
	Description:	Administrative areas are the basic components on which administrative units of all hierarchical levels are composed (see 5.3.1.2). Administrative areas cover the whole territory of a country. For most countries, this feature class is equivalent with the administrative units on lowest level. Each administrative unit on lowest level consists of one main area and occasionally of branch areas. Administrative areas distinguish between land and water parts, see 5.2.5. Minimum size of branch areas and water areas is 4 ha.
	Geometry type:	Area, single part
Attribute: SHN		
	Definition:	Unique identifier for all European administrative units
	Description:	The SHN code indicates the administrative unit to which the area belongs. SHN is a strictly hierarchically built identifier for all administrative units on each administrative level. In general, SHN corresponds to the national administrative code. SHN starts with the ISO 3166 country code (ICC). For more information about the national structure of the SHN code refer to Annex A: Country codesand the national metadata (lineage file).
	Value type:	Identifier (text, 14 characters)
	Value example:	FI619698 Finnish administrative unit <i>Rovaniemi</i>
Attribute: TAA		
	Definition:	Type of the administrative area
	Value type:	Domain: TAA
	Values:	1 Main area
		3 Branch area
		4 Special area
		5 Coastal water
		7 Inland water
		8 In dispute area

### 5.3.1.2 Administrative units

AdministrativeUnit_x			x = {1,2,3,4,5,6}
Definition:	Unit of administration where a national authority has and/or exercises jurisdictional rights, for local, regional and national governance		
	Description:	This feature type comprises administrative units of all national hierarchical levels from lowest level up to country level. The data is stored in up to 6 feature classes, depending on the hierarchical level.	
		Administrative units are composed of administrative areas (see 5.3.1.1). Some lower hierarchical levels may not cover the whole extend of a country, even the lowest national level. The reason is that some parts of a country are not subdivided into all lower hierarchical levels.	
Geometry type:	Area, multipart		
Attribute: SHN			
Definition:	Unique identifier for all European administrative units		
Description:	see EBM_A		
Value type:	Identifier (text, 14 characters)		
Value example:	FI619698	Finnish administrative unit <i>Rovaniemi</i>	
Attribute: ISN			
Definition:	Unique structure identifier for all European administrative hierarchical levels		
Value type:	Identifier (integer)		
Value example:	4904	Finnish administrative hierarchical level <i>Kunta / Kommun</i>	
Attribute: NAMN			
Definition:	Geographical (official national) name of the administrative unit given in national characters (Unicode-UTF8)		
Description:	In case of more than one official language the names are delimited by #, starting with the primary official name.		
Value type:	Text, 80 characters		
Value examples:	Яздач	Bulgarian administrative unit	
	Turku#Åbo	Finnish administrative unit	
	UNK	Unknown	
Attribute: DESN			
Definition:	Designation of the national administrative hierarchy level given in national characters (Unicode-UTF8)		
Description:	In case of more than one official language the designations are delimited by #.		
Value type:	Text, 80 characters		
Value examples:	Землище	Bulgarian designation	
	Kunta#Kommun	Finnish designation	
Attribute: TAA			
Definition:	Type of the administrative area		
Value type:	Domain: TAA		
Value example:	2	Land area	
	4	Special area	
	5	Coastal water	
	7	Inland water	
	8	In dispute area	

### 5.3.1.3 Administrative boundaries

AdministrativeBoundary		
	Definition:	Line of demarcation between administrative areas
	Description:	Basically, administrative boundaries are demarcations outlining administrative units.  This feature class also includes lines needed to distinguish between land and water areas of an administrative unit (coastlines or shorelines).
	Geometry type:	Line, single part
Attribute: <b>ABID</b>		
	Definition:	Unique identifier for all administrative boundaries in EBM
	Description:	ABID refers to the administrative units demarcated by the boundary. The ABID code is composed of the SHN codes (in alphabetical order) of the neighbouring administrative units on lowest level.
	Value type:	Identifier (text, 30 characters)
	Value example:	FI619047#SE2584    Boundary between the lowest level units <i>Enontekiö</i> (SHN=FI619047) and <i>Kiruna</i> (SHN=SE2584)
		N_A    Not applicable (for MOL=2 or MOL=3)
Attribute: <b>USE</b>		
	Definition:	Administrative hierarchy level of the boundary
	Description:	Upmost hierarchical level of the boundary is given.
	Value type:	Domain: <a href="#">USE</a>
	Values:	1    1 <sup>st</sup> order (country level)
		2    2 <sup>nd</sup> order
		3    3 <sup>rd</sup> order
		4    4 <sup>th</sup> order
		5    5 <sup>th</sup> order
		6    6 <sup>th</sup> order
		998    Not applicable (for international demarcations which are not referred to as international boundaries or MOL=2 or MOL=3)
Attribute: <b>BST</b>		
	Definition:	Legal status of the administrative boundary (boundary status type)
	Description:	This attribute is maintained mainly for international boundaries.
	Value type:	Domain: <a href="#">BST</a>
	Values:	1    Definite
		2    Indefinite
		3    In dispute
		998    Not applicable (for MOL=2 or MOL=3)
Attribute: <b>MOL</b>		
	Definition:	Type of the administrative boundary (meaning of line)
	Value type:	Domain: <a href="#">MOL</a>
	Values:	1    Boundary and coastline
		2    Coastline
		3    Fictitious line
		7    Boundary on land
		9    Boundary on water

### 5.3.1.4 Label points

This feature class is included on request of Eurostat as additional feature for labelling purposes.

EBM_P		Alias: LabelPoints
	Definition:	Reference point of an administrative unit on lowest level
	Description:	This feature is meant for labelling purposes.
		Label points are located within the main area of the administrative units on lowest level.
	Geometry type:	Point
Attribute: <b>SHN</b>		
	Definition:	Unique identifier for all European administrative units
	Description:	see <a href="#">EBM_A</a>
	Value type:	Identifier (text, 14 characters)
	Value example:	FI619698 Finnish administrative unit <i>Rovaniemi</i>

### 5.3.1.5 Residence of Authority

ResidenceOfAuthority			
	Definition:	Centre for national or local administration	
	Description:	This feature class contains the administrative centres (administrative seats) of all administrative levels.  National capitals are mandatory. Regional and local administrative centres are optional.	
	Geometry type:	Point	
Attribute: <b>ROA</b>			
	Definition:	Identifier of the residence of authority	
	Description:	Identifier <i>PopulatedPlaceID</i> will be used as defined and maintained by EuroRegionalMap.	
	Value type:	Identifier (text, 38 characters)	
	Value example:	N.FI.BUILTUP.000028 <i>PopulatedPlaceID</i> of the Finnish built-up area <i>Helsinki</i>	
Attribute: <b>USE</b>			
	Definition:	Administrative hierarchy level	
	Value type:	Domain: <a href="#">USE</a>	
	Values:	1	1 <sup>st</sup> order (country level)
		2	2 <sup>nd</sup> order
		3	3 <sup>rd</sup> order
		4	4 <sup>th</sup> order
		5	5 <sup>th</sup> order
6	6 <sup>th</sup> order		
Attribute: <b>NAMN</b>			
	Definition:	Geographical (official national) name of the residence of authority given in national characters (Unicode-UTF8)	
	Description:	In case of more than one official language the names are delimited by #, starting with the primary official name.	
	Value type:	Text, 80 characters	
	Value example:	Helsinki	Finnish residence of authority
Attribute: <b>NAMA</b>			
	Definition:	Geographical name of the residence of authority (NAMN) converted to ASCII characters without diacritical characters.	
	Value type:	Text, 80 characters	
	Value example:	Helsinki	ASCII conversion of the Finnish residence of authority <i>Helsinki</i>
Attribute: <b>NLN</b>			
	Definition:	ISO 639-2/B 3-char language code of the geographical name (NAMN)	
	Description:	In case of more than one official language the codes are delimited by #.	
	Value type:	Text, 11 characters	
	Value example:	FIN	Finnish

### 5.3.1.6 NUTS regions

NUTS_x		x = {1,2,3}
Definition:	Territorial unit for statistics defined in the framework of the Regulation (EU) No 2016/2066 of the European Parliament and of the Council of 21 November 2016.	
Description:	<p>NUTS regions are defined and published by Eurostat. The NUTS Regulation has been set up for EU countries, but it covers also EU candidate countries and EFTA countries.</p> <p>The NUTS Regulation subdivides the European countries into comparable statistical units, from small regions for specific diagnoses (NUTS 3) up to major socio-economic regions (NUTS 1).</p> <p>In most cases, NUTS regions refer to national administrative levels. For some countries, NUTS regions are defined independent from the national administrative hierarchy. The differences between administrative units and NUTS regions are explained in section 5.2.4.</p>	
Geometry type:	Area, multipart	
Attribute: <b>NUTS_CODE</b>		
Definition:	Unique code of the NUTS region as defined and published by Eurostat	
Value type:	Identifier (text, 5 characters)	
Value example:	FI1A3	Finnish NUTS 3 region
Attribute: <b>NUTS_LABEL</b>		
Definition:	Name of the NUTS region as defined and published by Eurostat	
Value type:	Text, 80 characters	
Value example:	Lappi	Name of the Finnish NUTS 3 region <i>FI1A3</i>
Attribute: <b>TAA</b>		
Definition:	Type of the administrative area	
Value type:	Domain: <a href="#">TAA</a>	
Values:	2	Land area
	7	Inland water

### 5.3.1.7 LAU regions

LAU			
	Definition:	Territorial unit for statistics defined by the National Statistical Institute	
	Description:	<p>Local Administrative Units (LAU) are the basic national entities for statistics. They are defined by the National Statistical Institutes.</p> <p>In most cases, LAU regions are identical with national administrative levels: LAU is compliant with the lowest administrative level.</p> <p>There are some exceptions:</p> <ul style="list-style-type: none"><li>• In very special cases, National Statistical Institutes maintain LAU regions which refer to an outdated administrative hierarchy.</li></ul> <p>LAU regions in EBM are based on lists of LAU codes and names published by Eurostat.</p>	
	Geometry type:	Area, multipart	
Attribute: <b>LAU_CODE</b>			
	Definition:	National code of the LAU region as defined by National Statistical Institute and published by Eurostat	
	Description:	For most countries LAU_CODE corresponds to the SHN code of the referring administrative unit.	
	Value type:	Identifier (text, 14 characters)	
	Value example:	698	Finnish LAU region, corresponds to SHN=FI619698 of referring administrative unit
Attribute: <b>LAU_LABEL</b>			
	Definition:	Name of the LAU region as defined by National Statistical Institute and published by Eurostat	
	Description:	For most countries LAU_LABEL is identical with the name of the referring administrative unit (NAMN).	
	Value type:	Text, 80 characters	
	Value example:	Rovaniemi	Name of the Finnish LAU region 698, name is identical with referring administrative unit
		UNK	Unknown
		N_P	Not populated
Attribute: <b>TAA</b>			
	Definition:	Type of the administrative area	
	Value type:	Domain: <a href="#">TAA</a>	
	Values:	2	Land area
		7	Inland water



## 5.3.2 Related Tables

### 5.3.2.1 Names of administrative units

EBM_NAM		Alias: AdministrativeUnit_name	
	Definition:	Names of administrative units	
	Description:	All administrative units of all national hierarchical levels have a corresponding record in this table.  The relation to the referring feature classes is established based on the SHN codes.	
Attribute: SHN			
	Definition:	Unique identifier for all European administrative units	
	Description:	see <a href="#">EBM_A</a>	
	Value type:	Identifier (text, 14 characters)	
	Value example:	FI619698	Finnish administrative unit <i>Rovaniemi</i>
Attribute: USE			
	Definition:	Administrative hierarchy level	
	Value type:	Domain: <a href="#">USE</a>	
	Values:	1	1 <sup>st</sup> order (country level)
		2	2 <sup>nd</sup> order
		3	3 <sup>rd</sup> order
		4	4 <sup>th</sup> order
		5	5 <sup>th</sup> order
		6	6 <sup>th</sup> order
Attribute: ISN			
	Definition:	Unique structure identifier for all European administrative hierarchical levels	
	Value type:	Identifier (integer)	
	Value example:	4904	Finnish administrative hierarchical level <i>Kunta / Kommun</i>
Attribute: NAMN			
	Definition:	Geographical (official national) name of the administrative unit given in national characters (Unicode-UTF8)	
	Description:	In case of more than one official language the names are delimited by #, starting with the primary official name.	
	Value type:	Text, 80 characters	
	Value examples:	Яздач	Bulgarian administrative unit
		Turku#Åbo	Finnish administrative unit
		UNK	Unknown
		N_A	Not applicable
Attribute: NAMA			
	Definition:	Geographical name of the administrative unit (NAMN) converted to ASCII characters without diacritical characters.	
	Value type:	Text, 80 characters	
	Value examples:	Yazdach	ASCII conversion of the Bulgarian administrative unit Яздач
		Turku#Abo	ASCII conversion of the Finnish administrative unit <i>Turku#Åbo</i>
		N_A	Not applicable (for NAMN=UNK or N_A)
Attribute: NLN			
	Definition:	ISO 639-2/B 3-char language code of the geographical name (NAMN)	
	Description:	In case of more than one official language the codes are delimited by #.	
	Value type:	Text, 11 characters	
	Value examples:	BUL	Bulgarian
		FIN#SWE	Primary name Finnish, secondary name Swedish
		N_A	Not applicable (for NAMN=UNK or N_A)

EBM_NAM		Alias: AdministrativeUnit_name
Attribute: <b>SHNupper</b>		
Definition:	SHN code of the upper level unit which administers the administrative unit	
Value type:	Identifier (text, 14 characters)	
Value examples:	FI619000	Finnish administrative unit <i>Rovaniemi</i> with SHN=FI619698 (4 <sup>th</sup> national level) is administered by the upper unit <i>Lappi</i> with SHN=FI619000 (3 <sup>rd</sup> national level)
	N_A	Not applicable (for administrative units on country level)
Attribute: <b>ROA</b>		
Definition:	Identifier of the residence of authority	
Description:	Link to a point in feature class <i>ResidenceOfAuthority</i> where the administrative centres of this administrative unit is located.  The linkage is established on the identifier <i>PopulatedPlaceID</i> as defined and maintained by EuroRegionalMap.	
Value type:	Identifier (text, 38 characters)	
Value examples:	N.FI.BUILTUP.000028	<i>PopulatedPlaceID</i> of the Finnish built-up area <i>Helsinki</i>
	UNK	Unknown
	N_P	Not populated
	N_A	Not applicable
Attribute: <b>PPL</b>		
Definition:	Population	
Description:	The number of people within the administrative unit.	
Value type:	Integer	
Value examples:	178630	Population of the Finnish administrative unit <i>Turku#Åbo</i>
	-29999	Unknown
	-29997	Unpopulated
	-29998	Not applicable
Attribute: <b>ARA</b>		
Definition:	Area in km <sup>2</sup>	
Description:	The area size is calculated based on the objects in feature classes <i>AdministrativeUnit_x</i> excluding coastal waters, and rounded to a value with two decimal places.	
Value type:	Decimal	
Value example:	246.50	Area size of the Finnish administrative unit <i>Turku#Åbo</i>
Attribute: <b>effectiveDate</b>		
Definition:	Official entry into force date of the administrative unit (timestamp)	
Description:	Effective date is attributed, at least, for administrative units changed after 01.01.2010.	
Value type:	Date	
Value example:	01.01.2012	New Dutch administrative unit <i>Hollands Kroon</i> entered into force on 01.01.2012, merging four former administrative units.

### 5.3.2.2 Designations of administrative hierarchical levels

EBM_ISN		Alias: AdministrativeUnit_designation	
	Definition:	Designation of administrative hierarchical levels	
	Description:	All administrative units of all national hierarchical levels have a corresponding record in this table.  The relation to the referring feature classes and tables is established based on the ISN codes.	
Attribute: <b>ISN</b>			
	Definition:	Unique structure identifier for all European administrative hierarchical levels	
	Value type:	Identifier (integer)	
	Value example:	4904	Finnish administrative hierarchical level <i>Kunta / Kommun</i>
Attribute: <b>USE</b>			
	Definition:	Administrative hierarchy level	
	Value type:	Domain: <a href="#">USE</a>	
	Values:	1	1 <sup>st</sup> order (country level)
		2	2 <sup>nd</sup> order
		3	3 <sup>rd</sup> order
		4	4 <sup>th</sup> order
		5	5 <sup>th</sup> order
		6	6 <sup>th</sup> order
Attribute: <b>DESN</b>			
	Definition:	Designation of the national administrative hierarchy level given in national characters (Unicode-UTF8)	
	Description:	In case of more than one official language the designations are delimited by #.	
	Value type:	Text, 80 characters	
	Value examples:	Землище	Bulgarian designation
		Kunta#Kommun	Finnish designation
Attribute: <b>DESA</b>			
	Definition:	Designation of the national administrative hierarchy level (DESN) converted to ASCII characters without diacritical characters	
	Value type:	Text, 80 characters	
	Value examples:	Zemlishte	ASCII conversion of the Bulgarian designation <i>Землище</i>
		Kunta#Kommun	ASCII conversion of the Finnish designation <i>Kunta#Kommun</i>
Attribute: <b>NLN</b>			
	Definition:	ISO 639-2/B 3-char language code of the designations (DESN)	
	Description:	In case of more than one official language the codes are delimited by #.	
	Value type:	Text,11 characters	
	Value examples:	BUL	Bulgarian
		FIN#SWE	Primary designation Finnish, secondary designation Swedish
Attribute: <b>SHNdigit</b>			
	Definition:	Number of digits of the SHN code which are significant for the hierarchical level	
	Description:	SHN is a strictly hierarchical built identifier. SHNdigit identifies those digits of the SHN code (starting from first digit) which represent the SHN codes of the specified hierarchical level (USE).	
		First two digits of the SHN code are significant for country level (identical with ICC code). SHNdigit of the lowest hierarchical level is identical with the total length of the SHN code.	
		For more information about the national structure of the SHN code refer to the national metadata (lineage files).	
Value type:	Integer		
Value example:	5	First five digits of the SHN code are significant for Finnish hierarchical level <i>Maakunta / Landskap</i> (total length of Finnish SHN is 8 digits)	

EBM_ISN		Alias: AdministrativeUnit_designation
Attribute: <b>DES_ENG</b>		
Definition:	Designation of the national administrative hierarchy level (DESN) translated into English	
Value type:	Text, 80 characters	
Value example:	Municipality	English translation of the Finnish designation <i>Kunta#Kommun</i>
Attribute: <b>SU</b>		
Definition:	Statistical unit	
Description:	Indicates the statistical level to which the administrative level refers to. It is only attributed if the relation is biunique.	
Value type:	Domain: SU	
Values:	1	NUTS1
	2	NUTS2
	3	NUTS3
	4	LAU
	998	Not applicable

### 5.3.2.3 Relation to LAU and NUTS classification

EBM_NUTS			Alias: Relationship_NUTS
	Definition:	Relationship between the SHN codes of administrative units on lowest national administrative level and corresponding statistical codes	
	Description:	Statistical codes are LAU (maintained by the National Statistical Institutes) and NUTS codes published by Eurostat. The full linkage between administrative units and statistical codes is established only for EU countries.  All administrative units of EU countries have a corresponding record in this table. Exceptions are all units where the relationship to the NUTS regulation is in discussion.	
Attribute: SHN			
	Definition:	Unique identifier for all European administrative units	
	Description:	see <a href="#">EBM_A</a>	
	Value type:	Identifier (text, 14 characters)	
	Value example:	FI619698	Finnish administrative unit <i>Rovaniemi</i>
Attribute: LAU			
	Definition:	National code of the LAU region as defined by National Statistical Institute and published by Eurostat	
	Value type:	Identifier (text, 14 characters)	
	Value examples:	191	Finnish LAU region
		UNK	Unknown
		N_A	Not applicable
Attribute: NUTS3			
	Definition:	Unique code of NUTS 3 region as defined and published by Eurostat	
	Value type:	Identifier (text, 5 characters)	
	Value examples:	FI1A3	Finnish NUTS 3 region <i>Lappi</i>
		UNK	Unknown
	N_A	Not applicable	
Attribute: NUTS2			
	Definition:	Unique code of NUTS 2 region as defined and published by Eurostat	
	Value type:	Identifier (text, 5 characters)	
	Value examples:	FI1A	Finnish NUTS 2 region <i>Pohjois-Suomi</i>
		UNK	Unknown
	N_A	Not applicable	
Attribute: NUTS1			
	Definition:	Unique code of NUTS 1 region as defined and published by Eurostat	
	Value type:	Identifier (text, 5 characters)	
	Value examples:	FI1	Finnish NUTS 1 region <i>Manner-Suomi</i>
		N_A	Not applicable

### 5.3.2.4 Languages and character sets

EBM_CHR			Alias: Language
	Definition:	Description of languages used in EBM	
	Description:	This table stores the ISO code of the character set that can be used to read properly geographical names without using the Unicode character set. For non-Latin languages the transliteration scheme is given.	
Attribute: <b>NLN</b>			
	Definition:	ISO 639-2/B 3-char language code	
	Value type:	Domain: <a href="#">NLN</a>	
	Value example:	BUL	Bulgarian
Attribute: <b>LNM</b>			
	Definition:	Language name (in English)	
	Value type:	Text, 50 characters	
	Value example:	Bulgarian	
Attribute: <b>ISC</b>			
	Definition:	ISO 8859 character set code	
	Value type:	Domain: <a href="#">ISC</a>	
	Value example:	5	ISO 8859-5 (Cyrillic)
Attribute: <b>TLS</b>			
	Definition:	Transliteration scheme	
	Value type:	Text, 100 characters	
	Value examples:	ISO 9	Transliteration scheme for Cyrillic languages
		N A	Not applicable (for all Latin languages)

### 5.3.2.5 Co-administered units

EBM_coAdministered	
Definition:	Relationship between administrative unit and its co-administering administrative units on the same hierarchical level
Description:	In a few countries there are special areas, which are shared between administrative units.
Attribute: <b>SHN</b>	
Definition:	Unique identifier for all European administrative units
Value type:	Identifier (text, 14 characters)
Value example:	CH21015391 Swiss administrative unit <i>Comunanza Medeglia/Cadenazzo</i> co-administered by other units on the same hierarchical level
Attribute: <b>SHNco</b>	
Definition:	Unique identifier of the co-administering administrative unit
Value type:	Identifier (text, 14 characters)
Value examples:	CH21015003 Swiss administrative unit <i>Cadenazzo</i> co-administering <i>Comunanza Medeglia/Cadenazzo</i>

### 5.3.2.6 Country Codes

CountryCodes		
	Definition:	Country code combinations of EuroGeographics, ISO and EU.
	Description:	Within the EuroGeographics products, all countries have unique country codes (icc). In some cases these differ from the view of ISO and EU. There are also differences between ISO and EU. This table holds all combinations and one can join it by using the attributes "icc". (see Annex A: Country codes)
Attribute: <b>EuroGeographics_Country_Code</b>		
	Definition:	Country code of EuroGeographics
	Value type:	Identifier (text, 2 characters)
	Value example:	ND      Northern Ireland
Attribute: <b>name_national</b>		
	Definition:	Country name in national characters
	Value type:	Identifier (text, 255 characters)
	Value examples:	Κύπρος      Endonym of Cyprus
Attribute: <b>name_english</b>		
	Definition:	Long term of country name in English
	Value type:	Identifier (text, 255 characters)
	Value example:	Republic of Moldova
Attribute: <b>name_english_short</b>		
	Definition:	Short term of country name in English
	Value type:	Identifier (text, 255 characters)
	Value example:	Moldova
Attribute: <b>EU_Country_Code</b>		
	Definition:	Country code of European Commission
	Value type:	Identifier (text, 2 characters)
	Value example:	UK      Northern Ireland is located in United Kingdom
Attribute: <b>ISO_Country_Code</b>		
	Definition:	Country code of ISO
	Value type:	Identifier (text, 2 characters)
	Value example:	GB      Northern Ireland is located in Great Britain

### 5.3.2.7 Exonyms

Exonyms		
	Definition:	Name of spatial objects in various languages
	Description:	The exonyms are classified according to INSPIRE into four types (official, standardised, other, and historical), at which historical names are not included and only exonyms in common use in the respective language are part of the database.
Attribute: <b>inspireId</b>		
	Definition:	External identifier of the object and the link between the exonyms table and the spatial objects of EBM_A and ResidenceOfAuthority
	Value type:	Identifier (text, 80 characters)
	Value example:	_EG.EBM:AU3.EE670213 Identifier of an Estonian object in feature class <i>AdministrativeUnit_3</i>
Attribute: <b>nativeness</b>		
	Definition:	One nativeness (values 'endonym' or 'exonym'), enabling to acknowledge if the name is the one that is/was used in the area where the feature is situated at the instant when the name is/was in use.
	Value type:	Identifier (text, 10 characters)
	Value examples:	endonym
		exonym
Attribute: <b>language</b>		
	Definition:	ISO 639-2/B 3-char language code
	Value type:	Identifier (text, 3 characters)
	Value example:	bul Bulgarian
Attribute: <b>namestatus</b>		
	Definition:	One nameStatus (values 'official', 'standardised', 'historical' or 'other'), enabling to discern which credit should be given to the GeographicalName with respect to its standardisation and/or its topicality.
	Value type:	Identifier (text, 15 characters)
	Value example:	Official
		Standardised
		Historical
		Other
Attribute: <b>text</b>		
	Definition:	Name of the geographical entity given in national characters (Unicode-UTF8) of the language
	Value type:	Identifier (text, 255 characters)
	Value example:	Laibach German exonym for the city of Ljubljana
Attribute: <b>script</b>		
	Definition:	Represents the script in which the geographical name is rendered
	Value type:	Identifier (text, 4 characters)
	Value example:	Latn Latin script
		Cyrl Cyrillic script
		Geor Georgian script
		Grek Greek script



### 5.3.3 Domains

TAA			
	Definition:	Type of the administrative area	
	Description:	Distinction between land and water, as well as between different types of administration	
	Value type:	Integer	
Value list:			
	1	Main area	valid only for feature class <i>EBM_A</i>
	2	Land area	not valid for feature class <i>EBM_A</i>
	3	Branch area	e.g. exclaves and islands; valid only for feature class <i>EBM_A</i>
	4	Special area	e.g. condominiums, forests, non-municipal areas; not valid for statistical units
	5	Coastal water	not valid for statistical units
	7	Inland water	
	8	In dispute area	not valid for statistical units

USE			
	Definition:	Administrative hierarchy level	
	Value type:	Integer	
Value list:			
	1	1 <sup>st</sup> order	country level
	2	2 <sup>nd</sup> order	
	3	3 <sup>rd</sup> order	
	4	4 <sup>th</sup> order	
	5	5 <sup>th</sup> order	
	6	6 <sup>th</sup> order	
	998	Not applicable	valid only for feature class <i>AdministrativeBoundary</i>

BST			
	Definition:	Legal status of the administrative boundary (boundary status type)	
	Value type:	Integer	
Value list:			
	1	Definite	
	2	Indefinite	
	3	In dispute	
	998	Not applicable	used for coastlines without administrative meaning (MOL=2)

MOL			
	Definition:	Type of the administrative boundary (meaning of line)	
	Description:	Indication if a boundary is based on a coastline	
	Value type:	Integer	
Value list:			
	1	Boundary and coastline	
	2	Coastline	without administrative meaning; used for lines between water area and land area of the same administrative unit
	3	Fictitious line	demarcation lines between coastal and inland water of the same administrative unit
	7	Boundary on land	
	9	Boundary on water	

NLN		
	Definition:	ISO 639-2/B 3-char language code
	Value type:	Text, 3 characters
Value list: see Annex B: Language codes.		

ISC		
	Definition:	ISO 8859 character set code
	Value type:	Integer
Value list:		
	1	ISO 8859-1 (Latin 1)
	2	ISO 8859-2 (Latin 2)
	3	ISO 8859-3 (Latin 3)
	4	ISO 8859-4 (Latin 4)
	5	ISO 8859-5 (Cyrillic)
	7	ISO 8859-7 (Greek)
	9	ISO 8859-9 (Latin 5)
	10	ISO 8859-10 (Latin 6)
	15	ISO 8859-15 (Latin 9)

SU			
	Definition:	Statistical unit	
	Description:	Indicates the statistical level to which the administrative level refers to. It is only attributed if the relation is biunique.	
	Value type:	Integer	
Value list:			
	1	NUTS1	
	2	NUTS2	
	3	NUTS3	
	5	LAU	
	998	Not applicable	no LAU/NUTS level defined or no biunique relation

### 5.3.4 Relationships

The EBM data model contains a number of relationships between classes, see




Figure 4

Relationships define the associations between objects in one class (feature class or related table) and objects in another based on identifiers. The following table provides an overview of the main EBM relationships.

Origin class		Destination class		Cardinality	Comment
Class name	Identifier	Class name	Identifier		
AdministrativeBoundary	ABID	AdministrativeUnit_x	SHN	1..* : 1..2 (1 : 2)	has to be implemented with a look-up table
AdministrativeUnit_x	SHN	AdministrativeUnit_y (y < x)	SHN	0..* : 0..1 (* : 1)	has to be implemented with table EBM_NAM (SHN to SHNupper)
AdministrativeUnit_x	SHN	AdministrativeUnit_x	SHN	0..1 : 0..* (1 : *)	has to be implemented with table EBM_coAdministered
AdministrativeUnit_x	SHN	EBM_NAM	SHN	1 : 1	
AdministrativeUnit_x	ISN	EBM_ISN	ISN	1..* : 1	
ResidenceOfAuthority	ROA	AdministrativeUnit_x	SHN	0..1 : 1..*	has to be implemented with table EBM_NAM
EBM_A	SHN	NUTS_x	NUTS_CODE	1..* : 0..*	has to be implemented with table EBM_NUTS
EBM_A	SHN	LAU	LAU_CODE	1..1 : 0..1	

It has to be distinguished between two types of relationships:

- Simple: Relationship is based on one identifier which is included in origin and destination

class.

- Complex: Relationship is based on identifiers which are different in origin and destination class. A look-up table has to be used in this case to establish the relationship.

By default, the EBM data product is provided without the implementation of the relationships. The main reason is the amount of possible relationships which may overload the EBM product. Further, relationships are maintained only by specific data formats.

## 6 Reference systems

### 6.1 Spatial reference system

EuroBoundaryMap data is stored in two-dimensional geographical coordinates, degrees (longitude, latitude) with decimal fraction. The spatial reference system is ETRS89 (WGS84) with ellipsoid GRS80. Difference between ETRS89 and WGS84 coordinate systems is negligible. ETRS89 is defined for the Eurasian Plate. Although EBM contains data outside this plate, the probable deviations are not of importance for the EBM reference scale 1:100 000.

EuroBoundaryMap is provided without a specific map projection. If required, it is recommended to apply one of the European map projections proposed by INSPIRE:

- Lambert Azimuthal Equal Area projection, see <http://www.opengis.net/def/crs/EPSSG/0/3035>
- Lambert Conformal Conic projection, see <http://www.opengis.net/def/crs/EPSSG/0/3034>

The positional accuracy describes how the coordinates of the feature agree with their real world values. The degree of accuracy depends first of all on the positional accuracy of the source dataset, but also on errors due to conversion processes or errors due to the manipulation processes. More detailed information is included in the metadata for each country.

### 6.2 Temporal reference system

Following ISO 19108, the Gregorian calendar is used as temporal reference system for the EuroBoundaryMap 2019 product.

## 7 Data quality

Information on the quality of geographic/administrative/statistical data allows a data producer or vendor to validate how well a dataset meets the criteria set forth in its product specification and assists a data user in determining a product's ability to satisfy the requirements for their particular application.

The ISO standard 19157 establishes the principles for describing the quality of geographic data and specifies components for reporting quality information.

The EuroBoundaryMap database is compiled from national administrative datasets provided by National Mapping and Cadastral Agencies (NMCA). The source data is of the best available quality which is described in more detail in the provided metadata country by country.

The data contributions were transformed into a uniform structure, were line-filtered (if necessary) to a uniform resolution, were edge matched at international boundaries and finally the quality was checked with regard to the defined specification. BKG, as the project coordinator of EuroGeographics EuroBoundaryMap product, also maintains an internal documentation on the whole production process for each version (date of delivery, results of pre-processing, validation reports and error management). BKG carried out a three-stage quality check procedure:

- BKG evaluated that the delivered national contributions are consistent with the required specification
- BKG developed and implemented routines to check the quality of the final database
- BKG sent the harmonized national contributions to each NMCA for official quality check and asked for confirmation

The result of the quality checking is listed in the additional document ***EBM\_2020\_QualityReport.pdf***. This document describes the following main quality elements (according to ISO 19157):

- Completeness
- Temporal quality
- Positional accuracy
- Logical consistency
- Thematic accuracy

## 8 Data product delivery

The EuroBoundaryMap 2020 product will be provided on DVD as standard in ArcGIS File Geodatabase format, but other formats can be delivered on request. A full Europe version, but also specific regional groups of countries are offered. For further details please see

<https://eurogeographics.org/products-and-services/licensing/>

EuroGeographics and the National Mapping and Cadastral Agencies contributing to this database have made every effort to ensure that data supplied are free from errors and omissions. We will remedy, as soon as reasonably practicable, errors and omissions notified to EuroGeographics or National Mapping and Cadastral Agencies in writing.

Neither EuroGeographics nor the National Mapping and Cadastral Agencies will be liable to the customer or any other party for any loss, damage, inconvenience or expense resulting from the use of, or reliance upon, the data.

## 9 Metadata

The metadata files are in accordance with the ISO/DIS 19115 standard. All core metadata elements defined in the standard and additional ones are included. The metadata files are also compliant with the INSPIRE Metadata Implementing Rules.

EBM metadata files are available for two levels: for the full Europe product as well as for the national datasets.

The general EBM metadata for the full Europe database consist:

- ***Metadata\_EBM\_2020.xml*** – ISO and INSPIRE compliant XML format

The national metadata consists of two files (starting with the ISO 3166 country code):

- ***XX\_Metadata\_EBM.xml*** – ISO and INSPIRE compliant XML format
- ***XX\_Lineage\_EBM.pdf*** – additional information that cannot be classified in the ISO metadata format

## Annex A: Country codes

ICC has been defined according to ISO 3166, exceptions are described.

Dataset	Included Countries				Comment	Structure of SHN code
	ICC	EU	ISO	Name		
Albania	AL	AL	AL	Albania		AL
Austria	AT	AT	AT	Austria		AT
Belgium	BE	BE	BE	Belgium		BE
Bosnia and Herzegovina	BG	BG	BG	Bosnia and Herzegovina	This country consists of two entities. Only data from entity Federacija Bosne i Hercegovine, included in EBM 2019.	BA
Bulgaria	BA	BA	BA	Bulgaria		BG
Croatia	HR	HR	HR	Croatia		HR
Cyprus	CY	CY	CY	Cyprus		CY
Czechia	CZ	CZ	CZ	Czech Republic		CZ
Denmark	DK	DK	DK	Denmark		DK
	GL		GL	Greenland		GL
	FO		FO	Faroe Islands		FO
Estonia	EE	EE	EE	Estonia		EE
Finland	FI	FI	FI	Finland		FI
France	FR	FR	FR	France		FR
	MC		MC	Monaco		MC
	GP	FR	GP	Guadeloupe	Overseas departments belonging to the European Union	xx
	GF	FR	GF	French Guiana		
	MQ	FR	MQ	Martinique		
	RE	FR	RE	Réunion		
	YT	FR	YT	Mayotte		
	BL		BL	Saint Barthélemy	Overseas collectivities outside the French administrative hierarchy. But those territories are part of the European Union.	xx
	MF	FR	MF	Saint Martin		
Germany	DE	DE	DE	Germany		DE
Great Britain	GB	UK	GB	Great Britain	Not completely compliant with ISO 3166, as the dataset only contains the provision of OS	GB
Greece	GR	EL	GR	Greece		GR
Hungary	HU	HU	HU	Hungary		HU



Iceland	IS	IS	IS	Iceland		IS
Ireland	IE	IE	IE	Ireland		IE
Italy	IT	IT	IT	Italy		IT
	SM		SM	San Marino		xx
	VA		VA	Vatican City State		
Kosovo	KS	XK		Kosovo	Not compliant with ISO 3166 (not yet defined)	KS
Latvia	LV	LV	LV	Latvia		LV
Lithuania	LT	LT	LT	Lithuania		LT
Luxembourg	LU	LU	LU	Luxembourg		LU
North Macedonia	MK	MK	MK	Republic Of North Macedonia	Greece does not recognise this code to denote the country of the Former Yugoslav Republic Of Macedonia	MK
Malta	MT	MT	MT	Malta		MT
Moldova	MD		MD	Republic of Moldova		MD
Netherlands	NL	NL	NL	Netherlands		NL
Northern Ireland	ND	UK	GB	Northern Ireland	Not compliant with ISO 3166, as this dataset contains only data delivered from OSNI	GBN
Norway	NO	NO	NO	Norway		NO
Poland	PL	PL	PL	Poland		PL
Portugal	PT	PT	PT	Portugal		PT
Romania	RO	RO	RO	Romania		RO
Serbia	RS	RS	RS	Serbia		RS
Slovakia	SK	SK	SK	Slovakia		SK
Slovenia	SI	SI	SI	Slovenia		SI
Spain	ES	ES	ES	Spain		ES
	AD		AD	Andorra		xx
	GI		GI	Gibraltar		
Sweden	SE	SE	SE	Sweden		SE
Switzerland	CH	CH	CH	Switzerland		CH
	LI	LI	LI	Liechtenstein		LI
Ukraine	UA		UA	Ukraine		UA

Additionally, EBM 2019 includes placeholders for potential EBM countries. For each of these countries or territories, the shape is included in feature class AdministrativeUnit\_1 (adopted from freely available small scale data), but there are no administrative subdivisions below country level.

Potential Countries			
ICC	EU	ISO	Name
AM		AM	Armenia
AZ		AZ	Azerbaijan
BY		BY	Belarus
GE		GE	Georgia
GG		GG	Guernsey
IM		IM	Isle of Man
JE		JE	Jersey
ME	ME	ME	Montenegro
RU		RU	Russia
SJ		SJ	Svalbard and Jan Mayen
SX		SX	Sint Maarten
TR	TR	TR	Turkey

## Annex B: Language codes

NLN has been defined according to ISO 639-2/B, exceptions are described.

NLN	Language	Comment
alb	Albanian	
baq	Basque	
bel	Belarusian	
bos	Bosnian	
bul	Bulgarian	
cat	Catalan; Valencian	
cnr	Montenegrin	
cze	Czech	
dan	Danish	
dsb	Lower Sorbian	
dut	Dutch; Flemish	
eng	English	
est	Estonian	
fao	Faroese	
fin	Finnish	
fkv	Kven Finnish	
fre	French	
frr	Northern Frisian	
fry	Western Frisian	
geo	Georgian	
ger	German	
gla	Gaelic; Scottish Gaelic	
gle	Irish	
glv	Manx	
gre	Greek, Modern (1453-)	
hrv	Croatian	
hsb	Upper Sorbian	
hun	Hungarian	
ice	Icelandic	
ita	Italian	
kal	Kalaallisut; Greenlandic	
lat	Latin	
lav	Latvian	
lit	Lithuanian	
ltz	Luxembourgish; Letzeburgesch	
mkd	Macedonian	This code is according to ISO 639-2/T. It is officially used in The Former Yugoslav Republic Of Macedonia. The ISO 639-2/B code is MAC. Greece does not recognise this code to denote the language of the Former Yugoslav Republic Of Macedonia.
mlt	Maltese	
nor	Norwegian	
pol	Polish	
por	Portuguese	
roh	Romansh	

rum	Romanian; Moldavian; Moldovan	
rus	Russian	
slo	Slovak	
slv	Slovenian	
sma	Southern Sami	
sme	Northern Sami	
smi	Sami languages	
smj	Lule Sami	
spa	Spanish; Castilian	
srp	Serbian	
stq	Saterland Frisian	
swe	Swedish	
tur	Turkish	
ukr	Ukrainian	
val	Valencian	Not ISO compliant. According to ISO, Catalan and Valencian are the same language with unique code CAT.
wel	Welsh	

## Annex C: Detailed EBM data model

