

EECS 498 · AASE · FALL 2026

Supported build and verification

LAB02 · SEPTEMBER 21-22, 2026

Your Stage 1 assistant, in your existing repository.

Choose one observable result

Name the requirement and acceptance scenario.

Open the increment spec and the relevant design sections.

Identify the test that will distinguish success from a plausible-looking result.

Work with relevant context

Load reference material read-only. Add only the files this increment may edit.

Ask Aider for one bounded task. Inspect the diff and run the relevant tests.

Revise the design when the evidence changes a decision.

Test the behavior you care about

A parser returning an error does not prove the disk stayed unchanged.

Check file contents and git state before and after rejection.

Use fakes for routine tests and disposable repositories for edits.

Exercise a recovery case

Choose a published scenario: malformed proposal, cancellation, a stale preview, failed write, or unsafe undo.

Predict the result, run the check, and compare.

A correct failing test is useful evidence.

YAML selects the endpoint

Change the API base or model identifier through configuration.

The application must not depend on Ollama-specific requests or a fixed hostname.

Provider freedom still follows the permitted-model policy.

Reconcile before you leave

Update diagrams and the spec when responsibilities changed.

Record tests run and known limitations. Commit session evidence and push your work.

No points for suffering. No repeated deductions for one shortfall.

Keep the next deadline visible

Hackathon 1: September 24.

Stage 1 build: September 25, 11:59 PM.

Keep a runnable increment available.