CITY, AS AGENT

A CENTURY-OLD RAILWAY BECOMES A CIVIC NEURAL SPINE UNDER PUBLIC CONTROL

The city may sense and act like an Agent; people retain the final decision.

AI-assisted concept visualisation | not a site photograph | not an official or approval scheme | provisional geometry



TWO DENOMINATORS | METRIC BASIS

SCOPE □ DENOMINATOR □ RATIO

43.6 km²
OFFICIAL COORDINATED RESEARCH AREA

11.41 km²
PROVISIONAL DESIGN DENOMINATOR

12.34 %
GREEN RATIO | SAME DENOMINATOR

7.33 %
PUBLIC-SPACE RATIO | SAME DENOMINATOR

SCOPE → RATIOS

THREE BREAKS | THREE PUBLIC-RIGHTS PROTOCOLS

PROBLEM □ SPACE □ HUMAN GATE □ RIGHT

01 NORTH | PUBLIC VERIFICATION GARDEN

PARALLEL PAIRING

UNVERIFIED → SPACE → N HUMAN → VERIFY
PROBLEM | SPACE | GATE | RIGHT

Innovation and the heritage baseline are shown side by side for public comparison and re-checking.
WHY | Verification becomes a spatial right, not a footnote.

02 MIDDLE | CIVIC WORKS COMMONS

WOVEN CROSSING + HUMAN CONFIRMATION

BYPASS → SPACE → M HUMAN → CONFIRM
PROBLEM | SPACE | GATE | RIGHT

Sensing, works and public flows meet; every tool call must pass a visible human confirmation.
WHY | AI may propose action, but it may not bypass people.

03 SOUTH | URBAN ECHO EXCHANGE

ONE QUEUE □ THREE PHYSICAL EXITS

NO EXIT → SPACE → S HUMAN → REFUSE
PROBLEM | SPACE | GATE | RIGHT

One task branches to AI service, human takeover or a no-AI route.
WHY | Refusal, takeover and exit must be physically usable.

PUBLIC LOOP | HOW A CIVIC TASK CLOSES

Six public situations above; spatial carriers, responsibility and exit below

01 | SIX SITUATIONS + CONCRETE OPERATIONS

SENSE → ASK → PLAN → ACT → VERIFY → LEARN

01 SENSE
Situation | Congestion, failure or unmet needs appear in a street, park or kiosk.
Operation | Sensors and human reports are anonymised into a located, timed public task.

02 ASK
Situation | One issue affects older people, students and cyclists differently.
Operation | Publish the question, source, owner and collection boundary; allow challenge or refusal.

03 PLAN
Situation | A proposal is needed; the system may not execute directly.
Operation | Residents, Agent and professionals prepare 2+ options and compare cost, risk and access.

04 ACT
Situation | An option enters a reversible 100-day pilot.
Operation | After T2 human confirmation, deploy removable parts and record budget, approval and upkeep.

05 VERIFY
Situation | The pilot ends, metrics move, or the public objects.
Operation | Compare promises, complaints, footfall and accessibility on site; the public confirms results.

06 LEARN
Situation | Verification passes, partly passes or proves the option ineffective.
Operation | Evidence enters the next cycle: retain, revise, relocate or exit.

02 | SPATIAL CARRIERS, HUMAN GATES + TRACEABLE RESULTS

SPACE	N | TEST LINE	M | HUMAN TABLE	S | 3 EXITS	
GATE	T0 SCOPE	T1 PILOT	T2 CONFIRM	T3 EXIT
RESULT	RETAIN	REVISE	RELOCATE	EXIT

READING | Every situation must reach a spatial carrier and a human gate, then produce a traceable result. No human confirmation, no action.

CITY WITH AI PEOPLE DECIDE

AI-GENERATED CONCEPT | NOT A SITE PHOTO OR APPROVAL. 43.6 km² is the official coordinated research area; 11.41 km² is the provisional overall-design denominator. Recalculate after official boundaries are issued. See P2–P6 for location, dimensions and spatial evidence.

CITY, AS Agent

P2 | Real city•overall design map

The three nodes are not three isolated projects, but the verification, confirmation and exit interfaces on the same Beijing-Zhangjiakou public task chain.



General picture reading index

EXISTING CITY □ DESIGN OVERLAY

- 01 **urban texture** — Roads, buildings, universities and parks
- 02 **railway memory** — Centennial Beijing-Zhangjiakou Continuous Main Line
- 03 **public task flow** — The problem is passed between three nodes
- 04 **Walking Study Circle** — 500m/1km, non-service commitment
- 05 **Temporary restraint** — Unofficial red line, will be recalculated after release

GCJ-02□©Amap□2026-08-26

Site selection evidence

- U College
- R scientific research
- I technology industry
- H Railways and History

real city diagnosis

WHY THREE CIVIC BREAKS

01 Transverse connection fracture

Universities, communities, and parks are adjacent to each other along the railway line, but lack continuous and identi fiable public access.

WHY | Sewing continuous slow travel with equivalent barr ier-free routes

02 Public service entrances are dispersed

People can reach the space, but it is difficult to know who t o submit questions to and who will respond.

WHY | Put questions, responsibilities and feedback back t o the same site

03 There is a disconnect between construction and operations

Devices tend to be one-time deliveries without deadlines, maintenance, retesting and retirement.

WHY | Use G0-G3 to write the pilot as a withdrawable con tract

04 AI permissions are not visible

The system may give conclusions without clearly demonstrating the human Confirm, deny and appeal.

WHY | Made people' s final decision-making power into a spatial interface

Three nodes | Three public rights

THREE CIVIC INTERFACES

01 North | Public Verification Garden

parallel juxtaposition

Compare plan A/B, keep the comm on line without equipment

Rights | Public review

WHY → Spatial form turns rights into vi sible choices

02 Chinese | Urban Public Works Community

Knitting cross + central manual c onfirmation

Agent recommendations must be c onfirmed by a named person

Rights | Manual takeover

WHY → Spatial form turns rights into vi sible choices

03 South | Urban Echo Exchange Station

Single queue → three outlet fans

The same task can be continued, tra nsferred to manual work, or refused to exit.

Rights | Rejection and Forgetting

WHY → Spatial form turns rights into vi sible choices

PUBLIC LOOP | From urban breakpoints to revocable public tasks

Space carrier + named responsible person + manual gate; no action will be taken without manual confirmation.

SENSE → ASK → COLLABORATE → ACT → VERIFY → LEARN

SENSE	ASK	PLAN	ACT	VERIFY	LEARN
breakpoint found	Disclosure of sources and boundaries	Two or more cases can be compared	Limited time pilot after T2	Verify commitments in situ	Keep/Amend/Exit

Artificial gate | Four questions that must be answered

To	T1	T2	T3
Delineate the scope — What not to pick?	Pilot allowed — who is responsible	HUMAN CONFIRMATION — Can you act?	Retest exit — when to stop

Three belts/three core areas/two wings | Spatial hierarchy

- Centennial Beijing-Zhangjiakou Cultural Belt
- Urban AI life experience belt
- AI fusion innovation belt
- Three core areas: North/Central/South
- Scientific Research Collaboration Wing/Urban Service Wing

CITY, AS Agent

P3 | Public Loop • From perception to exit

Every machine action must be visible, pauseable, human-confirmed, re-verifiable, and allow anyone to exit.

01 | How to run public Loop

Not an automated assembly line, but six common steps that can be interrupted by humans

SENSE → ASK
Person: Problem discovery | Space: Perception point | Result: Task record

ASK
Person: Supplementary demands | Space: Pause point | Result: Boundary of responsibility

PLAN
COLLABORATE → ACT
People: Compare options | Space: Collaboration table | Results: Candidates

ACT
Person: Approval of the pilot | Space: Implementation period | Result: Time-limited action

VERIFY
VERIFY → LEARN
Person: On-site signature | Space: Testing pile | Result: Passed/rectified

LEARN
Person: Authorization to write back | Space: Archive point | Result: Rule update

02 | T0–T3 four public task gates

To — **Risk identification**
Responsibility: Task initiator | Record: Source and restricted area | Failure: Denied entry

T1 — **方案确认**
Responsibility: Public Representative | Record: Options and Objections | Failure: Return to Question

T2 — **HUMAN TAKEOVER**
Responsibility: Person responsible for public works | Record: Scope and time limit | Failure: Cancel pilot

T3 — **On-site re-inspection**
Responsibility: public + operation and maintenance | Record: before and after indicators | Failure: return for rectification

03 | Five on-site journeys of people

The same data line connects five spatial experiences in series, but each step can be paused.

1	ENTER	Boundaries and Sources
2	STAY	提问与选路
3	WORK	Compare and sign
4	VERIFY	Check changes on site
5	LEAVE	Log or exit

Seven site rights: Informed | reject | pause | HUMAN TAKEOVER | Correction | Migrate | Exit

01 Enter | See the task boundary
For example: a student discovers a detour problem and scans the QR code to submit it; the system also records the source, time and visible range.

02 Stay | Ask a question
For example: Ride... manual service at the pause point, not be directed to AI by default, and can ... the person responsib...

03 Work | Central manual confirmation
For example: Residents, operation and maintenance and designers compare A/B plans; the person in charge signs the scope of the pilot at the confirmation table.

04 Re-inspection | On-site data signature
For example: the person in the picture is not studying plants, but reading the rain garden detection piles; the public representative compares the duration of water accumulation, and returns it for rectification if it fails.

04 | On-site re-inspection T3

Data changes must be confirmed by humans before they are allowed to be written back to the public Loop.

1. **read** — Reading physical detection stakes and field sensors
2. **control** — Compare indicators of the same caliber before and after the action.
3. **Confirm** — Public representatives and responsible persons jointly sign
4. **leave traces** — If you pass, you will study; if you fail, you will return for correction.

Failed re-inspection **Do not enter LEARN; retain the original status and generate rectification tasks.**

05 Leave | Record and Exit
For example: the user downloads task records, revokes authorization, or leaves the scene along an equivalent path without AI.

Illustration of AI-generated conceptual effects | Non-real scene, non-approval conclusion | The process and rights are subject to the proposal text, contract matrix and on-site professional deepening.

CITY, AS Agent

P4 | Tsinghua Garden Public Verification Garden

The city is the Agent | On the premise that the old stations and railways are still readable, let the innovation be verified by the public first.

How a public verification occurs

01 提出问题
Residents/teachers and students submit verifiable questions

02 HUMAN CONFIRMATION
The responsible person decides whether to enter the trial

03 short term trial
Deployed only on reversible service strips

04 On-site re-inspection
The public can see the results and can appeal

02 | North node deepens the general leveling

Reconciliation of four zones with the same picture | Building, track, public passage, tree array and reversible service module

Legacy read only — Orbital continuous — Public line≥2.4m — Service strap reversible

Concept control | Special reviews of actual measurement, cultural preservation, drainage, fire protection and accessibility must be completed before implementation

WHY | Why use four parallel belts?

01 Heritage Read Only
Avoid turning historical buildings into equipment shells; only bear the responsibility of display and public memory.

02 track continuous
The railway remains are not broken; the safety buffer width is reviewed by on-site surveying and cultural preservation.

03 Public priority
The clear width is ≥2.4m and there are no equipment or queues to ensure two-way intersection of wheelchairs.

04 Service reversible
AI only enters the 3.0m module; if the target is not reached, it can be dismantled and the public baseline restored.

03 | How space is used

In the same space, ordinary access always takes priority over AI services; equipment only enters the outer reversible zone.

04 | Key sections and structures

Dimensions, drainage, foundations and removable components determine feasibility.

≥2.4m ordinary public line ensures two-way intersection of wheelchairs | 3.0m reversible module is easy to disassemble and assemble | About 4.2m cornice takes into account tree cr

05 | From Arrival to Exit: Space Contract

ENTER 无强制识别
STAY Public lines priority
ASK Action after manual confirmation
VERIFY The status is visible and can be appealed
LEAVE Data exit/leave no trace

implement contract

take the lead	Territorial planning and management + university laboratories + park operations
prefix	Surveying and mapping/cultural preservation/drainage/firefighting/barrier-free/data security
Exit	It will be removed if the authentication fails, the data crosses the boundary or the public re-inspection fails.

G0–G3 Acceptance

G0 0–3 months	Lock data, mapping, ownership, requirements and restricted areas
G1 March–June	3m prototype tests lighting, drainage, accessibility and artificial replacement
G2–G3	Trial operation review; annual renewal or restoration of public baseline

Indicators and Components

KPI	Participation rate/Loop closure rate/Non-acquisition bypass/Takeover response
C01–C04	Ordinary path/rest island/gate/public workbench
C05–C08	接管座椅/状态栏/验证花园/贡献墙

CITY, AS Agent

P5 | Beijing AI Origin•Urban Public Works Community

The city is the Agent | Multi-source issues can be imported, but any city actions must be centrally confirmed manually.



02 | Braiding cross deepening total level

The three workflows are visible to each other but do not cover each other | The central confirmation point is the only action gate

public equivalent path

Scientific research tool line

Industrial implementation line

Central manual confirmation

WHY | Four reasons for space

01 Continuous
≥1.8m equivalent path; AI can still serve when it is down.

02 color separation
Versions, evidence and responsibility boundaries are traceable.

03 offset
Take action only after responsibilities and deadlines are made public.

04 Center
Sign-in, appeal, and emergency stop share a manual door.

03 | Central manual confirmation ring | Maintainable structure

Six types of public status are embedded in the cornice; screens, emergency stops, paper replacement and maintenance can all be replaced independently.

A Replaceable metal panels + perforated shading layer

B Status screen + manual emergency stop

C Power/data slot+inspection port

04 | Key Section | Flat cornice and equivalent path

The shape is only woven in the plane; it is stable vertically to ensure the continuity of shelter, drainage, maintenance and barrier-free.



WHY | Flat eaves facilitate maintenance | ≥1.8m two-way intersection | Paper replacement can still work after power outage

05 | From problem to exit: manual confirmation of contract

Import — Real problem archiving

braid — evidence/tool/responsibility juxtaposition

Confirm — Endorsement, appeal, emergency stop

ACT — Limited time, stoppable, and resumable

Exit — Return to normal service

implement contract

take the lead	Territorial planning + park operation + university cooperation
Exit	Suspended if responsibility is missing or human replacement is unavailable

G0-G3 gate

G0—G1	Ownership/pipeline/demand audit + 3m prototype verification
G2—G3	Leaving traces trial operation + annual renewal/migration/exit

Evidence and components

KPI	Number of transferred projects/signature coverage/takeover and suspension records
C01—C08	Equivalent paths, confirmation loops, status screens, prototypes and responsibility walls

接口为概念研究项 | 无卫星建设承诺 | 规模、能力与来源须另行专业核验

AI-generated concept effect illustration | Not real scene, non-approval conclusion | Dimensions and deployment must be deepened by surveying, accessibility, fire protection, data security and professional teams.

CITY, AS Agent

P6 | Dazhong Temple•City Echo Exchange Station

The city is the Agent | The same public queue must provide three real paths to continue AI, manual takeover, and reject AI.

02 | Single queue→Three outlet fans deepen the overall layout

One entry, three choices, three real service paths that can all be reached | Reject AI is not a decorative button

Continue AI | See status and consent scope

Manual takeover | Named personnel and paper replacement

Reject AI | Normal service and leave directly

WHY | The selection must be established in space

01 same entrance
Share the same common queue first to avoid a p riori stratification.

02 Physical bifurcation
The three channels can be distinguished at a gla nce and cannot just be hidden in the on-screen menu.

03 Equivalent quality
Accessibility, rain protection, lighting and service quality are at the same level.

04 Deny reachability
You can still do things, complain, leave and forg et without using AI.

03 | Three Exports Real Choice Agreement

Blue = Continue AI | Orange = Manual takeover | Green = Reject AI; the outer red line only indicates re-inspection and exit, not the fourth exit.

A Status and consent are visible

B Manual window naming

C No threshold for ordinary services

04 | Artificial take-over window and reversible structure

断电、故障或主动拒绝后，人工窗口与纸面流程仍能独立完成服务。



WHY | ≥1.8m Equivalent path | Emergency stop visible | Paper replacement | Deletion request leaves traces but does not retain the original personal content

05 | From choice to forgetting: closed loop of rights

ENTER	see	Choose	service	forget
same public queue	Status/Purpose/Expiration	AI/Manual/Reject	Can be stopped and appealed	Delete and roll back normal services

option contract

prefix — The opening status, responsible person, and waiting time of the three exits are announced simultaneously.

Exit — Reject without downgrading; deletion request can track completion status

TAKEOVER + MEMORY

接管 — Manual windows, emergency stops and paper processes are always available

memory — Only process credentials remain; original personal content is deleted upon request

Evidence of acceptance

KPI — Three-way availability rate/takeover duration/rejection success rate/deletion completion rate

components — State cornice, artificial windows, general service road, forgotten receipt wall

CITY, AS Agent

P7 | Continuous space sequence and usage contract

The city is Agent | Entering, staying, working, re-examining, and leaving are not five isolated pictures, but a public path that is understandable, takeover, and exitable.

02 | Multi-layered citizen intelligent operating system | Space, tasks, rights and evidence mutually restrict each other

People's space journey can occur sequentially, but the system must run in a cycle: any stage can be suspended, transferred to manual, rejected or appealed; any expansion must go through evidence and gates.



D | Three nodes are not three sites

N north node — **Sense – Question – Public Validation**

Translate on-site issues into discussable tasks

Node in M — **Collaborate—Confirm—Act**

Implementation is allowed only after manual confirmation is within the loop.

S south node — **Choose-Appeal-Forget**

The right to exit and ordinary services form a real fork

E | Evidence and Implementation Gate

Line style description

Solid line | Normal task and space service flow

Dotted line | Conditional triggering of artificial rights

Pointed Line | Evidence Backflow and Gate Constraints

03 | Experience Contract | Four commitments run through five stages and are covered by the rights bus in the system diagram

E1 space is reachable

The universal bypass recommendation is ≥1.8m; the three-node standardized test b ox target is ≥2.2m. Both must be reviewed for on-site accessibility and passenger fl ow.

Evidence | Clear width, slope, continuity

E2 service visible

The status, waiting time, responsible person and general service entrance are visible at the same time; explain them first and then use them.

Evidence | Status lights, paper notices

E3 AI can take over

Named personnel are within the loop; they can still complete public tasks even whe n the network is disconnected, misjudged, or authorization is refused.

Evidence | Length of takeover, duty records

E4 Leaving can be forgotten

There will be a receipt for withdrawal, withdrawal, deletion and appeal; the process certificate will be retained and the original personal content will not be retained.

Evidence | Rejection rate, deletion receipt

04 | Continuous sequence acceptance | Each step has indicators, evidence and stopping conditions

stage	core indicators	Source of evidence	Stop condition
ENTER	Entrance recognition rate, barrier-free continuity rate	On-site observation + barrier-free review	Return if the entrance is unclear
STAY	General service visibility rate and stay comfort	Behavior record + public questionnaire	Ordinary services are blocked and disabled.
WORK	Manually confirm coverage and takeover duration	Log summary + duty record	No operation is allowed without responsibility
VERIFY	Problem closure rate, appeal completion rate	Re-inspection list + appeal receipt	No expansion due to insufficient evidence
LEAVE	Rejection success rate, deletion completion rate	Anonymous count + delete receipt	无法退出立即降级

CITY, AS Agent

P8 | From pilot to exit: understand how to implement in one page

The city is the Agent | Only when the scope, indicators, responsibilities, evidence and stopping conditions are simultaneously established, the space pilot is eligible to enter G3 from G0.

01 | Double denominator indicator caliber | First answer the questions that experts are most likely to misunderstand

43.6 km²
Official overall research scope
Not the GeoJSON denominator of this package

11.41 km²
Temporary overall design scope of this package
site_area_sqm=11,412,825.386

12.34 %
Green space rate | Temporary overall scope
green_ratio=0.123423

7.33 %
Proportion of public space | Temporary overall scope
public_space_ratio=0.073281

Caliber statement | The denominators of 12.34% and 7.33% are both 11.41 km² temporary overall design range; the temporary boundary does not affect the content score, and metrics / visual / manifest must be recalculated simultaneously after the official polygon is released.

02 | Same source evidence chain | Every number can be calculated back from spatial data

1 GeoJSON → 2 EPSG:4548 → 3 metrics.json → 4 drawings/visual → 5 Expert review

1. **GeoJSON** — Temporary boundaries and three-node geometry
2. **EPSG:4548** — Calculate area length after projection
3. **metrics.json** — Freeze known values
4. **drawings/visual** — Only show results from the same source
5. **Expert review** — Spot check denominators, formulas and sources

Traceability principles: Source → Definition → Calculation → Display → Review; if any link is inconsistent, visual representations must not be used to cover up data problems.

03 | G0–G3 Implementation Gate | Small scale, reversible, first evidence and then expansion

G0 0–3 months data lock
Complete surveying, ownership, pipelines, cultural preservation, requirements and data audits
Not met: not started

G1 3–6 months prototype verification
3m reversible prototype completes power outage, sound and light, barrier-free and manual replacement tests
Insufficient evidence: return to G0

G2 6-18 month node pilot
Open work orders in three key areas; if key conditions are missing, they will be rolled back
Not up to standard: downsizing/replacement

G3 annual renewal award
Decide on renewal, restriction, relocation or withdrawal based on public value, security and maintenance capabilities
无续期：自动退出

X Exit/Resume
Remove equipment, backfill the site, migrate necessary files, and resume normal services
It's not a failure, it's the system's ability

04 | Who is responsible, who confirms, and who can stop it | Write governance into a space contract

work package	Responsibility A	Execute R	Negotiate C	Informed I	Evidence of acceptance
Boundaries/Titles/Pipelines	Authorized planning lead	venue operator	College + Safety/Rights	community	Surveying and mapping, ownership, pipelines, cultural preservation list
Ordinary equivalent path	Authorized planning lead	venue operator	Community + Accessibility Review	public	Clear width, slope, shutdown availability
AI service contract	Authorized planning lead	University/Industry Responsible Person	Community + Safety/Rights	public	Boundaries, responsibilities, takeover and stopping conditions
Accessibility acceptance	Community/Accessibility Group	Operator + security review	Planning + Colleges	public	Two-way intersections, turns and continuity
Data/Appeal/Exit	Authorized planning lead	Operator + rights review	Community + College	User	Agree, withdraw, appeal, delete receipt
Annual Takeover Exercise	venue operator	Community + Safety/Rights	Planning + Colleges	society	断网、断电、人员缺席恢复记录

05 | C01–C08 Removable components | First do urban public works that can be maintained, replaced, and withdrawn

- 01 **C01 Ordinary path belt** — You can pass continuously without participating
- 02 **C02 Shade Rest Island** — Seats, drinking water and accompanying observation
- 03 **C03 problem door** — Paper card, phone call, no account question
- 04 **C04 Public Works Desk** — Manual acceptance and public work
- 05 **C05 takeover seat** — Complaints, Reviews and Manual Decisions
- 06 **C06 status frieze** — Time, status, substitution and expiry date
- 07 **C07 Verification Garden** — Ecological daily life and reversible small samples
- 08 **C08 Contribution and version wall** — Version, Clearance, Signature and Removal

06 | Acceptance matrix corresponding to manual expert scoring | High scores are not piles of concepts, but that each promise can be verified

Task relevance 20%	Three-belt superposition, three nodes and the continuous narrative of Beijing-Zhangjiakou heritage	P2/P4–P7
Implementability 20%	G0–G3 implementation gate, G0–G5 conversion gate, RACI, stop condition	this page
Completeness of expression 15%	Overall graph-node-sequence-evidence closed loop, you can understand it without looking at JSON	P1–P8
AI planning innovation 15%	Public Loops, Manual Confirmation, Takeover and Forgetability	P3/P5/P6
Originality 10%	Railway heritage space coupled with citizen smart protocols	P1/P2/P7
Public interest 10%	Reject AI non-downgrade, accessibility, appeal, normal service	P4–P7
Risk Compliance 10%	Temporary boundaries, AI indication, data minimization, reversible exit	full volume

07 | Final judgment: under what circumstances should we expand the capacity and under what circumstances should we stop immediately?

Allowed to enter next gate
- Normal services are continuously available
- Accessibility and choice pass on-site review
- Manual takeover and signature of person responsible for appeal
- Indicator sources, denominators and calculations are traceable

Keep piloting and revise
- Effects have improved but evidence samples are insufficient
- Local congestion or excessive waiting time
- Public understanding is insufficient and the logo needs to be redone
- Component failures can be repaired within the promised time frame

Stop and resume immediately
- Rejecting AI leads to service degradation
- 无法人工接管或无法删除
- A privacy, discrimination or security incident occurs
- Expand deployment without retesting

提交状态说明
This plan is an open co-creation proposal and does not constitute a government review conclusion or construction commitment. All geometries form temporary boundaries based on current public data; the renderings are conceptual illustrations generated by AI, and the implementation of the project must be separately surveyed, approved, and professionally deepened.