


JZ RE:STACK · TRACKSIDE FUTURES



JZ RE:STACK / TRACKSIDE FUTURES

An open innovation platform and urban station system unfolding along the century-old Jingzhang corridor

A CENTURY OF JINGZHANG: ENGINEERING AUTONOMY AS A RESPONSE TO ITS TIME



01

The Jingzhang Railway answered China's modernisation challenge through independent survey, design and construction. Today, Haidian must turn its concentration of research, industry, commerce and urban demand into a more open and accessible field of collaboration.

轨道留存，公共界面打开

京张新栈·轨旁未来 / JZ RE:STACK · TRACKSIDE FUTURES

1 铁路遗产

保留老轨与碎石
可视可达

2 视线与维护空间

低植缓冲带
不占用轨道空间

3 连续步行

无障碍步行道
贯通界面

4 避阴休憩

树下停留与休憩
可坐可交流

5 新栈服务节点

AI 服务与便民
小体量·轻介入

6 建筑首层协作

开放界面与协作
街院互联



雨水就地组织

屋面雨水立管

雨水进入雨水花园
下渗与净化

溢流口接入
现状雨水管渠

轨道基础

无障碍连续

路面平整防滑
无高差衔接

盲道连续
引导清晰

边缘收口
平整过渡

夜间低位照明

低位遮光灯具
向下配光

02

FROM URBAN DIVIDE TO OPEN CONNECTOR

The railway connected distant places while creating local barriers in the dense city. The heritage park reverses that condition into a public corridor; RE:STACK adds a network of nodes that convene, connect and redistribute innovation resources.

关系剖面示意，具体净距与构造

百年京张AI创新带总体规划结构图

JINGZHANG AI INNOVATION BELT PLANNING STRUCTURE

主脊贯通—核心带动—节点植入—横链织网



三山五园
文化绿核

清河绿廊

中关村大街科创廊道

清华大学

京张新线开放创新脊

北四环交通廊道

奥林匹克森林公园

望湖公园

奥体核心区

中关村核心区

北京大学

中国人民大学

北三环交通廊道

太阳宫公园

中轴线及其延长线

绿廊

北京理工大学

Youth Lake

蓝靛厂南路

紫竹院公园

北京北站
交通枢纽

什刹前海

西三环

图例 LEGEND

- 京张新线开放创新脊
- 中关村大街科创廊道
- 生态绿廊
- 区域交通廊道
- 开放创新节点
- 外部重要城市轴线
- 统筹研究范围
- 重点设计范围

03

COMPLEMENTING, NOT COPYING, ZHONGGUANCUN AVENUE

Zhongguancun Avenue concentrates headquarters, advanced services and strategic resources. JZ RE:STACK focuses on cross-institution collaboration, real-world feedback, public display and everyday urban access: the open front stage where innovation meets application and the city.

百年京张AI创新带总体规划结构图

JINGZHANG AI INNOVATION BELT PLANNING STRUCTURE

主脊贯通—核心带动—节点植入—横链织网



三山五园
文化绿核

清河绿廊

中关村大街科创廊道

清华大学

京张新线开放创新脊

北京大学

中关村核心区

中国人民大学

北京理工大学

紫竹院公园

西三环

北京北站
交通枢纽

西便门绿廊

北四环交通廊道

北三环交通廊道

奥体核心区

中轴线及其延长线

奥林匹克森林公园

望湖公园

太阳宫公园

Youth Lake

什刹前海

蓝靛厂南路

图例 LEGEND

- 京张新线开放创新脊
- 中关村大街科创廊道
- 生态绿廊
- 区域交通廊道
- 开放创新节点
- 外部重要城市轴线
- 统筹研究范围
- 重点设计范围

04


THREE SCALES OF STUDY AND A TRACEABLE WORKING BOUNDARY

The boundary is manually calibrated from the published directional limits, road centrelines, key elements, parcel integrity and mapped conditions. It is a traceable design boundary for this proposal, not a statutory red line.

百年京张AI创新带总体规划结构图

JINGZHANG AI INNOVATION BELT PLANNING STRUCTURE

主脊贯通—核心带动—节点植入—横链织网



05

CONTINUOUS SPINE · ACTIVATED CORES · INSERTED NODES · WOVEN

The heritage park forms the open innovation spine. Dongsheng green core, Wudaokou commercial core, Zhichun Road service core and Dazhongsi commercial core anchor the corridor. RE:STACK nodes enter parks, districts and buildings, while cross-links connect the spine to the wider city.

图例 LEGEND

- 京张新线开放创新脊
- 中关村大街科创廊道
- 生态绿廊
- 区域交通廊道
- 开放创新节点
- 外部重要城市轴线
- 统筹研究范围
- 重点设计范围

三区协作，能力互达

京张新枝·轨旁未来

JZ RE:STACK · TRACKSIDE FUTURES



06

OPEN INNOVATION IS NOT A CLOSED PRODUCTION LINE

The proposal combines one cross-regional innovation chain, three place-specific loops and a shared service network. The principle is access to the whole chain through complementary capacities and rapid connection.

关系图

京张新栈·轨旁未来

JZ RE:STACK · TRACKSIDE FUTURES



京张新栈·轨旁未来

JZ RE:STACK · TRACKSIDE FUTURES




京张新栈·轨旁未来
JZ RE:STACK · TRACKSIDE FUTURES

同一遗产廊道 · 四种接入深度
One Heritage Corridor · Four Levels of Access Depth

CORE-05 | S/M/L/XL 四尺度对比
CORE-05 | S/M/L/XL SCALE COMPARISON

S | 轨旁及社区公共节点
Trackside & Community Node



- 文化导览 Cultural Guide
- 公共咨询 Public Inquiry
- 休憩 Rest Area
- 便民服务 Convenience
- 无障碍设施 Accessibility

覆盖人群 Coverage: 10²-10³
空间厚度 Spatial Thickness: 1-3
插件数量 Plug-in Modules: 1-3

M | 共享协作空间
Shared Collaboration Space



- 小组讨论 Group Discussion
- 工作坊 Workshop
- 开发者交流 Dev Exchange
- 社区活动 Community Events
- 日常服务 Daily Services

覆盖人群 Coverage: 10²-10⁴
空间厚度 Spatial Thickness: 3-6
插件数量 Plug-in Modules: 3-6

L | 协同开发与轻型验证平台
Collaborative Development & Lightweight Validation Platform



- 接口模型测试 Interface Testing
- 模型训练 Model Education
- 设备调试 Device Tuning
- 流程演练 Process Rehearsal
- 远程协作 Remote Collaboration
- 用户反馈 User Feedback

覆盖人群 Coverage: 10³-10⁵
空间厚度 Spatial Thickness: 6-10
插件数量 Plug-in Modules: 6-10

XL | 城市级创新场所
City-scale Innovation Venue



- 企业服务 Enterprise Services
- 办公协作 Office Collaboration
- 产品发布 Product Launch
- 公众体验 Public Experience
- 商务交流 Business Exchange
- 商业服务 Business Services
- 公共活动 Public Events

覆盖人群 Coverage: 10⁵ +
空间厚度 Spatial Thickness: 10+
插件数量 Plug-in Modules: 10+

共同系统基因



固定 AI 核心

开放接口



设备立柱



可替换场景插件



模块化平台基座
Modular Platform Base



统一材料语言
Unified Material Language



FOUR SCALES, FOUR LEVELS OF ACCESS DEPTH

S serves trackside and community needs; M hosts teams and public programs; L supports cross-institution co-development and lightweight validation; XL anchors city-scale innovation venues within buildings and mixed-use complexes.

城市级创新场所

新栈协作机制

京张新栈·轨旁未来

JZ RE:STACK · TRACKSIDE FUTURES



开放创新循环

10

A FOUR-STEP OPEN INNOVATION LOOP

Convene needs, co-develop, validate in context, return feedback. Capital, IP, entrepreneurship, talent and spatial services support the whole loop rather than appearing as a separate stage.

验证

应用反馈

平可及

三区协作，能力互达

京张新枝·轨旁未来
JZ RE:STACK · TRACKSIDE FUTURES



11

THREE AREAS AND TWO WINGS FORM ONE OPEN NETWORK


Zhongzhiyuan strengthens full-stack R&D and validation; AI Origin strengthens translation and developer ecology; Dazhongsi strengthens product launch and market feedback. The two wings connect specialist services and urban application contexts.

关系图

众智园片区规划结构图

ZHONGZHI PARK PLANNING STRUCTURE

主脊贯通—核心带动—节点植入—横链织网



图例	LEGEND
	京张新线开放创新脊
	协同创新轴
	学清路科创产业带
	清河绿廊
	核心核
	协同开放创新节点
	规划范围


12

ZHONGZHIYUAN: A PUBLIC FOYER FOR CROSS-INSTITUTION R&D

The railway corridor lies to the west, the Xueyuan Road industry axis to the east, and Yuequan Road links them. RE:STACK enters gateways, shared atria and suitable ground floors to support researchers, engineers, platforms and companies.

Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community

ZHONGZHIYUAN: RE:STACK AT A CAMPUS GATEWAY



12A

One focused node supports cross-institution collaboration and lightweight validation, connecting ground floors, campus walks and the trackside public realm to the existing R&D environment.

ZHONGZHIYUAN: COLLABORATION BEYOND CLOSED OFFICES




13

RE:STACK does not duplicate specialist laboratories. It provides a neutral, shared environment close to real contexts for software and model testing, integration, human-machine evaluation and lightweight device coordination.

AI原点社区片区规划结构图

AI ORIGIN COMMUNITY PLANNING STRUCTURE

主脊贯通 - 核心带动 - 节点植入 - 横链织网




14

AI ORIGIN: A LONGITUDINAL SPINE CROSSED BY COLLABORATION LINKS

Wudaokou commercial core and Zhichun Road service core activate the district. Distributed nodes enter streets, courtyards, start-up workplaces and community facilities, connecting research teams, developers, existing companies, capital and professional services.

数据来源: Esri, Vantor, Earthstar Geographics, and the GIS User Community


AI ORIGIN: RE:STACK WITHIN THE OPEN DISTRICT



14A

One node links start-up workplaces, community services and trackside space, bringing developer collaboration, open corporate challenges and everyday neighbourhood activity together.

AI ORIGIN: INNOVATION AND DAILY LIFE SHARE THE SAME DISTRICT



15

Shared spaces host agent co-creation, open challenges, training, demonstrations and business services, while also supporting learning, community activity and everyday convenience for residents.

大钟寺片区规划结构图

DAZHONGSI AREA PLANNING STRUCTURE

主脊贯通—核心带动—节点植入—横链织网



大钟寺北路

图例 LEGEND

- 京张新线开放创新脊
- 北三环交通廊道
- 元大都城垣遗址绿带
- 协同开放创新节点
- 核心节点
- 重点设计范围

农科院试验田

体育场

海淀区学院路小学

北京电影学院

北京电影制片厂

葡门里幼儿园

海淀区中关村第四小学

葡门桥

北三环交通廊道

北三环西路

鹤岛南路

中国农业科学院试验田

大钟寺商业核

大钟寺

京张新线开放创新脊

四道口北街36号

中国政法大学 院路校区

北土城路

校医院

明光东路

农科五路

北京交通大学附属中学（北校区）

皂君庙调频发射塔

皂君庙东路

中国农业科学院附属小学（学院南路校区）

学院南路


16

DAZHONGSI: A CROSS-SHAPED FRAMEWORK ACTIVATES THE COMMERCIAL CORE

The Jingzhang spine meets the North Third Ring Road corridor. The commercial core organises launch, experience, exchange and consumption, turning real footfall into product testing and market feedback.

ty,
ity


DAZHONGSI: RE:STACK IN A COMMERCIAL SETTING



16A

One node enters the commercial public realm, concentrating product display, user experience, merchant co-creation and everyday operation while turning real footfall into application feedback.

DAZHONGSI: PRODUCTS GROW IN A REAL MARKET




17

Product launches, enterprise procurement, merchant co-creation, themed events and everyday operations can switch within the same system, helping companies understand users while giving existing merchants new content and partnerships.

从公共廊道进入园区与街区

1 众智园



2 AI 原点社区



3 大钟寺



商业带动公共生活

18

BEYOND THE THREE AREAS: LIGHTWEIGHT FORMS ALONG THE CORRIDOR

Park entrances, east-west crossings, community facilities, commercial ground floors, campus gateways and underused spaces can host S and M nodes. They do not cover the historic track, but respond through parallel alignment, setback and protected views.

轨道留存，公共界面打开

京张新栈·轨旁未来 / JZ RE:STACK · TRACKSIDE FUTURES

1 铁路遗产

保留老轨与碎石
可视可达

2 视线与维护空间

低植缓冲带
不占用轨道空间

3 连续步行

无障碍步行道
贯通界面

4 避阴休憩

树下停留与休憩
可坐可交流

5 新栈服务节点

AI 服务与便民
小体量·轻介入

6 建筑首层协作

开放界面与协作
街院互联



雨水就地组织

屋面雨水立管

雨水进入雨水花园
下渗与净化

溢流口接入
现状雨水管渠

轨道基础

无障碍连续

路面平整防滑
无高差衔接

盲道连续
引导清晰

边缘收口
平整过渡

夜间低位照明

低位遮光灯具
向下配光

19

PRESERVE THE TRACK, OPEN THE PUBLIC EDGE

The heritage park carries cultural display, north-south continuity, east-west connections, walking, recreation, green space and city events. RE:STACK combines these public values with innovation exchange, technology display and convenient services.



关系剖面示意，具体净距与构



20

AI SCENARIOS BEGIN WITH REAL NEEDS


Scenarios cover R&D collaboration, public interpretation, commercial testing, convenient services, learning and environmental sensing. Each identifies users, spatial carriers, AI capability, manual takeover and non-AI alternatives.



21

AI MAY ITERATE; HUMAN CHOICE MUST NOT DISAPPEAR

New versions start with limited trials and expand only after review. The system keeps version records, human review, rollback and exit. Essential public services retain human and non-AI routes without requiring smart devices or unnecessary data consent.



恢复前核查条件

满足安全与合规条件后方可恢复服务。

京张新栈·轨旁未来 JZ RE:STACK · TRACKSIDE FUTURES

分期演进与持续运营 PHASED EVOLUTION & CONTINUOUS OPERATION

轻量接入
S / M

建筑更新
L

网络成形
S / M / L / XL



稳定基座
STABLE BASE

开放接口
OPEN INTERFACES

可替换插件
REPLACEABLE PLUG-INS

22

FROM LIGHT INSERTIONS TO A CITY NETWORK

Phase one deploys S and M nodes; phase two adds L-scale co-development and validation platforms; phase three completes the network with XL venues. Ineffective or unacceptable functions can be paused, replaced or removed.



人工接续与服务保留
Human Continuity & Service Retention

常态开放，四季共创

春 需求对接

企业 × 设计 × 开发 需求对接工作坊

夏 公众共创

公园开放日 × 共创工作坊

秋 产品交流

商户与品牌产品交流 × B2B对接

冬 成果回访

项目进展回顾 × 社区与伙伴回访



常态服务为底，主题活动穿插



项目协作

需求对接 · 方案协同 · 合作推进



产品与商户

产品交流 · 商户对接 · 落地孵化

春

夏

秋


冬

23

EVERYDAY OPENNESS, NOT A ONE-OFF FESTIVAL

Annual events, developer exchange, open corporate challenges, merchant co-creation, public experience and heritage interpretation form a four-season rhythm. Every node has a clear operator, use rules and maintenance responsibilities.

THE TRACK CARRIES A CENTURY OF MEMORY; RE:STACK OPENS A FUTURE ENTRY



24

From transport line to public corridor and then to open innovation network, Jingzhang once again becomes a place where Haidian responds to its time.