

JINGZHANG STRATA: placing the Agent inside a real urban-design loop

Not one-click imagery: site evidence, candidate comparison, human judgment, and reversible delivery form one accountable chain.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING

A CENTENNIAL BASE. A CITY RE-LAYERED.

JINGZHANG STRATA / CIVIC INTELLIGENCE INFRASTRUCTURE

One base preserves railway heritage and public life; three fields calibrate, translate, and enable adoption; two wings import service and blue-green capability; twelve prototypes remain pausable, replaceable, and withdrawable.

THE COMPETITIVE PROPOSITION

AI does not replace planners or approvers. It exposes unknowns, makes alternatives comparable, and binds each spatial intervention to evidence, responsibility, stop controls, and rollback.

PROVISIONAL GEOMETRY / HUMAN DECISION REQUIRED

AI CONCEPT VISUAL / NOT SITE EVIDENCE




Imagegen concept aerial; preserves broad existing grain and predominantly low/mid-rise logic, but is not survey, site evidence, or an official rendering.

Four design depths: from 43.6 km² strategy to three representative nodes

One design logic performs different jobs at each scale, avoiding the mistake of treating nodes as the whole city.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



01
c.43.6 km² coordination study

Strategic relations, innovation ecology, regional coordination; no unpublished polygon.

02
c.11.41 km² overall design

Base-fields-wings, functions, public realm, mobility, and phasing.

03
c.368.4 ha focus-area design

North/central/south each include plan, section, eye-level, and aerial views.

04
3 representative nodes


S01 calibration, S05 accessible translation, S03 terminal-usability adoption.

OpenFreeMap public basemap with concept overlays; © OpenStreetMap contributors | OpenFreeMap © OpenMapTiles. The three fields denote separated design roles, not statutory boundaries, parcels, or construction limits.

Existing-condition diagnosis: identify breaks before defining the Agent's role

Site judgments come from public evidence, provisional geometry, and traceable layers; generative imagery does not fill unknowns.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



Overall structure: one base, three fields, two wings turn a corridor into a city network

The structure does not stack nodes along a line; it links metropolitan innovation, district public life, and the heritage substrate in both directions.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING

ORIGINAL SPATIAL GRAMMAR | JINGZHANG STRATA

BASE × INTERFACE × PROTOCOL

Heritage is not a backdrop. Public life is not decoration. The Agent is not the endpoint.

Every spatial move passes three tests at once: continuity, public value, and reversible governance.



Urban renewal becomes a reviewable version
Retain railway-industrial heritage, existing lanes, and a continuous low/mid-rise grain; repair breaks with small public interfaces; govern each update through a stoppable protocol.

01

Heritage base | do not flatten
Railway-industrial heritage, existing lanes, urban grain, heritage constraints, and rights boundaries form a base that cannot be silently rewritten. **retain continuity first**

02

Public-life interface | repair first
Arrival, ground floor, shade, walking, shared facilities, and accessibility become usable, legible, and maintainable everyday interfaces. **repair public value first**

03

Agent protocol | replayable
Cleared input → option family → Pareto/negative cases → HumanDecision → pilot → rollback; each round records provenance, confidence, responsibility, and version. **allow rejection and exit first**

The difference is not "more spectacular AI" ; it is a city that can challenge, pause, and recover

Typical AI park
One park/device; technology atmosphere first

Digital twin
Mirror and monitoring first; governance often follows the system

Single optimum
One optimal output; weak failure and exit paths

JINGZHANG STRATA
43.6/11.41/368.4ha scales; evidence-options-failure-human gate-rollback

JINGZHANG STRATA | urban design concept system

This spatial grammar is a concept control, not an official boundary, statutory plan, survey, engineering review, or implementation authorisation.



VERSION BASE

Railway heritage, public realm, and existing grain form a version base that AI cannot silently overwrite.

RELAY FIELDS

North calibrates, central translates, south tests adoption: evidence quality, public understanding, and feedback.

SUPPORT WINGS



Technology services and blue-green scenarios provide standards, legal, talent, maintenance, and feedback without new statutory limits.

Function and massing are concept controls: a continuous low/mid-rise base with controlled intensification only where hub and urban-interface conditions support it; no invented supertall district.

11.41 km² overall urban design: retain grain, stitch interfaces, build a loop

The masterplan controls relationships and actions; authoritative polygons trigger same-source re-clipping, recomputation, and redrawing.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



SPATIAL ACTION

Retain the primary network and most urban fabric; add public interfaces along the heritage line and concentrate pilots in three focus areas rather than wholesale redevelopment.

RETAIN

Retain heritage, mature neighborhoods, campuses, and serviceable buildings.

STITCH

Stitch breaks with walking, cycling, transit interchange, and accessible interfaces.

ADAPT

Adapt underused fabric for public services and innovation collaboration.

TEST


Start new interventions as movable, reversible, low-impact prototypes; scale or exit through feedback.

Left: OpenFreeMap public basemap with concept overlays (© OpenStreetMap contributors | OpenFreeMap © OpenMapTiles); right: Imagegen concept aerial. Both follow broad existing grain, not one-to-one building reconstruction and not a substitute for survey, site verification, or official design.

North / Zhongzhiyuan: low-impact insertion of a calibration field

Retain campus and neighborhood grain; use demountable co-location rigs, pocket plazas, walking loops, and shared courtyards for S01 calibration and S02 drift red-teaming.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING




Retain first, then calibrate; no tower district.

Top-left: OpenFreeMap public basemap with concept overlays (© OpenStreetMap contributors | OpenFreeMap © OpenMapTiles); sections, aerials, and eye-level views are Imagegen concept expressions informed by site type, not one-to-one reconstruction.

Central / AI Origin Community: translate model output into daily civic service

Connect campus, community, and public realm through open ground floors, translation galleries, human-switchable service desks, and accessible active-mobility routes, centered on S05.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING





Micro-renewal and open interfaces, not wholesale rebuilding.

Top-left: OpenFreeMap public basemap with concept overlays (© OpenStreetMap contributors | OpenFreeMap © OpenMapTiles); sections, aerials, and eye-level views are Imagegen concept expressions informed by site type, not one-to-one reconstruction.

South / Dazhongsi: verifiable adoption through mobility and commercial interfaces

Insert pausable service prototypes, a multimodal forecourt, and all-weather walking routes into existing mobility, commercial, and community interfaces, centered on S03.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING






Improve existing complex and forecourt; no invented mega station-city.

Top-left: OpenFreeMap public basemap with concept overlays (© OpenStreetMap contributors | OpenFreeMap © OpenMapTiles); sections, aerials, and eye-level views are Imagegen concept expressions informed by site type, not one-to-one reconstruction.

Three representative nodes: plan-section-eye-level chains for review

The twelve prototypes are not twelve buildings; three representative prototypes are spatially deepened while the rest remain a reusable scenario library.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



S01 Calibration Yard

Co-location rigs + shaded waiting + maintenance access

S05 Civic Translation Room

Accessible route + human service + question-ready interface

S03 Adoption Forecourt


Mobility forecourt + all-weather walk + pause control

Node graphics compare spatial actions, scale, and use relations; footprint, construction, fire, accessibility, maintenance, and tenure still require formal professional development.

Public realm and mobility: turn north-south continuity into east-west access

Active mobility, interchange, blue-green systems, and accessibility are prerequisites for the three fields to enter real urban life.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



North-south heritage spine

Maintain continuous interpretation and walking; provisional relations are not new roads.

East-west stitching

Prioritize crossings, accessibility, and interchange at real street, campus, and community interfaces.

Blue-green resilience + care

Use shade, infiltration, rain gardens, and maintainable systems; do not invent water bodies.

Built form and skyline: a continuous low/mid-rise base with controlled emphasis

The site is not a supertall new district; adaptive reuse and interface improvement lead, with moderate additions only where conditions permit.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



RETAIN THE BASE

Retain mature neighborhoods, campuses, railway heritage, and usable industrial fabric.

OPEN INTERFACES

Open ground floors, threshold spaces, shared courts, and public roofs precede demolition/rebuild.

CONTROLLED ADDITIONS

Height and mass require daylight, transport, heritage, fire, and tenure review; no assumed supertalls.

ORIGINAL SPATIAL GRAMMAR | JINGZHANG STRATA

BASE × INTERFACE × PROTOCOL

Heritage is not a backdrop. Public life is not decoration. The Agent is not the endpoint.

Every spatial move passes three tests at once: continuity, public value, and reversible governance.

01 Heritage base | do not flatten

Railway-industrial heritage, existing lanes, urban grain, heritage constraints, and rights boundaries form a base that cannot be silently rewritten. **retain continuity first**

02 Public-life interface | repair first

Arrival, ground floor, shade, walking, shared facilities, and accessibility become usable, legible, and maintainable everyday interfaces. **repair public value first**

03 Agent protocol | replayable

Cleared input → option family → Pareto (negative cases → HumanDecision → pilot → rollback; each round records provenance, confidence, responsibility, and version. **allow rejection and exit first**

The difference is not "more spectacular AI" ; it is a city that can challenge, pause, and recover

Typical AI park

One park/decade; technology atmosphere first

Digital twin

Monitor and monitor first; governance often follows the system

Single optimum

One optimal output; weak failure and exit paths

JINGZHANG STRATA

48.6/15.4/108.4m (high/width/depth); evidence-optimal; future-human gate; rollback

JINGZHANG STRATA | urban design concept system

This spatial grammar is a concept control, not an official boundary, statutory plan, survey, engineering review, or implementation authorization.





Massing, height, and aerial views are concept urban-design expressions, not existing-building surveys, statutory controls, or engineering commitments.

How the Agent performs real urban planning: from cleared input to reversible delivery

The Agent does not stamp approval; it organizes constraints, conflicts, candidate families, metrics, negative cases, and human trade-offs into traceable decisions.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING




Replayed offline allocation: seed 20260821; 55 feasible, 6 Pareto, 3 selected, 6 negative-case rejections, 0 coordinate changes. It validates the governance workflow, not field performance, approval, or a completed HumanDecision.

Twelve prototypes: reusable civic-service interfaces, not twelve fixed buildings

Each prototype defines users, spatial carrier, data boundary, human fallback, maintenance, and exit; HumanDecision still freezes final placement.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



NORTH

S01 co-location • S02 drift red-team • S08 blue-green care

CENTRAL

S04 mobility • S05 accessibility • S07 pollen/dust • S11 community learning

SOUTH

S03 terminal UX • S06 ventilation • S09 event/construction • S10 shift-work

CROSS-FIELD

S12 multilingual guidance can move across fields; it is not one fixed point.


REUSE CONTRACT

Every prototype carries source, confidence, staffed/static paths, ownership, stop, rollback, and sunset. BLDG-001 is one conceptual base for nine program types, not nine surveyed buildings.

Implementation: lock the base, pilot light layers, then scale

The four stages are not slogans: each carries inputs, ownership, acceptance thresholds, pause conditions, and triggers for the next round.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



STAGE-01 Verify base

official boundary / tenure / heritage / transport / utilities

STAGE-02 Light-layer pilots

PHASE-001 provisional; reversible components only

STAGE-03 Professional iteration

access / fire / MEP / operations / public review

STAGE-04 Stewardship

quarterly review / rollback / sunset / open challenge

S01 NORTH CALIBRATION | 90 DAYS | M | CNY 0.30–0.80M

14-day baseline; ≤3 batches/day. Clear and log 100% of inputs; weekly paper-record and safe-power-off drills. Pause on missing rights, unexplained drift, or unsafe separation.

S05 CIVIC TRANSLATION | 90 DAYS | S–M | CNY 0.20–0.50M

14-day baseline; ≤20 assisted interactions/staffed window. Every item carries verification date, owner, and expiry; pause on any unresolved critical access or safety issue.

S03 ADOPTION FORECOURT | 90 DAYS | M | CNY 0.30–0.70M

10-day baseline; ≤8 volunteers/day. Show consent, exit, deletion, and staffed help in 100 % of sessions; pause immediately on critical privacy, access, or safety issues.

Planning-level cost bands and capacity assumptions, not quotations, site authorization, or delivery commitments; every node still requires professional review and candidate-level HumanDecision.

STR-01–08 implementation controls: acceptance, stop, and rollback by design

Every package binds a cost band, capacity, five 90-day milestones, RACI, maintenance, acceptance, stop, rollback, and sunset; all remain unverified planning assumptions.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING

STR-01 • Heritage version base and evidence-calibration protocol • CNY 0.10–0.30M per package

CAPACITY | Up to 300 evidence records per review batch and one version review per week
90 DAYS | D01-15 Freeze the evidence list, provenance, rights, reference conditions, and the single accountable gate; D16-30 Establish the human baseline, version identifiers, and missing-evidence list; D31-60 Rehearse calibration, challenge, withdrawal, and prior-version recovery with sampled records; D61-75 Complete cross-review for rights, heritage, planning, and safety; D76-90 Assemble the acceptance pack; publish only an educational static version if reference conditions are absent
MAINTENANCE | Monthly source, rights, reference-condition, and version review; immediate review when official material changes
ACCEPTANCE | provenance and rights register; reference-condition and calibration record; version log and human-decision record
STOP / ROLLBACK | Without reference conditions, retain education display only; Withdraw unverified output and restore the educational static display and the previous reviewed material.
RACI | A=decision | R=rights+tech | C=heritage+safety | I=asset+access+programme

STR-02 • Zhongzhiyuan calibration-field light-layer interface • CNY 0.30–0.50M per package

CAPACITY | Up to six candidate devices per batch and three batches per day, only during staffed windows
90 DAYS | D01-15 Check space, asset, power, network, and environmental prerequisites; D16-30 Complete a 14-day human/reference baseline and candidate-device register; D31-60 Rehearse co-location, drift alerts, staffed alternatives, and removal in an isolated sandbox; D61-75 Review maintenance, complaint, safe-separation, and stop records; D76-90 The single A decides whether to enter authorised due diligence, modify, pause, or remove
MAINTENANCE | Calibration and safety check before every batch, weekly maintenance, and immediate stop for drift, rights, or separation failures
ACCEPTANCE | existing-space and asset authorization record; power, network, and safety check record; device co-location, maintenance, removal, and static-alternative record
STOP / ROLLBACK | Stop and remove on drift, rights, or maintenance gaps; Stop device output and remove movable components, restoring staffed explanation, paper records, and educational display.
RACI | A=asset | R=tech | C=safety+rights+access | I=decision+heritage+programme

STR-03 • AI Origin civic-translation field and loan library • CNY 0.20–0.50M per package

CAPACITY | Up to 20 assisted interactions per staffed window; daily service hours and opening frequency are not committed
90 DAYS | D01-15 Check campus/community consent, data rights, accessibility, and the accountable human duty holder; D16-30 Establish paper, voice, static, and staffed-equivalent baselines; D31-60 Rehearse translation, loan, update, expiry, deletion, and challenge flows; D61-75 Complete accessibility, content-risk, and staffed-duty review; D76-90 Assemble acceptance and stop packs; stop public advice without an accountable human
MAINTENANCE | Opening/closing check for each staffed window and weekly review of content, accessibility, loans, and deletion paths
ACCEPTANCE | campus/community consent and data-rights record; training, accessibility, and staffed-duty record; paper, static, loan, and deletion-path record
STOP / ROLLBACK | Stop public advice without an accountable human duty holder; Stop public advice, restore paper tutorials, static information, and human explanation, and handle loan records under authorization rules.
RACI | A=asset | R=programme+access | C=rights+heritage | I=tech+decision+safety

STR-04 • Dazhongsi adoption-field reversible trial • CNY 0.50–0.80M per package

CAPACITY | Up to eight voluntary participants per day and 30 minutes per person, only during authorised staffed windows
90 DAYS | D01-15 Check station/property, mechanical, fire, accessibility, and consumer-rights prerequisites; D16-30 Establish a 10-day staffed-service baseline, consent/exit/deletion routes, and a removal plan; D31-60 Rehearse terminal usability, failure prompts, and an equivalent non-AI route in a non-public sandbox; D61-75 Complete safety, privacy, consumer-rights, complaint, and removal rehearsals; D76-90 The single A decides authorised due diligence, modification, pause, rollback, or exit
MAINTENANCE | Daily pre-opening mechanical, fire, and accessibility check; record after each session; immediate stop for major incidents
ACCEPTANCE | station/property space authorization record; mechanical, fire, accessibility, and consumer-rights review record; terminal usability, static alternative, complaint, and exit record
STOP / ROLLBACK | Stop the trial without an equivalent non-AI path; Stop the trial, remove the terminal or prompt, and restore the equivalent non-AI service, paper information, and staffed duty.
RACI | A=asset | R=tech+access | C=safety+rights | I=decision+programme+heritage

PLANNING ASSUMPTIONS / NO QUOTATION / NO PARTNER COMMITMENT / HUMANDECISION PENDING

STR-01–08 implementation controls: acceptance, stop, and rollback by design

Every package binds a cost band, capacity, five 90-day milestones, RACI, maintenance, acceptance, stop, rollback, and sunset; all remain unverified planning assumptions.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING

STR-05 • Six east–west interface field audits • CNY 0.20–0.40M per package

CAPACITY | One round covers six east-west interfaces; only one or two interfaces are audited per day with human review
90 DAYS | D01-15 Freeze the six-interface register and unresolved survey, transport, tenure, and accessibility questions; D16-30 Establish the lawful-safe passage and staffed-reroute baseline; D31-60 Complete phased field audits and conflict grading without adding unverified road commitments; D61-75 Professional roles review reroutes, static wayfinding, complaints, and withdrawal conditions; D76-90 Publish verified interfaces only; keep the rest as relationship lines or unpublished
MAINTENANCE | Refresh inputs before every audit and repeat the audit when street, construction, tenure, or passage conditions change
ACCEPTANCE | field survey, transport, and accessibility audit record; tenure and passage provenance record; lawful-safe passage decision, reroute, and static-wayfinding record
STOP / ROLLBACK | Reroute when lawful and safe passage is not met; Withdraw unverified relationship lines or wayfinding, restore the confirmed static path, and use staffed reroute explanation.
RACI | A=decision | R=access | C=asset+safety+heritage | I=rights+tech+programme

STR-06 • Twelve prototype reversible component set • CNY 0.40–0.80M per package

CAPACITY | The library contains 12 prototypes; no more than three components are active at one site, each passing a human gate
90 DAYS | D01-15 Register component, space, rights, privacy, event-permit, and maintenance responsibilities per prototype; D16-30 Establish paper/static/staffed alternatives and a component-removal baseline; D31-60 Select up to three representative components for non-public assembly, usability, and removal rehearsals; D61-75 Review maintenance, complaint, expiry, inaccuracy, and rights-lapse triggers; D76-90 Produce release/modify/pause/rollback/exit recommendations per item without default diffusion
MAINTENANCE | Weekly component inspection and a pre-event check of rights, privacy, accessibility, expiry, and staffed alternatives
ACCEPTANCE | component, space, and maintenance authorization record; rights, privacy, event-permit, and staffed-alternative record; per-prototype human gate, complaint, removal, and version record for all twelve prototypes
STOP / ROLLBACK | Remove when expired, inaccurate, or complaints are unresolved; Disable and remove inaccurate, expired, or rights-affected components, restoring paper, static, or staffed paths.
RACI | A=decision | R=tech+asset | C=rights+access+safety | I=heritage+programme

STR-07 • Bilingual identity and railway narrative system • CNY 0.10–0.30M per package

CAPACITY | Up to 20 bilingual narrative/wayfinding modules per batch; items with unverified facts or rights do not enter release
90 DAYS | D01-15 Freeze factual sources, rights, translation rules, and non-publication conditions; D16-30 Establish Chinese, English, plain-language, and accessible baseline styles; D31-60 Complete translation, provenance labels, and static prototypes for the first batch; D61-75 Cross-review by history, rights, accessibility, and public-interest roles; D76-90 Release verified items only; leave blank, pause, or withdraw unverified items
MAINTENANCE | Monthly review of facts, rights, translation, and accessibility, with quarterly release-version archiving
ACCEPTANCE | historical-source and rights register; bilingual human-translation review record; static wayfinding, alt-text, and withdrawal-version record
STOP / ROLLBACK | Withhold publication when history or rights cannot be confirmed; Withdraw unverified facts or images and restore reviewed static text, the paper guide, and human interpretation.
RACI | A=heritage | R=programme | C=rights+access | I=decision+asset+tech+safety

STR-08 • Open challenge and version-maintenance crew • CNY 0.20–0.40M per package


CAPACITY | Up to one full version review per quarter; issue volume and response time are not committed
90 DAYS | D01-15 Define challenge routes, issue classes, accountability gate, version identifiers, and stop rules; D16-30 Establish a staffed intake, dispatch, and archive baseline without a committed SLA; D31-60 Rehearse registration, response, modification, pause, rollback, and exit with sample issues; D61-75 Review responsibility, resources, bilingual consistency, and recovery rehearsal; D76-90 Keep the ledger internal without an operator; open the external mechanism only after authorisation
MAINTENANCE | Monthly version, responsibility, complaint, and rollback-ledger review, plus a quarterly bilingual recovery rehearsal
ACCEPTANCE | open-challenge rules, input/output, and exit record; version-maintenance, complaint, and rollback record; operator, resource, and human-decision authorization record
STOP / ROLLBACK | Make no public commitment without an accountable operator; Pause unreviewed challenge input and version release, restoring the last verified material and staffed channels.
RACI | A=programme | R=rights+tech | C=decision+asset+safety | I=heritage+access

PLANNING ASSUMPTIONS / NO QUOTATION / NO PARTNER COMMITMENT / HUMANDECISION PENDING

Metrics, compliance, uncertainty: only recomputable values become numbers

Core ratios derive from submitted provisional geometry; FAR, height, investment, and air-performance claims remain unknown without authoritative inputs.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



A machine-gate pass proves only files, schema, hashes, offline resources, and the current evidence chain within the gate's scope; it is not reviewer acceptance, formal scoring, award, approval, or construction.

Submission boundary: open outputs, professional review, and the human right to exit

The package aligns urban design, Agent evidence, and reversible delivery; it remains an open concept submission, not an official plan or implementation mandate.

PROVISIONAL / HUMAN GATE / HumanDecision PENDING



PUBLIC INTEREST + RIGHTS GATE

- Human, paper, static, or voice-equivalent access
- No biometric or personal-trace requirement
- Expose sources, confidence, failure, stop, and rollback
- AI concept images are not site, survey, or engineering evidence
- Current hashed package cleared; changed assets, attribution, or use require fresh review

COMPLETED OUTPUTS

Overall plan/aerial, north-central-south triptychs, 3 nodes, five figures, bilingual HTML, A3/A0, structured evidence.

HUMAN GATES REMAIN

Professional review, public deliberation, candidate-level HumanDecision, PR reviewer, and platform submission.

AUTHORITATIVE-DATA TRIGGER

Replace boundaries → reclip all layers → recompute metrics → rerender figures/HTML/PDF → re-review.

OPEN CONCEPT / PROVISIONAL / HUMANDECISION PENDING